



Royal College of  
General Practitioners

## RSC Communicable and Respiratory Disease Report for England

### Key Statistics:

Week Number/Year.....02/2016  
Week Starting - Ending.....11/01/2016 - 17/01/2016  
No. of Practices.....123  
Population.....1169108

### National (England)

- **Acute Bronchitis** : decreased from **139.1** in week 1 to **108.2** in week 2.
- **Asthma** : decreased from **18.8** in week 1 to **15.2** in week 2.
- **Common Cold & URTI NOS** : decreased from **149.6** in week 1 to **128.6** in week 2.
- **Influenza Like illness** : decreased from **16.1** in week 1 to **14.2** in week 2.
- **Respiratory System Diseases** : decreased from **472.3** in week 1 to **398.3** in week 2.

### Regional (London, North, South and Midlands And East)

- **Acute Bronchitis** : decreased from **96.2** in week 1 to **70.7** in week 2 in the London region, decreased from **148.3** in week 1 to **120.1** in week 2 in the North region, decreased from **121.8** in week 1 to **115.6** in week 2 in the South region, and decreased from **185.1** in week 1 to **123.3** in week 2 in the Midlands And East region.
- **Asthma** : decreased from **17.4** in week 1 to **13.6** in week 2 in the London region, decreased from **19.2** in week 1 to **17.4** in week 2 in the North region, decreased from **24.4** in week 1 to **13.7** in week 2 in the South region, and was unchanged at **15.0** in week 1 compared with **15.2** in week 2 in the Midlands And East region.
- **Common Cold & URTI NOS** : decreased from **157.5** in week 1 to **147.3** in week 2 in the London region, decreased from **151.8** in week 1 to **140.5** in week 2 in the North region, decreased from **155.5** in week 1 to **111.4** in week 2 in the South region, and decreased from **133.7** in week 1 to **106.5** in week 2 in the Midlands And East region.
- **Influenza Like illness** : decreased from **22.8** in week 1 to **15.8** in week 2 in the London region, decreased from **16.7** in week 1 to **15.4** in week 2 in the North region, increased from **13.0** in week 1 to **14.8** in week 2 in the South region, and decreased from **11.1** in week 1 to **9.7** in week 2 in the Midlands And East region.
- **Respiratory System Diseases** : decreased from **429.4** in week 1 to **371.1** in week 2 in the London region, decreased from **491.5** in week 1 to **420.4** in week 2 in the North region, decreased from **449.9** in week 1 to **392.5** in week 2 in the South region, and decreased from **509.0** in week 1 to **399.0** in week 2 in the Midlands And East region.

### Comment:


Presentations of all respiratory illnesses decreased this week and remain at seasonally expected levels.

The overall rate of presentation of influenza-like illness (ILI) decreased to just below the pre-epidemic threshold.


## Winter Focus 2015/16

Please see page 13 for explanatory notes on the data.


### (A) Influenza-like illness: incidence rate winter 2015/16\*



### (B) RCGP/PHE Influenza Swabbing Surveillance 2015/16 (all ages, gender, & regions combined)\*



\* The thresholds used are the agreed RCGP/ Public Health England levels for 2015/16. The rolling average line (blue) is based on 5 year historic RCGP RSC level.

**(C) Influenza-like illness: national incidence rate 2015/2016 by age group\*****(D) Influenza-like illness: national incidence rate 2015/2016 by age group\***

This table shows the level of intensity of ILI by age band. MEM thresholds have been calculated separately for each age band - the ranges are shown in the table Threshold levels by age band.

	40	41	42	43	44	45	46	47	48	49	50	51	52	53	1	2	3
<15yrs	2.13	4.47	4.49	4.97	0.55	0.00	3.59	6.16	9.99	4.78	5.03	5.48	6.49	4.70	4.88	3.79	
15-64yrs	5.34	6.64	8.45	8.03	7.03	7.10	9.12	9.08	11.73	10.14	14.00	11.93	6.94	11.46	20.95	17.42	
65+yrs	1.62	4.51	6.29	9.41	6.11	4.47	5.60	3.38	6.79	7.29	5.14	5.67	3.46	7.17	9.53	14.12	
All ages	4.32	5.96	7.23	7.72	5.93	5.65	7.94	7.60	10.50	9.07	10.82	9.72	6.58	9.55	16.13	14.20	

	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
<15yrs																	
15-64yrs																	
65+yrs																	
All ages																	

Table 2	Below Threshold <sup>1</sup>	Threshold to Medium <sup>2</sup>	Medium to High <sup>3</sup>	High to Very High <sup>4</sup>	Above Very High <sup>5</sup>
0-14	<11.27	11.27 to <17.9	17.9 to <58.44	58.44 to <98.59	98.59+
15-64	<14.74	14.75 to <28.13	28.13 to <65.85	65.85 to <95.9	95.9+
65+	<11.06	11.06 to <14.6	14.6 to <34.24	34.24 to <49.91	49.91+
All Ages	<15.44	15.44 to <27.02	27.02 to <75.81	75.81 to <119.61	119.61+

**Threshold levels**

<sup>1</sup>Below pre-epidemic threshold

<sup>2</sup>Pre-epidemic threshold breach to < 40th percentile

<sup>3</sup>40th to <90th percentile

<sup>4</sup>90th to <97.5th percentile

<sup>5</sup>97.5th+ percentile


**Weekly influenza-like illness and bronchitis incidence rates per 100,000 persons**

Influenza-like illness		Acute Bronchitis	Influenza-like illness		Acute Bronchitis
<1yr	8.3	316.0	London	15.8	70.7
1-4yrs	7.5	110.2	North	15.4	120.1
5-14yrs	3.1	40.0	South	14.8	115.6
15-24yrs	9.7	34.3	Midlands And East	9.7	123.3
25-44yrs	20.8	55.9	National	14.2	108.2
45-64yrs	15.5	125.7			
65-74yrs	16.8	192.4			
75-84yrs	8.1	282.4			
85+yrs	14.9	490.5			
All ages	14.2	108.2			


# 1. Water & Food Borne Disorders:

5yr Avg   National   London   North   South   Midlands And East


**Infectious Intestinal Disease (ICD10: A00-A09)**  
Weekly incidence (per 100,000 **all ages**) by regions  
for 2015 compared with 5 year average




**Infectious Intestinal Disease (ICD10: A00-A09)**  
Weekly incidence (per 100,000 **0-4 years**) by regions  
for 2015 compared with 5 year average



**Non-Infective Enteritis & Colitis (ICD10: K50-K52)**  
Weekly incidence (per 100,000 **all ages**) by region  
for 2015 compared with 5 year average




**Viral Hepatitis (ICD10: B15-B19)**  
Weekly incidence (per 100,000 **all ages**) by region  
for 2015 compared with 5 year average




## 2. Environmentally Sensitive Disorders:

5yr Avg   National   London   North   South   Midlands And East


**Asthma (ICD10: J45-J46)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average




**Disorders of Conjunctiva (ICD10: H10-H13)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average



**Hayfever/Allergic Rhinitis (ICD10: J30)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average




**Symptoms involving Respiratory & Chest (ICD10: R05-R07,R09)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average




### 3. Respiratory Infections:

5yr Avg   National   North   South   London   Midlands And East


**Acute Bronchitis (ICD10: J20-J21,J40)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average




**Common Cold (ICD10: J00,J06)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average




**Influenza-Like Illness (ICD10: J09-J11)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average




**Acute Laryngitis/Tracheitis (ICD10: J04)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average



**Pleurisy (ICD10: R091)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average




**Pneumonia/Pneumonitis (ICD10: J12-J18)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average




### 3. Respiratory Infections(Continued):

5yr Avg   National   North   South   London   Midlands And East


**Respiratory System Diseases (ICD10: J00-J99)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average




**Acute Sinusitis (ICD10: J01)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average




**Strep Sore Throat, Scarletina and Peritonsillar Abscess (ICD10: A38,J020,J36)**  
Weekly incidence (per 100,000 all ages) by region for 2015  
compared with average for 2010 - 2012 (See page 13)




**Acute Tonsillitis/Pharyngitis (ICD10: J02-J03)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average



**Upper Respiratory Tract Infections (URTI)(ICD10: J00-J06)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average




**Whooping Cough (ICD10: A37)**  
Weekly incidence (per 100,000 all ages) by region for 2015  
compared with average for 2010 - 2015 excluding 2013 (See page 13)




### 3. Respiratory Infections(Continued):

5yr Avg   National   North   South   London   Midlands And East


**Infectious Mononucleosis (ICD10: B27)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average



**Lower Respiratory Tract Infections (LRTI)(ICD10: J20-J22)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average



**Acute Otitis Media (ICD10: H650-H651,H660,H669)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average







## 4. Vaccine Sensitive Disorders

5yr Avg   National   North   South   London   Midlands And East


**Measles (ICD10: B05)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average



**Mumps (ICD10: B26)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average




**Rubella (ICD10: B06)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average




## 5. Skin Contagions

**Bullous Dermatoses (ICD10: L10-L14)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average




**Chickenpox (ICD10: B01)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average




## 5. Skin Contagions (Continued)

5yr Avg   National   North   South   London   Midlands And East


**Herpes Simplex (ICD10: B00)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average




**Herpes Zoster (ICD10: B02)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average




**Infections of Skin & Subcutaneous Tissue (ICD10: L00-L08)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average




**Scabies (ICD10: B86)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average



**Symptoms involving Skin & Oth Integument Tiss (ICD10: R20-R23)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average




**Impetigo (ICD10: L01)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average




## 6. Disorders Affecting the Nervous System

5yr Avg   National   North   South   London   Midlands And East


**Disorders of The Peripheral Nervous System (ICD10: G50-G64,G70-G72)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average



**Meningitis/Encephalitis (ICD10: A170-A171, A390, A38-A85, A87, G00-G05)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average




**Symptoms Involving Nervous & Musculoskeletal (ICD10: R25-R29)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average



## 7. Genitourinary System Disorders

**Urinary Tract Infection/Cystitis (ICD10: N30,N390)**  
Weekly incidence (per 100,000 all ages) by region  
for 2015 compared with 5 year average



## 8. Tabular Summary by Disease

Disease Name	Week beginning Week ending		11/01/2016 17/01/2016		04/01/2016 10/01/2016		28/12/2015 03/01/2016		21/12/2015 27/12/2015	
	Rate	Episodes	Rate	Episodes	Rate	Episodes	Rate	Episodes	Rate	Episodes
Allergic Rhinitis	4.6	54	5.0	49	1.9	22	1.9	23		
Asthma	15.2	178	18.8	185	10.7	124	13.3	160		
Acute Bronchitis	108.2	1,265	139.1	1,371	99.7	1,159	88.2	1,059		
Bullous Dermatoses	0.1	1	0.3	3	0.2	2	0.1	1		
Chickenpox	4.2	49	6.0	59	3.2	37	4.1	49		
Common Cold	128.6	1,504	149.6	1,475	97.7	1,135	115.1	1,382		
Conjunctival Disorders	37.6	440	35.6	351	21.2	246	30.8	370		
Herpes Simplex	6.4	75	5.2	51	3.4	39	3.8	46		
Herpes Zoster	6.8	79	8.3	82	5.7	66	5.4	65		
Impetigo	9.2	107	6.9	68	5.9	69	7.2	86		
Infectious Mononucleosis	0.9	10	0.5	5	0.3	4	0.5	6		
Influenza-like illness	14.2	166	16.1	159	9.6	111	6.6	79		
Infectious Intestinal Diseases	8.3	97	9.6	95	5.9	69	6.7	81		
Laryngitis and Tracheitis	7.2	84	5.4	53	3.6	42	6.9	83		
Lower Respiratory Tract Infections	111.6	1,305	142.8	1,408	101.9	1,184	91.2	1,095		
Measles	0.1	1	0.0	0	0.0	0	0.0	0		
Meningitis and Encephalitis	0.2	2	0.2	2	0.2	2	0.2	2		
Mumps	0.5	6	0.1	1	0.2	2	0.0	0		
Non-infective Enteritis and Colitis	10.0	117	9.4	93	5.3	62	5.7	68		
Otitis Media Acute	26.3	308	29.7	293	20.7	240	30.2	362		
Peripheral Nervous Disease	10.1	118	10.2	101	4.6	53	7.1	85		
Pleurisy	1.3	15	1.6	16	0.4	5	1.0	12		
Pneumonia and Pneumonitis	2.1	24	2.2	22	1.7	20	1.9	23		
Respiratory System Diseases	398.3	4,656	472.3	4,656	300.6	3,494	323.4	3,882		
Rubella	0.0	0	0.0	0	0.0	0	0.0	0		
Scabies	2.5	29	2.6	26	1.3	15	1.6	19		
Sinusitis	29.8	348	36.7	362	21.0	244	18.7	225		
Skin and Subcutaneous Tissue Infections	58.8	687	61.4	605	38.2	444	46.5	558		
Strep Throat and Peritonsillar Abscess	1.7	20	1.6	16	0.8	9	0.9	11		
Symptoms involving musculoskeletal	7.4	86	6.4	63	2.6	30	4.1	49		
Symptoms involving Respiratory and Chest	29.1	340	27.6	272	17.3	201	20.2	243		
Symptoms involving Skin and Integument Tissues	46.4	542	48.9	482	27.1	315	27.6	331		
Tonsillitis and acute Pharyngitis	54.9	642	58.7	579	34.3	399	47.3	568		
Upper Respiratory Tract Infections	245.3	2,868	278.5	2,746	176.3	2,049	216.9	2,604		
Urinary Tract Infections	32.4	379	35.1	346	18.8	219	25.8	310		
Viral Hepatitis	0.3	3	0.3	3	0.4	5	0.3	4		
Whooping Cough	0.4	5	0.2	2	0.3	3	0.0	0		
<b>Number of practices</b>	<b>123</b>		<b>104</b>		<b>121</b>		<b>124</b>			
<b>Population</b>	<b>1,169,108</b>		<b>985,827</b>		<b>1,162,172</b>		<b>1,200,482</b>			

## FURTHER INFORMATION:

### About the report

#### Winter focus

The first two pages of data within this report focus on Influenza-Like Illness, in order to provide information about the onset of seasonal influenza and early warning of any epidemic.

#### Rate calculation

Each weekly incidence rate is presented per 100,000 population. All presentations are for males and females, and for all age groups, unless otherwise stated.

The denominator used for this report is taken from our most recent extract of data from GP practice systems, and includes all patients currently registered with eligible practices. The denominator varies week-on-week as patients register and deregister; it may also be the case that all patients from an individual practice are excluded because of problems with the data extraction from that practice in a specific week. As stated above, patients who have withheld consent for data-sharing are excluded.

In addition to the national rate, we present data for the four NHS England regions: North; Midlands and East; South; and London.

#### Five-year averages

Weekly rates are set against the five-year average, calculated from data for the calendar years 2010-2014. Previously we reported against a ten-year average. The change to a five-year average was made because longer-term trends in the incidence of disease have led to weekly rates for certain diseases becoming increasingly divergent from their ten-year average. The use of five-year averages lessens this effect and enables more meaningful comparison.

For two diseases, years with exceptionally high incidence have been excluded from the averages: for Whooping Cough, data from 2012 has been excluded; for Strep Sore Throat, Scarletina and Peritonsillar Abscess, data from 2013 and 2014 have been excluded so that similar rates in the future will appear as exceptional rather than normal in comparison.

Since 2015 has 53 ISO weeks, the averages data has been adjusted by one week in the first half of the season, until week 1, in order to correct the distribution of public holidays within ISO Weeks.

#### Threshold calculation for Influenza-Like Illness (ILI)

We are now using the Moving Epidemic Method (MEM) to calculate threshold and intensity levels for Influenza-Like Illness. MEM works by identifying seasonal epidemic peaks and then calculates thresholds and intensity levels based on the pre and post epidemic values. This allows us to report the severity of ILI against multiple thresholds, rather than a simple comparison with the five-year average as the wide variation in ILI year on year, especially during the seasonal peak, makes the average less representative.

In addition to the All Ages thresholds, we have also calculated thresholds for three age bands: those aged under 15, 15-64 year olds and those aged 65 and over. ILI incidence rates vary among different age groups, and the age-specific thresholds allow us to highlight epidemics where ILI disproportionately affects a particular age group.

This methodology is used by the European Centre for Disease Prevention and Control to standardise reporting of influenza activity across Europe, and is also in use by Public Health England. Full details of the methodology can be found in: Vega *et al.* (2012) Influenza surveillance in Europe: establishing epidemic thresholds by the moving epidemic method. *Influenza and Other Respiratory Viruses* 7(4), 546-558. For ease of graphical representation, the final threshold (Very High) is not included in Graph A, page 2, but it is part of Table 3, page 3.

Both the *all-ages* thresholds and the *age-specific* thresholds are shown in Table 2, page 3. Ten years of data were used for *all-ages* and *age-specific* thresholds calculation (winter seasons 2004/05- 2014/15 excluding 2009/10).

## About the Royal College of General Practitioners (RCGP) Research and Surveillance Centre (RSC)

### What we do

The RCGP RSC was established in 1957, with the current name in use since 2009. The Centre is an internationally renowned source of information, analysis and interpretation concerning the onset, patterns, prevalence and trends over time of morbidity in primary care. The RSC is an active research and surveillance unit that collects and monitors data; its most important research is the surveillance of influenza and the monitoring of vaccine effectiveness.

The RSC data and analytics hub is housed in the Section of Clinical Medicine and Ageing at the University of Surrey.

Further information about the RSC can be found on our website:

<http://www.rcgp.org.uk/clinical-and-research/our-programmes/research-and-surveillance-centre.aspx>

### Our data extraction process and information governance

Data are extracted twice weekly from practice systems by Apollo Medical Systems on the RCGP's behalf. Patients who have withheld consent for data sharing are excluded from the extraction process.

Data are pseudonymised as close to source as possible. Data are held on secure servers at the RCGP data and analytics hub in the Section of Clinical Medicine and Ageing at the University of Surrey. Both Apollo and the University of Surrey are Registered and compliant with the Data Protection Act and fully compliant with all relevant HSCIC and NHS data information governance best practice.

### What the data is used for

The RCGP RSC has been providing reports weekly about health and disease, called the Weekly Returns Service (WRS) since 1964. The WRS monitors the number of patients consulting with new episodes of illness classified by diagnosis in England and provides weekly incidence rates per 100,000 population for these new episodes of illness. It is the key primary care element of the national disease monitoring systems run by Public Health England. The bulletin can be found at the following URL:

<https://www.gov.uk/government/publications/syndromic-surveillance-summary>

In addition to the WRS, the data is used for other research studies. Any other uses of the data for research follow ethical approval or agreement from NIHR proportionate review, and where relevant Health Research Authority Confidential Advisory Group advice that further approval is not needed. Full details can be found on our website:

<http://www.rcgp.org.uk/clinical-and-research/our-programmes/research-and-surveillance-centre.aspx>

### For further information

For further information about the work of the RSC, or if you would like to be included on our email notification list, please contact:

RCGP Research & Surveillance Centre  
CIRC, First floor  
30 Euston Square  
London NW1 2FB  
Tel: +44 (0)203 188 7690

RCGP Research & Surveillance Centre  
University of Surrey  
Clinical Medicine & Ageing  
GUILDFORD  
GU2 7XH  
Tel: +44 (0)1483 684802

Medical Director: Professor Simon de Lusignan  
[MedicalDirectorRSC@rcgp.org.uk](mailto:MedicalDirectorRSC@rcgp.org.uk)

Practice Liaison Officer: Ivelina Yonova  
[i.yonova@surrey.ac.uk](mailto:i.yonova@surrey.ac.uk)  
Tel: +44 (0)1483 682758

