RESEARCH & SURVEILLANCE CENTRE

RSC Communicable and Respiratory Disease Report for England

Week Number / Year	Population
41 / 2026	**19,869,017**
Dates	**No. Practices**
05/10/2026 - 11/10/2026	**1,866**

Notes

All rates in this report are given per 100,000 population presenting in the week of the report. A rolling 5-year average rate is also provided as a historical comparison. Rates are provided for four regions (North, South, Midlands and East, and London). For acute respiratory infections, a breakdown by age group is also provided.

Rates are presented on a weekly basis, using ISO week numbers.

Please see page 20 for further explanatory notes on the data.

Comments

The rates of influenza-like illness (ILI) have continued to increase in all regions and age bands except in the Midlands and East region and 1-4yrs age band, in which the rates have been stable over the past week. The overall ILI rate remains above the seasonal average for this time of year. Influenza swab positivity remains above 5%, pages 3 and 4.

The rates of acute respiratory infections (ARI) have remained stable over the past week in all regions and in the <1yr and 15-64yrs age bands. Rates have increased in the 1-4yrs and 65+yrs age bands, but these increases have been offset by a decrease in the 5-14yrs age band. The overall rate is slightly lower than the seasonal average for this time of year, page 7.

The rates of COVID-19 have increased in all age bands except the <1yr age band in which they have fallen. Rates have increased in all regions except in the Midlands and East region where the rate has been stable and in the London region where the rate has fallen, page 6.

Other comments:

- Rates of Upper Respiratory Tract Infection (URTI) have remained stable over the past week and the overall rate is tending towards the seasonal average for the time of year. The overall rate of URTI – Croup has decreased, but remains above the seasonal average for this time of year, pages 9 and 11.
- Rates of Exacerbations of Chronic Lung Disease (ECLD), ECLD – Asthma exacerbations and ECLD – COPD Exacerbation have continued to increase and remain above the seasonal average for this time of year, pages 8 and 9.
- Otitis media, sinusitis, infected insect bites, impetigo, and herpes zoster consultation rates are currently above the five-year average. We believe this reflects identification of additional cases through the Pharmacy First scheme, and we are monitoring these changes.

Seasonal Focus

In the "Change since last week" column, a change in rate of 5% to 10% is marked with a single arrow (^ or v), while a change of more than 10% is marked with a double arrow (^^ or vv). A flat line (—) indicates the rate was stable, changing less than 5%.

Region Breakdown

	Acute respiratory infections (ARI)			Influenza-like illness (ILI)			Exacerbations of chronic lung disease (ECLD)		
	This week	Last week	Change since last week	This week	Last week	Change since last week	This week	Last week	Change since last week
London	214.5	219.8	— -5.3	7.3	6.5	^^ 0.9	10.8	11.5	v -0.7
Midlands And East	284.3	286.7	— -2.4	5.0	5.1	— -0.1	19.3	17.1	^^ 2.2
North	345.7	344.7	— 1.0	7.2	5.3	^^ 1.9	29.1	28.5	— 0.7
South	235.2	233.4	— 1.7	6.1	5.6	^ 0.5	16.9	16.3	— 0.7
National	**271.1**	**271.7**	**— -0.6**	**6.3**	**5.6**	**^^ 0.8**	**19.4**	**18.6**	**— 0.8**

	Lower respiratory tract infections (LRTI)			Upper respiratory tract infections (URTI)			COVID-19		
	This week	Last week	Change since last week	This week	Last week	Change since last week	This week	Last week	Change since last week
London	44.2	44.5	— -0.3	160.9	165.4	— -4.5	1.2	1.5	vv -0.3
Midlands And East	88.6	85.2	— 3.4	186.0	192.2	— -6.2	1.3	1.2	— 0.1
North	111.4	107.3	— 4.0	216.2	219.8	— -3.6	1.7	1.2	^^ 0.5
South	75.6	74.1	— 1.5	150.8	150.3	— 0.5	2.0	1.5	^^ 0.6
National	**81.9**	**79.5**	**— 2.3**	**177.8**	**180.8**	**— -3.0**	**1.6**	**1.4**	**^^ 0.2**

Age Group Breakdown


	Acute respiratory infections (ARI)			Influenza-like illness (ILI)			Exacerbations of chronic lung disease (ECLD)		
	This week	Last week	Change since last week	This week	Last week	Change since last week	This week	Last week	Change since last week
<1yr	1,157.4	1,178.7	— -21.2	4.3	4.0	^ 0.3	0.0	0.0	— 0.0
1-4yrs	1,020.8	969.1	^ 51.7	5.2	5.3	— -0.1	1.0	1.7	vv -0.6
5-14yrs	282.8	315.7	vv -32.9	3.0	2.7	^^ 0.3	5.8	7.6	vv -1.8
15-64yrs	205.8	207.9	— -2.2	7.2	6.4	^^ 0.7	15.1	14.6	— 0.4
65+yrs	298.5	280.2	^ 18.3	5.7	4.4	^^ 1.4	47.7	43.7	^ 4.1
All ages	**271.1**	**271.7**	**— -0.6**	**6.3**	**5.6**	**^^ 0.8**	**19.4**	**18.6**	**— 0.8**

	Lower respiratory tract infections (LRTI)			Upper respiratory tract infections (URTI)			COVID-19		
	This week	Last week	Change since last week	This week	Last week	Change since last week	This week	Last week	Change since last week
<1yr	209.4	205.3	— 4.1	1,039.4	1,036.2	— 3.2	4.3	4.6	v -0.3
1-4yrs	154.6	152.0	— 2.7	931.2	868.6	^ 62.6	0.4	0.3	^^ 0.1
5-14yrs	28.3	31.4	v -3.1	258.0	283.2	v -25.1	0.1	0.1	^^ 0.0
15-64yrs	59.6	58.5	— 1.0	133.9	137.9	— -4.0	1.2	1.2	^ 0.1
65+yrs	172.7	162.6	^ 10.1	87.5	83.4	— 4.1	4.0	2.9	^^ 1.1
All ages	**81.9**	**79.5**	**— 2.3**	**177.8**	**180.8**	**— -3.0**	**1.6**	**1.4**	**^^ 0.2**


2025/26 Focus

(A) Influenza-like Illness: national incidence rate by region


The horizontal lines in the following graph are thresholds derived from the Moving Epidemic Method (MEM) model. See p20 for more information.




(B) RCGP/UKHSA influenza virology swab surveillance



(C) RCGP/UKHSA RSV, influenza and SARS-CoV-2 virology swab surveilance (by strain)



(D) Influenza-like Illness: national incidence rate by age band



(E) Influenza-like Illness: national incidence rate by age band

This table shows the level of intensity of ILI by age band. MEM thresholds have been calculated separately for each age band - thresholds are shown in the second table. Refer to page 19 for more information.


	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
0-4yrs	8.9	9.4	6.4	5.0	4.3	3.4	4.9	4.2	2.1	1.6	1.6	1.5	1.6	2.4	3.4	1.7	1.3	1.2
5-14yrs	4.1	3.7	2.6	2.2	1.7	2.1	3.4	2.7	1.3	0.7	1.1	1.2	1.1	0.8	1.1	1.6	0.4	0.5
15-64yrs	6.7	5.8	4.9	4.8	4.0	3.2	4.1	4.3	2.6	2.5	2.7	2.7	2.1	1.9	2.4	2.2	1.2	1.6
65+yrs	5.7	4.4	5.3	3.8	3.2	2.5	2.7	2.5	1.7	2.1	2.0	1.7	1.3	1.3	1.3	1.3	0.8	1.0
All ages	6.3	5.5	4.8	4.3	3.6	2.9	3.8	3.8	2.3	2.2	2.4	2.3	1.9	1.7	2.1	1.9	1.1	1.3

	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41
0-4yrs	1.0	1.0	0.6	1.0	0.9	0.9	1.1	0.9	0.9	1.0	0.5	0.9	1.7	2.0	4.1	2.5	5.1	5.1
5-14yrs	1.0	0.7	0.3	0.6	1.1	0.8	0.6	0.0	0.1	0.4	0.4	0.3	0.5	1.0	2.1	2.1	2.7	3.0
15-64yrs	1.5	1.8	1.0	1.0	1.2	1.1	1.3	1.3	1.2	1.2	1.5	1.7	1.9	2.5	3.5	4.8	6.4	7.2
65+yrs	0.6	0.6	0.4	0.6	0.4	0.6	0.6	0.6	0.5	0.6	0.7	1.0	1.1	2.2	2.4	2.9	4.4	5.7
All ages	1.3	1.4	0.8	0.9	1.0	0.9	1.1	1.0	1.0	1.0	1.2	1.4	1.6	2.3	3.2	4.0	5.6	6.3

	Below Threshold	Threshold to medium	Medium to high	High to very high	Above very high
0-4yrs	<8.02	8.02 to 17.40	17.40 to 36.43	36.43 to 50.50	50.50+
5-14yrs	<5.78	5.78 to 10.95	10.95 to 23.28	23.28 to 32.49	32.49+
15-64yrs	<7.60	7.60 to 15.46	15.46 to 27.40	27.40 to 35.28	35.28+
65+yrs	<5.70	5.70 to 12.90	12.90 to 25.73	25.73 to 34.91	34.91+
All Ages	<6.56	6.56 to 14.59	14.59 to 25.96	25.96 to 33.50	33.50+

(F) Acute Bronchitis and Bronchiolitis: national incidence rate by age band

Children under 1 year old are omitted from the following graph.




Weekly incidence rates of influenza-like illness, and acute bronchitis and bronchiolitis (per 100,000)


	Influenza-like illness (ILI)	ARI-Bronchitis and Bronchiolitis
<1yr	4.3	110.0
1-4yrs	5.2	19.4
5-14yrs	3.0	0.5
15-24yrs	8.0	1.3
25-44yrs	7.3	1.6
45-64yrs	6.7	1.9
65-74yrs	5.9	2.7
75-84yrs	4.6	3.6
85+yrs	8.1	3.7
All ages	6.3	3.3

	Influenza-like illness (ILI)	ARI-Bronchitis and Bronchiolitis
London	7.3	2.7
Midlands And East	5.0	3.0
North	7.2	4.3
South	6.1	3.2
National	6.3	3.3

(G) COVID-19: national incidence rate by region




(H) COVID-19: national incidence rate by age band




1. Respiratory Infections

(I) Acute Respiratory Infections (ARI): national incidence rate by region



(J) Acute Respiratory Infections (ARI): national incidence rate by age band




Respiratory Infections - by region

National
London
South
5 Year Avg
North
Midlands And East


Respiratory Infections - by age band

All ages
<1yr
5-14yrs
65+yrs
5 Year Avg
1-4yrs
15-64yrs


Influenza-like illness (ILI)
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




Influenza-like illness (ILI)
Weekly incidence (per 100,000 all ages) by age band for 2026/27 compared with 5 year average




Exacerbations of Chronic Lung Disease (ECLD)
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




Exacerbations of Chronic Lung Disease (ECLD)
Weekly incidence (per 100,000 all ages) by age band for 2026/27 compared with 5 year average



Lower Respiratory Tract Infections (LRTI)
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average



Lower Respiratory Tract Infections (LRTI)
Weekly incidence (per 100,000 all ages) by age band for 2026/27 compared with 5 year average




Respiratory Infections - by region

National
London
South
5 Year Avg
North
Midlands And East


Respiratory Infections - by age band

All ages
<1yr
5-14yrs
65+yrs
5 Year Avg
1-4yrs
15-64yrs


Upper Respiratory Tract Infections (URTI)
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




Upper Respiratory Tract Infections (URTI)
Weekly incidence (per 100,000 all ages) by age band for 2026/27 compared with 5 year average




ECLD - Asthma Exacerbations
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




ECLD - Asthma Exacerbations
Weekly incidence (per 100,000 all ages) by age band for 2026/27 compared with 5 year average



ECLD - COPD Exacerbations
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average



ECLD - COPD Exacerbations
Weekly incidence (per 100,000 all ages) by age band for 2026/27 compared with 5 year average




Respiratory Infections - by region




Respiratory Infections - by age band




LRTI - Pneumonia
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




LRTI - Pneumonia
Weekly incidence (per 100,000 all ages) by age band for 2026/27 compared with 5 year average




LRTI - Acute Bronchitis
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




LRTI - Acute Bronchitis
Weekly incidence (per 100,000 all ages) by age band for 2026/27 compared with 5 year average



LRTI - Bronchiolitis
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average



LRTI - Bronchiolitis
Weekly incidence (per 100,000 all ages) by age band for 2026/27 compared with 5 year average




Respiratory Infections - by region

National
London
South
5 Year Avg
North
Midlands And East


Respiratory Infections - by age band

All ages
<1yr
5-14yrs
65+yrs
5 Year Avg
1-4yrs
15-64yrs


URTI - Croup
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




URTI - Croup
Weekly incidence (per 100,000 all ages) by age band for 2026/27 compared with 5 year average




URTI - Tonsillitis/Pharyngitis
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




URTI - Tonsillitis/Pharyngitis
Weekly incidence (per 100,000 all ages) by age band for 2026/27 compared with 5 year average



URTI - Otitis Media
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average



URTI - Otitis Media
Weekly incidence (per 100,000 all ages) by age band for 2026/27 compared with 5 year average




Respiratory Infections - by region

National
London
South
5 Year Avg
North
Midlands And East


Respiratory Infections - by age band

All ages
<1yr
5-14yrs
65+yrs
5 Year Avg
1-4yrs
15-64yrs


URTI - Sinusitis
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




URTI - Sinusitis
Weekly incidence (per 100,000 all ages) by age band for 2026/27 compared with 5 year average



URTI - Laryngitis
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




URTI - Laryngitis
Weekly incidence (per 100,000 all ages) by age band for 2026/27 compared with 5 year average




2. Water and Food Borne Disorders

National 5 Year Avg London North South Midlands And East


Infectious Intestinal Disease (ICD10: A00-A09)
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




Infectious Intestinal Disease (ICD10: A00-A09)
Weekly incidence (per 100,000 0-4 years) by region for 2026/27 compared with 5 year average



Non-Infective Enteritis and Colitis (ICD10: K50-K52)
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




Viral Hepatitis (ICD10: B15-B19)
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




3. Environmentally Sensitive Disorders

National 5 Year Avg London North South Midlands And East


Asthma (ICD10: J45-J46)
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




Disorders of Conjunctiva (ICD10: H10-H13)
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average



Hayfever / Allergic Rhinitis (ICD10: J30)
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




Infected Insect Bites
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




4. Vaccine Sensitive Disorders

National 5 Year Avg London North South Midlands And East


Measles (ICD10: B05)
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




Mumps (ICD10: B26)
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average



Rubella (ICD10: B06)
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




Whooping Cough (ICD10: A37)
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




5. Skin Contagions

National 5 Year Avg London North South Midlands And East


Bullous Dermatoses (ICD10: L10-L14)
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




Chickenpox (ICD10: B01)
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




Infections of Skin & Subcutaneous Tissue (ICD10: L00-L08)
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




Scabies (ICD10: B86)
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average



Symptoms of Skin & Integument Tissue (ICD10: R20-R23),
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




Impetigo (ICD10: L01)
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




National 5 Year Avg London North South Midlands And East

Herpes Simplex (ICD10: B00)
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




Herpes Zoster (ICD10: B02)
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




6. Disorders Affecting the Nervous System


Disorders of Peripheral Nervous System (ICD10: G50-G64,G70-G72), Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average



Meningitis/Encephalitis (ICD10: A170-A171,A390,A38-A85,A87,G00-G05), Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




Symptoms of Nervous & Musculoskeletal Systems (ICD10: R25-R29), Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average



7. Genitourinary System Disorders


National 5 Year Avg London North South Midlands And East

Urinary Tract Infection/Cystitis (ICD10: N30,N390)
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average




8. Other Disorders

Strep Sore Throat, Scarlatina and Peritonsillar Abscess (ICD10: A38,J020,J36), Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average



Infectious Mononucleosis (ICD10: B27)
Weekly incidence (per 100,000 all ages) by region for 2026/27 compared with 5 year average



9. Tabular Summary by Disease

	Week 38	Week 39	Week 40	Week 41
Dates	14/09/2026 - 20/09/2026	21/09/2026 - 27/09/2026	28/09/2026 - 04/10/2026	05/10/2026 - 11/10/2026
Population	17,138,415	19,959,345	19,844,750	19,869,017
Practice Count	1,607	1,867	1,860	1,866

	Week 38		Week 39		Week 40		Week 41	
Disease	Rate	Count	Rate	Count	Rate	Count	Rate	Count
Acute Bronchitis	1.2	201	1.2	244	1.6	319	1.7	342
Acute Respiratory Infections (ARI)	227.0	38,910	257.7	51,439	271.7	53,927	271.1	53,868
Allergic Rhinitis	8.2	1,403	8.2	1,637	7.7	1,526	7.3	1,453
Asthma	9.2	1,576	9.6	1,924	9.9	1,955	9.0	1,790
Bronchiolitis	1.2	209	1.4	284	1.4	281	1.6	323
Bullous Dermatoses	0.2	27	0.2	40	0.2	49	0.2	41
COVID-19	0.7	114	1.0	192	1.4	269	1.6	319
Chickenpox	1.0	173	1.0	193	1.3	252	1.4	277
Conjunctival Disorders	11.4	1,948	11.2	2,231	11.8	2,334	11.9	2,362
Croup	4.3	734	4.2	829	4.2	838	4.1	805
ECLD - COPD exacerbations	6.2	1,064	6.6	1,321	7.4	1,475	7.8	1,552
ECLD - asthma exacerbations	8.4	1,448	10.1	2,020	11.2	2,217	11.6	2,312
Exacerbations of chronic lung disease (ECLD)	14.7	2,519	16.9	3,364	18.6	3,684	19.4	3,854
Herpes Simplex	3.0	512	3.0	591	3.3	649	2.9	573
Herpes Zoster	7.4	1,268	7.7	1,534	7.5	1,492	7.5	1,483
Impetigo	7.1	1,220	7.5	1,502	7.5	1,479	7.2	1,426
Infected Insect Bites	13.9	2,381	14.5	2,887	11.7	2,326	9.7	1,936
Infectious Intestinal Diseases	7.1	1,219	6.7	1,336	6.8	1,353	7.0	1,396
Infectious Mononucleosis	0.3	45	0.2	48	0.3	57	0.2	49
Influenza-like Illness (ILI)	3.2	542	4.0	808	5.6	1,103	6.3	1,257
Laryngitis	0.7	124	0.8	165	0.9	179	1.0	193
Lower respiratory tract infections (LRTI)	57.7	9,895	70.3	14,040	79.5	15,784	81.9	16,264
Measles	0.0	3	0.0	5	0.0	5	0.0	8
Meningitis and Encephalitis	0.2	29	0.1	29	0.1	21	0.1	23
Mumps	0.0	5	0.1	11	0.0	5	0.0	8
Non-infective Enteritis and Colitis	3.0	514	2.9	569	3.0	591	2.7	545
Otitis Media	22.2	3,806	24.8	4,950	24.6	4,882	22.9	4,542
Peripheral Nervous Disease	19.5	3,345	19.9	3,966	18.9	3,750	18.8	3,738
Pneumonia	2.9	502	3.0	600	2.9	572	3.1	609
Rubella	0.0	1	0.0	1	0.0	1	0.0	0
Scabies	2.7	458	3.3	658	3.3	649	3.6	714
Sinusitis	18.8	3,230	21.6	4,321	23.7	4,706	23.0	4,579
Skin and Subcutaneous Tissue Infections	98.1	16,810	100.1	19,979	96.2	19,093	94.8	18,832
Strep Throat and Peritonsillar Abscess	0.9	158	1.1	211	1.0	206	1.2	232
Symptoms involving Skin and Integument Tissues	124.1	21,273	119.1	23,765	117.3	23,272	116.2	23,088
Symptoms involving musculoskeletal	17.1	2,933	16.4	3,265	16.2	3,214	16.4	3,268
Tonsillitis and Pharyngitis	45.3	7,760	29.1	5,805	29.3	5,816	29.2	5,809
Upper respiratory tract infections (URTI)	160.7	27,536	177.4	35,405	180.8	35,887	177.8	35,329
Urinary Tract Infections	42.3	7,246	29.9	5,960	29.5	5,845	30.0	5,957
Viral Hepatitis	0.4	62	0.3	53	0.3	51	0.3	52
Whooping Cough	0.0	5	0.0	2	0.0	6	0.0	8

Further Information

Focus on winter respiratory infections and infections with epidemic or pandemic infection

A key role of the RSC is to monitor conditions that cause winter pressures on the NHS, as well as provide early warnings of outbreaks, epidemics, and pandemics. The RSC has been collecting data on infections since 1957, conducting sentinel surveillance since 1967 (with virology added in 1993), and serosurveillance from 2000.

Pages 2-6 of this report focus on influenza-like illness (ILI), virology data, and acute respiratory infections (ARI). ILI is the name given to clinically identified flu cases, around half of which will be due to the influenza virus (the other half will be due to other viruses).

Measuring the level of circulating influenza

The level of influenza-like illness (ILI) is reported using intensity thresholds (Graph A, page 2 and Table E, page 4). These are calculated using the Moving Epidemic Method (MEM). MEM works by identifying seasonal epidemic peaks and then calculating a baseline threshold and intensity levels based on pre- and post-epidemic rates. This provides a better measure of severity of ILI than simply comparing it to the five-year average rate.

The MEM intensity levels for ILI are defined as follows:

Threshold to Medium	Below 40% percentile
Medium to High	From 40% to below 90% percentile
High to Very High	From 90% to below 97.5% percentile
Above Very High	At or above 97.5% percentile

The MEM methodology is used by the UK Health Security Agency (UKHSA) and by the European Centre for Disease Prevention and Control (ECDC) to standardise reporting of influenza activity.

More information about MEM can be found at:

https://pubmed.ncbi.nlm.nih.gov/22897919/

Rate of monitored conditions

Our monitored conditions are reported as the number of new cases each week per 100,000 population. We refer to this as the 'weekly incidence'. All conditions are shown with males and females combined.

The report's population, also called the denominator, is the registered population of RSC practices who share anonymised data for this report. The denominator varies weekly as patients register and deregister; additionally, a practice's data may not be included if there is an issue with data extraction.

Five-year averages

In addition to weekly incidence rates, we plot a five-year average for most conditions. Previously a ten-year average was used, but this window was shortened to reflect faster changes in seasonal variations and therefore enable a more meaningful comparison to relevant historic trends. COVID-19 pandemic years are excluded from this calculation for some conditions.

Regional rates of monitored conditions

In addition to a national rate, we present regional rates for all monitored conditions for four regions of England. The four RSC regions are aggregated NHS regions:

North	NHS North East and Yorkshire, and North West regions
Midlands and East	NHS East of England and Midlands regions
South	NHS South East and South West regions
London	NHS London region

Reporting of acute respiratory infections (ARI) by age band

In addition to regional rates, we report rates by age band for ARI. We display five age bands: those aged under 1 year, 1-4 years, 5-14 years, 15-64 years, and those aged 65 years and over. We subdivide ARI into four categories:

- **influenza-like illness** (ILI);
- **exacerbations of chronic lung disease** (ECLD), mainly asthma and chronic obstructive pulmonary disease (COPD);
- **lower respiratory tract infections** (LRTI), including bronchitis and pneumonia;
- **upper respiratory tract infections** (URTI), including tonsilitis and sinusitis.

More information about our classification of ARI can be found at:

https://www.eurosurveillance.org/content/10.2807/1560-7917.ES.2024.29.35.2300682

About the RCGP Research and Surveillance Centre (RSC)

What we do

Established in 1957, the Oxford-Royal College of General Practitioners (RCGP) Research and Surveillance Centre (RSC) is an internationally renowned source of information, analysis and interpretation concerning the onset, patterns, prevalence and trends over time of morbidity in primary care. The RSC provides weekly reports about health and disease: the Weekly Returns Service (WRS). The WRS has been produced since 1967, in collaboration with the UK Health Security Agency (UKHSA) and its predecessor bodies. The University of Oxford currently provides the WRS on behalf of RCGP and UKHSA.

The RSC is active in research and surveillance. In addition to the WRS, the RSC contributes data to UKHSA's Syndromic Surveillance system, and supports vaccine effectiveness studies. The role of general practice members of the RSC is set out in an annual commissioning letter.

Further information about the RSC can be found on our website:

www.rcgp.org.uk/representing-you/research-at-rcgp/research-surveillance-centre

Our data extraction process and governance

Data are extracted on behalf of the RSC from practice computerised medical record systems, twice a week by Magentus Data Management, or daily by Optum.

Data are pseudonymised as close to source as possible. Data are held on secure servers at the Nuffield Department of Primary Care Health Sciences (NDPCHS) at the University of Oxford. Our systems meet the requirements of the General Data Protection Regulation (GDPR). Further information about the NHS England approval of the RSC's data security can be found at:

https://www.dsptoolkit.nhs.uk/OrganisationSearch/EE133863-MSD-NDPCHS

What the data is used for

The WRS monitors the number of patients consulting with new episodes of illness classified by diagnosis in England and provides weekly incidence rates per 100,000 population for these new episodes of illness. It is the key primary care element of the national disease monitoring systems run by the UK Health Security Agency.

In addition to the WRS, the data are used for other research studies. Any other uses of the data for research follow ethical approval or agreement from NIHR proportionate review, and where relevant Health Research Authority Confidential Advisory Group advice that further approval is not needed.

Get in touch

For further information about the work of the RSC, or if you would like to be included on our email notification list, please contact:

Director: Professor Simon de Lusignan (Simon.DeLusignanPA@phc.ox.ac.uk)

RCGP Research and Surveillance Centre
Policy, Research and Campaigns
Royal College of General Practitioners
30 Euston Square
London, NW1 2FB
Tel: 020 3188 7400

Nuffield Department of Primary Care Health Sciences
Gibson Building
Radcliffe Observatory Quarter
Woodstock Road
Oxford, OX2 6GG
Tel: 01865 617855

RC GP RESEARCH & SURVEILLANCE CENTRE

UNIVERSITY OF OXFORD