Appendix C: Disease Incidence for monitored conditions

Incidence data of conditions monitored by the Oxford-RCGP RSC. Figures track four weekly breakdowns across the 24/25 year, starting Week 1 through Week 13 across all NHS Regions. Rates shown are per 100,000 People

Acute respiratory infections (ARI)

Acute respiratory infections (ARI) 4 weekly table (W1 - W13) - East of England

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	1,227.0	938.3	394.0	140.3	123.8	129.1	220.0	280.6	374.3	1,011.0	844.4	414.6	264.6	256.0	222.7	240.7	274.4	312.5
W2	1,164.8	789.9	336.2	124.0	115.4	119.1	211.5	277.4	373.4	886.8	728.5	368.9	239.4	236.7	207.4	226.5	249.3	326.0
W3	972.9	773.5	308.1	134.8	115.4	108.3	176.2	236.0	312.1	822.8	637.1	306.9	222.2	221.8	185.2	219.3	230.4	311.3
W4	797.4	444.1	148.5	98.1	80.0	87.1	154.7	217.2	276.9	590.1	452.4	174.7	169.1	161.1	140.2	175.1	213.6	263.0
W5	814.5	582.3	177.6	105.9	80.9	88.9	135.9	205.4	286.3	685.7	484.8	186.5	201.6	159.5	148.9	167.9	187.6	255.0
W6	1,623.9	1,048.5	283.6	140.8	113.4	139.3	214.5	306.8	447.1	1,145.7	948.4	306.9	263.0	247.9	238.8	277.7	316.7	427.9
W7	1,955.3	1,405.1	272.6	139.6	128.6	158.8	254.4	325.0	457.6	1,619.9	1,280.2	283.3	275.2	277.0	265.6	289.6	335.7	401.2
W8	2,859.3	2,029.0	507.5	169.9	156.7	188.2	274.6	370.3	537.6	2,461.9	1,957.5	549.8	305.8	344.2	324.7	333.9	352.1	527.0
W9	2,173.8	1,369.6	353.9	193.7	223.9	279.0	343.0	461.2	718.6	1,762.1	1,254.2	395.5	350.1	434.8	447.3	449.2	508.6	706.4
W10	1,625.8	1,303.1	438.7	188.0	173.1	189.4	262.9	344.7	509.7	1,290.7	1,217.5	427.6	303.2	357.1	320.2	312.4	346.2	481.0
W11	1,644.2	1,231.7	361.7	174.0	164.8	162.1	253.6	312.4	468.9	1,388.9	1,094.5	365.9	291.4	347.9	285.7	291.1	323.1	478.5
W12	1,545.6	1,183.8	361.0	157.5	141.6	147.1	210.8	278.7	429.1	1,250.9	1,100.6	389.2	265.6	310.6	250.3	265.7	271.9	379.0
W13	1,120.0	717.1	172.7	109.7	112.9	124.9	194.3	264.6	391.2	1,084.6	665.4	196.6	209.1	218.1	208.8	262.2	282.7	390.3

Acute respiratory infections (ARI) 4 weekly table (W1 - W13) - London

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	1,018.1	753.1	314.8	105.5	74.4	100.5	182.9	230.1	345.7	783.2	684.3	296.5	156.2	166.3	197.0	251.2	260.7	293.9
W2	905.0	662.7	299.2	96.5	74.5	103.0	181.0	244.7	299.2	731.0	554.0	286.7	153.4	168.6	195.2	231.9	244.9	292.8
W3	891.3	597.8	254.0	87.0	67.2	92.5	157.6	208.0	311.2	674.1	559.6	241.9	140.6	152.6	179.2	203.7	228.9	274.3
W4	615.1	395.1	114.0	73.6	56.7	76.3	145.5	194.9	254.7	494.8	329.7	124.8	111.2	108.5	135.8	169.3	200.1	205.6
W5	803.9	471.2	170.0	81.1	55.7	80.9	135.5	188.8	251.4	621.0	386.3	156.6	116.8	118.0	144.7	171.7	202.8	243.5
W6	1,260.1	888.5	284.9	108.5	76.4	118.7	209.9	254.8	373.2	1,014.9	781.5	261.0	169.7	167.2	220.9	265.6	297.1	324.1
W7	1,604.8	1,186.2	280.3	112.9	87.2	133.4	231.7	281.1	402.3	1,442.4	1,093.8	258.0	177.5	183.2	245.8	306.0	321.0	377.5
W8	2,267.1	1,589.5	458.7	145.3	101.1	157.0	262.0	316.3	412.8	1,894.7	1,525.6	448.4	214.7	230.2	297.2	342.9	357.9	443.3
W9	1,483.1	1,014.4	338.9	141.3	129.7	201.9	310.2	443.1	563.1	1,375.7	955.3	319.4	211.8	265.6	365.4	396.5	479.6	582.7
W10	1,161.2	1,086.0	459.9	166.5	119.3	159.7	244.5	316.0	451.9	1,038.0	1,030.7	437.2	235.0	257.2	299.7	306.0	320.6	393.1
W11	1,294.0	996.4	347.2	148.1	120.6	146.3	236.4	298.7	394.0	1,063.7	940.7	337.2	212.4	252.2	265.8	284.4	318.0	354.2
W12	1,231.9	934.5	327.4	131.4	101.0	136.5	212.1	269.1	362.2	1,011.4	859.1	317.5	196.9	209.4	239.3	280.2	288.3	332.9

Acute respiratory infections (ARI) 4 weekly table (W1 - W13) - London

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W13	929.9	582.2	175.4	85.8	81.7	111.3	201.0	264.2	337.1	774.7	542.2	162.0	135.6	154.2	192.5	266.7	295.3	353.3

Acute respiratory infections (ARI) 4 weekly table (W1 - W13) - Midlands

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	1,176.7	844.5	365.3	134.2	129.8	149.9	248.9	306.2	404.8	979.5	788.1	393.1	246.7	280.2	254.8	297.9	311.0	406.0
W2	1,156.9	816.4	352.0	127.4	131.8	145.3	223.4	296.1	410.1	924.2	732.6	367.9	227.8	276.3	257.9	275.1	311.0	385.9
W3	1,119.0	758.1	292.1	112.5	117.9	132.9	217.4	292.1	412.5	819.6	695.2	309.7	196.0	249.6	230.8	261.3	291.1	362.8
W4	702.4	469.8	147.0	92.2	90.9	113.4	177.4	231.6	307.7	673.0	441.1	165.4	153.4	175.1	178.0	216.1	242.5	277.9
W5	1,014.3	616.5	193.9	94.1	85.4	103.6	178.2	230.0	330.0	809.9	564.1	199.4	168.7	180.1	182.9	209.6	240.0	305.7
W6	1,617.5	1,097.2	297.6	157.4	129.5	166.8	264.1	367.4	520.3	1,357.7	1,024.4	317.6	282.4	291.4	294.6	335.3	368.1	478.5
W7	2,271.9	1,553.9	306.3	156.4	147.5	187.9	287.1	377.8	541.0	1,886.7	1,453.9	316.8	291.6	307.0	323.8	368.1	405.9	497.8
W8	2,583.8	1,888.3	586.5	187.6	192.3	237.9	328.5	405.7	569.2	2,333.9	1,895.6	608.7	350.6	424.8	439.2	422.9	434.3	592.0
W9	1,779.0	1,149.9	358.2	183.0	226.0	305.9	392.2	522.7	726.3	1,555.8	1,114.6	358.7	305.9	464.3	514.6	492.6	572.5	746.3
W10	1,565.4	1,256.5	421.8	185.2	180.9	210.0	291.5	374.2	569.7	1,291.7	1,108.5	454.1	303.5	378.3	346.3	344.3	391.3	522.6
W11	1,535.0	1,106.6	352.1	186.7	183.7	190.3	280.0	364.1	527.0	1,227.3	1,095.1	379.1	313.3	392.6	327.6	341.9	362.4	457.8
W12	1,569.0	1,198.2	365.2	157.1	154.0	161.3	248.0	325.9	473.6	1,224.7	1,059.5	402.9	265.9	325.5	280.1	305.9	327.3	425.4
W13	1,239.8	772.4	207.3	111.6	123.6	149.7	228.7	325.0	442.4	1,039.6	719.7	223.7	202.3	248.3	249.1	289.7	320.6	430.0

Acute respiratory infections (ARI) 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	1,381.1	922.1	323.9	136.8	125.1	151.8	264.7	356.1	502.4	1,181.9	848.2	360.8	264.9	269.2	262.3	322.7	371.0	420.3
W2	1,287.9	816.3	298.8	133.2	128.1	147.9	245.6	366.8	500.0	1,019.5	789.2	343.5	231.2	261.6	258.5	306.1	367.7	417.9
W3	1,327.4	768.9	262.5	107.6	110.1	137.1	232.0	341.6	444.7	943.0	719.3	281.9	226.5	246.1	238.8	281.4	341.2	424.2
W4	787.5	475.0	140.4	87.1	88.8	106.9	176.4	264.6	359.6	632.9	412.1	158.4	163.4	178.1	174.1	235.0	255.5	324.6
W5	1,014.8	623.0	168.6	95.5	85.6	106.6	181.6	250.2	368.9	905.2	557.4	185.2	191.8	180.7	175.8	220.6	270.6	317.3
W6	1,732.2	1,139.2	280.8	146.1	128.4	162.0	243.3	347.3	572.2	1,395.6	1,012.6	310.3	284.4	288.7	284.2	312.5	386.3	509.0
W7	2,255.4	1,477.6	267.6	141.0	140.1	181.1	285.0	369.7	539.8	1,899.3	1,385.4	307.1	279.1	295.6	300.8	350.3	401.0	483.6
W8	2,668.2	1,953.8	524.1	176.0	181.2	239.9	335.9	439.0	597.1	2,476.4	1,861.6	544.4	346.5	430.1	407.7	431.5	475.1	610.4
W9	2,082.2	1,182.9	312.5	181.8	236.3	302.5	396.4	544.4	740.6	1,703.7	1,146.2	340.6	337.3	490.0	507.9	499.8	587.4	820.9
W10	1,699.7	1,301.2	404.5	185.1	180.9	199.2	301.8	411.5	595.7	1,418.5	1,142.9	404.0	329.6	386.8	336.2	385.2	424.7	588.6
W11	1,780.9	1,208.9	329.9	165.5	195.3	186.5	273.0	366.5	525.1	1,498.5	1,127.3	380.7	335.7	400.1	310.2	355.4	412.6	494.0
W12	1,753.2	1,236.4	364.6	163.8	156.4	161.8	253.6	340.4	489.0	1,464.1	1,143.2	381.8	293.2	339.2	293.1	313.8	356.9	438.3
W13	1,466.7	771.3	192.6	118.9	128.4	145.0	238.2	345.2	487.8	1,123.0	684.6	211.7	230.6	258.4	246.4	313.7	370.7	466.1

Acute respiratory infections (ARI) 4 weekly table (W1 - W13) - North West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	1,322.4	968.5	341.7	141.1	134.6	176.1	291.3	356.1	469.4	1,179.5	892.4	364.7	252.1	295.2	305.8	355.7	393.1	465.0

Acute respiratory infections (ARI) 4 weekly table (W1 - W13) - North West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W2	1,325.3	914.5	315.6	123.4	136.4	170.5	282.1	379.1	530.1	1,238.9	766.7	347.8	239.5	297.1	301.8	354.5	398.4	489.8
W3	1,308.8	886.5	288.0	121.1	124.0	167.4	263.3	342.4	528.2	1,028.6	820.7	317.0	218.8	280.2	293.0	328.1	374.5	476.9
W4	900.7	595.3	150.8	98.0	102.2	136.9	220.1	296.0	426.7	795.5	533.7	164.3	169.0	202.4	225.2	272.7	303.8	387.4
W5	1,196.8	789.1	217.3	111.8	104.2	138.1	221.5	281.1	407.8	1,027.6	662.2	233.2	201.9	212.6	230.6	279.4	310.1	422.6
W6	2,009.6	1,410.2	349.0	170.2	151.2	204.2	321.9	430.2	602.6	1,716.4	1,246.5	377.8	320.5	342.2	361.4	428.7	476.8	587.3
W7	2,571.2	1,708.5	333.4	159.4	160.9	222.2	351.7	448.9	649.0	2,283.5	1,655.5	360.2	315.0	350.6	389.5	454.4	490.5	614.9
W8	3,094.5	2,029.5	585.1	196.3	205.2	278.2	387.0	503.3	702.7	2,615.0	1,900.4	592.9	369.2	468.8	495.3	553.9	572.5	754.9
W9	2,025.9	1,350.3	383.1	196.3	256.4	366.1	452.2	630.0	910.4	1,804.7	1,320.0	393.6	362.7	531.4	598.9	617.4	696.7	936.5
W10	1,897.9	1,547.3	509.4	218.1	218.9	272.0	367.0	473.5	687.0	1,579.8	1,408.3	532.3	368.5	456.7	456.6	464.0	512.3	688.8
W11	1,843.0	1,333.5	408.0	205.7	216.3	241.9	335.3	447.5	654.8	1,653.1	1,271.5	431.1	340.8	447.7	410.3	445.5	504.4	612.2
W12	1,850.0	1,402.0	416.3	176.8	185.6	207.4	318.9	400.4	576.3	1,581.4	1,267.8	430.4	322.7	377.9	354.9	417.3	438.6	550.0
W13	1,447.7	870.0	223.6	131.0	136.4	176.2	285.2	400.7	557.8	1,277.3	824.8	237.8	222.4	281.0	304.1	372.9	423.7	545.0

Acute respiratory infections (ARI) 4 weekly table (W1 - W13) - South East

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	1,089.1	798.0	330.1	127.9	115.7	130.5	197.9	256.9	347.7	931.8	730.9	339.5	225.8	240.9	214.5	242.6	265.6	338.4
W2	985.3	687.5	288.9	116.7	113.5	119.8	188.7	242.6	339.8	741.5	625.3	303.8	211.6	230.7	200.5	233.1	260.1	306.7
W3	888.7	684.9	246.2	109.8	95.6	112.2	172.9	232.1	332.8	831.4	619.3	258.0	189.6	220.0	188.2	203.6	226.4	308.3
W4	672.6	475.8	142.8	96.1	80.1	90.6	142.3	191.9	300.0	590.4	429.1	150.2	170.3	155.0	152.4	184.3	197.7	264.4
W5	956.5	610.9	174.0	99.4	81.8	90.4	140.2	197.8	317.7	737.2	488.9	183.5	186.8	171.0	154.0	177.0	198.8	264.5
W6	1,605.8	1,075.9	272.8	145.6	112.4	142.3	214.1	293.0	465.0	1,257.2	1,002.1	283.3	260.5	262.3	247.1	283.7	318.3	438.8
W7	2,084.8	1,477.4	254.6	140.2	122.5	162.3	244.0	314.3	442.6	1,792.0	1,325.5	274.0	273.7	276.9	265.1	304.5	335.5	454.1
W8	2,587.7	1,821.4	441.1	163.4	154.8	186.2	261.5	331.8	506.0	2,192.2	1,666.9	453.0	298.3	350.3	334.6	333.7	358.2	491.1
W9	1,824.6	1,220.7	323.5	173.3	203.0	254.8	328.3	456.0	656.4	1,636.0	1,134.7	339.7	301.6	426.7	431.8	406.2	494.4	712.4
W10	1,629.2	1,335.1	398.5	175.5	173.5	184.3	243.9	329.1	487.1	1,374.8	1,214.1	414.4	294.9	363.7	313.4	309.9	344.9	508.1
W11	1,592.7	1,134.3	331.4	161.3	163.6	163.0	231.6	308.5	462.0	1,292.5	1,052.0	341.3	284.5	354.8	280.3	298.7	325.6	442.8
W12	1,527.6	1,160.3	330.0	139.0	142.3	139.1	223.0	283.4	399.4	1,224.3	1,077.8	357.1	256.2	314.4	241.9	271.0	299.4	400.6
W13	1,068.1	701.7	176.7	103.6	106.8	119.3	196.3	259.0	361.5	860.9	620.7	181.1	189.8	222.0	197.8	247.3	276.0	394.5

Acute respiratory infections (ARI) 4 weekly table (W1 - W13) - South West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	967.9	668.1	272.8	113.1	101.4	117.2	167.8	253.9	344.7	748.3	594.5	285.3	216.9	214.1	194.9	215.1	246.8	322.8
W2	903.8	584.9	231.0	95.8	92.3	111.7	157.5	224.0	337.5	763.6	487.9	251.9	187.7	200.4	176.6	194.7	220.5	287.8
W3	871.9	584.2	201.8	96.9	87.1	99.9	148.8	206.9	326.5	656.6	527.1	233.3	179.2	188.6	171.1	198.5	205.6	305.6
W4	555.5	369.0	108.6	82.1	70.7	87.8	130.8	175.6	265.3	427.9	344.5	119.4	149.0	134.8	131.2	157.4	178.3	229.0
W5	752.4	450.7	133.6	84.9	67.7	82.6	113.7	175.7	255.9	627.8	372.0	151.9	165.5	137.2	139.8	142.4	171.9	233.7
W6	1,246.3	778.1	202.5	113.2	96.0	125.4	198.3	251.6	420.5	1,039.0	690.4	216.8	232.4	222.5	214.9	234.9	275.6	378.8
W7	1,769.0	1,098.3	212.1	121.5	108.4	136.1	208.9	277.9	404.1	1,527.4	1,041.4	215.6	234.8	232.2	233.3	261.0	286.8	383.0
W8	2,446.3	1,494.8	369.4	148.4	141.8	179.6	235.6	304.9	438.9	2,060.8	1,465.8	417.1	281.9	304.9	294.0	305.7	340.3	463.4
W9	1,786.2	932.3	277.1	154.5	185.4	248.7	310.2	421.1	636.3	1,348.4	930.9	291.1	282.6	370.7	392.1	380.3	461.3	625.4
W10	1,198.1	966.8	312.1	161.9	147.2	171.6	216.9	303.7	493.6	1,082.7	883.8	327.8	261.2	304.8	279.6	274.6	307.6	426.8

Acute respiratory infections (ARI) 4 weekly table (W1 - W13) - South West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W11	1,259.0	891.4	250.3	141.4	143.0	144.1	208.0	286.7	409.1	1,070.1	838.9	267.2	262.0	297.5	251.6	246.3	286.3	373.4
W12	1,256.7	920.5	291.1	128.1	135.2	127.3	185.5	250.5	339.2	1,042.4	867.7	304.7	235.1	284.6	218.8	243.7	258.4	350.4
W13	935.7	588.8	146.0	96.4	102.8	110.5	166.8	239.2	336.7	759.4	549.5	172.7	185.1	200.3	180.8	209.4	234.4	307.4

Allergic Rhinitis

Allergic Rhinitis 4 weekly table (W1 - W13) - East of England

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	10.6	11.4	26.6	11.2	7.3	7.6	6.6	7.3	2.7	14.6	15.0	17.3	14.5	13.6	10.3	9.6	8.9	3.5
W2	14.2	21.4	64.9	39.8	26.6	15.4	8.2	9.5	5.5	11.0	15.0	43.4	42.2	38.8	19.1	13.5	13.2	8.6
W3	3.6	9.3	23.3	14.9	11.9	7.0	7.9	5.0	6.8	0.0	4.5	19.1	16.9	14.5	10.9	12.3	9.3	6.9
W4	3.5	5.0	14.4	7.0	5.9	5.2	8.2	5.4	1.4	0.0	4.5	9.0	5.8	7.3	7.8	7.7	9.6	4.3
W5	0.0	4.3	10.8	5.9	5.3	4.9	5.9	3.1	1.4	3.7	1.5	7.3	5.2	6.4	6.3	6.4	4.6	2.6
W6	0.0	2.9	8.9	6.5	3.2	3.8	4.6	2.2	6.8	0.0	0.8	6.5	4.9	5.8	4.7	6.4	2.3	0.9
W7	0.0	3.6	8.6	2.4	4.0	2.4	2.0	4.5	4.0	0.0	3.0	4.5	5.5	4.8	3.9	4.3	4.6	0.8
W8	7.0	5.0	7.4	2.4	4.0	2.5	2.9	3.6	4.0	0.0	0.8	4.0	2.6	4.4	3.8	4.9	3.4	2.6
W9	0.0	1.4	5.7	2.9	2.3	2.3	3.3	1.8	2.7	0.0	1.5	3.3	3.4	3.3	4.2	4.3	1.1	0.9
W10	0.0	0.7	9.8	4.3	4.2	3.7	2.6	3.1	1.3	0.0	1.5	6.0	4.0	5.6	6.1	7.0	2.7	1.7
W11	0.0	2.9	7.2	6.1	4.6	4.9	4.9	4.0	1.3	0.0	2.3	6.0	5.7	5.8	7.0	6.1	5.7	3.4
W12	0.0	4.3	15.3	10.9	9.1	6.8	8.1	7.5	2.7	3.7	1.5	13.1	11.1	11.5	9.0	7.9	6.1	5.1
W13	10.4	15.9	25.4	19.8	12.5	13.3	12.6	10.2	6.7	3.7	8.3	15.4	18.9	20.0	14.2	14.3	9.1	9.3

Allergic Rhinitis 4 weekly table (W1 - W13) - London

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	7.3	15.1	44.8	16.9	11.0	10.8	15.3	15.3	20.3	6.1	9.6	30.5	17.6	18.4	19.3	16.1	15.7	9.6
W2	5.9	34.2	111.0	55.2	34.8	31.2	29.3	27.5	24.5	12.3	23.7	69.0	48.5	59.4	46.6	32.5	20.0	16.5
W3	0.0	9.9	42.4	23.0	13.5	13.1	15.7	15.2	11.4	4.7	7.6	26.8	21.8	22.1	23.7	17.4	18.8	9.5
W4	5.8	9.9	25.8	12.4	7.3	8.3	10.2	11.7	11.4	0.0	4.5	19.4	12.8	11.4	15.3	15.9	19.9	10.3
W5	0.0	5.6	19.3	10.7	5.6	6.1	7.6	5.8	8.5	1.5	3.4	13.1	8.4	8.0	9.6	11.7	8.1	3.4
W6	0.0	5.9	18.4	10.8	5.2	5.3	8.4	8.7	5.6	0.0	2.4	12.5	8.1	8.3	9.3	10.7	5.8	3.4
W7	0.0	3.9	15.5	9.4	4.1	5.6	7.3	3.4	8.4	0.0	4.1	11.2	8.7	8.5	7.9	6.3	7.3	3.4
W8	2.9	3.9	15.2	8.7	4.5	6.1	5.8	2.9	0.0	0.0	3.5	11.0	9.5	7.6	9.1	6.5	5.0	3.4
W9	0.0	2.6	10.6	5.3	3.7	3.8	3.5	4.3	4.2	3.0	2.4	8.0	4.7	5.2	5.9	7.0	5.4	1.7
W10	0.0	3.6	15.8	9.0	5.7	6.6	5.5	6.3	1.4	0.0	3.8	11.3	8.4	8.0	8.1	8.9	6.5	2.5
W11	1.4	4.6	18.3	10.1	5.9	6.6	5.0	6.7	4.2	0.0	2.1	13.8	8.8	8.5	11.8	9.1	10.4	8.5
W12	2.9	8.9	41.6	20.7	14.4	16.6	16.2	10.1	8.4	1.5	10.1	27.7	23.7	22.1	26.2	21.2	15.4	9.3
W13	1.5	22.1	56.8	27.8	19.5	24.0	22.9	18.3	19.5	4.6	12.1	38.3	31.1	30.8	37.8	33.5	24.2	15.2

Allergic Rhinitis 4 weekly table (W1 - W13) - Midlands

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	13.9	18.0	36.8	16.0	9.1	10.2	10.3	8.3	9.4	12.5	13.1	24.5	20.3	16.7	14.1	11.7	7.7	8.3
W2	22.8	50.6	86.6	52.0	35.1	17.0	15.9	11.1	7.0	12.5	21.0	55.3	51.3	52.0	26.8	19.8	11.5	8.7
W3	0.0	12.6	27.0	17.0	11.6	10.3	11.9	9.2	5.4	7.2	5.3	16.1	18.2	18.5	13.8	13.7	10.9	8.2
W4	8.7	6.1	16.4	12.0	6.3	7.6	7.8	9.4	3.8	3.5	4.1	9.5	11.1	11.6	11.5	10.6	6.4	3.8
W5	1.8	4.0	11.6	11.8	5.7	5.5	5.6	7.9	3.0	1.8	3.4	9.3	10.5	7.1	7.4	9.1	4.6	2.9
W6	1.7	1.4	13.2	10.4	5.8	6.3	6.4	4.7	5.3	3.5	0.4	8.6	13.3	8.4	7.5	8.0	7.0	2.9
W7	0.0	3.3	8.9	8.0	6.3	4.9	6.2	6.5	2.3	0.0	0.8	5.9	10.3	8.4	9.1	7.5	7.2	2.4
W8	0.0	5.8	9.2	7.0	5.0	6.5	6.5	4.6	2.3	0.0	3.4	7.2	9.2	7.4	8.4	6.9	5.6	4.3
W9	3.5	1.8	7.0	4.7	3.8	4.6	5.7	5.3	3.8	0.0	0.8	4.5	6.8	5.1	5.9	5.2	3.8	2.4
W10	1.7	1.8	10.5	6.4	6.3	7.4	6.5	6.3	4.5	1.8	1.9	6.3	8.4	9.6	10.6	7.7	4.8	2.9
W11	3.5	2.5	10.1	9.1	7.0	6.6	6.8	5.1	4.5	0.0	2.3	8.0	9.1	9.7	10.9	8.6	4.8	4.3
W12	5.2	8.7	18.1	12.5	9.2	9.4	9.4	6.7	9.8	3.6	6.0	12.3	14.7	17.3	13.9	13.3	9.5	4.7
W13	12.2	19.2	37.2	21.4	15.4	16.7	14.3	13.1	8.2	7.2	14.3	23.1	21.2	24.9	20.7	16.4	11.9	12.3

Allergic Rhinitis 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	21.3	15.2	27.3	12.4	9.0	6.9	7.3	5.3	2.4	12.8	13.9	16.8	15.2	15.2	9.3	9.3	7.0	6.0
W2	15.3	24.7	74.0	48.5	27.0	11.4	14.1	9.5	6.0	9.6	13.9	48.8	44.6	42.8	17.0	12.0	11.0	12.6
W3	3.1	7.6	21.9	15.5	13.0	10.0	7.3	6.7	7.2	19.4	7.3	14.1	17.7	17.4	12.5	9.7	8.8	3.0
W4	3.0	7.0	10.3	8.0	6.2	6.6	5.9	5.6	2.4	19.2	4.0	8.4	7.3	7.9	7.3	8.1	5.2	4.4
W5	0.0	1.9	8.4	5.0	4.8	2.1	2.8	3.8	4.7	0.0	3.3	4.9	5.8	7.6	6.4	4.3	3.6	1.5
W6	0.0	2.5	7.8	5.4	4.6	4.1	3.7	1.4	0.0	0.0	2.0	5.7	5.3	6.5	5.8	5.2	4.2	1.5
W7	0.0	1.3	6.1	5.4	3.4	4.2	4.7	1.0	1.2	0.0	2.0	5.5	4.5	4.7	5.0	2.5	2.7	3.7
W8	0.0	1.3	8.6	4.5	4.6	3.8	4.4	3.5	0.0	0.0	1.3	4.0	5.7	6.8	5.4	3.6	3.6	2.2
W9	0.0	0.6	2.7	2.9	1.8	2.2	3.7	2.4	2.4	0.0	0.7	4.9	3.3	4.4	3.9	2.9	3.0	0.0
W10	0.0	1.3	8.7	3.4	3.2	4.3	5.6	3.5	1.2	0.0	2.7	4.9	5.5	6.2	6.1	4.3	3.3	2.2
W11	0.0	4.4	7.2	4.7	4.2	4.2	3.7	3.1	0.0	0.0	3.3	6.0	6.2	7.0	8.0	5.2	4.2	5.8
W12	0.0	3.8	11.4	8.9	7.1	4.2	4.4	5.2	3.5	0.0	6.7	9.5	6.2	10.7	7.6	6.5	3.3	2.2
W13	15.5	14.0	23.3	12.5	10.7	6.7	9.7	7.2	5.8	6.5	12.7	15.1	12.3	16.1	13.6	10.7	9.0	8.7

Allergic Rhinitis 4 weekly table (W1 - W13) - North West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	9.3	19.3	34.9	17.1	12.9	9.2	8.4	8.0	6.5	20.0	11.7	21.7	19.2	22.8	18.0	11.9	10.2	7.6
W2	24.2	30.6	78.6	44.1	28.4	15.8	14.3	9.1	9.3	14.0	13.8	45.8	40.1	47.3	27.6	17.8	10.9	13.9
W3	3.7	10.1	26.8	17.7	12.9	10.0	10.2	7.7	8.3	4.0	11.4	18.3	15.9	17.8	12.7	15.8	8.5	7.5
W4	3.7	9.3	16.9	8.5	10.3	7.8	8.7	7.4	8.2	7.9	5.3	12.3	9.9	14.6	13.9	12.5	9.2	3.4
W5	1.8	3.9	17.2	7.7	7.4	6.7	7.7	6.0	3.6	2.0	2.9	10.0	9.7	11.4	10.9	8.3	8.0	4.5
W6	0.0	3.9	12.2	8.2	7.7	6.5	6.2	3.2	4.5	0.0	0.8	8.0	8.0	11.0	9.6	6.6	8.9	1.7
W7	0.0	2.3	11.6	6.8	7.4	5.9	6.4	5.7	7.2	0.0	1.2	9.2	8.7	10.1	8.0	7.8	7.9	1.7

Allergic Rhinitis 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W8	0.0	2.3	10.9	6.9	6.8	6.1	5.0	3.8	0.9	1.9	0.8	7.0	6.5	9.1	7.9	8.3	5.8	1.7
W9	1.8	2.3	6.3	5.3	4.5	4.3	4.2	3.5	4.5	1.9	2.5	5.5	5.8	7.0	5.0	5.2	3.5	1.7
W10	0.0	3.1	13.0	8.5	6.8	7.0	8.1	5.9	3.6	0.0	2.9	9.3	6.9	10.7	10.7	9.3	3.7	1.7
W11	1.8	3.5	13.4	10.1	7.0	7.3	8.7	6.7	4.5	1.9	2.9	8.8	9.4	12.0	12.4	7.7	5.1	1.1
W12	3.6	11.2	22.5	19.7	16.1	14.9	11.8	11.3	11.7	11.4	7.4	12.9	23.8	24.0	21.0	19.1	16.6	6.8
W13	20.0	20.1	35.7	18.0	17.2	15.5	11.4	13.1	7.2	9.6	12.3	21.3	19.7	25.5	23.3	22.1	13.6	10.1

Allergic Rhinitis 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	3.1	18.7	38.7	16.6	11.9	9.9	11.4	9.3	7.5	18.2	9.4	23.3	18.3	20.2	14.6	15.3	10.1	8.1
W2	18.8	31.1	95.7	61.4	36.4	19.8	15.5	12.8	9.9	15.0	24.5	53.0	57.7	57.1	28.8	18.5	18.7	12.2
W3	4.7	8.9	26.8	21.4	14.4	12.2	11.2	10.5	6.2	5.0	6.4	16.6	20.4	21.8	16.9	13.9	11.9	6.8
W4	0.0	5.1	17.5	11.0	8.5	9.8	9.2	6.2	4.9	1.6	4.7	11.3	9.7	12.2	13.4	12.7	8.6	4.9
W5	0.0	5.4	12.9	9.1	6.1	6.3	6.2	6.5	4.2	0.0	1.7	9.9	11.7	9.4	9.1	7.7	7.2	5.3
W6	0.0	2.5	14.2	9.0	5.8	6.5	6.8	6.3	1.2	0.0	2.3	6.5	11.9	9.6	8.5	8.4	8.2	2.2
W7	0.0	4.1	12.4	7.2	6.2	6.4	7.2	5.1	3.6	1.6	0.7	9.0	9.2	7.3	8.6	7.3	5.3	2.6
W8	0.0	4.5	13.4	7.6	5.9	5.8	4.6	4.1	3.6	0.0	3.7	9.2	7.3	8.7	8.5	6.8	6.1	4.1
W9	1.6	1.6	9.1	4.6	4.4	3.5	4.0	4.9	1.2	0.0	0.0	7.3	5.7	5.1	5.9	6.1	4.6	1.5
W10	1.6	1.6	12.6	6.6	6.4	6.6	6.3	5.5	6.6	0.0	2.4	8.3	7.5	9.2	11.1	8.7	8.0	2.2
W11	1.6	3.5	14.4	9.9	7.4	7.9	8.9	7.1	5.4	0.0	2.0	10.1	8.9	9.6	11.5	10.7	9.0	2.6
W12	7.7	4.5	25.5	16.0	13.3	13.5	12.5	7.7	7.8	3.2	4.4	14.1	20.5	19.1	18.0	14.5	12.9	4.9
W13	12.5	17.6	39.0	25.5	19.7	17.2	14.9	13.9	10.2	24.5	13.8	27.4	25.1	30.1	24.8	18.6	16.3	10.0

Allergic Rhinitis 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	7.6	11.3	23.9	11.9	9.9	5.7	7.1	5.0	1.7	0.0	13.1	14.4	14.0	15.0	8.9	7.7	9.9	4.2
W2	15.4	27.2	62.7	40.6	24.5	10.9	8.7	9.9	10.0	2.7	16.9	40.2	41.6	39.4	20.3	13.5	9.7	7.8
W3	5.2	5.2	15.7	10.6	9.5	7.2	7.3	6.2	3.3	2.8	6.6	11.0	15.0	12.9	11.0	10.4	11.2	6.2
W4	2.5	3.1	8.6	5.6	6.9	6.3	6.1	5.2	5.7	0.0	3.8	6.6	8.5	8.1	8.9	8.2	5.8	6.7
W5	0.0	2.6	8.9	6.0	3.6	3.7	4.8	5.2	0.8	0.0	0.5	7.6	5.7	6.0	6.8	6.2	4.0	3.1
W6	0.0	2.6	9.7	5.4	5.8	6.1	7.1	2.8	2.4	0.0	0.5	5.3	8.0	6.4	6.0	7.3	5.6	1.5
W7	0.0	1.6	8.9	5.0	5.1	4.7	5.2	1.8	1.6	0.0	2.7	4.4	6.2	6.9	4.7	7.6	6.0	2.0
W8	0.0	2.1	6.1	3.5	3.6	5.2	6.5	3.3	4.0	0.0	1.6	4.6	4.5	6.8	7.3	8.3	5.1	3.1
W9	2.5	0.5	5.6	3.8	3.1	3.4	4.0	2.8	3.2	0.0	2.2	4.2	4.9	4.2	4.6	5.6	3.8	2.0
W10	0.0	2.6	6.7	5.3	6.0	6.4	6.1	5.4	1.6	0.0	1.1	4.6	5.9	6.9	7.2	9.6	6.0	3.1
W11	0.0	0.5	8.1	7.4	5.0	5.2	5.9	5.9	4.9	0.0	2.8	8.3	5.0	6.8	9.6	7.4	7.5	5.1
W12	0.0	2.6	12.5	9.3	7.8	6.5	7.8	8.5	5.7	0.0	4.4	8.9	9.5	12.3	11.9	10.3	9.0	3.6
W13	7.7	10.4	20.1	9.8	9.5	7.7	6.7	7.9	6.4	10.8	9.4	13.9	14.5	15.5	11.8	12.1	11.4	9.7

ARI-Bronchitis and Bronchiolitis

ARI-Bronchitis and Bronchiolitis 4 weekly table (W1 - W13) - East of England

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	208.0	23.5	2.4	2.5	1.1	2.4	5.9	5.0	5.5	105.8	17.3	4.0	1.8	4.3	4.6	6.2	6.6	2.6
W2	177.0	20.0	1.9	0.8	1.3	2.1	3.6	5.4	4.1	91.6	9.0	1.8	1.8	3.0	3.5	4.6	3.5	4.3
W3	142.6	11.4	1.2	2.2	1.8	1.6	2.3	1.8	5.4	89.0	5.3	1.3	1.5	2.2	2.4	4.6	4.6	7.7
W4	48.7	5.7	0.7	0.0	0.9	1.3	3.3	4.5	1.4	25.7	6.0	0.3	1.2	1.8	2.4	4.0	3.1	0.0
W5	134.0	17.9	0.5	0.3	1.3	2.2	3.3	3.1	2.7	51.6	12.8	0.5	2.3	1.3	2.9	2.5	3.1	2.6
W6	268.9	31.5	1.4	3.5	1.3	2.4	2.0	4.9	1.4	137.8	20.4	1.0	2.0	4.9	5.4	5.5	5.0	6.0
W7	510.5	60.2	1.2	1.6	1.3	2.9	7.2	3.1	8.1	359.2	46.0	1.5	2.0	3.3	5.1	5.2	7.3	4.2
W8	922.8	91.9	2.4	1.9	3.1	3.6	4.6	4.9	13.4	711.3	79.4	2.5	3.4	4.2	7.0	8.0	6.9	9.4
W9	630.4	42.4	1.4	1.9	4.2	7.0	6.2	5.3	8.1	433.2	34.1	1.8	3.4	5.9	10.0	11.0	9.9	14.5
W10	318.3	36.1	0.7	0.8	2.7	4.2	5.2	4.0	6.7	237.7	31.9	1.5	2.6	5.4	6.5	5.5	13.7	8.5
W11	269.4	36.8	1.9	1.3	2.1	3.0	5.2	5.8	12.1	177.8	18.2	1.5	1.7	4.0	5.5	7.6	6.1	12.7
W12	293.9	35.3	1.7	0.3	2.2	3.7	3.6	4.9	1.3	161.9	22.7	1.8	3.4	4.1	5.3	6.1	4.2	6.8
W13	187.8	20.9	0.2	1.6	1.8	3.5	4.5	4.4	9.4	190.7	6.1	0.5	1.1	2.8	3.2	5.5	6.8	10.2

ARI-Bronchitis and Bronchiolitis 4 weekly table (W1 - W13) - London

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	161.6	14.4	0.7	0.0	0.5	1.0	2.9	3.5	1.4	81.2	7.2	0.5	0.3	1.0	2.3	3.0	2.8	1.7
W2	115.9	13.1	0.6	0.1	0.3	0.9	1.0	1.0	2.9	89.1	6.9	1.0	0.6	1.3	1.3	2.0	1.6	2.6
W3	94.4	12.2	0.4	0.3	0.6	0.5	1.5	2.0	2.9	49.7	5.2	0.3	0.9	0.9	1.5	0.7	1.2	0.9
W4	75.4	6.6	0.2	0.2	0.6	0.5	1.8	1.0	0.0	45.8	3.1	0.3	0.4	0.5	1.2	0.7	1.9	0.0
W5	97.7	13.1	0.1	0.6	0.3	0.5	0.5	1.5	0.0	64.4	6.2	0.3	0.3	1.0	1.2	1.2	2.3	1.7
W6	181.7	20.3	0.8	0.6	0.6	1.2	1.8	3.4	1.4	96.4	13.8	0.6	0.6	1.4	1.9	4.1	2.3	3.4
W7	354.4	42.0	1.6	0.2	0.9	1.0	3.3	3.4	2.8	279.7	29.3	0.8	1.6	1.5	2.9	3.6	1.9	2.5
W8	701.2	60.7	1.7	1.0	0.7	1.9	3.8	2.4	1.4	489.7	46.3	1.0	0.6	1.9	3.6	6.5	3.5	3.4
W9	355.2	23.4	0.9	0.4	0.9	2.9	2.5	4.3	8.4	242.4	19.0	0.9	0.9	2.3	4.5	6.2	4.6	5.1
W10	181.8	21.1	1.2	0.3	1.1	1.6	2.8	3.4	2.8	108.7	12.8	1.0	0.9	2.2	3.1	3.8	3.8	3.4
W11	186.9	16.8	0.7	0.2	0.9	1.7	2.3	2.9	2.8	120.1	12.5	0.5	0.9	1.7	2.4	4.3	3.1	1.7
W12	189.5	20.8	0.7	0.8	0.5	0.9	3.0	2.9	1.4	100.5	15.3	1.0	0.7	1.7	2.6	3.1	2.3	2.5
W13	126.2	12.2	0.6	0.9	0.7	1.1	2.0	1.4	5.6	89.0	12.5	0.1	0.5	1.2	2.0	2.9	3.1	4.2

ARI-Bronchitis and Bronchiolitis 4 weekly table (W1 - W13) - Midlands

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	177.8	11.1	1.6	0.8	1.4	2.0	3.1	3.5	4.7	107.4	11.6	1.3	1.2	1.7	2.9	4.1	3.2	4.9
W2	173.3	11.1	0.7	0.6	1.0	1.3	2.5	3.3	7.0	89.4	6.0	0.9	1.4	2.0	2.6	2.8	4.4	3.4
W3	162.4	9.0	1.0	0.6	0.8	1.9	2.6	1.9	3.8	86.7	6.0	0.4	2.1	1.5	2.8	2.2	3.8	4.8
W4	93.7	3.6	0.4	0.4	1.1	1.1	2.0	1.9	2.3	63.8	8.3	0.6	0.9	1.0	2.0	2.2	1.8	2.9
W5	124.4	20.2	0.7	0.6	0.9	1.2	2.6	2.8	3.0	71.5	8.6	0.6	0.9	1.3	1.7	2.4	1.0	0.5
W6	293.2	23.8	1.1	0.8	1.4	2.3	1.5	1.9	4.5	168.2	16.5	0.5	1.1	2.3	2.3	3.3	4.8	5.7

ARI-Bronchitis and Bronchiolitis 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W7	638.4	54.2	0.5	1.1	1.7	3.0	3.4	4.0	4.5	437.7	41.0	0.8	2.0	2.9	4.1	5.3	4.8	4.3
W8	836.2	50.9	1.5	0.9	2.2	3.5	2.9	3.0	5.3	629.7	41.4	1.7	2.0	3.9	6.4	6.8	6.8	8.5
W9	463.8	31.1	0.5	1.0	1.9	3.7	4.4	7.7	9.8	314.7	22.6	0.3	2.3	5.2	8.1	6.8	7.0	6.7
W10	279.2	24.6	1.1	0.5	1.4	2.4	3.1	3.0	2.3	169.1	16.2	0.6	2.4	3.5	4.0	3.6	4.0	2.9
W11	250.0	25.4	1.2	1.1	1.4	1.8	3.4	2.5	3.0	148.4	17.3	0.9	0.7	3.9	3.1	5.8	2.8	4.3
W12	252.9	20.3	0.7	0.9	1.1	2.2	2.1	3.7	1.5	156.7	15.8	0.9	1.6	2.3	2.6	3.8	4.0	4.7
W13	222.6	9.4	0.4	0.6	1.2	2.3	3.4	3.5	3.7	91.9	13.2	0.1	0.8	2.2	3.3	3.6	2.4	5.7

ARI-Bronchitis and Bronchiolitis 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	243.4	19.0	1.1	0.9	0.8	1.7	2.8	4.6	3.6	147.3	11.9	1.5	1.7	2.8	3.3	4.3	2.8	3.0
W2	198.8	13.3	0.8	0.7	1.8	1.6	3.1	3.2	4.8	99.7	6.6	0.7	1.0	1.9	2.5	3.8	3.1	3.7
W3	248.1	16.5	0.6	0.0	1.2	1.7	2.1	2.8	1.2	71.3	13.3	1.1	1.2	1.6	2.4	2.0	1.8	3.7
W4	103.4	11.4	0.4	0.5	0.2	1.5	0.7	1.4	4.8	54.3	4.0	0.7	0.5	1.4	3.2	2.0	1.2	2.2
W5	176.3	20.3	0.0	0.0	0.3	1.3	1.9	1.4	4.7	90.2	8.0	0.4	1.4	1.6	2.1	4.5	1.2	2.9
W6	325.7	39.3	0.8	0.9	1.4	2.0	2.1	2.1	3.5	183.6	21.9	1.1	1.2	2.6	3.3	2.5	3.6	2.9
W7	692.6	78.6	0.4	1.1	1.5	3.4	2.8	7.7	5.9	481.2	53.2	1.1	1.4	3.3	3.1	3.8	4.2	3.7
W8	824.6	73.6	1.1	0.2	1.2	3.5	4.0	2.4	2.3	696.0	46.0	0.4	1.4	3.6	4.6	5.2	4.8	6.6
W9	572.6	31.0	1.5	0.7	2.7	4.8	4.4	5.9	4.7	318.2	27.3	1.3	1.2	4.5	7.6	4.5	5.7	8.8
W10	360.9	31.7	1.3	0.7	1.6	2.6	3.5	3.8	0.0	221.7	16.7	0.2	1.4	2.9	4.2	3.8	3.6	6.6
W11	317.6	19.0	1.3	0.9	2.2	1.9	4.0	4.9	3.5	186.5	22.0	0.4	0.7	3.2	3.3	4.5	4.2	2.2
W12	280.4	31.1	0.8	0.9	1.0	2.0	3.0	2.1	2.3	167.0	20.0	0.0	0.7	2.7	3.5	2.5	2.7	5.8
W13	257.4	17.2	0.2	0.4	1.1	1.4	2.1	3.1	4.7	133.1	15.4	0.4	1.4	2.2	3.0	4.0	3.0	5.1

ARI-Bronchitis and Bronchiolitis 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	204.6	17.8	0.3	0.9	0.8	2.1	2.3	2.5	5.6	123.9	12.6	1.1	0.6	2.4	3.1	3.7	5.4	3.5
W2	206.3	15.1	0.7	0.6	0.6	2.0	3.2	3.3	3.7	145.6	7.7	0.8	0.6	1.3	2.7	2.4	3.3	2.3
W3	186.7	15.5	0.5	0.6	0.7	1.3	2.0	1.1	0.9	100.8	7.3	0.8	0.5	1.3	2.5	3.5	4.2	2.9
W4	162.6	15.5	0.7	0.9	0.4	1.2	1.1	1.9	0.9	112.0	5.7	0.3	0.5	0.8	1.2	2.4	2.3	1.7
W5	174.7	20.1	0.8	0.5	0.5	1.0	2.7	2.7	5.4	116.4	12.2	0.7	0.1	1.4	1.4	2.1	2.8	2.8
W6	374.7	46.8	1.2	0.8	1.1	1.7	3.0	3.8	8.1	281.6	33.4	0.8	1.7	3.0	3.5	6.1	4.0	3.4
W7	806.2	75.1	0.3	1.4	1.2	2.8	4.1	4.9	5.4	555.9	64.4	0.4	1.3	2.8	3.8	3.6	6.3	4.5
W8	1,046.5	78.3	1.4	0.7	1.8	3.9	5.7	5.7	6.3	794.4	54.7	1.5	1.0	3.4	5.1	6.7	5.3	5.6
W9	529.2	35.7	1.8	1.2	1.9	3.9	4.4	6.5	10.8	378.1	23.3	1.4	1.6	4.8	6.8	7.6	10.2	12.4
W10	341.1	32.6	1.2	0.9	1.7	2.7	3.9	3.8	11.7	259.8	26.2	0.7	2.1	2.4	5.4	4.0	5.3	5.1
W11	319.0	32.6	0.7	0.9	1.0	2.2	4.9	3.8	5.4	216.3	19.3	0.7	1.7	2.6	3.0	3.4	4.4	3.4
W12	330.2	31.0	0.7	0.2	1.1	2.0	2.5	3.5	4.5	179.9	27.5	1.7	0.6	2.7	2.8	3.3	3.7	5.6
W13	272.1	23.6	0.4	0.2	0.7	2.1	2.3	5.9	4.5	139.6	16.4	0.7	0.4	1.2	2.1	2.9	6.0	4.5

ARI-Bronchitis and Bronchiolitis 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	164.5	11.1	1.1	0.3	1.3	2.5	3.5	0.8	1.9	114.0	10.7	1.0	1.5	1.8	3.3	3.3	3.5	6.2
W2	132.9	12.7	1.0	0.7	1.1	2.1	3.8	2.9	6.2	98.1	7.4	0.7	1.3	2.0	2.2	3.9	3.8	5.0
W3	115.0	11.4	1.0	0.6	0.7	2.1	2.6	2.3	3.1	65.2	7.7	0.3	0.8	1.9	3.0	4.0	2.2	3.4
W4	63.8	7.9	0.3	0.4	0.7	1.1	4.5	2.5	3.7	44.2	5.4	0.2	0.9	1.1	1.1	5.0	0.9	0.8
W5	149.4	15.2	0.7	0.7	1.2	1.4	1.7	1.8	3.0	84.1	5.4	0.6	0.8	1.5	2.1	2.5	1.2	3.0
W6	311.9	30.1	1.1	1.4	1.1	3.1	4.1	3.5	5.4	174.5	26.2	0.7	1.4	2.4	3.8	4.6	5.0	3.7
W7	614.7	69.2	0.7	1.2	1.0	4.6	7.2	3.5	4.8	427.3	53.0	1.1	1.2	3.0	6.8	7.5	6.8	5.6
W8	970.4	84.6	1.4	1.0	2.1	4.1	5.8	4.9	7.8	707.3	63.1	1.6	1.7	4.1	6.1	7.6	4.8	5.2
W9	508.5	27.4	1.4	1.6	2.1	5.0	5.6	7.1	6.6	380.3	26.9	0.8	2.1	5.0	8.2	8.5	9.0	7.9
W10	319.6	21.7	0.7	1.7	1.7	3.7	3.7	4.1	4.8	242.7	23.9	0.7	1.2	3.6	4.4	3.2	5.3	9.0
W11	253.9	19.8	0.7	1.1	1.5	2.8	3.2	2.8	3.0	168.1	17.8	0.4	1.4	2.8	4.0	4.3	4.1	3.7
W12	275.5	30.0	0.7	0.7	0.9	2.2	3.5	1.6	2.4	179.5	13.5	0.7	1.6	2.5	2.9	5.2	5.4	4.1
W13	182.2	14.1	0.5	0.6	1.1	1.3	3.0	3.0	2.4	99.5	12.8	0.2	0.7	1.7	2.4	4.5	6.3	4.5

ARI-Bronchitis and Bronchiolitis 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	196.1	13.8	1.0	0.5	1.4	1.8	2.7	5.0	3.3	99.9	12.5	1.6	2.2	3.0	3.5	2.2	5.2	3.1
W2	169.5	11.3	0.3	0.9	1.2	1.9	2.5	1.6	0.8	92.4	10.9	0.4	1.5	1.9	2.3	2.4	2.9	2.6
W3	132.0	13.4	0.8	0.4	0.8	1.3	2.9	1.3	3.3	74.8	13.1	0.7	1.1	1.5	1.5	2.2	1.6	2.6
W4	117.2	6.7	0.3	0.0	0.8	1.6	2.3	1.3	4.1	46.3	8.7	0.7	0.6	1.2	1.4	2.2	1.8	2.1
W5	140.8	19.1	0.5	0.2	0.4	1.3	0.8	2.3	1.6	82.2	16.4	0.9	1.3	0.9	1.7	2.2	1.8	2.0
W6	253.8	29.0	1.0	1.2	0.7	1.3	2.3	3.6	3.3	163.3	21.9	1.1	1.8	2.2	2.8	4.2	3.3	2.6
W7	576.9	55.5	1.5	0.5	1.5	2.3	2.7	3.6	2.4	399.4	48.9	0.4	1.3	2.6	3.6	5.4	4.2	3.1
W8	978.5	78.9	1.7	1.6	1.8	3.4	3.4	4.9	4.0	694.2	65.4	1.8	2.2	4.0	5.7	5.8	6.4	8.1
W9	559.1	33.7	2.2	0.7	2.6	4.7	5.7	6.4	7.3	329.0	26.9	2.1	2.9	5.9	7.9	6.3	11.3	7.1
W10	277.1	28.1	0.7	1.2	2.0	2.6	5.4	4.9	3.2	193.6	22.0	0.7	1.3	3.8	5.0	4.3	3.8	3.1
W11	266.8	19.2	0.7	1.9	1.7	2.3	2.3	4.6	4.1	174.7	18.2	0.7	1.3	2.7	4.1	4.0	4.2	3.6
W12	252.4	28.7	0.5	1.2	1.3	1.7	3.1	3.1	4.9	160.8	16.0	0.9	2.3	2.9	3.4	4.7	4.0	6.1
W13	215.9	14.6	0.5	0.0	1.1	1.1	2.7	4.9	3.2	86.2	11.1	0.9	0.7	2.0	3.2	3.1	3.5	5.1

ARI-CovidSuspected

ARI-CovidSuspected 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.7	0.5	1.7	2.0	4.9	5.4	5.5	0.0	0.0	0.3	2.7	2.9	4.7	5.2	6.2	9.5
W2	17.7	1.4	0.7	1.1	1.8	2.6	5.2	12.2	9.5	7.3	0.8	0.8	2.1	3.9	6.2	6.5	8.1	10.3
W3	24.9	0.7	0.2	0.8	2.1	4.3	6.6	11.7	32.6	22.2	0.8	0.3	1.7	4.4	9.6	10.5	9.3	21.4
W4	10.4	0.0	0.5	0.5	1.3	2.9	4.3	10.3	12.2	7.3	1.5	1.0	1.4	2.9	4.8	5.5	10.4	8.6

ARI-CovidSuspected 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W5	7.1	1.4	0.2	0.3	0.6	2.4	3.3	7.2	9.5	7.4	0.8	0.3	1.4	2.1	4.2	7.4	5.4	10.2
W6	10.3	2.9	0.0	1.1	1.4	4.7	5.9	14.8	37.8	18.1	0.0	0.5	2.6	3.5	8.0	9.5	14.2	32.4
W7	6.9	2.2	0.2	0.0	0.7	2.2	2.3	9.4	12.1	11.0	2.3	0.8	1.2	2.3	4.2	4.3	6.5	13.6
W8	3.5	0.7	0.0	0.8	0.8	1.1	2.3	4.5	6.7	3.7	0.8	0.0	0.0	0.6	1.4	3.1	3.8	10.2
W9	6.9	0.0	1.0	0.0	0.0	1.0	2.0	4.9	12.1	3.6	0.8	0.0	0.6	0.7	1.3	1.8	1.9	5.1
W10	3.5	0.0	0.5	0.5	0.3	0.8	1.3	2.7	8.1	3.7	0.8	0.0	0.0	0.5	0.9	1.8	1.5	6.0
W11	0.0	1.4	0.2	0.0	0.2	0.2	1.6	0.9	2.7	0.0	0.0	0.3	0.0	0.6	0.7	0.9	1.5	1.7
W12	0.0	0.0	0.0	0.0	0.2	0.6	0.6	4.0	8.1	0.0	0.0	0.0	0.3	1.4	1.1	1.2	1.9	5.1
W13	0.0	0.0	0.0	0.5	0.1	1.0	1.3	1.3	6.7	7.5	0.0	0.0	0.0	1.1	1.5	2.1	4.2	3.4

ARI-CovidSuspected 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	13.2	0.7	1.6	1.5	1.6	2.7	6.8	6.9	23.1	10.7	1.0	1.7	2.7	3.2	6.6	7.9	12.2	18.3
W2	13.2	1.6	1.9	1.1	1.5	3.2	7.3	8.8	21.6	10.7	2.1	1.3	2.2	4.0	7.2	10.1	14.9	19.1
W3	29.5	1.3	0.5	0.9	2.3	4.4	10.0	15.7	32.8	26.4	3.1	0.6	2.8	6.6	13.9	18.9	17.2	31.0
W4	18.9	2.0	0.2	1.0	1.5	3.2	7.7	13.6	24.2	18.3	0.7	0.3	1.5	3.4	7.4	11.2	9.0	24.0
W5	24.8	3.0	0.4	0.4	1.2	2.7	3.1	8.7	21.2	7.7	1.0	0.5	1.0	2.8	6.8	6.3	12.4	17.0
W6	18.6	1.3	0.2	0.9	1.3	2.6	7.4	13.1	28.2	9.0	1.0	0.1	0.9	2.9	7.4	10.9	11.6	24.7
W7	7.2	1.0	0.2	0.3	0.6	1.8	1.5	4.8	15.4	9.1	0.3	0.3	1.3	1.5	2.7	2.9	7.3	15.3
W8	8.7	1.3	0.4	0.9	0.5	0.9	1.3	4.3	11.2	7.7	0.7	0.5	0.5	1.0	2.2	2.6	4.6	5.9
W9	2.8	0.7	0.6	0.2	0.4	0.5	2.3	4.8	11.2	4.5	0.0	0.0	0.4	1.0	1.6	2.9	5.0	1.7
W10	4.3	1.0	0.1	0.1	0.2	0.8	0.8	0.5	12.6	4.6	1.7	0.0	0.5	0.7	1.1	1.2	2.3	11.0
W11	7.2	0.3	0.2	0.4	0.3	0.8	1.0	1.9	11.2	4.6	0.0	0.0	0.1	0.6	1.0	1.7	3.8	5.9
W12	8.6	0.0	0.4	0.1	0.2	0.6	0.5	4.3	7.0	3.0	0.7	0.4	0.3	0.6	0.9	2.4	3.8	11.0
W13	5.8	0.7	0.1	0.2	0.3	1.0	2.5	3.8	9.7	9.2	2.1	0.4	0.2	1.0	2.0	2.4	3.1	8.5

ARI-CovidSuspected 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	17.4	1.1	4.1	4.6	3.4	5.4	9.4	11.1	18.0	5.4	0.4	3.2	5.5	7.6	8.7	7.8	13.2	16.0
W2	17.5	1.4	1.7	2.1	2.6	3.5	9.3	12.5	19.4	7.2	0.8	1.0	3.2	7.0	11.0	10.4	11.3	18.4
W3	21.2	1.4	0.5	1.5	2.5	6.1	11.8	21.9	37.6	23.5	0.8	0.8	2.1	7.7	13.9	16.4	18.2	26.0
W4	13.9	1.4	0.1	0.9	1.9	4.3	8.2	8.7	17.6	7.1	0.8	0.3	1.9	4.3	8.7	7.9	13.3	14.9
W5	24.5	1.4	0.5	1.2	1.1	3.1	4.7	11.0	19.7	14.3	0.4	1.2	1.4	4.1	7.2	8.4	9.8	18.1
W6	12.1	1.4	0.7	1.4	2.1	5.2	10.0	16.6	39.4	8.8	1.1	0.8	1.6	7.1	12.3	17.5	19.8	34.3
W7	10.4	1.4	0.2	0.5	1.0	2.8	3.9	8.4	20.4	1.8	1.1	0.8	1.0	2.9	5.3	5.8	9.2	13.3
W8	5.2	0.7	0.1	0.1	1.0	0.8	2.6	4.4	9.0	3.6	0.8	0.3	0.2	2.2	2.3	2.0	2.6	6.2
W9	1.7	0.4	0.2	0.3	0.2	1.0	2.3	3.0	4.5	1.8	0.0	0.1	0.2	0.8	1.7	2.7	2.4	3.3
W10	5.2	0.0	0.4	0.6	0.4	0.4	1.3	1.6	7.5	1.8	0.0	0.4	0.5	0.5	0.9	2.0	2.0	1.4
W11	3.5	0.7	0.0	0.1	0.4	0.7	1.5	4.9	6.0	5.4	0.8	0.4	0.1	0.9	1.1	1.3	4.0	5.7
W12	6.9	0.4	0.2	0.1	0.3	0.6	1.8	3.0	7.5	5.3	0.0	0.1	0.2	0.6	1.2	2.7	2.4	5.2

ARI-CovidSuspected 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W13	10.4	0.4	0.1	0.6	0.4	0.6	1.3	4.2	6.0	1.8	0.0	0.1	0.2	0.8	1.2	3.0	2.2	8.5

ARI-CovidSuspected 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	24.3	0.6	0.4	0.9	0.9	1.7	4.7	7.4	19.3	6.4	0.7	0.7	0.5	1.8	4.1	5.2	8.3	16.4
W2	30.6	0.6	0.8	0.5	1.8	3.9	5.2	14.8	32.4	19.3	2.0	1.8	1.5	4.5	7.8	11.8	14.4	28.1
W3	34.1	3.2	0.8	0.9	3.1	7.0	13.4	17.6	40.5	16.2	2.7	0.9	3.9	8.5	15.3	17.6	15.2	34.7
W4	21.3	2.5	0.0	0.5	1.7	3.0	6.8	11.6	15.5	12.8	2.7	0.2	1.7	4.3	8.2	10.4	14.0	22.8
W5	6.2	1.3	0.8	0.2	1.4	2.6	5.9	12.9	23.6	19.3	0.0	0.4	0.2	2.8	5.8	8.1	12.4	20.5
W6	24.4	3.2	1.1	0.7	1.6	4.1	7.3	18.5	43.7	12.7	3.3	0.4	1.2	4.2	8.5	9.7	15.8	29.3
W7	15.3	0.6	0.4	0.5	0.4	1.6	4.9	9.1	18.8	3.2	2.0	0.0	0.5	1.4	4.4	3.8	7.6	15.3
W8	12.4	0.0	0.4	0.0	0.6	1.4	3.3	4.5	9.4	3.2	0.0	0.7	0.0	1.3	1.8	1.6	3.9	7.3
W9	9.2	0.0	0.0	0.0	0.3	1.3	2.6	3.8	16.5	6.4	0.7	0.0	0.5	0.5	0.8	1.3	2.1	11.7
W10	3.1	1.3	0.0	0.0	0.4	0.5	0.5	3.8	10.6	0.0	1.3	0.0	0.0	0.8	0.7	0.9	2.4	7.3
W11	6.2	1.3	0.4	0.0	0.4	0.4	0.9	3.1	2.3	3.3	0.0	0.4	0.0	0.6	1.0	1.6	3.6	3.7
W12	3.1	0.0	0.4	0.0	0.3	0.6	1.2	3.5	12.9	3.2	0.0	0.2	0.0	0.8	1.3	0.2	2.7	4.4
W13	9.3	0.6	0.4	0.0	0.2	0.8	1.4	5.2	9.3	6.5	0.0	0.4	0.2	0.6	1.3	2.0	2.4	8.7

ARI-CovidSuspected 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	18.6	1.5	1.3	1.0	2.1	3.8	4.5	8.5	23.3	10.0	4.9	1.1	2.6	6.1	8.3	8.2	11.4	8.2
W2	27.9	6.6	2.2	2.4	3.4	5.7	10.9	14.3	23.1	20.0	2.8	1.7	2.5	8.3	13.0	13.4	16.5	22.6
W3	29.9	5.8	0.9	2.2	3.6	9.0	12.3	21.6	42.2	18.2	3.7	0.6	3.9	12.0	22.8	23.0	25.9	39.6
W4	25.6	1.2	0.5	1.3	3.0	6.5	10.0	13.1	34.7	27.5	2.4	0.8	2.2	6.9	12.8	12.8	15.5	21.7
W5	18.4	0.8	0.4	0.8	2.3	4.5	10.0	13.0	13.6	21.7	1.6	0.4	2.1	6.1	9.9	9.5	12.4	13.1
W6	25.1	5.0	1.1	1.9	2.1	6.4	8.5	17.3	23.5	7.7	1.6	1.5	2.8	9.4	14.9	11.6	21.9	28.9
W7	16.2	3.1	1.3	1.5	2.0	3.8	5.1	12.7	22.5	1.9	3.7	1.1	1.9	4.8	9.0	8.5	11.4	13.6
W8	7.2	1.2	1.1	1.1	2.2	3.2	3.5	4.6	9.9	5.8	4.1	2.1	1.8	4.0	5.4	3.8	7.7	9.6
W9	8.9	1.6	0.7	0.9	1.1	2.0	2.3	4.6	11.7	1.9	2.9	0.8	0.5	1.9	3.1	3.4	6.3	8.5
W10	5.4	0.8	0.5	0.1	0.4	0.8	1.4	2.1	12.6	3.8	0.0	0.3	0.1	1.1	1.7	2.1	2.1	7.9
W11	3.6	0.8	0.1	0.2	0.3	0.7	1.9	2.1	9.9	1.9	0.0	0.0	0.2	1.4	2.2	1.7	2.3	5.1
W12	9.0	1.6	0.1	0.1	0.5	1.3	1.6	2.4	8.1	0.0	2.1	0.1	0.4	1.0	2.1	1.7	2.3	5.6
W13	7.3	0.4	0.0	0.1	0.4	1.0	2.1	3.7	11.7	1.9	2.1	0.0	0.4	0.8	0.9	2.4	6.0	5.1

ARI-CovidSuspected 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	17.2	0.3	0.4	0.9	1.6	3.2	7.2	10.8	17.5	23.1	0.3	0.7	2.1	4.3	5.9	7.4	9.9	16.2

ARI-CovidSuspected 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W2	21.9	1.6	1.5	1.2	3.0	4.6	8.0	14.9	24.2	13.3	1.7	1.2	2.5	6.9	11.5	11.4	12.3	18.7
W3	42.5	4.1	1.7	2.5	4.0	8.2	13.8	22.0	44.3	51.9	2.7	1.7	3.9	11.6	16.6	16.5	19.4	33.8
W4	21.8	1.3	0.2	1.0	3.1	4.9	8.3	14.6	40.4	27.8	0.7	0.4	3.2	5.6	9.0	10.4	12.9	25.7
W5	37.8	1.6	0.3	1.0	2.2	4.0	7.2	14.9	30.3	11.5	2.0	1.3	2.2	5.6	9.0	11.2	10.7	17.7
W6	26.2	2.9	0.8	1.0	3.1	7.6	11.0	22.0	50.2	19.4	2.0	0.8	2.5	7.4	14.0	18.6	22.6	46.5
W7	4.7	1.6	0.7	0.5	1.5	3.0	4.8	13.0	25.9	9.7	1.7	0.3	0.8	3.8	7.0	8.1	9.9	18.7
W8	9.4	1.3	0.4	0.8	0.5	1.9	1.7	5.1	12.0	11.4	0.3	1.0	0.6	1.8	3.4	2.6	5.8	10.1
W9	6.2	1.0	0.7	0.5	0.5	1.8	2.7	3.9	12.7	8.1	0.7	0.1	0.9	1.3	2.1	1.8	2.6	6.0
W10	4.7	1.0	0.2	0.0	0.4	0.5	1.7	3.2	12.1	1.6	0.3	0.4	0.3	0.9	1.6	0.8	2.9	7.1
W11	4.7	2.2	0.1	0.4	0.7	1.1	1.3	4.3	9.0	3.3	0.3	0.3	0.2	1.4	1.5	1.1	4.3	12.3
W12	7.7	1.3	0.6	0.3	0.6	0.7	1.6	4.0	6.6	6.4	0.3	0.4	0.2	1.0	1.6	2.5	3.2	10.5
W13	6.2	0.3	0.1	0.2	0.3	0.8	1.4	2.4	10.8	6.5	0.7	0.0	0.7	0.8	1.7	1.2	3.1	10.8

ARI-CovidSuspected 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	2.5	0.5	1.2	0.9	1.9	2.5	5.8	10.0	20.1	13.5	1.6	0.0	2.2	3.2	6.5	6.7	9.0	17.8
W2	18.0	0.5	1.0	1.4	2.6	5.3	10.0	11.2	19.9	21.7	0.0	0.5	2.2	7.9	10.7	9.1	11.5	18.7
W3	20.7	2.1	1.0	2.7	4.4	8.2	11.9	19.0	26.4	8.3	0.0	1.1	4.6	9.6	18.6	16.2	19.0	26.9
W4	15.3	2.1	0.2	0.9	2.4	5.5	9.4	11.7	22.2	13.6	0.5	0.4	3.0	4.6	8.8	10.7	10.3	22.7
W5	15.4	0.5	0.3	1.2	1.6	3.5	6.1	12.4	20.4	2.7	0.5	0.2	1.8	4.5	8.2	10.4	10.2	20.5
W6	20.1	1.0	0.5	0.9	2.6	5.9	11.1	21.7	43.1	16.1	1.1	1.1	2.9	7.6	14.1	13.8	18.9	38.8
W7	15.2	0.0	1.0	0.3	1.0	2.3	2.5	9.3	17.8	5.4	0.5	0.0	1.1	2.8	5.5	5.1	9.5	12.7
W8	7.7	0.5	0.3	0.2	1.0	1.5	1.7	4.4	13.0	2.7	0.5	0.5	0.4	0.9	2.9	2.9	4.2	8.1
W9	0.0	0.5	0.7	0.2	0.5	0.9	1.3	3.3	7.3	5.4	2.2	0.2	0.4	1.2	1.9	2.7	3.8	6.1
W10	10.3	1.0	0.0	0.2	0.7	1.1	1.1	1.3	7.3	2.7	1.1	0.2	0.4	0.9	1.6	0.5	1.3	3.1
W11	2.6	1.6	0.0	0.3	0.2	1.0	0.8	1.8	4.1	0.0	0.6	0.2	0.5	0.5	1.2	0.4	2.0	5.1
W12	5.1	1.0	0.3	0.5	0.7	0.9	1.7	1.8	4.0	5.4	0.0	0.2	0.2	0.5	0.8	1.1	1.3	2.6
W13	5.1	0.0	0.2	0.0	0.2	0.6	1.1	2.8	5.6	5.4	0.6	0.0	0.2	0.8	0.8	1.8	3.5	5.1

ARI-RespiratoryDiseaseExacerbations

ARI-RespiratoryDiseaseExacerbations 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.0	0.0	0.2	0.0	0.7	1.8	5.5	0.0	0.0	0.0	0.0	0.1	0.2	1.8	0.8	0.9
W2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.6	3.1	0.0
W3	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.5	1.4	0.0	0.0	0.3	0.0	0.2	0.1	0.9	0.8	2.6
W4	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.9	0.0
W5	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.9	1.4	0.0	0.0	0.0	0.0	0.0	0.1	0.3	3.1	0.0
W6	0.0	0.0	0.0	0.0	0.1	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.6	1.5	0.0

ARI-RespiratoryDiseaseExacerbations 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W7	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.2	0.5	1.2	3.1	2.5
W8	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.3	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.9	0.8	0.0
W9	0.0	0.0	0.0	0.3	0.0	0.2	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.9	1.9	0.0
W10	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.9	1.3	0.0	0.0	0.0	0.0	0.2	0.2	1.2	1.5	0.0
W11	0.0	0.0	0.0	0.0	0.0	0.2	0.3	1.3	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.3	4.6	1.7
W12	0.0	0.0	0.2	0.3	0.0	0.3	0.0	0.4	4.0	0.0	0.0	0.0	0.0	0.2	0.6	0.9	1.5	1.7
W13	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.7	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.3	0.4	2.5

ARI-RespiratoryDiseaseExacerbations 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.1	0.1	0.0	0.0	0.8	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.7	0.8	0.9
W2	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.0	1.4	0.0	0.3	0.0	0.0	0.1	0.1	1.2	0.0	0.9
W3	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.5	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.9
W4	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.8	0.0
W5	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.8	0.0
W6	0.0	0.7	0.0	0.0	0.0	0.1	0.0	0.5	1.4	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.0	0.9
W7	0.0	0.7	0.1	0.0	0.1	0.1	0.8	1.0	1.4	0.0	0.0	0.0	0.0	0.0	0.1	0.7	0.8	1.7
W8	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.5	0.0	0.0	0.0	0.3	0.0	0.0	0.2	0.2	0.8	0.0
W9	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.5	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.5	0.0
W10	0.0	0.0	0.0	0.1	0.0	0.1	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.4	0.8
W11	0.0	0.0	0.0	0.1	0.0	0.1	0.5	0.5	2.8	0.0	0.0	0.1	0.0	0.0	0.1	0.2	1.2	0.8
W12	0.0	0.3	0.0	0.0	0.0	0.0	0.2	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.7	0.0	0.0
W13	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.3	0.0	0.0	0.1	0.0	0.7	0.8	0.8

ARI-RespiratoryDiseaseExacerbations 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.1	0.1	0.1	0.2	0.7	1.7	3.1	0.0	0.0	0.1	0.1	0.1	0.1	0.6	1.4	1.0
W2	0.0	0.0	0.1	0.1	0.1	0.3	0.2	1.2	2.3	0.0	0.0	0.0	0.1	0.1	0.3	1.3	0.8	1.9
W3	0.0	0.0	0.0	0.2	0.2	0.1	0.8	1.9	1.5	0.0	0.0	0.0	0.0	0.1	0.3	1.6	1.2	1.9
W4	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.9	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.6	1.2	1.0
W5	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.5	0.8	0.0	0.0	0.0	0.4	0.1	0.6	0.6	1.0	1.9
W6	0.0	0.0	0.0	0.0	0.2	0.1	0.2	0.9	1.5	0.0	0.0	0.0	0.0	0.1	0.2	0.9	1.8	1.4
W7	0.0	0.0	0.0	0.0	0.1	0.2	0.8	0.9	0.0	0.0	0.0	0.0	0.0	0.1	0.3	1.1	2.4	1.9
W8	0.0	0.0	0.0	0.0	0.1	0.1	0.8	0.7	1.5	0.0	0.0	0.0	0.0	0.2	0.4	1.1	2.4	1.9
W9	0.0	0.0	0.1	0.0	0.1	0.3	1.3	2.6	1.5	0.0	0.0	0.0	0.1	0.0	0.3	1.1	1.0	3.3
W10	0.0	0.0	0.0	0.1	0.1	0.1	0.8	1.9	3.0	0.0	0.0	0.0	0.2	0.1	0.3	1.4	1.8	1.0
W11	0.0	0.0	0.0	0.0	0.2	0.4	1.0	0.9	2.3	0.0	0.0	0.1	0.2	0.2	0.4	1.4	2.6	1.4
W12	0.0	0.0	0.0	0.0	0.1	0.1	0.8	1.4	2.3	0.0	0.0	0.0	0.0	0.1	0.4	0.9	1.4	5.2
W13	0.0	0.0	0.1	0.0	0.1	0.3	0.5	1.8	0.0	0.0	0.0	0.0	0.0	0.1	0.2	1.4	2.6	2.4

ARI-RespiratoryDiseaseExacerbations 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.6	0.2	0.0	0.0	1.2	1.4	0.0	0.0	0.0	0.0	0.0	0.2	0.2	1.1	2.5	0.0
W2	0.0	0.0	0.0	0.0	0.0	0.3	0.9	2.5	3.6	0.0	0.0	0.0	0.0	0.0	0.2	1.1	3.4	0.0
W3	0.0	0.0	0.0	0.0	0.0	0.2	1.4	2.8	0.0	0.0	0.7	0.0	0.0	0.1	0.8	1.1	4.9	2.2
W4	0.0	0.6	0.0	0.0	0.2	0.3	0.5	1.1	3.6	0.0	0.7	0.0	0.0	0.1	0.1	1.1	2.4	0.0
W5	0.0	0.0	0.0	0.0	0.0	0.1	2.6	4.2	3.5	0.0	0.0	0.0	0.0	0.0	0.5	1.4	1.2	0.7
W6	0.0	1.3	0.2	0.0	0.2	0.3	1.6	2.8	3.5	0.0	0.0	0.0	0.0	0.3	1.0	1.4	2.1	2.2
W7	0.0	1.3	0.2	0.0	0.0	0.2	1.2	2.4	5.9	0.0	0.0	0.0	0.0	0.1	0.3	1.6	4.2	1.5
W8	0.0	0.0	0.2	0.0	0.2	0.2	1.6	0.7	4.7	0.0	0.0	0.0	0.2	0.0	0.2	2.0	3.6	1.5
W9	0.0	1.3	0.0	0.2	0.1	0.3	0.5	2.1	3.5	0.0	0.0	0.0	0.0	0.0	0.5	0.9	1.5	0.7
W10	0.0	0.0	0.0	0.0	0.1	0.4	0.9	1.7	2.4	0.0	0.7	0.0	0.2	0.2	0.3	0.9	4.2	4.4
W11	0.0	0.0	0.0	0.0	0.2	0.0	0.7	1.0	3.5	0.0	0.0	0.4	0.0	0.2	0.4	1.6	3.9	0.7
W12	0.0	0.0	0.0	0.0	0.2	0.2	0.7	0.7	0.0	0.0	0.0	0.0	0.2	0.1	0.2	1.1	1.2	1.5
W13	0.0	0.6	0.0	0.0	0.1	0.3	0.5	2.4	2.3	0.0	0.0	0.0	0.0	0.3	0.4	0.7	3.0	3.6

ARI-RespiratoryDiseaseExacerbations 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.0	0.1	0.1	0.1	0.5	1.9	0.0	0.0	0.0	0.0	0.3	0.1	0.3	1.0	0.9	0.6
W2	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.5	0.0	0.0	0.0	0.1	0.0	0.1	0.5	1.0	1.7	1.7
W3	0.0	0.0	0.0	0.0	0.1	0.1	0.4	1.4	0.9	0.0	0.0	0.0	0.1	0.1	0.5	0.2	2.4	2.9
W4	0.0	0.0	0.0	0.0	0.1	0.3	1.1	0.3	0.9	0.0	0.0	0.0	0.1	0.2	0.1	1.6	1.4	2.3
W5	0.0	0.4	0.0	0.0	0.0	0.1	0.5	1.1	0.0	0.0	0.0	0.0	0.0	0.1	0.4	1.7	2.1	1.1
W6	0.0	0.0	0.0	0.0	0.1	0.2	1.1	1.6	2.7	0.0	0.0	0.0	0.0	0.2	0.5	1.2	1.9	1.1
W7	0.0	0.0	0.0	0.1	0.2	0.1	1.1	3.0	1.8	0.0	0.0	0.1	0.0	0.2	0.4	1.6	2.3	2.3
W8	0.0	0.0	0.0	0.0	0.0	0.2	1.8	1.1	0.9	0.0	0.0	0.1	0.1	0.2	0.5	1.0	3.3	1.1
W9	0.0	0.0	0.0	0.1	0.2	0.4	1.1	1.9	0.9	0.0	0.0	0.0	0.0	0.1	0.3	1.2	2.6	1.1
W10	0.0	0.0	0.0	0.0	0.0	0.2	1.2	1.9	3.6	0.0	0.0	0.0	0.0	0.2	0.5	0.7	2.3	4.0
W11	0.0	0.0	0.0	0.0	0.1	0.2	0.5	3.8	3.6	0.0	0.0	0.1	0.0	0.1	0.3	1.7	2.5	0.6
W12	0.0	0.0	0.0	0.1	0.2	0.3	1.2	1.9	1.8	0.0	0.0	0.0	0.0	0.2	0.5	0.7	4.2	0.6
W13	0.0	0.0	0.0	0.0	0.1	0.1	0.9	3.2	3.6	0.0	0.0	0.0	0.0	0.3	0.4	1.2	1.4	2.2

ARI-RespiratoryDiseaseExacerbations 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.6	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.7	0.9	0.4
W2	0.0	0.0	0.0	0.2	0.0	0.0	0.4	1.2	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.6	1.4	1.5
W3	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.6	1.8	0.0	0.0	0.0	0.0	0.2	0.1	0.3	1.0	0.4
W4	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.6	0.6	0.0	0.0	0.0	0.1	0.3	0.2	0.6	1.0	1.9
W5	0.0	0.3	0.0	0.0	0.0	0.0	0.1	0.2	1.2	0.0	0.0	0.0	0.0	0.2	0.1	0.4	1.0	0.4
W6	0.0	0.0	0.0	0.0	0.0	0.2	0.9	1.6	0.6	0.0	0.0	0.1	0.1	0.1	0.3	0.8	0.9	0.7
W7	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.2	1.2	0.0	0.0	0.0	0.0	0.3	0.3	0.7	1.2	0.7
W8	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.4	1.0	1.7	2.2

ARI-RespiratoryDiseaseExacerbations 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W9	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	2.4	0.0	0.0	0.0	0.0	0.1	0.4	1.1	2.6	1.9
W10	0.0	0.0	0.0	0.0	0.0	0.1	0.3	1.0	0.6	0.0	0.0	0.0	0.0	0.1	0.2	0.8	1.5	1.5
W11	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.6	1.2	0.0	0.0	0.0	0.2	0.1	0.2	0.7	2.2	0.7
W12	0.0	0.0	0.1	0.0	0.0	0.0	0.4	0.6	1.2	0.0	0.0	0.0	0.0	0.2	0.2	0.7	1.0	1.9
W13	0.0	0.0	0.0	0.0	0.1	0.1	0.6	0.8	1.2	0.0	0.0	0.0	0.1	0.0	0.3	0.5	2.7	2.2

ARI-RespiratoryDiseaseExacerbations 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.0	0.0	0.1	0.1	0.6	1.0	0.8	0.0	0.5	0.4	0.0	0.2	0.1	0.5	2.0	2.1
W2	0.0	0.0	0.0	0.2	0.1	0.1	0.4	0.3	0.0	0.0	0.0	0.0	0.4	0.1	0.2	0.9	1.1	2.1
W3	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.8	0.0	0.0	0.0	0.2	0.0	0.3	0.2	1.8	1.6
W4	0.0	0.0	0.0	0.4	0.0	0.0	0.2	0.5	0.8	0.0	0.0	0.0	0.0	0.2	0.2	0.7	0.9	0.5
W5	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.0	1.6	0.0	0.0	0.0	0.0	0.1	0.2	1.1	0.9	2.6
W6	0.0	0.0	0.0	0.2	0.1	0.2	0.6	0.0	3.3	0.0	0.0	0.0	0.0	0.2	0.5	1.1	0.4	2.0
W7	0.0	0.0	0.0	0.0	0.1	0.3	0.2	1.3	0.8	0.0	0.0	0.2	0.2	0.1	0.1	1.1	2.0	2.5
W8	0.0	0.0	0.0	0.2	0.1	0.2	0.4	0.5	0.8	0.0	0.5	0.0	0.0	0.1	0.2	1.8	2.0	1.0
W9	0.0	0.0	0.0	0.0	0.0	0.1	0.8	1.0	1.6	0.0	0.0	0.0	0.2	0.0	0.5	0.7	1.8	2.0
W10	0.0	0.0	0.0	0.2	0.0	0.1	0.2	1.0	3.2	0.0	0.0	0.0	0.4	0.1	0.2	0.5	0.9	2.0
W11	0.0	0.0	0.0	0.0	0.1	0.2	0.4	1.8	0.8	0.0	0.0	0.0	0.4	0.0	0.4	0.7	0.4	1.5
W12	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.8	1.6	0.0	0.0	0.0	0.2	0.0	0.4	0.7	0.9	1.0
W13	0.0	0.0	0.0	0.3	0.1	0.1	0.4	0.5	0.8	0.0	0.0	0.0	0.0	0.2	0.4	0.4	1.1	0.5

Asthma

Asthma 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	12.8	24.9	9.8	8.7	9.3	10.5	5.9	0.0	0.0	13.5	22.9	7.4	12.0	10.7	8.3	7.4	4.3
W2	0.0	17.8	27.3	10.9	11.1	7.9	7.9	5.9	4.1	0.0	12.0	19.6	11.4	15.4	10.8	7.1	10.1	6.9
W3	0.0	18.5	21.6	10.0	8.7	8.3	7.2	9.9	5.4	3.7	11.3	22.1	14.0	14.2	11.5	9.8	5.4	4.3
W4	0.0	13.6	14.9	12.4	8.9	9.2	7.2	8.5	4.1	7.3	8.3	14.8	9.8	13.5	8.4	12.0	5.0	8.6
W5	0.0	17.2	18.9	9.4	8.4	9.7	8.2	4.9	6.8	0.0	12.1	14.8	9.5	9.2	11.5	10.4	8.1	9.4
W6	0.0	15.0	20.6	9.2	9.5	9.8	10.1	6.7	6.8	0.0	14.3	19.3	13.6	13.7	12.6	13.8	9.6	8.5
W7	3.5	19.4	19.9	8.6	8.4	12.1	5.5	7.6	9.4	0.0	10.6	16.5	11.5	13.1	11.8	10.1	12.6	6.8
W8	3.5	33.8	23.9	9.6	10.4	11.6	11.7	10.3	4.0	0.0	14.4	19.3	15.8	16.2	14.0	12.6	8.4	11.1
W9	0.0	11.5	16.3	9.3	8.6	8.4	8.2	8.9	2.7	0.0	13.6	13.5	11.2	12.6	13.7	11.3	9.9	8.5
W10	3.5	20.2	24.2	9.1	11.7	12.6	12.7	11.1	8.1	0.0	15.2	21.8	14.0	14.2	17.2	13.5	14.9	7.7
W11	0.0	14.4	17.0	11.4	11.4	12.7	10.7	11.6	5.4	0.0	9.1	17.1	12.8	15.3	15.5	12.8	16.0	11.9
W12	0.0	11.5	19.2	10.9	9.1	10.7	13.3	11.1	10.8	0.0	14.4	20.6	15.3	15.9	15.1	11.6	14.0	5.1

Asthma 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W13	3.5	12.3	16.8	13.2	10.8	12.9	11.4	8.0	5.4	0.0	6.1	11.6	13.8	9.6	13.3	8.8	11.0	11.9

Asthma 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	12.1	15.6	5.4	5.5	4.8	10.1	6.4	8.7	0.0	6.2	15.5	7.8	8.3	7.6	12.3	6.7	4.4
W2	0.0	11.8	16.0	8.4	6.6	8.0	9.3	8.8	11.5	0.0	9.3	15.0	9.8	8.7	10.7	10.6	7.1	7.8
W3	1.5	10.9	16.5	8.4	7.0	7.7	9.3	4.9	12.8	1.6	10.3	13.6	8.2	8.9	8.6	7.8	9.8	6.9
W4	1.5	8.5	13.3	7.8	6.6	8.1	8.7	5.4	10.0	0.0	6.2	9.3	9.2	8.2	8.4	12.9	7.0	4.3
W5	0.0	12.8	16.9	6.3	6.6	5.0	9.2	5.8	2.8	0.0	8.9	15.0	8.8	9.5	7.0	9.0	8.9	10.2
W6	1.4	20.3	23.2	6.9	7.3	7.6	10.7	12.1	16.9	0.0	11.7	17.1	10.1	9.6	9.3	12.6	10.1	8.5
W7	2.9	18.4	20.0	8.4	7.6	7.0	6.8	13.5	7.0	0.0	9.3	12.7	11.0	11.8	10.9	11.6	9.6	5.9
W8	0.0	16.1	21.1	7.4	8.1	8.4	9.3	14.0	8.4	0.0	9.7	16.1	13.2	11.3	11.6	10.8	13.9	9.3
W9	0.0	7.9	13.4	8.1	6.9	7.2	6.3	5.3	8.4	0.0	6.2	9.7	8.4	9.3	10.4	9.1	8.1	6.8
W10	2.9	12.5	19.2	8.7	9.1	9.8	11.8	13.5	7.0	0.0	8.0	15.0	9.4	12.0	12.6	13.4	15.0	14.4
W11	0.0	14.9	16.6	8.5	7.1	8.9	11.8	14.0	8.4	0.0	9.4	12.4	10.8	10.9	11.4	11.2	11.5	12.7
W12	0.0	12.6	17.0	7.8	6.9	9.3	11.0	17.8	8.4	0.0	8.3	13.9	10.7	9.3	9.8	11.4	6.5	8.5
W13	0.0	12.2	13.3	7.4	7.8	9.0	10.4	9.1	4.2	3.1	5.9	12.3	7.7	10.1	9.8	9.7	10.7	8.5

Asthma 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	1.7	18.3	19.2	6.1	7.2	8.9	8.4	6.4	4.7	0.0	8.6	18.2	11.7	9.9	10.4	8.1	7.3	7.3
W2	1.8	11.9	22.1	8.1	9.5	9.9	6.2	5.0	6.2	0.0	7.1	19.3	10.9	12.9	11.9	9.3	12.1	6.3
W3	0.0	13.3	19.9	10.9	8.1	8.6	9.2	7.1	4.6	1.8	6.4	16.6	9.4	11.9	10.9	10.3	8.5	5.8
W4	1.7	9.7	12.1	7.0	8.6	7.7	9.3	6.3	6.1	0.0	6.8	13.6	8.9	9.1	9.9	7.3	9.3	5.3
W5	0.0	19.1	19.1	7.7	8.0	7.0	7.2	7.5	3.8	0.0	5.6	16.5	9.9	9.8	9.5	7.6	6.6	8.1
W6	0.0	12.6	26.0	10.8	9.0	8.9	8.6	9.3	5.3	0.0	11.3	20.0	15.0	14.8	11.9	10.9	9.0	8.6
W7	0.0	12.3	23.2	8.4	9.4	10.6	9.0	7.0	6.0	1.8	9.8	17.8	12.2	14.0	12.4	9.7	11.2	4.8
W8	0.0	15.2	23.5	8.2	11.3	11.8	10.6	7.0	10.6	0.0	18.4	17.6	12.8	14.2	13.6	15.1	10.0	10.9
W9	0.0	8.7	13.8	6.3	10.3	9.4	6.5	6.3	2.3	0.0	8.7	12.3	8.1	12.0	13.6	9.3	6.6	9.5
W10	0.0	10.1	19.2	11.3	13.7	12.3	10.6	12.1	9.1	0.0	8.7	17.5	13.2	17.0	15.7	11.0	9.9	7.6
W11	1.7	11.6	18.5	10.2	10.8	12.1	10.2	11.1	2.3	0.0	8.7	14.7	10.0	14.5	15.7	11.0	11.1	10.9
W12	0.0	5.4	18.6	7.5	8.9	11.8	8.5	8.8	6.8	1.8	7.9	14.9	12.2	13.4	14.0	9.7	8.7	8.5
W13	0.0	9.8	16.5	6.3	10.0	10.4	7.8	8.3	5.2	0.0	6.8	12.0	9.1	11.7	11.9	9.7	8.7	4.3

Asthma 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	13.9	20.6	7.1	8.9	7.8	7.1	11.3	4.8	0.0	10.6	23.6	10.8	12.2	10.3	8.8	7.0	6.7

Asthma 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W2	0.0	13.9	17.2	8.5	10.6	10.5	9.4	9.2	10.8	0.0	14.6	19.0	9.5	11.4	11.9	11.1	11.3	8.1
W3	0.0	9.5	17.5	9.8	9.9	9.8	10.3	5.6	3.6	0.0	10.0	15.9	10.2	13.1	11.2	12.4	7.6	9.6
W4	0.0	13.3	14.9	6.6	8.1	8.2	8.0	8.4	7.1	3.2	6.0	12.8	8.0	11.3	9.0	6.3	6.1	5.2
W5	0.0	17.7	18.1	7.3	10.1	6.3	8.9	3.8	7.1	0.0	6.7	12.8	6.7	11.2	8.6	6.1	8.5	5.9
W6	0.0	15.8	17.4	9.3	9.9	8.6	8.2	5.6	9.4	0.0	10.6	14.4	9.6	13.9	11.4	12.4	5.5	8.1
W7	0.0	18.4	23.3	9.7	12.1	10.2	7.5	9.1	9.4	0.0	9.3	15.9	10.8	13.4	12.9	9.4	8.2	9.5
W8	3.1	14.6	23.6	9.2	12.1	10.0	8.6	9.0	7.0	0.0	14.0	20.8	13.9	14.2	14.3	9.2	8.8	5.8
W9	0.0	12.7	15.8	7.9	11.8	9.7	8.6	8.3	1.2	0.0	6.7	13.7	9.3	13.6	11.9	9.9	7.2	3.7
W10	0.0	16.5	20.0	13.2	14.4	12.3	12.8	11.1	10.6	0.0	7.3	15.9	15.0	15.1	14.1	13.9	10.5	5.1
W11	0.0	14.6	20.1	10.7	13.6	12.9	11.6	10.7	10.6	0.0	12.7	15.5	13.1	16.0	15.6	15.2	12.0	9.5
W12	0.0	12.1	16.3	7.6	12.3	15.4	12.6	7.3	7.0	0.0	5.3	13.1	11.4	14.2	14.1	16.8	12.3	6.6
W13	3.1	12.1	15.5	8.0	9.7	9.9	13.9	10.0	7.0	0.0	10.0	10.7	9.5	12.8	13.2	10.7	9.6	8.0

Asthma 4 weekly table (W1 - W13) - North West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	1.9	13.9	20.0	7.0	7.8	9.4	9.0	6.9	7.5	0.0	12.2	17.8	10.4	12.0	10.2	10.3	8.1	5.8
W2	0.0	13.2	16.1	8.1	9.0	10.4	8.8	6.3	8.3	0.0	8.1	16.9	10.9	12.4	10.7	10.1	9.9	3.5
W3	1.9	11.3	15.7	6.5	10.6	10.6	9.7	5.5	8.3	0.0	6.1	15.9	9.5	12.4	12.4	10.3	11.3	8.0
W4	1.8	12.0	14.2	8.4	9.3	9.1	8.7	9.8	8.2	0.0	6.5	12.5	8.7	9.5	11.6	9.7	11.5	6.3
W5	0.0	10.4	18.0	8.2	8.7	9.4	9.3	5.7	6.3	0.0	8.6	12.9	9.9	11.6	10.0	9.5	6.5	0.6
W6	1.8	24.0	21.1	11.3	10.8	11.9	9.1	9.2	5.4	0.0	21.6	15.2	13.5	14.2	11.9	10.2	11.0	9.1
W7	0.0	17.0	20.2	10.0	10.1	10.6	10.5	7.0	4.5	0.0	13.5	18.2	15.5	13.6	12.2	9.3	8.8	8.5
W8	0.0	15.9	24.3	9.4	11.8	15.9	12.6	13.7	5.4	0.0	15.5	18.1	13.0	17.0	13.7	12.4	10.5	13.0
W9	1.8	8.5	15.6	8.3	10.0	10.8	8.7	5.1	9.9	0.0	10.2	12.1	10.0	11.7	11.6	7.2	9.3	6.8
W10	0.0	14.4	20.8	12.1	13.6	16.2	13.3	11.3	8.1	0.0	9.0	17.0	13.0	17.3	16.5	13.9	13.2	9.6
W11	1.8	10.5	18.7	11.2	13.2	15.2	9.9	11.0	7.2	0.0	13.5	15.9	11.4	13.2	15.5	11.5	10.9	11.3
W12	3.6	11.2	20.5	8.6	10.8	12.3	12.5	7.5	11.7	0.0	9.0	13.8	11.0	13.2	13.1	12.7	9.2	7.3
W13	0.0	9.7	17.1	7.9	10.1	9.8	10.2	5.9	5.4	0.0	6.6	12.7	9.0	9.9	11.0	11.8	11.1	10.7

Asthma 4 weekly table (W1 - W13) - South East

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	6.3	18.1	22.6	7.9	7.5	8.5	10.8	5.4	3.8	1.7	16.1	19.5	10.3	11.3	11.3	11.0	9.4	8.1
W2	0.0	10.8	22.1	10.3	9.7	10.5	10.4	10.9	8.7	0.0	11.4	20.6	11.9	14.5	13.3	11.1	12.5	7.3
W3	1.6	12.1	19.8	8.9	9.6	10.4	10.0	6.0	9.2	1.7	10.7	15.8	9.7	12.6	11.7	10.1	8.8	6.5
W4	0.0	12.4	12.9	9.8	9.1	9.5	8.7	7.2	4.3	0.0	8.4	14.8	10.3	10.2	11.7	10.0	9.7	6.8
W5	1.6	12.4	15.7	10.6	9.1	9.0	8.8	10.0	8.5	0.0	9.8	16.5	10.0	10.2	10.1	11.8	12.5	9.8
W6	0.0	17.1	23.3	11.9	10.9	13.5	9.1	8.4	4.2	0.0	8.7	18.4	13.6	13.6	16.3	11.7	9.8	4.9
W7	1.6	14.6	23.2	10.8	13.1	11.7	10.3	7.9	6.6	1.6	13.8	18.3	15.2	16.8	14.5	14.6	11.3	7.1
W8	0.0	15.9	26.6	16.1	14.4	13.2	12.0	10.0	7.2	0.0	11.4	18.0	18.1	16.7	14.8	15.7	11.6	9.0
W9	0.0	13.4	18.1	8.8	11.6	10.4	7.8	7.9	6.0	0.0	8.7	13.1	11.3	14.1	13.3	12.0	9.0	8.6
W10	0.0	13.4	19.2	12.0	13.3	15.3	14.0	11.4	7.2	0.0	9.7	15.9	13.6	17.4	16.4	16.4	12.8	8.6

Asthma 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W11	1.6	10.2	19.4	10.2	11.5	12.0	12.5	9.5	13.3	0.0	6.7	16.1	11.9	13.9	14.2	13.3	12.9	12.3
W12	1.5	10.9	18.3	9.0	11.1	11.8	9.4	10.9	10.3	0.0	7.7	15.8	11.5	14.4	12.7	10.8	13.3	7.5
W13	0.0	11.2	13.9	9.7	9.4	11.5	9.8	7.7	4.2	0.0	9.1	14.8	12.8	12.1	11.6	11.6	9.2	8.9

Asthma 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	14.8	20.4	8.2	10.1	10.6	9.6	6.8	3.3	2.7	12.0	21.6	11.0	14.1	9.3	8.2	9.0	4.2
W2	2.6	10.8	27.6	8.3	12.1	11.3	9.0	8.1	5.0	0.0	6.5	24.3	14.0	16.3	11.0	13.5	9.7	7.8
W3	5.2	11.3	22.2	9.4	12.4	11.2	8.8	7.8	9.9	0.0	8.7	18.8	11.5	13.8	13.9	11.6	10.1	5.2
W4	2.5	9.8	16.7	9.9	10.1	9.4	10.7	8.3	4.9	0.0	7.7	15.3	13.0	14.3	12.8	11.5	8.0	6.2
W5	0.0	6.7	20.0	11.6	9.4	9.5	9.0	8.3	7.3	0.0	10.4	17.0	13.1	12.5	11.0	12.3	9.8	5.6
W6	0.0	16.6	23.0	10.0	11.4	11.0	9.4	8.3	5.7	0.0	9.3	21.2	14.3	15.3	13.1	11.4	10.0	6.6
W7	0.0	13.0	24.4	12.5	14.2	10.3	10.3	7.5	5.7	0.0	13.7	19.3	12.9	13.9	15.1	10.1	9.8	7.6
W8	0.0	16.1	23.7	11.6	15.2	14.4	10.9	8.7	5.7	0.0	11.0	25.0	15.9	17.1	15.7	13.2	9.3	10.7
W9	0.0	11.4	16.3	11.9	11.6	11.3	10.5	8.0	1.6	0.0	9.9	14.7	13.9	14.5	15.3	10.7	11.1	9.2
W10	0.0	10.9	20.9	15.7	15.9	16.2	12.6	9.5	8.1	0.0	11.6	21.1	16.6	17.3	16.4	13.4	14.8	14.3
W11	0.0	7.8	21.1	11.9	13.2	14.0	10.3	10.0	8.9	2.7	9.4	19.5	16.2	17.1	18.8	13.6	9.0	9.7
W12	2.5	15.6	22.3	9.4	11.4	13.3	9.2	12.6	8.9	0.0	9.9	17.6	14.4	15.3	15.7	13.5	12.8	7.2
W13	0.0	7.3	15.2	10.5	10.4	11.4	10.1	8.4	4.8	0.0	8.9	12.5	11.8	13.2	12.7	10.6	7.7	6.1

Bullous Dermatoses

Bullous Dermatoses 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.7	0.2	0.0	0.0	0.0	0.7	0.5	5.5	0.0	0.0	0.0	0.3	0.0	0.4	1.2	1.9	4.3
W2	0.0	0.0	0.0	0.3	0.0	0.1	0.0	1.8	4.1	0.0	0.0	0.0	0.0	0.2	0.1	0.6	1.5	6.0
W3	0.0	0.0	0.0	0.3	0.0	0.2	1.0	1.4	1.4	0.0	1.5	0.0	0.6	0.0	0.1	0.3	1.9	1.7
W4	0.0	0.7	0.2	0.0	0.2	0.3	1.3	1.8	1.4	0.0	0.8	0.3	0.0	0.0	0.7	0.9	1.2	3.4
W5	0.0	1.4	0.0	0.0	0.0	0.0	0.3	0.4	2.7	0.0	0.0	0.8	0.3	0.0	0.5	0.6	0.8	4.3
W6	0.0	0.0	0.0	0.0	0.2	0.3	1.6	0.9	4.1	0.0	0.0	0.0	0.0	0.2	0.2	0.6	0.4	4.3
W7	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.9	2.7	0.0	0.0	0.0	0.0	0.1	0.2	0.3	1.1	0.8
W8	0.0	0.0	0.0	0.0	0.1	0.2	0.7	1.3	5.4	0.0	0.0	0.0	0.6	0.2	0.4	0.3	0.8	1.7
W9	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.3	1.3	3.6	0.0	0.0	0.0	0.2	0.1	1.2	0.4	6.0
W10	0.0	0.7	0.2	0.3	0.0	0.1	1.6	1.8	1.3	0.0	0.8	0.0	0.0	0.0	0.0	0.9	1.9	3.4
W11	0.0	0.0	0.0	0.0	0.1	0.1	0.7	1.3	6.7	0.0	0.0	0.5	0.0	0.2	0.2	0.9	2.3	0.0
W12	3.5	0.0	0.0	0.0	0.0	0.1	1.0	4.0	6.7	0.0	0.8	0.0	0.0	0.1	0.4	1.2	1.5	2.6
W13	0.0	0.0	0.0	0.3	0.0	0.0	0.3	1.8	1.3	0.0	0.8	0.0	0.0	0.0	0.4	0.6	0.4	0.8

Bullous Dermatoses 4 weekly table (W1 - W13) - London

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.0	0.0	0.0	0.2	0.5	2.5	2.9	0.0	0.0	0.0	0.0	0.1	0.1	0.7	0.0	0.9
W2	0.0	0.0	0.0	0.0	0.1	0.0	0.3	1.5	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.7	1.2	0.9
W3	0.0	0.0	0.1	0.0	0.0	0.2	0.5	1.0	4.3	0.0	0.0	0.0	0.0	0.1	0.1	0.2	1.2	1.7
W4	0.0	0.3	0.0	0.1	0.0	0.1	1.0	1.9	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.7	0.8	0.9
W5	0.0	0.0	0.0	0.0	0.1	0.1	0.3	1.9	1.4	0.0	0.0	0.0	0.0	0.2	0.2	0.2	1.6	1.7
W6	0.0	0.0	0.0	0.1	0.0	0.1	0.5	0.5	2.8	0.0	0.0	0.0	0.0	0.1	0.3	0.2	0.8	0.9
W7	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	1.4	0.0	0.0	0.0	0.1	0.1	0.3	0.0	0.8	3.4
W8	0.0	0.3	0.0	0.0	0.0	0.2	1.5	0.5	2.8	0.0	0.0	0.1	0.0	0.1	0.3	1.0	1.5	1.7
W9	0.0	0.0	0.0	0.0	0.0	0.1	1.3	1.0	9.8	0.0	0.0	0.3	0.0	0.0	0.3	0.5	1.5	1.7
W10	0.0	0.0	0.2	0.0	0.0	0.2	0.5	3.4	1.4	1.5	0.3	0.1	0.0	0.2	0.1	0.7	0.4	1.7
W11	0.0	0.0	0.0	0.0	0.0	0.1	0.8	1.4	4.2	0.0	0.0	0.1	0.1	0.1	0.3	0.2	0.8	3.4
W12	0.0	0.0	0.1	0.0	0.0	0.1	0.5	0.5	1.4	0.0	0.0	0.1	0.0	0.1	0.1	1.2	1.2	0.0
W13	0.0	0.0	0.0	0.0	0.1	0.1	0.2	1.0	2.8	0.0	0.0	0.1	0.1	0.1	0.0	0.5	1.9	2.5

Bullous Dermatoses 4 weekly table (W1 - W13) - Midlands

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.0	0.0	0.0	0.2	1.0	1.4	3.1	0.0	0.0	0.0	0.1	0.1	0.3	0.5	1.2	2.4
W2	0.0	0.0	0.0	0.0	0.1	0.1	0.7	0.9	3.9	0.0	0.4	0.0	0.2	0.3	0.1	0.0	1.8	2.9
W3	0.0	0.0	0.1	0.1	0.0	0.2	0.3	1.4	3.1	1.8	0.0	0.0	0.0	0.3	0.2	0.3	2.0	4.8
W4	1.7	0.4	0.1	0.0	0.0	0.3	0.5	1.6	0.0	0.0	0.0	0.1	0.0	0.2	0.2	0.8	1.0	2.4
W5	0.0	0.4	0.1	0.0	0.1	0.2	0.2	1.9	4.6	0.0	0.0	0.5	0.0	0.1	0.4	0.5	1.0	3.3
W6	0.0	0.0	0.1	0.1	0.1	0.1	0.5	1.4	1.5	0.0	0.0	0.0	0.0	0.1	0.4	0.3	1.0	2.9
W7	0.0	0.0	0.2	0.0	0.2	0.1	0.8	2.1	4.5	0.0	0.0	0.3	0.0	0.1	0.1	0.6	1.4	2.9
W8	0.0	0.4	0.1	0.1	0.1	0.1	0.7	1.2	0.8	0.0	0.8	0.0	0.1	0.1	0.1	0.6	1.6	0.9
W9	0.0	0.0	0.2	0.1	0.0	0.2	0.3	0.0	3.8	0.0	0.0	0.1	0.1	0.0	0.0	0.9	1.2	2.9
W10	0.0	0.0	0.1	0.1	0.1	0.1	0.5	1.6	3.0	0.0	0.0	0.1	0.0	0.1	0.2	0.9	2.0	1.4
W11	0.0	0.0	0.2	0.1	0.0	0.3	0.3	1.6	6.0	0.0	0.0	0.1	0.1	0.1	0.4	0.8	1.0	3.3
W12	0.0	0.0	0.0	0.0	0.1	0.1	0.7	2.8	4.5	0.0	0.0	0.0	0.1	0.1	0.4	0.5	0.8	3.8
W13	0.0	0.0	0.0	0.0	0.0	0.4	0.5	1.2	0.7	0.0	0.0	0.3	0.0	0.1	0.3	0.2	0.6	2.8

Bullous Dermatoses 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.0	0.0	0.1	0.2	0.9	2.1	2.4	0.0	0.0	0.2	0.0	0.2	0.3	0.9	1.8	5.2
W2	3.1	0.6	0.2	0.7	0.2	0.1	0.7	2.8	4.8	0.0	0.0	0.2	0.0	0.0	0.3	0.7	2.8	5.2
W3	0.0	0.6	0.2	0.0	0.0	0.3	0.7	1.8	8.3	0.0	0.0	0.0	0.0	0.2	0.4	0.5	1.5	4.4
W4	0.0	0.0	0.0	0.2	0.0	0.1	0.2	1.1	10.7	0.0	0.7	0.0	0.0	0.3	0.6	0.7	2.7	2.9
W5	0.0	0.0	0.0	0.0	0.1	0.3	0.9	1.4	5.9	0.0	0.0	0.2	0.0	0.1	0.3	0.7	1.8	2.2
W6	0.0	0.6	0.2	0.0	0.1	0.2	1.4	1.4	4.7	0.0	0.7	0.2	0.0	0.0	0.6	0.5	1.8	0.7
W7	0.0	1.3	0.0	0.0	0.1	0.3	0.7	1.7	4.7	0.0	0.0	0.0	0.2	0.2	0.3	0.7	1.8	3.7

Bullous Dermatoses 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W8	0.0	0.0	0.0	0.0	0.0	0.3	1.4	1.0	4.7	0.0	0.0	0.0	0.0	0.4	0.0	0.2	1.5	2.2
W9	0.0	0.6	0.0	0.0	0.0	0.4	0.7	1.0	7.1	0.0	0.0	0.0	0.0	0.2	0.1	0.2	0.6	5.1
W10	0.0	0.0	0.0	0.0	0.1	0.6	0.7	2.1	2.4	0.0	0.0	0.0	0.2	0.2	0.1	0.7	0.6	2.9
W11	0.0	0.0	0.0	0.0	0.0	0.1	1.2	1.4	10.6	0.0	0.7	0.0	0.5	0.1	0.3	0.9	1.5	1.5
W12	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.1	1.2	0.0	0.0	0.0	0.2	0.2	0.2	1.1	0.6	5.8
W13	0.0	0.6	0.2	0.0	0.1	0.4	0.2	1.0	2.3	0.0	0.0	0.2	0.2	0.0	0.4	0.4	0.9	2.9

Bullous Dermatoses 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.0	0.1	0.0	0.1	0.2	1.7	0.9	0.0	0.0	0.1	0.3	0.1	0.1	0.2	0.2	2.3
W2	0.0	0.4	0.0	0.1	0.0	0.3	0.2	1.1	0.9	0.0	1.2	0.0	0.3	0.1	0.3	0.2	1.2	0.0
W3	0.0	0.0	0.3	0.1	0.1	0.3	0.4	1.1	1.8	0.0	0.4	0.1	0.0	0.1	0.2	0.9	0.5	1.1
W4	0.0	0.0	0.1	0.1	0.0	0.0	1.2	0.8	3.7	0.0	0.4	0.3	0.0	0.1	0.1	0.3	2.3	3.4
W5	0.0	0.0	0.3	0.0	0.1	0.2	0.2	1.4	1.8	0.0	0.0	0.0	0.3	0.1	0.5	0.3	0.7	1.7
W6	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.1	3.6	0.0	0.0	0.1	0.4	0.0	0.1	0.7	1.2	4.5
W7	0.0	0.0	0.1	0.0	0.1	0.2	0.2	0.5	1.8	0.0	0.0	0.0	0.1	0.0	0.3	0.3	0.7	1.7
W8	0.0	0.0	0.3	0.0	0.0	0.1	0.4	1.9	2.7	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.5	3.9
W9	0.0	0.0	0.0	0.0	0.0	0.1	0.5	1.1	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.3
W10	0.0	0.4	0.0	0.0	0.1	0.1	0.7	0.8	4.5	0.0	0.0	0.3	0.3	0.0	0.1	0.5	0.7	4.0
W11	0.0	0.4	0.3	0.0	0.0	0.3	0.7	1.1	2.7	0.0	0.0	0.1	0.1	0.0	0.1	0.9	1.4	1.7
W12	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.5	1.8	1.9	0.0	0.0	0.0	0.1	0.3	0.9	0.7	2.3
W13	0.0	0.0	0.1	0.0	0.0	0.1	0.4	1.1	4.5	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.9	1.7

Bullous Dermatoses 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.3	0.1	0.0	0.0	0.4	0.6	0.8	2.5	0.0	0.0	0.0	0.2	0.1	0.1	0.1	1.0	3.8
W2	1.6	0.0	0.1	0.2	0.0	0.2	0.7	0.8	1.2	0.0	0.0	0.1	0.1	0.2	0.2	0.7	0.9	3.8
W3	0.0	0.0	0.1	0.1	0.0	0.2	0.6	1.4	3.7	0.0	0.0	0.0	0.2	0.2	0.2	0.6	0.9	1.5
W4	1.6	0.0	0.0	0.2	0.0	0.3	0.0	0.8	1.2	0.0	0.0	0.2	0.1	0.1	0.3	0.3	1.0	3.8
W5	0.0	0.0	0.1	0.0	0.1	0.0	0.3	0.6	4.9	0.0	0.0	0.1	0.1	0.2	0.3	0.1	0.5	1.9
W6	0.0	0.0	0.0	0.0	0.0	0.2	0.7	1.0	4.2	0.0	0.0	0.0	0.5	0.1	0.3	0.1	1.4	1.1
W7	0.0	0.0	0.1	0.2	0.1	0.2	0.4	0.6	0.0	0.0	0.7	0.0	0.0	0.0	0.2	0.3	0.5	1.9
W8	0.0	0.3	0.1	0.0	0.0	0.3	0.9	2.2	3.6	0.0	0.3	0.0	0.2	0.0	0.1	0.8	0.7	1.1
W9	0.0	0.0	0.1	0.0	0.0	0.0	0.3	1.4	2.4	0.0	0.0	0.1	0.0	0.1	0.1	0.3	0.5	2.6
W10	0.0	0.6	0.0	0.0	0.0	0.1	0.6	1.0	2.4	0.0	0.0	0.0	0.1	0.2	0.1	0.3	0.7	2.2
W11	0.0	0.3	0.0	0.0	0.0	0.2	0.3	1.2	3.6	0.0	0.3	0.1	0.2	0.1	0.0	0.3	1.2	1.5
W12	0.0	0.0	0.0	0.1	0.1	0.2	0.1	2.4	2.4	0.0	0.0	0.0	0.0	0.1	0.1	0.5	1.2	1.1
W13	0.0	0.0	0.1	0.0	0.0	0.3	0.6	1.8	2.4	0.0	0.0	0.1	0.0	0.2	0.1	0.1	0.8	1.1

Bullous Dermatoses 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.0	0.0	0.1	0.3	0.8	0.5	5.0	0.0	0.0	0.2	0.0	0.0	0.5	0.7	0.5	2.1
W2	0.0	0.0	0.0	0.0	0.0	0.1	0.6	1.8	0.8	0.0	0.0	0.0	0.2	0.1	0.2	0.5	1.3	1.6
W3	0.0	0.5	0.0	0.0	0.0	0.3	0.4	0.5	2.5	0.0	0.0	0.2	0.0	0.2	0.0	0.0	1.1	4.7
W4	0.0	0.0	0.0	0.0	0.0	0.1	0.6	0.8	2.5	0.0	0.5	0.2	0.0	0.0	0.2	0.9	2.9	1.5
W5	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.5	0.8	2.7	0.0	0.0	0.2	0.2	0.2	0.9	1.6	1.5
W6	0.0	0.0	0.3	0.0	0.1	0.0	0.2	2.8	0.8	0.0	0.5	0.2	0.0	0.2	0.1	0.4	0.9	2.0
W7	0.0	0.0	0.0	0.0	0.1	0.2	0.6	1.3	5.7	0.0	0.0	0.0	0.0	0.2	0.2	0.7	1.1	0.5
W8	0.0	0.0	0.0	0.0	0.1	0.2	1.3	1.3	0.8	0.0	0.0	0.0	0.0	0.1	0.2	0.7	0.7	3.1
W9	0.0	0.5	0.0	0.0	0.1	0.0	0.2	0.8	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.9	1.1	0.5
W10	0.0	0.0	0.0	0.0	0.1	0.1	0.0	2.1	5.7	0.0	0.0	0.0	0.0	0.0	0.2	0.2	1.3	2.0
W11	0.0	0.0	0.0	0.0	0.0	0.2	0.4	1.3	4.1	0.0	0.0	0.0	0.2	0.0	0.2	0.4	0.7	3.1
W12	0.0	0.0	0.0	0.2	0.0	0.2	0.6	1.5	0.8	0.0	0.0	0.0	0.0	0.1	0.2	0.9	0.9	1.5
W13	0.0	0.0	0.0	0.2	0.1	0.2	0.8	1.5	1.6	0.0	0.0	0.0	0.4	0.2	0.2	0.0	1.3	3.1

Chickenpox

Chickenpox 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	24.7	32.1	6.9	1.6	1.0	0.0	0.3	0.5	0.0	29.2	39.8	9.8	0.3	0.8	0.2	0.0	0.0	0.0
W2	35.4	34.2	10.1	1.1	1.4	0.3	0.0	0.0	0.0	58.6	36.1	6.8	1.2	1.3	0.2	0.0	0.8	0.0
W3	14.3	32.8	7.7	0.3	0.7	0.2	0.0	0.5	0.0	22.2	30.8	7.0	1.2	0.9	0.4	0.9	0.0	0.0
W4	17.4	30.7	3.8	0.8	0.9	0.0	0.0	0.0	0.0	18.3	37.6	5.5	1.4	0.7	0.1	0.0	0.4	0.0
W5	7.1	13.6	3.1	0.3	0.3	0.1	0.0	0.0	0.0	11.1	15.9	3.5	0.9	1.0	0.2	0.3	0.0	0.0
W6	20.7	18.6	3.8	0.0	0.1	0.1	0.0	0.0	1.4	14.5	18.1	3.5	0.0	0.8	0.1	0.0	0.0	0.0
W7	17.4	24.4	5.0	0.5	0.2	0.0	0.0	0.0	0.0	40.3	25.6	6.8	0.9	0.2	0.0	0.0	0.0	0.0
W8	17.5	25.9	9.8	0.5	0.5	0.1	0.0	0.0	0.0	11.1	29.5	8.5	0.9	0.5	0.4	0.0	0.0	0.0
W9	34.4	27.3	7.9	0.5	0.7	0.3	0.0	0.4	0.0	36.4	28.8	8.0	0.3	0.8	0.1	0.0	0.0	0.0
W10	27.7	30.3	9.3	0.8	0.0	0.1	0.0	0.0	0.0	18.3	27.3	6.0	0.6	0.9	0.1	0.0	0.0	0.0
W11	38.5	43.2	10.3	0.3	0.8	0.3	0.0	0.0	0.0	40.7	45.5	12.6	0.0	1.0	0.2	0.0	0.8	0.0
W12	51.9	50.4	14.2	1.1	1.0	0.0	0.3	0.0	0.0	55.2	41.7	12.6	2.3	1.9	0.2	0.3	0.0	0.0
W13	38.3	47.6	11.5	1.1	0.8	0.1	0.0	0.0	0.0	63.6	31.8	9.1	0.8	1.0	0.2	0.0	0.0	0.0

Chickenpox 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	27.9	38.7	13.5	1.7	0.9	0.2	0.3	1.0	0.0	24.5	31.3	12.3	1.8	1.4	0.2	0.5	0.0	0.0
W2	26.4	40.1	19.2	1.1	0.9	0.3	0.0	0.0	1.4	23.0	45.1	20.0	1.4	1.9	0.6	0.0	0.0	0.0
W3	22.1	41.8	18.7	2.2	0.8	0.2	0.3	0.5	0.0	41.9	41.6	20.2	1.6	1.4	0.8	0.0	0.0	0.9
W4	8.7	33.5	10.3	1.0	1.0	0.3	0.0	0.0	0.0	24.4	37.5	10.3	1.3	1.2	0.1	0.2	0.4	0.0

Chickenpox 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W5	16.0	13.4	5.1	1.1	0.4	0.1	0.3	0.0	0.0	10.7	17.2	6.3	0.9	0.9	0.3	0.0	0.8	0.0
W6	22.9	26.9	6.9	0.7	0.5	0.0	0.3	0.0	1.4	21.1	22.0	7.6	0.9	0.8	0.3	0.2	0.0	0.9
W7	24.5	28.5	11.8	1.0	0.6	0.1	0.0	0.0	0.0	21.3	27.2	10.0	1.4	0.9	0.1	0.0	0.0	0.0
W8	18.8	26.6	12.8	1.1	0.5	0.2	0.0	0.0	0.0	15.3	23.5	12.8	1.2	1.0	0.1	0.0	0.4	0.0
W9	27.0	24.0	16.0	1.9	0.7	0.1	0.3	0.5	0.0	22.7	25.2	14.5	0.9	1.0	0.0	0.0	0.0	0.0
W10	31.5	31.7	12.5	1.4	0.8	0.2	0.0	0.0	0.0	23.0	27.4	13.4	2.7	1.7	0.2	0.2	0.0	0.0
W11	26.1	40.3	17.8	1.2	1.0	0.2	0.0	0.0	0.0	21.6	38.8	16.3	1.1	1.5	0.3	0.2	0.0	0.0
W12	27.3	44.6	21.4	1.6	1.4	0.2	0.2	0.5	0.0	32.0	49.6	22.6	2.4	1.8	0.3	0.0	0.0	0.0
W13	30.5	45.3	16.3	1.8	1.1	0.2	0.2	0.0	0.0	29.1	36.1	18.6	1.7	1.6	0.3	0.0	0.0	0.0

Chickenpox 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	24.4	32.7	9.8	0.2	0.8	0.3	0.0	0.0	0.0	28.7	41.3	10.5	1.6	0.5	0.1	0.2	0.2	0.0
W2	26.3	41.7	11.5	1.2	0.9	0.2	0.0	0.0	0.8	34.0	33.1	12.6	1.8	1.1	0.1	0.0	0.2	0.0
W3	24.7	37.4	10.8	0.7	0.5	0.1	0.2	0.5	0.8	34.3	34.2	11.9	0.6	1.5	0.3	0.2	0.0	0.5
W4	17.3	31.7	6.5	0.4	0.9	0.2	0.3	0.2	0.0	30.1	28.6	6.3	0.7	1.0	0.4	0.2	0.2	0.5
W5	15.8	15.5	2.9	0.5	0.6	0.1	0.0	0.2	0.8	17.9	13.9	4.0	0.5	1.2	0.2	0.3	0.0	0.0
W6	32.8	33.9	6.6	0.3	0.3	0.1	0.0	0.0	0.0	19.3	27.8	6.0	1.4	0.9	0.1	0.2	0.0	0.0
W7	24.4	30.3	6.1	0.5	0.5	0.0	0.0	0.0	0.0	17.6	33.5	6.9	0.8	1.0	0.0	0.0	0.0	0.0
W8	19.2	36.9	7.5	0.7	0.9	0.1	0.0	0.0	1.5	35.6	27.8	8.6	1.1	1.0	0.1	0.2	0.0	0.0
W9	22.5	25.3	9.8	1.1	0.9	0.2	0.2	0.2	0.0	26.5	29.7	9.0	1.3	1.2	0.3	0.3	0.2	0.0
W10	34.9	28.6	7.8	1.0	0.7	0.2	0.2	0.0	0.0	27.0	29.8	7.7	1.4	1.2	0.3	0.0	0.0	0.0
W11	36.7	42.8	11.5	0.6	0.8	0.1	0.0	0.0	0.8	38.0	43.0	11.6	1.2	1.2	0.2	0.0	0.2	0.0
W12	37.8	48.2	15.0	1.1	0.9	0.4	0.0	0.2	0.0	32.0	53.1	13.9	0.6	1.7	0.3	0.3	0.2	0.5
W13	57.4	52.1	13.3	0.8	1.0	0.1	0.2	0.2	0.7	30.6	46.3	15.3	1.0	2.0	0.3	0.2	0.0	0.0

Chickenpox 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	27.4	43.6	8.8	0.7	0.5	0.2	0.0	0.0	0.0	32.0	43.1	9.1	1.2	0.6	0.3	0.0	0.0	0.7
W2	36.7	33.5	9.9	0.5	0.9	0.0	0.5	0.7	0.0	22.5	35.8	10.4	1.7	1.3	0.3	0.0	0.0	0.7
W3	24.8	28.5	8.2	0.9	0.9	0.1	0.0	0.4	0.0	22.7	29.2	7.3	1.0	1.3	0.2	0.0	0.0	0.0
W4	18.2	24.7	5.3	0.0	1.0	0.2	0.2	0.0	0.0	28.8	37.8	6.0	1.0	1.1	0.3	0.5	0.3	0.0
W5	9.3	19.0	2.1	0.7	0.7	0.1	0.0	0.0	0.0	19.3	18.6	2.0	0.5	0.4	0.1	0.5	0.0	0.0
W6	36.5	33.6	3.4	0.9	0.2	0.1	0.0	0.0	0.0	44.3	23.9	4.9	0.7	0.9	0.2	0.0	0.0	0.0
W7	15.3	26.6	3.8	0.5	0.4	0.1	0.2	0.0	0.0	35.3	25.3	2.0	0.0	0.4	0.1	0.0	0.0	1.5
W8	34.0	23.5	6.3	0.4	0.2	0.1	0.0	0.0	0.0	32.4	28.0	3.5	0.7	0.5	0.0	0.2	0.0	0.0
W9	49.0	25.3	7.0	0.4	0.5	0.2	0.0	0.3	0.0	22.5	19.3	6.2	0.7	0.5	0.2	0.0	0.0	0.0
W10	24.7	24.1	5.5	0.4	0.3	0.3	0.0	0.0	0.0	13.0	17.3	4.4	1.0	1.1	0.0	0.2	0.3	0.0
W11	40.5	34.3	8.2	0.9	0.2	0.0	0.0	0.0	0.0	26.2	27.3	7.5	1.2	0.8	0.2	0.0	0.0	0.0
W12	58.5	33.0	9.3	1.3	0.9	0.0	0.2	0.0	0.0	35.3	36.7	7.1	2.6	1.6	0.2	0.0	0.0	0.0

Chickenpox 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W13	58.9	29.9	12.9	0.9	0.8	0.2	0.0	0.0	0.0	45.4	27.4	10.0	0.9	1.9	0.4	0.2	0.0	0.0

Chickenpox 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	27.9	41.8	6.5	0.9	1.1	0.4	0.0	0.0	0.9	44.0	39.7	10.7	1.0	0.9	0.2	0.3	0.0	0.6
W2	53.9	48.8	11.5	1.1	0.7	0.2	0.0	0.0	0.9	39.9	43.4	11.0	1.3	1.4	0.1	0.0	0.2	0.0
W3	39.2	44.2	7.9	0.4	0.3	0.3	0.0	0.0	0.0	44.4	41.9	11.5	1.3	1.0	0.3	0.2	0.0	0.0
W4	23.7	38.0	6.5	0.6	1.0	0.2	0.2	0.0	0.0	43.2	43.9	7.3	1.3	1.3	0.3	0.0	0.5	0.6
W5	31.3	31.7	4.3	0.8	0.3	0.1	0.2	0.0	0.0	25.6	19.6	4.4	1.0	0.8	0.1	0.0	0.0	0.0
W6	26.9	40.2	6.8	0.6	0.4	0.2	0.0	0.0	0.0	34.7	37.9	5.7	1.4	0.7	0.1	0.0	0.2	0.0
W7	43.1	41.8	6.4	0.4	0.8	0.3	0.0	0.0	0.0	25.1	44.4	9.6	1.3	1.1	0.1	0.3	0.0	0.0
W8	25.2	41.1	7.2	0.5	0.8	0.1	0.0	0.0	0.0	23.2	40.8	7.7	1.1	0.8	0.4	0.0	0.2	0.0
W9	41.0	42.3	10.9	0.9	0.7	0.1	0.0	0.0	0.0	38.2	47.8	9.1	1.1	1.3	0.1	0.0	0.2	0.0
W10	46.7	44.6	8.9	1.0	0.9	0.3	0.0	0.0	0.0	40.4	36.5	8.6	0.9	1.7	0.1	0.0	0.0	0.0
W11	39.9	44.6	11.8	1.1	0.8	0.3	0.0	0.0	0.0	52.1	49.6	13.7	1.5	1.2	0.3	0.3	0.0	0.6
W12	43.1	58.2	13.4	2.2	0.6	0.1	0.0	0.0	0.0	37.9	50.9	13.0	1.0	1.7	0.1	0.2	0.2	0.0
W13	34.5	42.6	12.1	1.7	1.2	0.2	0.0	0.0	0.0	44.0	50.5	12.7	1.9	1.8	0.4	0.3	0.2	0.0

Chickenpox 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	34.5	34.9	9.3	0.6	0.5	0.2	0.0	0.0	0.6	26.4	40.9	6.9	1.5	1.2	0.3	0.1	0.0	0.0
W2	21.9	33.3	8.9	1.0	0.8	0.4	0.1	0.0	0.0	38.2	25.1	9.9	0.6	1.5	0.3	0.1	0.2	0.4
W3	23.6	39.4	8.8	0.7	0.4	0.3	0.0	0.0	0.0	18.4	37.6	8.2	0.5	0.9	0.1	0.1	0.2	0.8
W4	34.3	27.9	5.8	0.9	0.5	0.2	0.3	0.0	0.0	29.4	26.9	6.6	0.9	0.7	0.2	0.1	0.3	0.0
W5	23.6	18.1	2.9	0.2	0.2	0.1	0.1	0.2	1.2	23.1	15.1	2.2	0.3	0.7	0.3	0.0	0.0	0.0
W6	18.5	27.0	5.4	0.5	0.2	0.3	0.1	0.0	0.0	32.3	32.2	4.7	0.2	0.4	0.3	0.3	0.2	0.0
W7	26.4	31.4	7.8	0.4	0.6	0.0	0.3	0.0	0.0	32.5	39.9	7.4	0.7	1.0	0.2	0.0	0.3	0.0
W8	37.5	38.5	8.7	0.8	0.7	0.3	0.0	0.0	0.0	40.8	32.2	8.0	1.0	1.2	0.1	0.0	0.0	0.0
W9	35.7	35.0	9.2	0.6	0.8	0.3	0.3	0.2	0.0	32.4	35.2	10.1	0.7	1.3	0.3	0.0	0.0	0.0
W10	31.3	33.8	7.6	0.8	0.9	0.3	0.3	0.0	0.0	24.4	35.6	7.6	1.9	1.5	0.2	0.1	0.0	0.0
W11	42.6	38.9	13.0	0.6	0.7	0.1	0.0	0.2	0.0	57.1	49.8	12.0	1.8	1.2	0.2	0.0	0.0	0.0
W12	51.1	54.0	12.6	1.6	1.0	0.3	0.3	0.2	0.0	60.9	47.5	12.5	1.3	1.7	0.2	0.1	0.2	0.0
W13	57.6	43.2	13.2	1.3	1.3	0.3	0.0	0.0	0.0	63.6	46.5	10.4	1.3	1.3	0.2	0.1	0.0	0.0

Chickenpox 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	40.8	29.2	9.1	0.2	0.7	0.2	0.2	0.3	0.8	21.6	38.2	7.8	2.2	3.7	0.0	0.0	0.0	0.5

Chickenpox 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W2	20.5	24.1	6.6	1.1	0.5	0.2	0.0	0.5	0.0	29.9	21.3	6.7	2.1	3.5	0.0	0.2	0.2	0.0
W3	31.0	28.3	4.5	0.7	0.6	0.2	0.0	0.3	0.0	19.4	26.8	6.2	0.7	2.9	0.1	0.4	0.4	0.0
W4	20.4	28.9	4.5	0.2	1.0	0.1	0.0	0.3	0.0	21.8	25.2	5.0	2.2	2.9	0.2	0.0	0.0	0.5
W5	17.9	19.1	2.0	0.4	0.3	0.2	0.6	0.3	0.0	11.0	15.3	1.8	1.5	2.9	0.4	0.4	0.0	0.0
W6	27.6	24.9	5.4	0.2	0.4	0.1	0.2	0.0	0.0	34.8	18.6	4.4	1.5	2.8	0.0	0.4	0.2	0.0
W7	33.0	24.9	4.9	0.3	0.4	0.0	0.2	0.3	0.8	16.2	32.4	4.4	2.2	1.8	0.5	0.4	0.0	0.0
W8	38.4	24.4	6.7	0.7	0.4	0.2	0.0	0.0	0.0	43.6	29.1	7.1	1.8	3.2	0.1	0.4	0.0	0.0
W9	35.4	20.8	6.7	1.0	0.7	0.2	0.2	0.3	0.0	29.7	28.0	9.4	2.0	2.6	0.2	0.2	0.0	0.0
W10	30.8	27.0	5.7	0.9	0.7	0.3	0.2	0.5	0.0	27.3	20.4	6.6	0.9	2.8	0.2	0.0	0.0	0.0
W11	46.6	41.1	7.4	0.3	1.3	0.2	0.0	0.0	0.0	35.5	45.2	9.0	1.4	3.8	0.2	0.0	0.0	0.0
W12	35.7	37.5	11.1	1.0	0.6	0.4	0.0	0.0	0.0	40.2	44.8	10.7	1.8	4.4	0.2	0.0	0.2	0.0
W13	46.3	47.5	10.1	1.5	0.6	0.2	0.2	0.0	0.0	59.2	36.5	7.5	1.6	3.3	0.2	0.2	0.2	0.0

Conjunctivitis

Conjunctivitis 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	186.9	67.0	11.7	5.7	6.8	9.0	11.2	19.0	27.3	127.7	64.5	13.6	7.4	11.6	11.6	17.0	24.5	36.5
W2	145.2	69.9	21.1	8.4	8.8	10.7	14.8	16.3	35.4	161.2	45.1	17.1	11.1	14.3	11.4	17.5	26.3	34.5
W3	156.8	39.2	14.6	7.3	10.4	9.6	14.4	18.0	23.1	92.7	38.4	9.5	10.8	11.8	15.8	20.0	20.8	25.7
W4	139.3	32.1	9.6	3.2	8.6	11.5	13.1	16.6	24.4	117.3	25.6	7.5	13.9	9.6	14.0	21.8	20.4	32.6
W5	70.5	20.7	12.9	6.7	6.4	8.3	14.7	18.4	28.4	92.2	24.2	7.3	7.8	8.0	12.8	18.4	16.9	30.7
W6	134.5	30.8	12.7	7.0	6.0	10.3	10.4	23.3	24.3	116.0	44.5	10.0	11.6	10.8	14.1	16.0	23.4	32.4
W7	135.4	55.2	11.0	5.9	6.4	10.8	11.1	22.8	29.6	131.9	61.1	11.3	8.9	8.9	13.2	18.4	23.7	28.9
W8	209.7	92.7	9.1	5.6	6.6	10.2	10.4	17.0	30.9	162.2	80.1	8.5	9.5	10.5	13.9	18.4	18.3	39.1
W9	254.9	81.3	9.8	3.5	7.6	8.3	13.7	9.8	29.6	225.7	78.7	10.0	8.9	9.0	10.8	18.1	19.8	39.2
W10	217.9	156.5	12.5	5.6	8.7	11.3	17.3	26.2	24.2	266.9	136.5	11.0	10.0	12.0	15.7	23.3	23.6	34.9
W11	325.3	154.2	11.3	7.2	9.2	7.3	18.2	23.6	39.0	333.3	145.6	16.3	9.7	15.4	16.1	24.5	25.5	39.9
W12	245.5	111.6	15.3	4.0	10.0	10.8	13.6	17.7	37.7	235.5	102.3	15.6	11.6	14.7	16.4	22.3	32.3	30.7
W13	163.5	76.4	16.1	5.0	10.1	11.8	15.2	14.6	40.2	183.3	65.9	9.6	11.0	11.5	15.1	16.2	21.2	27.1

Conjunctivitis 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	133.7	74.8	21.9	8.2	6.9	10.3	13.8	18.3	20.3	110.4	61.9	17.0	9.6	10.2	16.1	26.4	24.8	39.2
W2	139.3	74.9	38.8	7.5	8.7	11.2	17.6	24.6	37.4	132.1	58.8	28.7	9.4	11.9	19.8	22.2	25.9	30.3
W3	113.6	51.3	20.0	7.1	6.6	9.3	15.2	18.6	28.6	80.8	45.1	14.7	10.2	9.7	19.2	24.3	20.3	35.3
W4	110.3	37.8	15.8	7.7	7.0	10.9	15.1	21.4	42.7	100.8	31.6	13.1	7.9	9.4	16.8	19.3	28.4	40.3
W5	90.5	31.8	19.2	7.9	6.3	9.4	14.5	22.8	32.5	84.3	20.6	12.2	7.5	10.4	14.1	22.1	27.1	38.3
W6	94.4	41.3	18.9	7.3	7.3	10.0	14.0	20.3	25.3	96.4	27.9	13.3	9.6	10.8	17.4	20.1	25.9	40.8

Conjunctivitis 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W7	106.6	53.1	16.3	6.5	6.6	10.6	17.2	15.5	40.6	92.7	41.4	14.1	8.7	10.0	15.0	19.8	24.3	28.8
W8	115.7	75.8	17.4	7.3	5.2	10.0	17.9	15.9	32.2	117.8	67.0	15.2	9.1	10.3	16.3	27.0	24.7	42.3
W9	156.3	62.2	12.3	5.3	6.0	9.8	14.6	21.2	29.4	150.0	60.8	14.2	6.6	8.4	12.8	19.0	21.9	29.6
W10	196.2	134.0	16.9	6.7	7.1	11.5	15.8	20.2	16.8	133.2	103.9	17.6	9.2	10.8	18.4	21.8	30.0	45.7
W11	213.0	131.0	19.7	7.0	6.4	12.1	10.8	18.8	22.4	183.2	125.4	15.8	11.9	11.1	19.1	23.9	29.6	33.8
W12	178.0	115.0	26.1	8.1	7.3	12.7	18.5	22.6	39.2	170.6	97.5	18.8	9.6	13.0	22.9	25.8	29.9	39.8
W13	155.2	72.1	24.1	7.9	7.3	12.6	18.9	15.9	33.4	147.3	63.1	15.2	9.1	12.0	19.6	21.9	25.3	35.5

Conjunctivitis 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	212.7	69.4	15.0	6.1	7.5	9.6	14.1	16.8	43.8	200.6	60.5	12.3	9.6	10.5	15.6	23.1	22.5	34.0
W2	155.8	70.8	24.7	8.6	10.0	13.1	17.0	21.7	25.6	159.1	51.1	19.6	12.5	14.5	18.0	20.6	24.5	36.8
W3	135.9	51.5	13.5	6.3	7.8	11.0	16.2	21.4	35.3	158.9	35.3	14.9	6.9	12.1	14.9	20.8	28.6	36.0
W4	112.7	34.9	11.6	6.1	8.6	10.7	15.5	19.0	33.6	97.4	29.3	10.2	7.8	11.1	15.3	20.5	27.8	34.0
W5	138.4	31.0	11.4	5.6	6.8	12.0	18.3	24.5	33.4	118.0	22.9	12.2	10.1	11.0	14.4	19.4	23.9	42.4
W6	129.3	52.0	12.5	5.9	8.6	11.7	12.2	21.0	29.5	119.1	39.1	10.1	9.4	11.7	14.3	19.4	25.8	36.7
W7	121.8	49.1	12.3	5.4	8.0	10.1	17.1	19.1	34.0	137.7	56.0	12.1	11.7	13.5	14.8	18.5	22.0	26.1
W8	192.4	96.8	12.5	5.2	7.0	10.7	15.2	23.0	38.5	163.7	90.7	13.4	9.3	12.7	14.9	20.4	24.3	35.1
W9	294.2	105.2	11.1	6.7	8.3	10.0	14.3	18.4	25.7	236.9	95.6	12.5	7.1	13.7	13.4	19.6	21.3	37.1
W10	296.7	154.9	11.6	7.2	9.1	12.4	16.8	20.6	27.9	244.7	147.8	15.2	8.6	14.0	17.4	22.8	25.5	38.5
W11	311.2	160.9	15.0	6.5	11.2	11.7	16.3	22.7	42.9	300.5	147.0	14.0	8.7	15.3	19.3	24.9	25.0	38.4
W12	268.4	133.7	15.4	8.2	10.9	12.3	19.8	22.7	36.1	245.7	116.8	14.5	9.6	16.1	17.5	27.6	28.7	37.5
W13	231.3	83.3	15.4	6.6	8.6	12.3	13.3	18.7	24.7	228.8	66.7	12.9	8.1	12.8	14.4	21.1	25.3	33.1

Conjunctivitis 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	170.4	65.1	12.8	6.4	7.5	7.3	14.6	20.2	30.1	147.3	51.0	11.3	7.1	9.7	13.5	19.2	17.8	33.5
W2	153.0	65.8	17.9	8.2	9.0	10.4	14.1	17.6	34.8	131.9	56.4	15.0	12.9	14.6	13.4	18.1	24.5	36.2
W3	148.9	48.7	8.8	5.9	9.7	10.4	14.1	19.7	39.3	116.7	37.8	11.3	7.3	12.5	16.3	19.0	18.9	33.2
W4	145.9	43.7	10.1	6.8	7.8	9.9	12.9	20.0	44.1	111.9	29.2	8.4	5.8	11.2	11.9	18.5	24.6	33.9
W5	136.1	30.4	10.1	5.0	8.1	10.3	11.2	16.4	30.7	106.3	22.6	10.2	6.7	10.0	12.4	14.6	22.4	32.2
W6	167.4	52.0	9.9	5.4	9.3	9.6	13.3	17.8	30.7	151.9	46.5	11.0	7.7	9.7	14.1	16.4	21.8	29.3
W7	193.1	62.1	9.5	5.6	9.2	9.4	14.3	15.7	40.0	134.7	45.9	9.7	8.6	10.9	14.0	15.1	23.9	32.9
W8	172.9	122.4	11.2	6.5	7.2	10.0	13.5	19.8	28.2	191.0	92.6	9.3	7.7	10.8	15.6	18.6	21.4	32.8
W9	251.1	103.3	8.0	4.3	7.2	9.2	11.9	16.7	28.3	225.0	79.9	8.8	6.5	12.7	13.7	15.7	19.6	27.0
W10	348.6	164.2	10.8	7.8	8.5	10.0	14.5	18.4	23.5	264.1	145.3	11.3	10.3	15.3	16.2	20.9	25.6	35.8
W11	314.5	180.3	10.8	4.7	8.6	10.5	18.6	16.6	37.6	392.6	161.3	11.3	11.2	14.3	16.2	17.9	24.3	40.2
W12	295.8	112.5	11.4	7.4	9.1	12.4	13.2	18.7	39.9	289.0	118.7	10.4	8.8	14.9	16.9	22.2	24.0	40.9
W13	170.5	80.1	11.0	6.5	10.1	9.9	13.9	17.6	28.0	220.7	71.5	11.1	8.0	15.7	14.8	16.8	24.8	40.7

Conjunctivitis 4 weekly table (W1 - W13) - North West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	266.0	78.5	14.1	6.0	11.1	12.5	16.2	24.8	49.5	235.9	57.5	14.0	11.0	14.6	17.7	23.2	30.8	50.7
W2	211.9	80.9	24.7	6.9	9.8	15.4	17.0	26.1	37.0	191.5	61.3	22.8	9.1	17.4	18.9	24.7	34.7	56.2
W3	192.3	59.4	14.4	7.1	10.7	13.3	19.8	31.7	36.7	183.5	48.8	14.3	11.0	16.8	17.0	24.3	33.2	54.0
W4	177.2	52.3	15.1	6.2	9.9	12.7	18.9	26.4	46.6	174.8	35.0	15.2	9.1	15.6	18.4	28.5	31.7	44.1
W5	132.4	41.8	15.3	8.0	9.2	14.4	19.4	27.1	46.2	159.8	30.6	11.5	10.9	14.7	17.7	25.6	27.4	46.0
W6	179.3	63.4	12.2	8.4	9.9	13.2	15.3	22.7	47.0	219.9	71.3	15.3	10.6	12.7	17.9	28.0	30.8	49.3
W7	240.6	74.4	13.5	7.0	8.9	12.7	14.0	24.6	39.6	183.4	68.9	15.0	10.8	14.1	18.7	26.3	34.2	43.5
W8	308.0	126.0	13.4	7.7	9.6	13.1	19.5	23.7	46.7	286.1	116.4	16.6	10.9	14.7	17.8	25.5	31.4	54.1
W9	340.3	119.4	11.0	6.9	9.1	12.3	14.9	17.8	48.6	265.4	105.9	12.4	8.0	15.7	19.4	22.6	27.9	41.8
W10	427.3	188.2	18.3	8.7	10.5	13.5	19.4	23.4	49.5	319.4	182.0	13.1	10.8	17.3	18.5	29.6	35.0	61.0
W11	451.2	169.9	14.1	9.3	11.8	13.6	16.2	30.0	50.4	382.4	169.8	15.5	12.1	17.3	20.6	28.3	35.2	58.6
W12	355.3	139.2	17.8	8.3	9.6	14.2	15.2	24.7	48.6	388.3	134.5	18.5	9.2	18.7	20.4	29.4	34.2	53.0
W13	288.4	90.6	12.6	7.1	8.5	10.1	14.8	19.0	46.6	271.5	78.0	12.3	9.8	15.2	17.5	20.9	28.8	51.1

Conjunctivitis 4 weekly table (W1 - W13) - South East

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	164.5	61.9	13.8	5.6	6.9	8.1	16.8	20.5	29.4	193.3	55.0	10.7	8.6	11.7	13.5	21.8	25.1	41.6
W2	143.9	67.3	25.5	6.7	9.1	10.2	14.4	19.2	34.7	152.9	45.9	14.9	10.5	14.3	14.9	20.4	25.2	39.4
W3	115.0	39.7	13.3	6.9	7.6	9.5	16.2	20.6	38.8	92.0	45.9	10.2	7.3	12.9	13.3	21.5	25.3	46.7
W4	107.4	37.8	9.7	5.5	7.5	9.4	17.6	21.1	37.3	122.7	29.5	9.1	7.6	11.2	14.2	22.4	26.2	41.6
W5	102.3	26.4	12.7	4.8	6.7	10.5	15.2	24.3	43.1	97.3	26.6	10.6	8.6	10.7	13.0	19.9	24.2	44.3
W6	101.9	35.8	10.8	5.7	6.6	10.2	10.7	20.0	34.5	147.0	38.2	9.4	9.1	12.2	14.7	21.6	24.0	39.7
W7	144.4	56.8	11.9	7.9	7.1	9.1	12.9	21.8	36.8	151.1	41.6	8.5	8.3	10.1	13.9	19.9	27.5	44.5
W8	186.0	99.2	9.3	6.3	7.8	9.0	14.4	18.5	30.7	135.6	84.2	10.8	8.4	9.9	15.5	22.2	23.9	43.7
W9	221.7	100.9	7.9	6.5	7.1	8.4	11.0	21.5	27.2	244.4	79.6	8.4	6.7	10.5	15.2	18.3	18.9	38.5
W10	314.9	157.1	12.7	7.2	7.8	11.2	14.6	20.5	36.2	272.0	137.8	13.3	8.6	12.7	17.0	21.0	29.5	44.5
W11	348.5	164.3	12.8	6.1	8.5	10.7	16.1	19.9	44.0	279.1	150.8	11.3	8.0	14.2	16.1	24.2	28.4	34.7
W12	272.4	133.5	14.5	7.1	8.9	11.5	16.5	21.7	43.4	270.8	108.8	14.5	10.5	15.8	17.3	25.7	27.4	51.9
W13	210.2	68.1	11.0	5.9	8.7	10.7	15.8	17.8	34.2	184.3	57.9	11.0	9.1	13.4	15.4	20.8	31.0	43.2

Conjunctivitis 4 weekly table (W1 - W13) - South West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	168.1	50.2	9.8	5.0	7.1	8.5	11.9	14.7	15.9	183.7	51.3	9.0	6.5	10.0	14.1	16.6	20.3	30.8
W2	146.4	58.0	15.0	6.9	8.2	10.4	12.7	16.2	20.8	141.3	32.7	12.6	8.0	10.5	14.0	17.3	24.7	27.5
W3	119.0	38.1	10.4	5.3	7.6	7.9	12.1	16.4	32.2	74.8	30.6	8.7	6.5	10.4	12.3	19.1	21.7	31.5
W4	132.5	27.8	8.3	3.9	6.9	9.2	13.2	19.2	32.8	92.7	21.3	7.3	8.0	8.6	11.5	15.8	25.2	26.3
W5	107.5	25.9	6.4	8.1	6.6	9.1	13.8	17.3	29.3	74.0	18.1	9.0	9.4	9.0	11.8	13.6	20.7	34.3
W6	128.2	44.0	9.9	5.4	7.7	8.7	12.3	12.7	35.0	91.0	43.9	7.4	8.6	7.4	11.4	14.3	21.6	35.8
W7	127.1	47.2	10.2	8.3	6.8	10.6	10.7	18.3	38.1	132.2	53.9	8.1	7.6	10.2	12.3	18.5	22.2	35.7
W8	189.6	81.5	9.1	5.9	7.0	7.4	10.1	17.5	21.1	157.9	73.6	6.7	6.0	10.2	12.3	17.6	23.3	32.1

Conjunctivitis 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W9	217.6	79.4	9.6	5.2	7.8	8.7	10.7	15.4	30.0	180.7	83.0	8.7	8.5	9.7	11.9	16.3	17.9	29.1
W10	277.1	145.0	8.6	4.5	8.4	9.1	14.5	19.5	32.5	196.4	109.6	12.8	9.7	12.5	12.6	17.6	24.5	34.2
W11	347.1	125.9	13.1	5.2	7.2	10.9	14.3	17.9	37.3	311.2	136.8	12.8	6.5	13.3	15.7	19.2	24.2	31.2
W12	244.7	93.3	11.6	5.7	10.0	10.4	14.3	13.8	29.1	292.1	93.4	11.4	8.8	16.9	15.3	19.1	23.6	40.9
W13	231.4	58.4	11.7	6.5	10.1	12.1	15.2	15.3	37.1	196.6	61.4	7.6	9.3	11.6	14.4	15.3	22.6	39.2

COVID-19

COVID-19 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	7.1	0.0	0.7	0.5	0.3	1.8	5.9	7.3	8.2	10.9	1.5	0.0	1.8	1.8	3.6	5.5	8.9	7.8
W2	21.2	1.4	0.2	0.8	1.2	3.0	4.6	19.0	20.4	14.7	1.5	0.8	1.2	4.0	7.0	7.1	10.8	22.4
W3	35.6	2.1	1.0	1.1	2.3	4.8	10.2	16.2	46.1	48.2	2.3	0.3	1.7	5.5	11.6	12.6	13.9	37.7
W4	20.9	0.0	0.7	0.8	1.1	3.6	5.2	14.4	16.3	11.0	1.5	0.8	1.7	3.3	4.4	8.3	13.5	11.1
W5	3.5	2.1	0.2	0.3	0.8	2.6	5.2	10.8	17.6	7.4	0.8	0.5	2.6	2.5	5.1	9.8	6.9	16.2
W6	13.8	3.6	0.2	0.5	1.8	6.0	7.8	23.7	59.4	25.4	0.0	0.5	2.9	4.6	8.3	12.3	18.8	46.9
W7	6.9	1.4	0.5	0.3	0.7	2.8	6.2	13.4	25.6	22.0	3.8	1.0	1.2	3.0	5.6	4.9	10.7	22.1
W8	7.0	1.4	0.0	0.5	0.8	1.0	1.0	5.8	12.1	3.7	0.8	0.3	0.0	0.9	1.7	4.3	2.3	12.8
W9	10.3	0.0	1.2	0.0	0.0	0.9	2.0	7.6	14.8	3.6	0.8	0.0	0.6	1.0	1.3	2.8	4.6	7.7
W10	10.4	0.0	0.2	0.3	0.2	0.6	1.3	4.9	14.8	7.3	1.5	0.0	0.3	0.3	0.7	2.8	4.2	5.1
W11	3.5	3.6	0.7	0.0	0.1	0.3	2.0	3.1	9.4	0.0	0.0	0.3	0.6	0.7	1.5	1.2	2.3	7.6
W12	6.9	0.7	0.0	0.0	0.3	1.0	1.0	5.3	18.8	11.0	0.0	0.0	0.3	1.4	0.9	2.1	3.0	6.0
W13	7.0	0.0	0.0	0.3	0.0	1.1	1.3	2.7	6.7	11.2	0.8	0.0	0.0	1.1	2.1	2.1	4.2	4.2

COVID-19 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	14.7	0.7	0.7	0.6	1.1	2.6	7.8	7.9	23.1	7.7	1.0	1.0	1.4	2.4	6.1	6.9	12.6	20.1
W2	20.5	2.3	1.2	0.7	1.3	3.2	7.5	11.3	24.5	12.3	1.7	0.6	2.1	3.7	7.5	10.8	16.9	19.9
W3	26.6	1.3	0.5	0.7	2.1	4.5	11.1	16.1	38.5	32.6	3.1	0.4	2.1	6.4	14.1	19.6	17.2	31.8
W4	26.1	2.6	0.1	0.8	1.6	3.5	8.2	15.1	31.3	15.3	0.7	0.3	1.7	3.8	8.0	11.0	10.5	27.4
W5	26.3	3.0	0.5	0.4	1.2	3.0	3.1	9.7	22.6	10.7	1.0	0.4	0.9	2.9	7.1	6.3	14.3	18.7
W6	18.6	2.3	0.2	1.0	1.5	2.9	7.4	15.0	33.8	10.5	1.0	0.1	1.0	3.2	8.6	12.1	12.4	27.2
W7	11.5	1.3	0.4	0.4	0.7	1.8	1.8	5.8	15.4	13.7	0.3	0.3	1.2	1.7	2.7	3.1	7.7	11.9
W8	8.7	1.3	0.5	0.8	0.4	1.2	2.0	5.8	11.2	7.7	0.7	0.4	0.6	1.0	2.4	3.1	4.6	5.9
W9	2.8	0.7	0.4	0.3	0.5	0.5	2.3	5.3	8.4	4.5	0.0	0.0	0.2	1.0	1.9	2.9	6.5	1.7
W10	4.3	1.0	0.1	0.0	0.2	0.9	1.0	1.9	15.4	6.1	1.7	0.0	0.6	0.7	1.1	1.2	2.7	11.0
W11	5.8	0.3	0.1	0.6	0.4	0.8	1.3	2.9	9.8	4.6	0.0	0.0	0.2	0.6	1.6	1.4	4.6	7.6
W12	10.1	0.0	0.4	0.1	0.2	0.8	1.0	5.8	7.0	4.6	0.7	0.6	0.3	0.6	1.0	2.4	4.2	11.0

COVID-19 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W13	7.3	0.7	0.1	0.2	0.3	1.1	3.2	3.4	11.1	9.2	2.1	0.3	0.2	1.0	2.2	2.6	3.8	10.1

COVID-19 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	22.7	0.7	0.4	0.5	1.2	2.7	6.1	7.8	16.4	5.4	0.4	0.5	1.2	2.7	5.7	6.3	10.5	9.2
W2	19.3	1.8	0.9	0.7	2.1	3.7	10.5	13.9	27.9	12.5	1.1	0.8	1.7	5.9	11.2	11.2	11.5	21.3
W3	33.5	2.5	0.4	1.5	2.4	7.1	14.4	24.0	47.5	23.5	0.8	0.5	1.8	8.6	15.8	18.5	22.4	33.6
W4	19.1	2.2	0.1	0.6	2.1	4.6	8.8	11.7	26.7	10.6	1.1	0.3	1.9	4.9	10.0	9.1	15.5	24.0
W5	29.8	2.2	0.5	1.1	1.3	4.1	6.2	15.2	22.8	17.9	0.8	1.3	1.5	4.3	7.8	8.8	12.4	25.8
W6	13.8	1.1	1.0	1.5	2.4	5.8	12.2	21.9	49.2	12.3	2.3	0.8	1.8	7.9	13.0	19.4	24.4	39.1
W7	12.2	1.1	0.0	0.7	1.1	3.2	5.2	10.2	28.7	1.8	1.9	0.5	1.0	3.2	6.4	7.2	10.6	25.2
W8	7.0	1.4	0.0	0.0	1.1	1.4	2.8	6.0	12.1	1.8	1.5	0.3	0.2	2.2	2.7	2.8	2.8	6.6
W9	1.7	0.4	0.0	0.5	0.3	1.1	2.4	3.9	7.6	1.8	0.4	0.1	0.4	0.9	1.9	2.8	3.6	4.8
W10	5.2	0.0	0.4	0.3	0.4	0.5	1.8	2.3	8.3	1.8	0.0	0.4	0.6	0.6	1.0	2.5	2.2	1.9
W11	3.5	1.1	0.0	0.1	0.5	0.8	1.0	6.0	8.3	7.2	0.8	0.5	0.1	0.9	1.6	1.4	4.2	7.1
W12	8.6	0.4	0.1	0.1	0.3	0.6	2.3	4.6	11.3	5.3	1.1	0.1	0.2	0.7	1.5	3.0	3.8	6.2
W13	10.4	0.7	0.2	0.6	0.5	1.0	2.3	5.5	10.5	1.8	0.0	0.1	0.5	0.7	1.5	4.1	3.6	9.9

COVID-19 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	21.3	0.6	0.4	0.7	1.0	2.5	6.6	11.3	25.3	6.4	2.0	0.2	0.2	2.4	5.4	7.0	10.1	19.3
W2	42.8	1.3	0.4	0.5	2.0	6.1	7.5	16.9	43.2	32.2	3.3	1.8	1.7	6.1	9.7	16.3	20.5	40.7
W3	49.6	3.8	0.6	1.8	4.2	8.3	17.1	24.2	53.7	42.1	2.0	1.1	4.1	10.3	18.9	19.4	24.7	48.0
W4	24.3	2.5	0.0	0.5	1.9	4.0	10.1	15.4	23.8	19.2	2.7	0.2	1.9	5.1	9.0	12.0	19.2	29.4
W5	21.7	1.9	0.6	0.5	1.6	3.3	8.2	17.8	29.6	19.3	0.7	0.7	1.2	3.4	7.5	10.1	17.3	29.3
W6	30.4	1.9	0.8	0.7	2.0	5.1	9.8	25.5	60.2	19.0	5.3	0.7	1.9	5.4	11.1	12.8	24.2	45.4
W7	21.5	0.6	0.2	0.5	0.5	2.1	6.1	10.1	25.9	3.2	1.3	0.0	0.5	2.0	5.8	4.3	10.9	16.8
W8	12.4	0.0	0.4	0.2	0.4	1.2	4.7	7.7	8.2	6.5	0.0	0.2	0.2	1.4	2.6	2.5	5.7	9.5
W9	9.2	0.0	0.0	0.0	0.3	1.3	2.1	5.2	20.0	6.4	0.7	0.0	0.5	0.5	0.9	1.8	3.6	14.6
W10	9.3	0.6	0.2	0.0	0.2	0.6	0.9	4.2	11.8	3.3	0.7	0.0	0.0	0.7	0.5	1.6	3.3	8.0
W11	6.2	1.3	0.0	0.0	0.2	0.4	0.9	3.5	3.5	3.3	0.7	0.2	0.0	1.1	1.3	2.0	3.9	5.1
W12	3.1	1.3	0.4	0.0	0.4	0.8	1.6	4.5	16.4	6.4	0.0	0.0	0.2	0.7	1.7	1.6	3.0	3.7
W13	0.0	0.0	0.4	0.0	0.2	0.9	2.1	6.9	9.3	3.2	0.0	0.4	0.2	0.6	1.6	2.7	3.3	9.5

COVID-19 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	7.4	0.4	0.1	0.3	1.3	2.4	4.5	7.7	26.1	6.0	1.6	0.7	1.0	3.8	6.2	6.8	10.9	9.3

COVID-19 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W2	24.2	3.5	1.1	1.4	2.5	5.3	11.5	15.6	25.9	16.0	0.8	0.8	1.4	6.7	11.7	12.0	15.6	22.6
W3	39.2	5.0	0.7	1.0	3.3	8.7	12.0	24.3	42.2	22.2	2.0	0.4	3.2	11.1	23.6	23.1	26.8	45.4
W4	23.7	0.8	0.1	0.6	2.4	5.9	10.2	14.2	36.5	25.5	1.2	0.1	2.1	6.1	12.7	12.8	16.9	22.9
W5	18.4	0.0	0.3	0.4	1.8	3.8	8.5	12.2	20.8	13.8	1.2	0.0	1.4	4.2	8.8	9.2	11.2	12.5
W6	28.7	1.5	0.7	1.0	1.7	5.0	8.2	16.5	25.3	9.6	1.2	1.2	2.5	9.1	13.6	10.9	20.3	34.0
W7	9.0	1.2	0.4	0.4	1.6	3.0	5.7	11.6	22.5	3.9	1.6	0.4	0.9	3.3	8.1	6.2	10.2	18.1
W8	7.2	0.8	0.3	0.1	0.7	1.8	2.3	3.5	10.8	7.7	0.8	0.6	0.5	1.4	3.8	2.1	6.3	7.9
W9	5.3	0.4	0.1	0.4	0.5	1.4	1.4	2.7	11.7	1.9	1.6	0.3	0.3	0.9	2.2	2.6	4.9	8.5
W10	3.6	0.8	0.5	0.1	0.5	0.8	0.9	2.4	16.2	7.7	0.8	0.1	0.3	0.7	1.3	2.1	2.8	9.0
W11	7.2	0.4	0.1	0.1	0.3	0.6	1.2	1.9	8.1	1.9	0.0	0.1	0.0	1.1	2.0	1.4	2.1	7.9
W12	7.2	0.8	0.0	0.0	0.5	1.3	1.4	2.7	7.2	0.0	1.6	0.0	0.5	1.0	2.4	2.1	3.2	6.8
W13	7.3	0.4	0.0	0.2	0.4	0.8	2.5	4.3	13.5	7.6	1.6	0.0	0.4	0.8	0.7	2.7	6.4	7.9

COVID-19 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	23.5	0.6	0.2	0.4	1.3	3.4	7.0	12.8	21.3	26.4	0.7	0.0	1.0	4.0	6.4	6.8	9.9	18.1
W2	26.6	1.3	1.2	0.9	2.3	4.8	9.3	15.7	29.1	13.3	1.3	1.1	2.3	7.2	12.0	13.6	13.0	21.8
W3	50.4	3.8	1.6	2.5	3.8	8.7	14.7	23.4	48.0	53.5	2.7	1.2	3.7	11.7	18.8	18.3	22.3	41.0
W4	26.5	1.3	0.3	1.3	3.2	5.1	9.7	17.4	45.9	29.4	0.7	0.4	2.8	5.8	10.5	11.5	15.9	30.6
W5	40.9	1.6	0.4	1.0	2.7	4.4	8.3	16.8	38.2	16.5	2.7	1.4	2.4	6.2	10.3	12.2	12.4	23.3
W6	30.9	2.5	1.2	1.1	3.6	8.5	12.5	27.1	61.7	17.8	1.3	0.8	2.9	8.2	15.6	21.4	26.9	51.0
W7	6.2	1.3	0.4	0.5	1.6	3.1	5.4	15.1	30.8	14.6	2.0	0.3	0.8	4.0	7.6	8.7	11.8	25.0
W8	12.5	1.3	0.1	0.9	0.6	1.9	3.0	5.7	13.9	9.8	0.3	0.4	0.6	1.9	4.0	3.3	6.8	11.6
W9	6.2	1.0	0.5	0.4	0.4	2.1	2.9	3.9	15.1	6.5	0.7	0.1	0.8	1.4	2.1	2.2	2.4	6.7
W10	6.3	1.0	0.2	0.0	0.4	0.7	2.2	3.7	13.9	4.9	0.7	0.4	0.3	0.9	1.8	0.7	3.8	9.4
W11	9.5	2.2	0.1	0.5	0.7	1.4	1.7	4.5	9.7	4.9	0.3	0.3	0.2	1.3	1.8	1.5	4.4	11.6
W12	6.2	1.3	0.5	0.3	0.8	0.8	2.0	4.3	8.4	4.8	0.3	0.6	0.3	1.2	1.9	3.0	3.4	10.5
W13	6.2	0.6	0.1	0.2	0.3	1.1	1.9	2.8	12.6	8.2	0.7	0.0	0.6	1.0	1.9	1.2	3.1	12.7

COVID-19 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	2.5	0.5	0.3	0.5	1.1	2.9	6.2	13.1	23.4	16.2	2.2	0.0	1.5	2.9	7.2	6.0	9.2	22.5
W2	25.7	1.5	0.8	1.2	2.8	4.7	11.2	14.9	27.4	27.2	0.0	0.5	1.3	6.6	11.5	10.7	16.2	22.9
W3	23.3	3.1	1.2	2.8	4.2	9.0	15.2	22.9	38.8	13.9	0.5	0.5	4.8	9.9	20.5	18.9	21.3	36.7
W4	17.8	2.6	0.0	0.9	2.5	6.5	12.3	16.9	28.7	16.4	1.6	0.4	3.0	5.0	10.1	12.7	13.4	28.9
W5	20.5	0.5	0.2	1.1	1.6	4.4	7.5	16.6	29.3	8.2	1.6	0.4	1.8	5.1	10.5	11.3	11.8	24.1
W6	22.6	2.1	0.7	1.0	3.0	6.2	15.3	26.9	55.3	21.4	1.6	1.1	3.8	9.0	15.8	17.6	24.0	45.0
W7	20.3	0.5	0.8	0.5	1.2	2.9	3.4	11.8	26.8	5.4	1.1	0.4	1.3	3.3	6.2	7.1	11.3	17.8
W8	5.1	0.0	0.0	0.3	1.1	1.8	2.5	5.4	17.0	2.7	0.0	0.5	0.5	1.0	2.6	2.5	5.3	10.7
W9	0.0	0.5	0.7	0.0	0.5	1.0	1.1	4.4	9.7	5.4	1.6	0.2	0.2	1.2	1.6	3.4	4.2	8.7
W10	12.8	1.0	0.0	0.0	0.8	1.2	1.5	1.5	7.3	2.7	1.7	0.4	0.4	0.6	1.6	1.1	2.4	5.6

COVID-19 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W11	7.8	1.6	0.0	0.3	0.4	1.1	0.8	3.1	3.2	0.0	1.1	0.2	0.4	0.5	1.2	0.5	2.4	6.1
W12	5.1	1.0	0.2	0.5	0.7	1.4	1.5	2.3	5.7	8.0	0.6	0.2	0.2	0.8	0.8	1.8	2.0	6.1
W13	5.1	0.0	0.2	0.2	0.1	1.1	1.7	4.3	6.4	5.4	0.6	0.0	0.2	1.1	1.3	2.3	4.4	7.6

ECLD - Asthma Exacerbations

ECLD - Asthma Exacerbations 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.7	7.2	3.3	3.1	8.3	6.6	9.5	6.8	0.0	1.5	4.8	8.6	12.3	16.2	17.6	10.9	6.1
W2	0.0	5.0	9.6	4.6	5.4	6.4	9.8	10.8	10.9	0.0	3.0	6.8	8.2	10.4	17.4	14.5	12.8	7.8
W3	0.0	2.9	8.2	4.3	5.7	7.4	8.8	6.3	1.4	0.0	2.3	2.5	7.6	8.6	11.6	11.4	10.8	6.9
W4	0.0	0.0	5.0	3.2	3.0	5.6	4.6	7.2	8.1	0.0	0.0	3.5	5.5	8.4	10.8	9.5	8.9	7.7
W5	0.0	2.9	7.7	2.4	3.1	6.2	4.6	4.5	2.7	0.0	1.5	5.3	5.8	7.6	11.1	13.5	9.6	6.0
W6	0.0	4.3	12.2	7.3	3.9	7.9	9.5	10.3	4.1	0.0	4.5	7.8	9.2	16.6	20.6	18.4	14.2	13.6
W7	0.0	3.6	9.1	4.8	5.3	9.6	11.1	7.6	5.4	0.0	2.3	6.8	11.2	16.3	21.1	18.1	17.2	11.9
W8	0.0	8.6	14.8	5.9	5.9	11.1	14.7	12.5	12.1	0.0	3.0	9.3	7.2	15.6	23.2	24.5	22.9	16.2
W9	0.0	6.5	7.7	5.1	6.6	13.4	14.7	13.8	13.5	0.0	3.0	5.0	8.6	20.4	32.9	30.0	21.7	23.0
W10	0.0	6.5	9.3	3.7	5.3	8.6	12.1	8.9	10.8	0.0	2.3	5.8	10.6	14.5	21.0	23.6	17.1	15.3
W11	0.0	2.2	7.0	3.7	4.2	7.2	13.3	9.3	12.1	0.0	2.3	4.8	6.3	12.5	18.6	19.0	14.8	17.0
W12	0.0	2.2	11.5	4.2	3.9	8.0	5.8	5.8	6.7	0.0	2.3	6.0	6.2	9.7	15.9	15.0	9.5	13.6
W13	0.0	5.0	5.0	2.1	3.6	7.6	7.5	9.3	4.0	0.0	3.8	2.5	2.8	8.4	12.6	15.5	12.9	11.0

ECLD - Asthma Exacerbations 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	1.0	9.1	4.1	2.5	5.7	7.5	8.9	11.6	0.0	1.4	4.8	3.9	5.8	13.8	21.5	18.9	16.6
W2	0.0	1.6	6.1	3.8	2.8	7.0	8.3	10.8	7.2	0.0	0.3	5.0	4.9	6.5	14.7	19.5	18.4	24.3
W3	0.0	0.3	6.6	4.1	2.3	5.4	7.7	8.8	8.6	0.0	0.3	5.8	4.4	7.1	13.3	14.5	16.4	15.5
W4	0.0	0.3	2.8	2.7	2.0	5.4	6.1	9.3	11.4	0.0	0.3	2.8	3.2	5.1	9.3	13.9	17.1	14.6
W5	0.0	2.6	9.3	4.4	2.8	5.8	9.7	7.3	4.2	0.0	2.4	6.1	4.0	6.1	12.6	15.8	14.3	16.2
W6	0.0	2.9	15.2	5.5	3.8	9.0	11.7	12.6	12.7	0.0	0.7	9.3	7.3	9.7	20.1	24.5	24.4	14.5
W7	0.0	2.3	10.1	4.5	3.7	9.0	16.4	14.5	11.2	0.0	2.4	6.5	7.9	10.8	24.0	29.9	24.7	22.9
W8	0.0	3.9	13.8	5.0	3.9	11.1	17.7	14.5	14.0	0.0	0.3	10.5	8.9	11.1	27.6	32.7	38.1	22.8
W9	0.0	0.3	7.0	3.7	4.4	11.5	14.3	15.9	16.8	0.0	1.0	4.2	5.9	11.3	28.9	32.4	36.2	27.1
W10	0.0	1.7	12.3	5.1	3.4	8.5	12.5	13.5	16.8	0.0	2.8	7.4	7.5	8.8	23.6	30.9	25.8	18.6
W11	0.0	0.3	8.2	4.4	3.9	6.8	13.5	11.6	14.0	0.0	1.7	5.6	3.8	8.4	19.0	22.5	23.4	27.1
W12	0.0	1.0	8.2	4.3	3.2	7.8	11.5	10.6	7.0	0.0	1.4	6.3	6.2	7.1	17.2	20.0	25.0	16.9
W13	0.0	1.7	4.2	3.2	2.8	7.2	9.5	9.6	11.1	0.0	1.4	4.2	3.7	6.1	18.2	21.6	20.7	28.7

ECLD - Asthma Exacerbations 4 weekly table (W1 - W13) - Midlands

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	2.9	9.2	2.9	5.7	9.2	8.4	7.8	5.5	0.0	0.8	5.7	6.0	13.2	20.5	20.1	16.4	13.1
W2	0.0	2.2	8.6	3.9	5.5	8.1	11.8	10.4	9.3	0.0	1.5	7.0	5.8	14.9	18.4	19.0	20.6	12.6
W3	0.0	2.9	8.6	2.6	4.3	7.3	9.2	8.2	6.9	0.0	0.4	5.3	5.5	12.6	17.1	16.7	15.9	12.0
W4	0.0	1.4	4.3	2.7	3.7	6.5	9.5	8.4	9.9	0.0	0.4	1.7	3.9	8.7	14.2	12.3	13.7	10.5
W5	0.0	4.7	10.6	3.4	4.0	4.7	9.5	7.7	6.8	0.0	2.6	6.4	5.5	9.0	15.1	12.8	15.2	7.2
W6	0.0	4.0	12.2	6.9	6.6	11.0	14.5	14.2	13.6	0.0	3.0	7.8	11.4	19.8	26.8	27.4	24.4	17.6
W7	0.0	4.0	10.5	6.8	7.7	12.3	12.7	17.5	12.8	0.0	1.5	6.3	9.8	19.7	34.0	30.7	29.3	17.6
W8	0.0	5.8	15.4	6.6	9.5	17.7	18.4	16.7	18.1	0.0	3.0	9.2	12.1	27.4	43.1	33.6	31.1	21.4
W9	0.0	1.8	6.7	3.9	11.3	20.7	18.7	23.2	16.6	0.0	0.8	4.4	8.1	24.2	42.6	37.1	35.4	29.0
W10	0.0	4.0	10.6	3.7	6.0	12.5	13.8	16.2	16.6	0.0	1.9	7.5	7.1	18.4	28.5	26.8	21.9	22.8
W11	0.0	3.6	9.3	4.5	5.9	10.5	13.7	13.0	7.5	0.0	1.5	5.3	4.5	17.3	24.5	25.4	20.8	18.5
W12	0.0	4.3	10.2	3.4	5.0	8.9	10.1	9.3	7.5	0.0	2.3	7.1	5.3	13.9	22.4	23.5	20.2	18.0
W13	0.0	2.2	5.1	1.9	4.9	9.7	11.2	13.1	14.2	0.0	1.5	4.4	4.5	10.8	21.7	23.5	21.2	14.6

ECLD - Asthma Exacerbations 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	4.4	8.4	4.6	6.7	8.6	11.8	9.5	12.0	0.0	1.3	8.4	9.5	16.7	22.6	24.9	19.0	11.2
W2	0.0	3.2	9.5	4.3	6.7	10.3	13.2	10.9	14.4	0.0	1.3	6.8	8.5	17.8	23.5	19.7	18.3	14.1
W3	0.0	1.9	6.1	3.2	7.6	9.2	11.0	9.5	9.5	0.0	0.0	7.3	5.3	13.4	18.8	19.0	19.2	12.5
W4	0.0	2.5	3.8	3.0	4.2	6.6	7.7	9.5	3.6	3.2	0.7	2.4	3.4	10.1	17.6	15.6	13.7	9.6
W5	0.0	9.5	12.0	4.5	6.2	7.4	10.1	5.6	13.0	0.0	1.3	6.4	9.9	13.8	18.1	15.3	13.6	12.5
W6	0.0	5.1	16.6	9.7	9.6	13.8	12.6	11.5	10.6	0.0	2.7	12.8	14.4	24.9	26.8	19.8	21.8	15.4
W7	0.0	8.9	14.9	5.2	9.9	14.4	13.3	12.2	10.6	0.0	3.3	7.1	9.8	21.3	30.5	25.6	22.7	21.9
W8	3.1	4.4	17.7	7.9	11.4	18.3	18.0	18.4	11.7	0.0	2.7	12.6	16.5	24.5	38.1	31.5	24.1	23.3
W9	0.0	5.1	8.2	5.6	10.6	19.6	22.7	17.4	16.5	0.0	1.3	5.1	7.9	28.7	42.3	37.9	30.5	16.1
W10	0.0	6.3	11.4	5.6	6.3	14.0	17.3	14.9	11.8	0.0	1.3	6.4	8.6	19.3	25.7	26.5	24.1	16.8
W11	0.0	2.5	9.3	4.2	7.0	11.6	13.7	12.5	11.7	0.0	0.7	5.5	6.4	18.6	24.0	25.3	21.3	21.9
W12	0.0	3.2	10.6	4.5	7.2	11.0	11.9	11.8	10.6	0.0	1.3	6.7	7.1	16.5	19.9	24.2	18.0	11.7
W13	0.0	2.5	6.4	3.6	6.5	9.4	10.7	10.0	8.2	0.0	0.7	2.2	5.7	10.6	21.2	23.0	19.1	24.0

ECLD - Asthma Exacerbations 4 weekly table (W1 - W13) - North West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	3.5	8.3	5.0	5.3	10.0	15.4	12.9	11.2	0.0	1.2	6.1	6.4	17.4	28.2	29.3	26.3	11.1
W2	0.0	2.3	9.0	3.8	5.2	11.1	13.1	17.0	9.3	0.0	1.2	8.9	7.7	17.6	27.1	30.3	27.6	19.7
W3	0.0	2.7	9.8	3.7	5.4	11.1	10.9	15.0	13.8	0.0	1.6	6.9	6.8	16.3	28.6	26.6	25.4	21.8
W4	0.0	0.8	4.1	2.2	4.9	8.9	12.7	11.2	8.2	0.0	1.2	3.2	5.3	12.3	20.4	22.6	20.7	17.7
W5	0.0	4.3	12.6	4.2	6.4	10.0	11.8	11.1	13.6	0.0	2.4	7.3	7.4	13.7	23.4	24.8	18.2	21.0
W6	0.0	3.9	17.5	7.9	10.8	16.2	17.6	19.8	18.1	0.0	1.6	10.2	14.9	27.5	41.9	40.5	36.4	26.6
W7	0.0	4.3	15.6	6.6	10.2	18.9	18.3	21.1	18.9	0.0	2.0	11.2	12.3	27.9	43.2	42.8	33.8	34.4

ECLD - Asthma Exacerbations 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W8	0.0	4.3	19.2	9.2	12.4	19.1	21.4	27.2	22.4	0.0	2.5	13.0	12.8	35.6	53.3	53.1	37.0	39.5
W9	0.0	0.4	9.1	6.3	12.8	27.8	30.4	28.0	20.7	0.0	1.6	7.5	13.0	33.5	61.0	59.3	50.0	43.0
W10	0.0	3.9	14.7	5.9	9.3	20.4	20.7	19.1	31.5	0.0	0.8	10.4	10.5	28.2	40.5	37.5	37.6	37.8
W11	0.0	2.3	11.7	4.2	9.1	17.1	17.5	17.7	19.8	0.0	3.3	7.0	7.0	24.3	36.7	41.0	31.3	23.1
W12	0.0	5.0	13.3	5.3	6.2	14.5	19.6	16.1	24.3	0.0	0.4	9.1	8.1	21.1	33.5	36.2	32.3	22.0
W13	0.0	1.2	5.1	3.8	7.3	13.5	15.1	21.1	12.6	0.0	0.8	3.5	6.0	14.7	31.0	30.7	28.6	32.0

ECLD - Asthma Exacerbations 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	1.6	7.6	4.5	4.3	7.4	10.7	8.1	6.9	0.0	1.7	4.7	6.6	10.8	17.0	19.2	20.0	12.7
W2	0.0	1.3	8.6	3.6	4.5	8.6	9.5	8.5	4.3	0.0	1.0	4.8	7.6	11.3	18.1	20.1	16.3	15.3
W3	0.0	1.6	5.4	4.3	3.5	8.1	8.6	13.2	8.6	0.0	0.7	3.1	6.0	12.1	15.3	16.1	15.9	12.5
W4	0.0	0.6	3.9	3.2	3.4	6.4	8.3	8.8	7.3	0.0	0.0	2.1	4.8	8.0	13.5	15.2	11.4	11.3
W5	0.0	2.5	7.4	3.5	3.9	7.3	6.4	5.9	9.7	0.0	2.7	5.4	7.3	10.8	14.4	14.0	16.2	12.4
W6	0.0	3.5	12.5	7.0	5.4	10.8	10.3	14.7	20.0	0.0	2.0	8.2	9.3	19.0	25.8	26.4	25.4	19.9
W7	0.0	1.3	10.0	7.1	6.9	13.2	14.5	15.5	21.1	0.0	2.3	7.4	10.2	20.1	27.8	29.4	24.1	21.3
W8	0.0	4.1	13.8	7.0	8.2	15.3	15.9	14.8	16.3	0.0	1.7	9.0	9.8	21.6	38.8	35.3	32.8	24.3
W9	0.0	2.5	6.4	5.2	9.8	18.2	23.4	21.7	24.2	0.0	0.7	5.0	9.0	23.2	42.2	39.3	37.2	29.2
W10	0.0	1.6	9.4	4.3	6.4	14.3	16.6	15.4	11.5	0.0	1.7	8.2	7.3	17.7	25.9	26.5	28.3	21.0
W11	1.6	1.6	6.2	4.9	6.3	10.9	13.8	16.2	19.9	0.0	0.7	5.4	6.1	15.5	24.3	25.7	27.2	18.3
W12	1.5	2.2	8.0	3.3	4.9	9.4	12.7	13.8	12.1	0.0	1.0	5.1	6.2	14.1	21.0	22.8	23.0	16.4
W13	0.0	1.0	3.4	2.6	4.5	8.2	11.3	12.9	5.4	0.0	1.0	1.9	4.4	9.4	16.3	19.5	22.5	14.5

ECLD - Asthma Exacerbations 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	3.6	9.4	2.8	4.6	8.1	7.3	9.2	7.5	0.0	1.6	5.1	7.9	13.1	17.9	15.9	13.8	6.8
W2	0.0	1.5	5.1	3.4	4.8	8.7	7.3	9.7	5.8	0.0	2.7	4.3	6.9	14.1	16.1	15.8	12.4	9.4
W3	0.0	2.6	4.5	1.9	4.1	7.2	6.7	6.2	6.6	0.0	1.6	5.7	4.3	12.4	15.4	14.6	13.9	10.9
W4	0.0	0.5	4.5	2.6	3.5	4.5	4.0	4.9	4.9	0.0	0.5	1.4	3.9	9.6	12.3	11.6	12.3	8.8
W5	0.0	2.1	7.9	4.7	4.6	6.2	5.4	5.7	7.3	0.0	1.6	6.7	5.9	11.2	14.6	11.6	10.5	6.7
W6	0.0	2.6	13.4	8.2	6.6	11.1	9.4	8.8	10.6	0.0	2.7	8.8	13.4	19.1	25.9	22.7	18.9	16.4
W7	0.0	2.1	11.6	6.3	8.3	12.1	12.1	12.1	16.2	0.0	1.1	5.5	12.7	20.4	27.6	25.2	18.6	13.8
W8	0.0	1.6	13.8	6.4	9.7	15.6	15.5	13.6	9.7	0.0	0.5	10.3	12.5	24.5	35.0	33.3	25.9	20.9
W9	0.0	2.6	7.7	5.9	11.1	18.5	19.9	17.0	13.8	0.0	1.1	3.9	14.1	27.5	42.7	37.0	30.5	25.5
W10	0.0	2.1	10.1	6.7	7.7	13.9	12.2	11.0	13.0	0.0	2.2	6.6	10.5	17.3	27.7	27.3	22.7	17.9
W11	0.0	2.1	6.6	4.3	7.1	10.1	14.1	9.5	13.8	0.0	2.2	7.3	6.5	13.0	23.3	23.5	17.4	12.8
W12	0.0	1.0	8.6	4.3	5.0	10.6	9.0	7.2	12.1	0.0	0.6	5.0	5.6	16.2	19.8	21.1	20.0	13.3
W13	0.0	0.5	3.2	1.9	3.8	7.7	9.5	9.2	8.1	0.0	0.6	4.1	5.7	11.3	16.8	18.0	14.5	16.8

ECLD - COPD Exacerbations

ECLD - COPD Exacerbations 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.0	0.0	0.0	3.1	15.8	32.2	26.0	0.0	0.0	0.0	0.0	0.1	6.0	18.2	20.2	11.3
W2	0.0	0.0	0.0	0.0	0.4	3.5	13.8	29.4	19.1	0.0	0.0	0.0	0.0	0.0	6.6	18.8	20.9	17.2
W3	0.0	0.0	0.0	0.0	0.3	3.6	15.4	29.7	23.1	0.0	0.0	0.0	0.0	0.1	5.5	16.6	25.9	12.9
W4	0.0	0.0	0.0	0.0	0.3	2.9	13.7	22.9	17.6	0.0	0.0	0.0	0.0	0.1	3.0	15.4	17.0	16.3
W5	0.0	0.0	0.0	0.0	0.0	3.6	9.8	26.0	21.6	0.0	0.0	0.0	0.0	0.2	5.4	15.4	20.4	17.1
W6	0.0	0.0	0.0	0.0	0.1	6.0	22.2	31.4	25.7	0.0	0.0	0.0	0.0	0.2	6.4	22.7	25.7	19.6
W7	0.0	0.0	0.0	0.0	0.2	6.9	26.1	30.8	51.1	0.0	0.0	0.0	0.0	0.5	7.3	22.4	27.9	23.8
W8	0.0	0.0	0.2	0.0	0.3	6.4	20.2	29.9	30.9	0.0	0.0	0.0	0.0	0.5	8.0	20.8	29.0	23.0
W9	0.0	0.0	0.0	0.0	0.5	6.1	25.8	39.2	41.7	0.0	0.0	0.0	0.0	0.2	10.2	30.6	33.6	32.4
W10	0.0	0.0	0.0	0.3	0.3	6.5	23.5	36.0	52.4	0.0	0.0	0.0	0.0	0.1	8.2	19.6	30.1	26.4
W11	0.0	0.0	0.0	0.0	0.2	5.6	20.5	38.2	40.3	0.0	0.0	0.0	0.0	0.3	8.1	24.5	34.2	22.1
W12	0.0	0.0	0.0	0.0	0.5	4.9	17.9	29.7	32.3	0.0	0.0	0.0	0.0	0.1	5.2	21.4	22.4	21.3
W13	0.0	0.0	0.0	0.0	0.2	4.5	16.5	24.3	32.2	0.0	0.0	0.0	0.0	0.5	4.6	19.2	30.3	25.5

ECLD - COPD Exacerbations 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.0	0.0	0.1	3.8	16.9	31.1	34.7	0.0	0.0	0.0	0.0	0.2	6.1	19.3	17.7	25.3
W2	0.0	0.0	0.0	0.0	0.2	3.4	17.6	28.0	24.5	0.0	0.0	0.0	0.0	0.1	5.0	19.0	24.7	26.0
W3	0.0	0.0	0.1	0.0	0.1	3.5	11.6	21.0	17.1	0.0	0.0	0.0	0.0	0.2	4.9	12.7	20.7	18.1
W4	0.0	0.0	0.0	0.0	0.1	3.2	11.5	24.9	31.3	0.0	0.0	0.0	0.0	0.1	3.7	14.9	19.5	12.9
W5	0.0	0.0	0.0	0.0	0.2	3.7	13.8	28.6	16.9	0.0	0.0	0.0	0.0	0.2	4.3	15.3	23.7	17.9
W6	0.0	0.0	0.0	0.0	0.3	5.3	21.1	33.4	32.4	0.0	0.0	0.0	0.0	0.3	7.1	25.2	33.3	18.7
W7	0.0	0.0	0.1	0.0	0.2	5.1	21.7	37.7	44.9	0.0	0.0	0.0	0.0	0.1	6.9	25.1	33.2	26.3
W8	0.0	0.0	0.1	0.0	0.1	5.2	25.0	32.3	35.0	0.0	0.0	0.0	0.0	0.1	7.8	24.8	37.8	27.9
W9	0.0	0.0	0.0	0.0	0.0	6.5	25.2	48.2	28.0	0.0	0.0	0.0	0.0	0.3	9.5	22.8	40.4	31.3
W10	0.0	0.0	0.0	0.0	0.1	4.0	21.1	40.5	47.6	0.0	0.0	0.0	0.0	0.3	6.7	22.8	26.1	26.2
W11	0.0	0.3	0.0	0.0	0.1	4.6	21.5	38.5	34.9	0.0	0.0	0.0	0.0	0.2	6.8	17.7	28.8	22.0
W12	0.0	0.0	0.0	0.0	0.1	4.8	19.0	30.3	37.8	0.0	0.0	0.0	0.0	0.2	7.0	20.7	28.8	17.8
W13	0.0	0.0	0.1	0.0	0.3	4.3	19.4	29.8	47.4	0.0	0.0	0.0	0.0	0.3	5.2	21.4	26.1	23.7

ECLD - COPD Exacerbations 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.0	0.0	0.3	7.4	25.9	39.0	43.0	0.0	0.0	0.0	0.0	0.5	8.5	26.8	36.1	25.8
W2	0.0	0.0	0.0	0.0	0.2	6.9	24.9	42.2	35.7	0.0	0.0	0.0	0.0	0.5	10.6	29.2	41.1	32.9
W3	0.0	0.0	0.0	0.0	0.3	7.1	29.3	37.6	44.5	0.0	0.0	0.0	0.0	0.6	9.4	29.7	34.5	25.0
W4	0.0	0.0	0.0	0.1	0.2	5.6	21.6	33.3	28.2	0.0	0.0	0.0	0.0	0.5	7.6	24.1	32.2	24.9
W5	0.0	0.0	0.0	0.0	0.3	6.7	25.2	33.9	36.4	0.0	0.0	0.0	0.0	0.5	9.3	25.2	27.3	24.8
W6	0.0	0.0	0.0	0.0	0.4	8.0	32.3	53.2	43.9	0.0	0.0	0.1	0.1	0.9	14.8	34.5	42.2	33.4

ECLD - COPD Exacerbations 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W7	0.0	0.0	0.0	0.1	0.4	10.9	35.7	51.2	48.4	0.0	0.0	0.0	0.0	0.6	13.8	40.4	49.9	29.0
W8	0.0	0.0	0.0	0.1	0.4	10.4	39.1	51.6	57.3	0.0	0.0	0.0	0.0	0.9	15.9	40.4	47.2	43.2
W9	0.0	0.0	0.0	0.0	0.4	11.4	40.1	61.6	50.6	0.0	0.0	0.0	0.0	0.5	15.4	45.6	58.9	41.4
W10	0.0	0.0	0.0	0.0	0.5	9.7	30.8	43.4	60.4	0.0	0.0	0.0	0.0	0.7	12.9	37.0	49.5	35.2
W11	0.0	0.0	0.0	0.0	0.2	8.8	32.2	49.5	53.5	0.0	0.0	0.0	0.0	0.6	12.6	35.9	42.3	35.1
W12	0.0	0.0	0.0	0.0	0.4	7.6	29.9	48.3	48.2	0.0	0.0	0.0	0.2	0.7	10.8	31.0	43.6	28.9
W13	0.0	0.0	0.2	0.0	0.3	8.0	27.3	47.1	47.2	0.0	0.0	0.0	0.0	0.4	10.7	28.3	42.2	32.6

ECLD - COPD Exacerbations 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.0	0.0	0.3	7.7	24.7	37.5	44.6	0.0	0.0	0.0	0.0	0.1	11.2	33.1	45.0	23.1
W2	0.0	0.0	0.0	0.0	0.5	8.7	29.4	37.0	43.2	0.0	0.0	0.0	0.0	0.3	10.6	36.6	43.1	35.5
W3	0.0	0.0	0.0	0.0	0.3	7.1	21.8	41.1	45.3	0.0	0.0	0.0	0.0	0.6	11.1	35.5	43.3	31.7
W4	0.0	0.0	0.0	0.0	0.6	6.7	17.1	32.9	38.1	0.0	0.0	0.0	0.0	0.2	7.6	33.2	37.1	32.4
W5	0.0	0.0	0.0	0.0	0.5	7.2	21.1	34.2	35.5	0.0	0.0	0.0	0.0	0.4	10.1	28.8	43.1	30.8
W6	0.0	0.0	0.0	0.0	0.4	10.2	28.1	45.4	34.2	0.0	0.0	0.0	0.0	0.5	14.1	38.0	50.3	33.7
W7	0.0	0.0	0.2	0.0	0.8	10.6	30.2	43.2	54.1	0.0	0.0	0.0	0.0	0.4	14.9	41.8	50.8	41.6
W8	0.0	0.0	0.0	0.0	0.5	11.4	37.4	59.1	43.4	0.0	0.0	0.0	0.0	0.8	15.8	52.3	53.4	30.6
W9	0.0	0.0	0.0	0.0	0.8	11.2	37.6	60.5	40.0	0.0	0.0	0.0	0.0	0.4	18.5	52.5	64.9	56.3
W10	0.0	0.0	0.0	0.0	0.4	10.0	35.2	44.4	38.9	0.0	0.0	0.0	0.0	0.5	14.0	42.4	53.0	39.5
W11	0.0	0.0	0.0	0.0	0.3	8.3	28.2	50.2	51.7	0.0	0.0	0.0	0.0	0.5	13.1	40.1	50.7	34.3
W12	0.0	0.0	0.0	0.0	0.5	7.9	27.4	44.3	37.5	0.0	0.0	0.0	0.0	0.4	14.1	36.5	48.8	36.5
W13	0.0	0.0	0.0	0.0	0.2	7.0	26.4	43.8	44.3	0.0	0.0	0.0	0.0	0.2	11.1	39.8	45.7	25.4

ECLD - COPD Exacerbations 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.0	0.0	0.3	8.1	27.3	37.2	31.7	0.0	0.0	0.0	0.0	0.5	14.2	39.7	41.9	33.2
W2	0.0	0.0	0.0	0.0	0.4	11.0	35.6	51.6	36.1	0.0	0.0	0.0	0.0	0.6	16.0	45.3	53.1	41.1
W3	0.0	0.0	0.0	0.0	0.1	9.6	28.8	45.9	34.8	0.0	0.0	0.1	0.1	0.5	16.0	41.7	52.2	36.2
W4	0.0	0.0	0.0	0.1	0.1	9.0	25.9	37.9	36.5	0.0	0.0	0.0	0.0	0.5	14.8	30.0	44.6	32.6
W5	0.0	0.0	0.0	0.0	0.3	8.8	28.1	39.1	31.7	0.0	0.0	0.0	0.0	0.7	12.4	34.8	42.3	32.4
W6	0.0	0.0	0.0	0.0	0.5	15.5	41.8	54.4	46.1	0.0	0.0	0.0	0.0	1.1	22.3	60.0	67.4	45.3
W7	0.0	0.0	0.0	0.0	0.7	14.5	43.1	54.0	55.7	0.0	0.0	0.1	0.0	0.8	24.1	51.6	67.3	55.3
W8	0.0	0.0	0.0	0.0	0.8	16.9	45.7	64.1	52.1	0.0	0.0	0.0	0.1	0.7	25.1	66.6	81.6	58.1
W9	0.0	0.0	0.0	0.1	0.7	16.2	54.9	76.5	69.3	0.0	0.0	0.0	0.0	0.5	26.9	68.6	85.5	70.1
W10	0.0	0.0	0.1	0.0	0.5	15.2	39.2	69.3	60.3	0.0	0.0	0.0	0.1	1.0	22.2	59.5	65.0	54.8
W11	0.0	0.0	0.0	0.1	0.4	12.7	36.2	60.6	61.2	0.0	0.0	0.3	0.0	0.5	19.2	52.4	62.3	49.6
W12	0.0	0.0	0.0	0.0	0.5	11.9	37.1	50.9	40.5	0.0	0.0	0.0	0.0	1.0	18.5	52.0	56.1	44.6
W13	0.0	0.0	0.0	0.0	0.3	9.2	37.3	52.9	43.9	0.0	0.0	0.0	0.1	0.4	16.2	51.3	57.3	41.0

ECLD - COPD Exacerbations 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.0	0.0	0.1	4.4	18.4	26.5	21.3	0.0	0.0	0.0	0.0	0.3	6.1	18.1	23.9	18.5
W2	0.0	0.0	0.0	0.0	0.1	4.5	18.1	31.8	31.0	0.0	0.0	0.0	0.0	0.1	6.2	19.6	27.9	14.1
W3	0.0	0.0	0.0	0.0	0.1	4.2	16.6	22.0	25.8	0.0	0.0	0.0	0.0	0.3	6.6	18.0	23.2	19.4
W4	0.0	0.0	0.0	0.0	0.2	3.8	14.8	20.3	24.5	0.0	0.0	0.0	0.0	0.3	5.5	15.4	19.0	16.6
W5	0.0	0.0	0.0	0.0	0.2	3.9	14.5	24.1	23.6	0.0	0.0	0.0	0.0	0.1	6.0	14.9	20.1	15.8
W6	0.0	0.0	0.0	0.0	0.3	7.1	22.3	29.6	38.7	0.0	0.0	0.0	0.0	0.4	9.6	24.2	31.4	22.9
W7	0.0	0.0	0.0	0.0	0.4	6.4	22.4	36.0	32.0	0.0	0.0	0.0	0.0	0.2	9.7	25.7	38.3	26.2
W8	0.0	0.0	0.0	0.0	0.2	6.7	27.0	37.0	36.1	0.0	0.0	0.0	0.0	0.2	8.7	29.9	36.0	23.9
W9	0.0	0.0	0.0	0.0	0.3	7.6	27.7	48.8	52.5	0.0	0.0	0.0	0.0	0.3	11.6	27.8	38.6	35.2
W10	0.0	0.0	0.0	0.0	0.5	6.5	24.7	35.3	33.8	0.0	0.0	0.0	0.0	0.5	8.0	25.2	33.8	26.9
W11	0.0	0.0	0.0	0.0	0.4	6.0	20.0	35.1	30.8	0.0	0.0	0.0	0.0	0.5	8.2	24.7	34.2	25.4
W12	0.0	0.0	0.1	0.0	0.2	5.7	20.9	35.4	27.2	0.0	0.0	0.0	0.0	0.1	7.3	18.8	30.4	26.2
W13	0.0	0.0	0.0	0.0	0.1	3.9	16.4	34.3	29.4	0.0	0.0	0.0	0.0	0.4	5.9	20.1	29.7	16.7

ECLD - COPD Exacerbations 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.0	0.0	0.3	5.2	17.9	21.8	25.9	0.0	0.0	0.0	0.0	0.4	7.0	20.4	24.1	14.6
W2	0.0	0.0	0.0	0.0	0.2	5.9	17.1	25.3	26.6	0.0	0.0	0.0	0.0	0.3	6.7	18.0	25.4	17.7
W3	0.0	0.0	0.0	0.0	0.4	4.4	13.8	25.0	28.9	0.0	0.0	0.0	0.0	0.2	5.0	18.0	19.7	15.5
W4	0.0	0.0	0.0	0.0	0.2	5.4	15.0	22.3	18.1	0.0	0.0	0.0	0.0	0.5	6.5	12.7	22.1	12.4
W5	0.0	0.0	0.0	0.0	0.1	4.6	13.4	15.8	22.0	0.0	0.0	0.0	0.0	0.5	6.7	15.4	19.6	11.8
W6	0.0	0.0	0.0	0.0	0.1	7.4	20.9	33.1	31.7	0.0	0.0	0.0	0.0	0.7	10.9	22.9	28.2	17.4
W7	0.0	0.0	0.0	0.0	0.5	8.0	24.1	32.5	23.5	0.0	0.0	0.0	0.0	0.5	10.1	27.7	30.2	26.0
W8	0.0	0.0	0.0	0.0	0.6	8.7	21.4	31.9	23.5	0.0	0.0	0.0	0.0	0.4	10.2	26.3	37.9	26.0
W9	0.0	0.0	0.0	0.0	0.2	11.7	27.2	42.4	39.0	0.0	0.0	0.0	0.0	0.4	12.6	33.2	36.3	37.3
W10	0.0	0.0	0.0	0.0	0.3	8.4	21.6	35.7	32.5	0.0	0.0	0.0	0.0	0.9	9.7	24.8	30.0	19.4
W11	0.0	0.0	0.0	0.0	0.4	7.4	22.7	35.1	25.9	0.0	0.0	0.0	0.0	0.5	9.4	23.5	28.4	22.5
W12	0.0	0.0	0.0	0.0	0.7	6.3	20.8	34.8	28.3	0.0	0.0	0.0	0.0	0.5	8.8	24.0	28.4	19.4
W13	0.0	0.0	0.0	0.0	0.0	5.4	16.2	29.1	30.6	0.0	0.0	0.0	0.0	0.2	6.6	17.8	22.4	14.8

Exacerbations of chronic lung disease (ECLD)

Exacerbations of chronic lung disease (ECLD) 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.7	7.2	3.3	3.3	11.4	23.0	43.1	38.2	0.0	1.5	4.8	8.6	12.6	22.2	36.4	31.4	17.4
W2	0.0	5.0	9.6	4.6	5.9	9.9	23.6	39.3	30.0	0.0	3.0	6.8	8.2	10.4	23.7	33.2	36.4	24.1
W3	0.0	2.9	8.2	4.3	6.1	10.9	24.2	36.0	25.8	0.0	2.3	2.8	7.6	9.0	17.1	28.6	37.1	22.3
W4	0.0	0.0	5.0	3.2	3.3	8.4	18.3	30.1	25.8	0.0	0.0	3.5	5.5	8.5	13.4	24.9	27.4	23.1

Exacerbations of chronic lung disease (ECLD) 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W5	0.0	2.9	7.7	2.4	3.2	9.7	14.4	30.9	25.7	0.0	1.5	5.3	5.8	7.8	16.5	28.9	32.7	23.0
W6	0.0	4.3	12.2	7.3	4.1	14.1	32.0	40.8	29.7	0.0	4.5	7.8	9.2	16.9	27.1	41.4	40.3	31.5
W7	0.0	3.6	9.1	4.8	5.5	15.8	35.9	38.4	55.2	0.0	2.3	6.8	11.2	16.9	28.4	40.2	47.8	38.2
W8	0.0	8.6	15.1	5.9	6.3	17.7	33.3	42.8	43.0	0.0	3.0	9.3	7.2	16.2	30.9	46.3	51.6	39.1
W9	0.0	6.5	7.7	5.3	7.0	19.5	40.4	52.6	53.8	0.0	3.0	5.0	8.6	20.6	42.7	61.0	56.1	53.7
W10	0.0	6.5	9.3	4.0	5.7	14.9	34.5	44.5	61.9	0.0	2.3	5.8	10.6	14.8	29.0	42.9	48.0	40.9
W11	0.0	2.2	7.0	3.7	4.4	13.1	33.8	48.9	51.1	0.0	2.3	4.8	6.3	13.1	26.9	42.8	52.8	39.9
W12	0.0	2.2	11.8	4.5	4.5	13.3	23.7	35.5	43.0	0.0	2.3	6.0	6.2	10.0	21.5	36.3	33.4	35.8
W13	0.0	5.0	5.0	2.1	3.8	11.8	23.0	35.8	36.2	0.0	3.8	2.5	2.8	9.1	17.2	34.5	42.1	37.3

Exacerbations of chronic lung disease (ECLD) 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	1.0	9.1	4.2	2.6	9.4	24.7	40.0	46.3	0.0	2.1	4.8	3.9	6.0	19.6	40.7	37.0	42.7
W2	0.0	1.6	6.1	3.8	3.0	10.3	25.6	36.4	33.1	0.0	0.7	5.0	4.9	6.7	19.5	38.9	41.5	49.4
W3	0.0	0.3	6.8	4.1	2.5	8.9	19.1	29.4	27.1	0.0	0.3	5.8	4.4	7.3	17.7	26.5	37.5	32.7
W4	0.0	0.3	2.8	2.7	2.0	8.4	17.7	33.6	42.7	0.0	0.3	2.8	3.2	5.1	12.8	28.3	35.8	26.6
W5	0.0	2.6	9.3	4.4	3.0	9.2	23.2	35.9	21.2	0.0	2.4	6.1	4.0	6.3	16.9	31.3	38.0	32.3
W6	0.0	3.6	15.2	5.5	4.1	14.1	31.7	46.5	45.1	0.0	0.7	9.3	7.3	10.0	27.0	49.4	56.9	34.0
W7	0.0	3.0	10.2	4.5	3.9	13.9	37.4	52.2	53.3	0.0	2.4	6.5	7.9	10.9	30.6	53.8	57.9	48.4
W8	0.0	3.9	14.0	5.0	4.0	16.2	41.6	46.3	47.6	0.0	0.3	10.5	8.9	11.2	35.0	56.8	76.3	47.4
W9	0.0	0.3	7.2	3.7	4.4	17.8	38.5	62.2	44.8	0.0	1.0	4.2	5.9	11.6	37.3	54.5	76.2	56.7
W10	0.0	1.7	12.3	5.2	3.5	12.4	33.1	54.0	64.4	0.0	2.8	7.4	7.5	9.0	30.1	53.0	51.5	42.3
W11	0.0	0.7	8.2	4.5	4.0	11.4	35.3	49.6	48.9	0.0	1.7	5.6	3.8	8.6	25.5	38.5	52.6	48.2
W12	0.0	1.3	8.2	4.3	3.3	12.5	30.2	39.5	43.4	0.0	1.4	6.3	6.2	7.2	23.9	40.5	52.6	33.0
W13	0.0	1.7	4.3	3.2	3.2	11.5	28.4	39.4	55.7	0.0	1.7	4.2	3.7	6.5	22.9	43.5	46.4	53.2

Exacerbations of chronic lung disease (ECLD) 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	2.9	9.3	3.0	6.1	16.5	34.9	48.0	51.6	0.0	0.8	5.8	6.1	13.7	28.6	47.3	54.0	39.9
W2	0.0	2.2	8.7	4.0	5.8	15.1	36.2	53.5	46.5	0.0	1.5	7.0	5.9	15.5	28.7	48.7	61.5	46.9
W3	0.0	2.9	8.6	2.8	4.7	14.5	38.6	47.5	51.4	0.0	0.4	5.3	5.5	13.2	26.5	47.4	50.6	38.4
W4	0.0	1.4	4.3	2.8	3.9	12.1	30.7	42.7	37.4	0.0	0.4	1.7	3.9	9.2	21.5	36.9	46.7	35.9
W5	0.0	4.7	10.6	3.4	4.3	11.2	34.1	41.1	44.0	0.0	2.6	6.4	5.9	9.6	24.4	38.0	42.9	32.9
W6	0.0	4.0	12.2	6.9	7.3	18.9	45.0	66.9	58.3	0.0	3.0	8.0	11.5	20.8	41.0	61.2	67.2	51.0
W7	0.0	4.0	10.5	6.9	8.1	23.0	48.3	67.0	60.4	0.0	1.5	6.3	9.8	20.3	47.4	70.6	80.2	47.1
W8	0.0	5.8	15.4	6.8	10.0	27.8	57.2	67.4	75.4	0.0	3.0	9.2	12.1	28.1	58.5	74.3	78.9	64.6
W9	0.0	1.8	6.8	3.9	11.7	31.7	59.7	86.9	67.3	0.0	0.8	4.4	8.3	24.6	57.5	82.0	94.0	72.8
W10	0.0	4.0	10.6	3.8	6.5	22.0	44.1	59.8	79.2	0.0	1.9	7.5	7.3	19.1	41.1	64.0	71.8	57.1
W11	0.0	3.6	9.3	4.5	6.2	19.1	46.0	62.7	62.5	0.0	1.5	5.4	4.8	18.0	37.0	60.8	64.7	54.6
W12	0.0	4.3	10.2	3.4	5.4	16.4	40.1	58.1	56.5	0.0	2.3	7.1	5.5	14.5	32.7	54.7	64.0	50.7

Exacerbations of chronic lung disease (ECLD) 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W13	0.0	2.2	5.5	1.9	5.3	17.6	38.1	61.1	60.7	0.0	1.5	4.4	4.5	11.3	32.0	52.3	64.1	48.7

Exacerbations of chronic lung disease (ECLD) 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	4.4	9.0	4.8	7.0	15.9	37.4	48.1	55.4	0.0	1.3	8.4	9.5	17.0	33.4	58.2	66.2	34.2
W2	0.0	3.2	9.5	4.3	7.2	18.6	42.8	50.4	61.1	0.0	1.3	6.8	8.5	18.1	33.9	56.3	63.6	49.6
W3	0.0	1.9	6.1	3.2	7.9	16.3	33.6	51.6	54.8	0.0	0.7	7.3	5.3	13.9	30.0	52.8	64.9	46.5
W4	0.0	3.2	3.8	3.0	4.7	13.4	24.9	42.4	45.3	3.2	1.3	2.4	3.4	10.4	25.1	49.6	52.0	40.5
W5	0.0	9.5	12.0	4.5	6.7	14.6	32.8	41.9	52.0	0.0	1.3	6.4	9.9	14.1	28.1	44.4	55.8	43.2
W6	0.0	5.7	16.8	9.7	10.1	24.0	41.4	59.3	47.2	0.0	2.7	12.8	14.4	25.7	41.3	58.5	72.7	49.8
W7	0.0	10.1	15.3	5.2	10.6	25.1	44.4	56.4	67.0	0.0	3.3	7.1	9.8	21.7	44.6	67.5	76.5	62.8
W8	3.1	4.4	17.9	7.9	12.0	29.7	56.5	77.2	56.3	0.0	2.7	12.6	16.7	25.2	53.3	82.7	80.0	55.4
W9	0.0	6.3	8.2	5.8	11.3	30.6	59.3	78.6	58.9	0.0	1.3	5.1	7.9	29.1	60.9	88.7	96.2	73.1
W10	0.0	6.3	11.4	5.6	6.6	24.0	52.5	60.7	53.0	0.0	2.0	6.4	8.8	20.1	39.5	67.8	80.1	60.0
W11	0.0	2.5	9.3	4.2	7.5	19.9	41.9	63.4	67.0	0.0	0.7	6.0	6.4	19.3	37.0	65.2	73.6	54.8
W12	0.0	3.2	10.6	4.5	7.9	18.7	39.5	56.0	48.1	0.0	1.3	6.7	7.4	17.0	34.2	58.9	66.5	48.2
W13	0.0	3.2	6.4	3.6	6.7	16.6	37.1	55.9	54.8	0.0	0.7	2.2	5.7	11.1	32.2	62.6	65.8	52.4

Exacerbations of chronic lung disease (ECLD) 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	3.5	8.3	5.1	5.6	17.7	42.6	51.2	42.0	0.0	1.2	6.1	6.6	18.0	41.9	69.2	67.3	44.3
W2	0.0	2.3	9.1	3.8	5.6	21.3	47.5	67.5	45.3	0.0	1.2	9.0	7.7	18.2	43.1	74.8	80.7	62.5
W3	0.0	2.7	9.8	3.7	5.6	20.3	39.7	61.8	49.5	0.0	1.6	7.1	6.9	16.9	43.7	66.4	77.4	59.8
W4	0.0	0.8	4.1	2.3	5.1	17.8	38.4	47.7	45.7	0.0	1.2	3.2	5.5	13.0	34.3	52.2	65.3	50.9
W5	0.0	4.6	12.6	4.2	6.8	18.5	39.5	51.3	43.5	0.0	2.4	7.3	7.4	14.4	35.3	58.0	61.0	52.8
W6	0.0	3.9	17.5	7.9	11.4	31.3	59.7	74.1	66.0	0.0	1.6	10.2	14.9	28.6	63.2	98.4	103.2	70.2
W7	0.0	4.3	15.6	6.7	11.0	32.8	60.1	76.9	75.5	0.0	2.0	11.3	12.3	28.8	65.1	93.4	101.1	88.1
W8	0.0	4.3	19.2	9.2	13.1	35.3	67.7	89.7	73.6	0.0	2.5	13.1	13.0	36.4	77.6	118.3	118.6	97.0
W9	0.0	0.4	9.1	6.6	13.5	43.6	83.5	103.2	89.1	0.0	1.6	7.5	13.0	34.0	86.3	124.2	135.5	109.1
W10	0.0	3.9	14.9	5.9	9.7	35.1	59.8	88.2	90.0	0.0	0.8	10.4	10.6	29.4	62.0	95.0	102.5	94.3
W11	0.0	2.3	11.7	4.3	9.6	29.4	53.3	80.7	82.8	0.0	3.3	7.3	7.0	24.9	55.2	92.6	93.3	69.9
W12	0.0	5.0	13.3	5.3	6.8	25.9	56.8	66.7	66.6	0.0	0.4	9.1	8.1	22.0	50.6	86.9	89.4	66.0
W13	0.0	1.2	5.1	3.8	7.7	22.5	52.1	75.3	58.3	0.0	0.8	3.5	6.1	15.4	46.8	80.5	84.5	70.2

Exacerbations of chronic lung disease (ECLD) 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	1.6	7.7	4.5	4.4	11.6	28.2	34.6	26.9	0.0	1.7	4.7	6.6	11.1	22.7	36.7	43.6	31.2

Exacerbations of chronic lung disease (ECLD) 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W2	0.0	1.3	8.6	3.9	4.6	12.7	27.6	41.1	34.1	0.0	1.0	4.8	7.7	11.4	24.0	38.4	43.9	29.8
W3	0.0	1.6	5.4	4.3	3.6	12.4	24.9	35.2	36.3	0.0	0.7	3.1	6.0	12.6	21.5	34.1	39.3	31.5
W4	0.0	0.6	3.9	3.2	3.7	10.0	22.8	28.7	31.8	0.0	0.0	2.1	4.9	8.5	18.8	30.5	30.7	29.1
W5	0.0	2.9	7.4	3.5	4.0	10.9	20.2	30.3	32.7	0.0	2.7	5.4	7.3	11.1	20.1	28.5	36.4	27.0
W6	0.0	3.5	12.5	7.0	5.7	17.7	32.7	44.7	55.6	0.0	2.0	8.3	9.4	19.4	34.8	49.9	55.7	41.6
W7	0.0	1.3	10.0	7.1	7.2	19.2	36.9	49.9	50.7	0.0	2.3	7.4	10.2	20.6	36.8	54.5	61.9	47.1
W8	0.0	4.1	13.8	7.0	8.4	21.7	42.3	51.4	52.4	0.0	1.7	9.0	9.8	21.8	46.7	64.7	68.0	48.9
W9	0.0	2.5	6.4	5.2	10.1	25.4	49.7	69.1	74.9	0.0	0.7	5.0	9.0	23.6	52.9	66.5	77.1	64.3
W10	0.0	1.6	9.4	4.3	6.8	20.4	40.1	50.7	44.7	0.0	1.7	8.2	7.3	18.2	33.3	51.4	61.2	46.8
W11	1.6	1.6	6.3	4.9	6.7	16.6	32.8	50.7	51.9	0.0	0.7	5.4	6.3	15.9	32.0	49.1	62.0	43.3
W12	1.5	2.2	8.2	3.3	5.1	14.7	33.0	48.2	39.8	0.0	1.0	5.1	6.2	14.4	28.1	41.0	52.2	43.0
W13	0.0	1.0	3.4	2.6	4.8	11.8	27.4	45.2	36.0	0.0	1.0	1.9	4.5	9.8	22.0	39.3	53.4	32.0

Exacerbations of chronic lung disease (ECLD) 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	3.6	9.4	2.8	5.0	13.3	25.4	31.4	34.3	0.0	2.2	5.5	7.9	13.6	24.5	36.5	38.8	22.5
W2	0.0	1.5	5.1	3.5	5.0	14.2	24.4	33.9	32.4	0.0	2.7	4.3	7.3	14.3	22.1	33.7	37.3	29.1
W3	0.0	2.6	4.5	1.9	4.6	11.4	20.9	31.2	34.6	0.0	1.6	5.7	4.5	12.7	20.3	31.7	34.9	27.9
W4	0.0	0.5	4.5	3.0	3.7	9.6	19.0	27.3	21.4	0.0	0.5	1.4	3.9	10.1	18.0	24.2	34.0	21.7
W5	0.0	2.1	7.9	4.7	4.7	10.7	19.2	20.4	29.3	0.0	1.6	6.7	5.9	11.8	21.0	28.0	30.1	21.0
W6	0.0	2.6	13.4	8.4	6.9	18.6	30.5	41.6	45.5	0.0	2.7	8.8	13.4	19.7	36.7	45.2	46.9	35.8
W7	0.0	2.1	11.6	6.3	8.9	19.5	35.8	44.6	38.1	0.0	1.1	5.7	12.9	20.9	36.3	52.4	49.1	40.8
W8	0.0	1.6	13.8	6.6	10.3	23.6	36.7	45.0	33.2	0.0	1.1	10.3	12.5	25.0	44.8	59.4	64.2	47.4
W9	0.0	2.6	7.7	5.9	11.3	29.4	47.0	58.9	52.8	0.0	1.1	3.9	14.3	27.8	54.8	69.9	67.3	64.3
W10	0.0	2.1	10.1	6.9	7.9	21.9	33.2	46.5	48.7	0.0	2.2	6.6	10.8	18.3	36.4	50.7	52.6	38.8
W11	0.0	2.1	6.6	4.3	7.4	17.2	36.3	45.6	38.9	0.0	2.2	7.3	6.8	13.5	32.8	46.1	45.2	35.8
W12	0.0	1.0	8.6	4.3	5.8	16.5	30.0	41.5	41.3	0.0	0.6	5.0	5.7	16.6	27.7	43.7	48.2	32.2
W13	0.0	0.5	3.2	2.2	3.9	12.9	25.7	37.6	38.7	0.0	0.6	4.1	5.7	11.6	23.5	35.3	37.4	31.6

Herpes Simplex

Herpes Simplex 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	2.1	0.7	0.8	1.4	1.3	0.7	1.4	0.0	0.0	0.8	0.8	5.6	5.5	3.8	2.2	2.7	1.7
W2	0.0	2.1	0.5	1.6	1.0	1.7	1.0	2.3	0.0	0.0	0.8	1.0	5.6	5.3	3.0	5.2	1.9	0.0
W3	0.0	1.4	1.9	0.5	1.2	1.3	1.0	0.5	1.4	3.7	2.3	1.5	5.0	4.5	3.8	2.8	0.4	0.0
W4	0.0	0.7	0.7	0.3	2.4	1.3	1.0	0.0	2.7	0.0	1.5	0.3	3.2	6.4	5.7	1.8	0.4	0.9
W5	0.0	1.4	1.2	1.9	1.0	1.0	1.3	1.8	0.0	0.0	0.8	1.0	7.8	5.8	3.8	1.2	3.1	0.9
W6	0.0	2.9	1.0	1.3	1.5	1.5	1.3	0.0	1.4	0.0	2.3	1.3	4.3	6.0	3.8	2.1	2.3	1.7

Herpes Simplex 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W7	3.5	2.9	0.5	0.8	1.8	1.7	2.3	0.9	1.3	0.0	3.0	0.8	4.9	5.5	3.9	2.5	0.4	1.7
W8	3.5	4.3	1.2	1.3	1.5	1.6	0.7	2.7	0.0	0.0	1.5	2.0	6.6	5.4	3.7	2.5	2.7	0.8
W9	3.4	0.7	0.0	1.3	1.4	0.7	1.0	1.3	1.3	3.6	1.5	1.0	3.7	4.7	3.1	0.9	1.5	0.9
W10	0.0	2.9	0.7	1.3	2.1	1.4	2.0	0.9	1.3	3.7	0.8	1.8	4.3	5.5	2.5	4.0	1.1	2.6
W11	3.5	2.2	1.0	1.1	1.5	1.4	1.0	0.0	0.0	0.0	2.3	0.8	6.3	6.8	4.3	1.5	0.8	0.0
W12	0.0	2.2	1.0	1.3	1.8	0.9	1.6	1.3	0.0	0.0	0.8	1.0	3.7	4.4	2.8	3.1	1.1	3.4
W13	0.0	2.2	0.7	0.8	1.1	1.6	1.6	1.8	4.0	0.0	0.8	0.8	4.2	5.2	3.0	1.2	1.5	0.0

Herpes Simplex 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	1.5	2.6	1.2	1.6	2.0	1.6	2.9	2.5	1.4	3.1	0.7	1.7	3.1	6.5	4.6	2.7	0.8	3.5
W2	0.0	4.6	2.2	1.4	1.8	1.7	3.1	1.0	2.9	1.5	3.8	1.9	4.7	8.2	4.7	3.2	2.7	0.0
W3	0.0	3.3	2.7	0.8	2.0	2.0	1.3	1.5	1.4	3.1	1.4	2.4	3.9	7.1	4.9	2.9	2.7	4.3
W4	1.5	4.6	1.6	1.8	1.9	1.1	2.3	1.9	1.4	1.5	2.1	1.5	3.6	5.9	4.6	2.2	1.6	0.9
W5	2.9	2.3	2.3	1.0	2.0	1.3	2.0	4.4	1.4	0.0	3.8	1.4	3.3	6.3	3.3	3.6	3.9	1.7
W6	1.4	2.0	1.0	0.9	2.1	1.7	2.5	0.5	1.4	6.0	4.5	2.0	4.3	6.8	4.2	3.1	3.5	3.4
W7	1.4	3.0	0.6	1.3	1.6	1.0	1.8	1.0	0.0	0.0	3.8	0.9	3.5	6.5	4.8	4.6	3.9	1.7
W8	2.9	3.3	1.7	1.3	2.1	1.4	1.8	2.4	1.4	7.7	2.4	1.7	4.9	6.6	4.8	4.1	1.2	1.7
W9	2.8	1.6	0.9	1.1	1.5	1.1	1.5	1.0	4.2	1.5	1.4	1.4	3.8	5.2	3.7	3.8	3.1	3.4
W10	1.4	4.6	2.8	2.0	2.2	1.9	2.0	1.9	0.0	1.5	3.5	2.2	4.2	7.0	5.6	2.9	3.1	1.7
W11	2.9	3.6	1.8	1.8	2.1	1.4	3.0	1.9	1.4	0.0	2.4	1.4	3.4	5.8	5.6	4.5	2.7	0.8
W12	2.9	2.3	2.0	1.9	1.4	2.0	1.5	1.9	4.2	3.0	4.5	2.4	3.6	7.5	5.0	4.1	2.7	1.7
W13	1.5	2.6	1.1	1.6	1.9	1.8	1.5	1.0	0.0	0.0	3.5	1.8	4.0	6.9	5.3	2.9	3.5	0.8

Herpes Simplex 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	1.8	0.2	1.2	0.9	1.0	0.3	1.7	0.0	0.0	1.9	1.3	5.2	5.7	3.4	2.7	2.2	3.4
W2	1.8	2.2	1.1	1.5	1.5	1.3	2.1	0.5	0.0	1.8	2.3	1.8	6.4	6.4	3.8	3.5	2.0	1.9
W3	0.0	1.1	1.0	1.2	1.1	1.1	1.8	2.4	2.3	0.0	1.5	1.7	4.6	5.8	4.9	3.3	2.4	1.9
W4	1.7	1.4	1.7	0.9	1.8	1.0	1.8	0.7	0.8	3.5	1.5	0.5	5.2	7.0	3.6	2.5	2.2	1.0
W5	3.5	2.5	1.6	1.5	1.6	1.2	1.0	1.6	1.5	1.8	2.6	1.0	4.9	7.3	4.6	3.0	1.2	0.0
W6	6.9	2.5	1.6	1.3	1.5	1.0	1.1	0.9	1.5	0.0	3.4	1.8	6.5	6.2	4.2	2.2	1.4	1.9
W7	5.2	2.2	0.9	1.0	1.2	1.0	0.7	1.2	0.8	3.5	1.5	1.0	3.7	6.2	3.7	2.2	2.0	2.4
W8	0.0	3.6	1.0	1.8	1.4	1.1	2.9	1.2	0.8	1.8	3.8	1.9	4.5	7.0	4.4	2.0	1.8	0.5
W9	3.5	2.9	2.1	1.4	1.3	1.3	1.8	0.0	2.3	3.5	2.3	1.2	3.7	6.7	3.6	2.0	2.0	1.0
W10	1.7	2.5	1.2	1.5	1.4	1.3	1.3	2.8	1.5	1.8	3.4	1.8	5.1	5.8	4.2	3.5	4.2	0.5
W11	0.0	3.3	1.3	1.1	1.9	1.1	1.5	0.7	0.8	0.0	1.1	1.2	4.2	6.7	4.3	3.0	1.6	0.5
W12	0.0	2.5	1.3	1.3	1.6	1.4	1.5	2.1	1.5	3.6	3.4	1.2	6.3	6.3	4.2	3.0	1.4	1.4
W13	1.7	2.2	1.1	1.7	1.2	1.0	1.5	2.3	0.7	3.6	0.8	2.1	4.9	5.6	4.7	2.8	1.6	0.5

Herpes Simplex 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	3.0	3.2	1.5	1.6	1.9	1.5	0.9	0.7	0.0	6.4	3.3	2.7	7.3	6.2	5.3	2.5	2.1	0.7
W2	0.0	3.8	2.1	1.4	2.2	1.7	0.5	1.1	0.0	0.0	3.3	3.1	5.6	8.7	5.2	4.1	3.7	2.2
W3	0.0	5.1	1.5	1.8	1.8	1.3	0.9	0.7	0.0	0.0	2.7	1.5	6.3	7.7	5.1	2.5	2.7	0.0
W4	0.0	2.5	0.4	0.7	1.7	1.3	0.9	1.1	0.0	6.4	2.0	0.9	6.3	9.3	3.0	2.9	1.2	0.0
W5	0.0	2.5	1.5	1.1	1.5	1.0	1.2	0.7	0.0	0.0	4.0	2.7	6.7	8.1	4.9	3.6	1.8	0.7
W6	6.1	8.9	1.5	0.7	1.9	1.0	1.4	0.7	2.4	0.0	1.3	2.0	6.0	10.6	4.6	2.5	1.5	1.5
W7	0.0	2.5	1.3	0.9	1.5	1.1	1.6	0.7	1.2	3.2	3.3	2.0	6.0	9.0	4.7	3.6	1.8	0.0
W8	0.0	2.5	1.7	2.3	1.4	1.6	2.3	1.7	1.2	3.2	3.3	2.2	8.4	7.3	4.4	3.4	1.5	0.7
W9	3.1	1.3	1.9	2.0	2.5	1.0	1.4	1.0	1.2	0.0	0.7	1.1	5.7	5.1	3.6	2.9	2.1	2.2
W10	3.1	2.5	1.9	0.9	2.7	1.1	0.7	0.7	1.2	0.0	2.7	2.0	6.9	6.2	5.0	4.3	3.0	2.9
W11	0.0	1.9	0.8	2.2	1.8	1.3	0.7	1.4	1.2	3.3	4.7	0.7	4.3	10.3	5.4	2.5	1.8	2.2
W12	3.1	3.8	0.8	1.3	1.9	1.4	1.6	1.0	0.0	0.0	1.3	1.8	5.9	6.8	5.7	2.7	2.1	2.2
W13	3.1	1.9	0.8	2.0	1.5	1.1	1.4	0.7	0.0	0.0	2.0	2.0	6.2	8.0	4.3	2.9	2.4	4.4

Herpes Simplex 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	1.9	2.3	2.2	1.3	2.2	1.4	0.9	1.9	0.9	0.0	4.1	2.2	8.3	9.7	5.7	2.8	1.7	1.7
W2	3.7	4.3	2.6	2.3	2.8	2.6	1.1	1.6	0.0	4.0	4.1	2.8	9.1	11.5	7.0	3.8	4.0	1.2
W3	1.9	3.9	2.5	0.9	1.7	2.1	2.3	0.5	0.9	6.1	4.1	2.1	6.0	10.4	5.4	3.3	2.8	2.9
W4	1.8	3.5	2.2	2.0	2.0	1.7	2.7	2.5	3.7	0.0	2.0	1.7	7.5	10.2	5.7	3.1	1.6	0.6
W5	1.8	2.7	1.8	1.8	3.0	1.4	1.6	2.7	1.8	0.0	2.9	1.9	6.9	10.8	6.0	4.0	1.6	1.1
W6	3.6	7.3	1.2	1.9	2.6	2.2	3.4	0.5	0.9	0.0	3.7	2.2	6.1	11.6	6.4	3.6	3.5	2.3
W7	3.6	5.8	1.8	1.4	1.4	1.6	1.8	1.6	1.8	3.9	4.5	1.7	6.9	9.7	5.1	2.8	1.4	0.6
W8	0.0	3.1	2.4	1.6	3.3	1.4	1.8	1.6	0.9	3.9	2.9	3.7	9.9	11.5	5.6	5.2	1.4	3.9
W9	7.1	2.3	0.9	2.0	2.3	2.0	0.9	2.2	0.9	0.0	3.3	1.9	7.3	9.5	5.0	2.9	2.3	2.3
W10	1.8	5.4	2.6	2.1	1.6	1.1	0.7	1.9	4.5	5.8	3.7	3.2	6.8	10.4	7.2	4.1	2.8	2.8
W11	0.0	3.5	2.4	2.5	2.3	1.7	2.3	0.5	0.0	0.0	4.5	3.3	6.4	11.8	7.3	2.2	1.9	1.7
W12	3.6	3.9	1.7	2.5	1.8	2.0	2.1	2.4	0.9	1.9	2.9	2.6	8.5	10.8	6.8	3.8	2.5	1.7
W13	3.6	4.6	1.3	2.1	1.9	1.7	1.4	1.1	2.7	0.0	3.3	2.4	7.4	9.5	5.8	3.9	2.1	2.2

Herpes Simplex 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	1.6	2.2	1.2	1.9	1.7	1.5	1.3	1.2	0.6	0.0	0.7	1.7	4.5	7.4	4.3	3.6	1.7	1.5
W2	6.3	3.2	1.0	1.0	1.9	2.0	1.5	1.4	0.0	0.0	1.7	1.2	5.2	8.4	5.1	2.9	2.4	1.1
W3	0.0	1.6	1.0	0.9	1.1	1.2	1.0	2.1	1.2	0.0	2.3	0.9	4.8	6.8	4.3	3.2	1.7	1.1
W4	3.1	1.6	1.7	0.8	1.7	1.3	2.3	2.5	1.2	0.0	0.7	1.3	5.6	7.4	4.9	2.4	2.9	2.3
W5	9.4	1.3	1.7	1.2	1.6	1.4	1.3	0.8	1.8	3.3	1.7	1.3	5.6	7.1	4.7	3.9	1.5	1.5
W6	0.0	2.2	1.2	1.2	1.9	1.4	1.7	2.2	2.4	0.0	2.3	1.3	4.9	7.3	3.5	4.6	1.5	1.9
W7	3.1	2.5	2.0	0.5	1.7	1.6	0.9	0.6	1.8	0.0	4.4	0.6	4.4	7.1	4.4	2.6	2.1	3.0
W8	1.6	3.5	1.7	0.8	1.5	2.0	1.0	1.6	1.2	1.6	2.7	2.1	5.5	7.4	4.6	2.6	1.9	0.7

Herpes Simplex 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W9	3.1	1.6	1.1	0.5	1.4	1.4	1.4	0.6	1.8	0.0	1.3	1.6	3.8	7.6	3.6	2.9	2.4	3.0
W10	0.0	1.0	1.6	1.6	2.1	1.9	1.4	1.8	2.4	0.0	4.0	1.2	5.6	8.5	5.3	3.2	3.2	0.4
W11	6.3	1.6	1.7	1.4	1.8	1.4	2.3	2.0	2.4	3.3	2.7	1.6	5.0	8.1	5.4	3.3	1.9	1.5
W12	1.5	2.6	1.8	1.4	1.7	1.6	1.2	1.4	1.2	1.6	2.0	1.3	4.2	8.3	5.2	4.0	1.9	4.5
W13	1.6	0.6	0.8	0.9	1.3	1.1	1.1	1.2	3.0	0.0	3.0	0.6	4.0	6.8	5.6	3.0	3.1	2.2

Herpes Simplex 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	1.5	1.2	2.5	1.8	1.3	0.8	0.8	2.7	3.3	1.6	6.4	8.3	5.1	2.0	1.6	0.5
W2	0.0	0.5	1.5	1.8	3.3	1.6	2.1	1.6	0.8	0.0	0.0	1.2	7.6	9.9	5.7	3.6	2.0	1.0
W3	5.2	1.0	0.8	1.4	2.3	1.7	1.5	1.3	0.0	0.0	0.5	0.9	6.9	9.9	4.8	2.7	1.1	0.5
W4	2.5	1.0	1.7	1.1	1.8	1.9	1.2	1.0	0.8	0.0	1.1	1.1	7.0	8.0	4.8	3.1	1.8	0.0
W5	0.0	2.1	0.8	1.2	2.5	1.2	1.2	1.0	0.0	0.0	2.2	1.6	6.6	9.0	4.7	2.2	3.3	0.5
W6	2.5	2.1	0.7	1.6	2.3	1.7	1.7	0.5	0.8	5.4	0.5	2.7	7.9	10.2	5.4	3.4	2.0	2.0
W7	5.1	2.1	1.3	2.1	2.5	2.2	1.7	2.6	4.1	2.7	0.5	1.4	5.8	8.8	6.0	3.3	2.7	2.0
W8	0.0	2.1	0.5	2.2	1.8	1.9	1.5	2.6	1.6	2.7	1.6	0.9	6.5	9.5	5.1	3.4	1.6	1.0
W9	5.1	0.5	1.2	1.7	2.3	1.7	1.1	0.3	2.4	5.4	2.2	0.9	5.1	7.8	4.9	4.2	1.3	2.0
W10	0.0	3.1	1.3	1.0	3.3	1.7	1.5	0.8	0.8	2.7	0.6	1.2	5.6	8.7	6.0	3.6	0.7	3.1
W11	2.6	2.6	0.8	1.0	2.1	2.0	2.3	2.3	3.2	2.7	0.6	2.1	7.2	10.3	5.4	3.4	2.9	1.0
W12	0.0	3.1	1.9	1.0	2.0	2.0	2.7	2.8	0.0	0.0	0.6	1.2	8.6	9.7	6.4	2.2	2.4	2.0
W13	2.6	1.0	0.7	2.1	1.4	1.3	1.3	1.3	0.8	0.0	2.2	0.9	5.4	7.4	4.7	3.4	0.9	2.0

Herpes Zoster

Herpes Zoster 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	1.4	2.2	1.6	2.3	3.8	9.2	7.3	17.8	0.0	1.5	1.8	0.9	4.5	7.3	8.3	12.8	11.3
W2	0.0	0.7	1.4	1.1	2.8	5.5	9.2	7.2	15.0	0.0	0.0	2.5	4.1	4.1	9.2	11.7	9.7	19.0
W3	0.0	0.0	0.7	0.8	2.1	4.7	6.6	10.4	12.2	0.0	3.0	3.5	2.9	4.3	8.5	11.1	11.6	16.3
W4	0.0	0.7	2.4	0.8	3.0	4.6	9.5	9.0	6.8	0.0	0.8	1.5	3.8	3.4	8.6	11.7	11.6	17.1
W5	0.0	2.1	1.7	2.2	2.2	4.8	3.9	7.6	13.5	0.0	1.5	3.3	2.6	4.4	9.0	7.4	8.8	17.9
W6	0.0	0.0	1.9	2.4	2.9	5.6	10.4	8.1	13.5	0.0	1.5	4.5	2.6	3.9	8.9	13.8	13.1	17.9
W7	0.0	1.4	1.0	1.3	2.8	5.4	10.4	4.9	17.5	0.0	2.3	2.0	2.3	3.3	8.9	8.6	11.1	6.8
W8	0.0	0.0	3.1	2.9	2.9	3.6	7.8	6.2	17.5	0.0	3.0	2.3	3.7	3.4	10.4	12.3	9.2	11.1
W9	3.4	0.0	1.0	2.4	3.0	4.8	4.6	5.3	14.8	0.0	2.3	2.0	2.6	3.6	8.4	9.5	11.4	10.2
W10	0.0	0.7	1.9	4.0	2.4	5.0	8.5	9.3	9.4	0.0	0.8	2.3	2.0	4.0	8.7	10.1	8.0	12.8
W11	0.0	1.4	0.7	0.8	2.3	5.4	5.2	7.1	17.5	0.0	3.0	1.5	3.4	3.5	10.3	9.8	10.6	16.1
W12	0.0	1.4	2.9	2.7	1.9	4.8	10.1	9.8	12.1	0.0	0.0	3.0	1.4	4.6	7.9	16.5	10.3	17.0

Herpes Zoster 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W13	0.0	0.0	2.6	3.2	3.2	5.7	7.5	8.4	14.7	0.0	3.8	3.3	3.1	3.9	7.9	10.4	9.5	17.8

Herpes Zoster 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.3	1.3	1.1	1.6	4.6	9.6	9.4	14.5	0.0	0.7	1.8	1.4	2.8	5.8	9.1	7.5	14.0
W2	0.0	0.0	1.0	1.9	1.4	3.5	8.3	12.8	7.2	3.1	0.3	0.3	1.8	2.5	5.9	13.0	9.8	12.1
W3	0.0	0.7	0.6	1.5	2.0	2.5	8.8	3.9	15.7	0.0	0.7	0.9	1.7	2.4	6.8	9.1	12.1	13.8
W4	0.0	1.0	1.0	1.5	2.2	2.7	8.5	9.3	14.2	0.0	0.7	1.3	1.5	2.9	5.6	8.1	11.3	8.6
W5	0.0	0.0	1.2	1.8	1.7	4.1	9.9	5.8	9.9	0.0	1.7	1.0	1.7	2.6	5.3	13.4	10.5	10.2
W6	0.0	1.0	1.3	1.3	1.6	3.5	7.9	4.4	11.3	0.0	0.3	1.6	1.8	2.4	7.6	12.8	9.7	10.2
W7	0.0	1.0	1.5	1.5	1.8	3.1	9.6	4.8	11.2	0.0	0.7	0.8	1.5	2.5	6.0	12.1	10.0	13.6
W8	1.4	0.3	1.3	1.4	1.9	3.2	7.1	7.2	7.0	0.0	0.7	0.9	1.6	2.9	5.2	8.7	8.9	11.0
W9	0.0	0.7	1.6	0.6	1.6	3.1	7.3	11.6	11.2	0.0	0.0	1.3	1.2	2.5	5.8	11.0	13.9	11.0
W10	0.0	0.3	1.9	1.1	1.9	3.2	8.3	4.3	5.6	0.0	0.0	1.8	1.5	3.0	6.7	11.5	6.9	12.7
W11	0.0	1.7	0.5	1.5	2.1	4.1	7.8	7.2	8.4	0.0	0.3	1.4	1.0	2.9	6.9	11.5	11.9	15.2
W12	0.0	0.3	1.7	2.0	2.1	3.2	10.0	9.6	9.8	0.0	0.3	1.9	1.4	2.8	5.7	12.2	11.5	11.9
W13	0.0	1.0	1.2	1.0	1.6	4.0	8.0	8.6	9.7	0.0	1.0	1.1	1.4	3.2	6.8	11.2	7.3	16.9

Herpes Zoster 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	2.0	2.2	1.9	3.5	9.4	8.5	17.2	0.0	0.8	2.5	2.6	3.8	9.6	11.1	12.8	13.6
W2	0.0	0.7	2.1	1.6	2.3	6.0	7.9	9.7	13.2	0.0	0.8	1.5	1.1	4.4	8.8	10.8	11.5	17.9
W3	0.0	1.4	2.1	0.9	2.7	5.2	9.0	9.2	14.6	0.0	1.9	1.8	2.1	4.0	9.2	12.0	12.3	21.1
W4	0.0	0.4	2.7	2.2	3.1	4.0	8.5	9.6	10.7	0.0	0.8	2.6	3.2	3.7	9.3	11.5	8.9	18.7
W5	1.8	1.4	3.7	2.1	2.7	4.7	5.7	10.5	7.6	0.0	0.8	3.7	2.6	4.3	8.8	10.4	11.8	10.5
W6	0.0	1.8	2.8	1.8	2.8	5.1	9.5	7.7	8.3	1.8	1.9	3.7	3.0	3.6	8.2	11.3	9.4	19.5
W7	1.7	1.4	1.3	2.6	2.7	5.5	9.3	9.8	6.8	0.0	3.0	3.5	2.2	4.3	10.2	11.9	15.0	13.3
W8	0.0	0.0	2.7	2.2	2.7	3.8	8.0	11.4	8.3	0.0	1.9	2.7	2.6	3.7	9.6	11.0	8.0	9.0
W9	0.0	1.4	2.4	1.4	2.3	5.7	6.7	9.3	13.6	0.0	0.4	2.4	1.4	4.0	7.2	7.7	7.8	13.8
W10	0.0	0.4	2.4	1.8	2.8	4.8	8.0	9.3	12.1	0.0	1.5	3.1	2.2	4.3	9.8	12.2	11.7	18.1
W11	1.7	1.1	3.8	2.4	2.2	5.6	8.9	9.0	11.3	0.0	1.5	4.1	3.1	4.0	8.9	11.0	11.5	21.3
W12	0.0	1.8	2.6	1.9	2.8	5.1	8.6	6.5	18.1	0.0	1.9	3.7	3.0	4.4	8.4	11.0	11.3	18.0
W13	0.0	1.1	2.8	2.5	3.0	5.0	7.5	10.1	16.5	0.0	1.1	2.6	2.5	4.0	10.0	10.8	12.5	15.6

Herpes Zoster 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	1.3	2.5	3.0	2.4	4.8	8.5	9.2	9.6	0.0	0.7	2.9	2.4	5.2	9.7	11.3	12.9	17.1

Herpes Zoster 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W2	0.0	2.5	2.3	2.5	2.4	4.5	9.9	12.7	7.2	3.2	2.0	3.8	2.0	4.4	10.1	12.4	12.8	23.7
W3	0.0	0.0	1.7	2.1	2.8	5.7	10.1	9.8	16.7	0.0	0.0	1.5	2.7	5.2	9.5	9.9	15.8	14.8
W4	3.0	2.5	2.9	3.2	2.6	5.6	8.0	10.9	9.5	0.0	0.0	4.0	2.7	4.8	9.3	16.7	9.4	14.7
W5	0.0	2.5	3.2	2.0	2.9	6.3	8.4	7.0	17.7	0.0	0.7	4.4	1.7	3.9	10.1	13.1	8.2	26.4
W6	0.0	0.0	3.6	2.3	2.8	7.5	8.4	9.4	20.1	0.0	1.3	2.9	2.4	4.5	11.3	11.9	17.3	13.9
W7	0.0	0.6	1.9	2.7	2.5	5.3	10.3	10.8	3.5	0.0	1.3	3.1	2.4	4.7	9.7	14.2	14.8	17.5
W8	0.0	0.6	1.7	1.4	1.9	5.2	10.0	9.0	8.2	0.0	0.7	2.4	2.6	6.0	9.2	9.0	9.7	13.1
W9	0.0	1.3	1.7	2.0	2.2	5.7	7.5	6.6	8.2	0.0	2.7	3.3	2.2	4.7	9.9	12.6	11.5	16.8
W10	0.0	0.6	3.0	1.8	3.3	6.7	7.9	10.8	11.8	0.0	0.7	2.7	2.1	4.6	11.7	9.2	12.3	16.8
W11	0.0	1.9	3.4	3.1	1.8	6.1	8.1	6.9	21.1	0.0	0.7	2.7	3.8	5.1	9.3	14.1	12.3	21.2
W12	0.0	1.9	2.5	1.6	3.0	5.0	10.0	9.7	11.7	3.2	2.0	4.9	3.1	5.1	10.8	11.6	18.9	13.9
W13	0.0	3.8	3.0	3.3	2.5	5.2	10.4	8.6	7.0	0.0	0.0	3.3	1.4	5.7	11.0	13.2	13.2	12.4

Herpes Zoster 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.4	1.3	1.8	3.6	5.6	7.7	7.7	13.1	0.0	0.4	2.6	3.2	5.1	13.0	14.7	12.1	12.8
W2	0.0	1.2	3.8	2.7	3.3	6.1	7.2	10.4	10.2	0.0	2.8	2.8	2.7	4.6	9.8	14.6	14.6	26.6
W3	0.0	1.6	3.4	1.9	2.5	5.9	10.7	7.7	10.1	0.0	0.4	2.5	2.3	5.0	9.9	13.2	13.9	15.5
W4	0.0	0.4	2.0	2.0	2.9	6.6	10.0	11.4	16.4	0.0	0.8	1.7	2.7	4.8	12.5	16.0	14.1	16.6
W5	1.8	0.8	3.3	3.0	2.5	6.6	10.0	10.9	19.9	0.0	0.8	5.1	3.5	5.1	10.8	15.1	16.1	19.3
W6	1.8	1.5	3.9	2.9	2.8	6.1	9.2	6.8	13.6	0.0	0.8	3.4	2.9	5.9	11.5	15.0	14.0	19.8
W7	0.0	1.9	3.9	3.1	2.6	6.6	12.9	10.5	16.2	0.0	1.2	3.4	3.3	6.5	11.2	13.5	15.8	22.6
W8	0.0	1.6	2.4	2.0	3.2	6.2	9.7	11.6	12.6	0.0	2.0	3.6	4.0	4.6	12.9	15.7	12.6	15.2
W9	0.0	0.4	1.8	2.6	2.6	6.8	9.9	11.0	12.6	1.9	1.6	3.4	2.8	3.7	9.9	12.8	12.5	19.2
W10	0.0	1.2	3.3	3.1	2.1	6.4	7.6	7.5	15.3	0.0	2.0	3.7	3.1	5.7	12.5	14.5	13.7	22.6
W11	0.0	0.8	2.0	2.2	2.5	6.0	11.7	9.4	13.5	0.0	1.2	3.5	3.2	5.5	12.3	13.1	13.4	21.4
W12	1.8	2.7	2.2	2.7	3.0	5.4	9.9	7.2	16.2	0.0	2.1	3.7	2.9	5.7	12.5	19.7	12.2	15.8
W13	0.0	0.4	2.8	2.0	2.6	5.1	11.6	10.4	12.6	3.8	1.6	3.0	2.7	5.5	10.6	12.9	11.1	22.5

Herpes Zoster 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.3	2.7	2.1	2.9	3.8	7.2	8.5	13.8	0.0	1.0	2.0	3.4	3.8	9.3	12.2	15.0	16.9
W2	0.0	0.3	2.0	2.5	2.8	5.5	9.2	6.0	9.9	0.0	0.7	1.9	2.0	3.3	9.1	12.3	10.2	19.1
W3	1.6	1.9	2.1	2.1	2.7	5.4	9.3	7.8	12.3	0.0	2.0	2.9	4.0	4.4	8.7	12.6	9.0	22.0
W4	1.6	0.6	2.4	1.8	3.4	6.0	8.7	8.2	13.5	0.0	1.7	2.9	2.5	4.6	9.8	14.3	11.7	18.9
W5	0.0	0.3	2.3	2.3	2.8	6.0	9.3	8.4	13.9	0.0	1.7	3.4	2.4	5.0	9.4	12.3	12.7	16.9
W6	0.0	1.6	3.5	3.3	3.1	5.6	9.6	9.0	13.3	1.6	1.0	3.3	2.8	4.5	8.6	10.9	11.3	16.1
W7	0.0	0.3	2.9	1.3	3.8	5.3	9.1	10.0	13.3	0.0	0.7	2.8	2.7	4.8	8.9	12.8	12.8	13.1
W8	0.0	0.6	2.4	3.0	2.5	4.9	8.1	10.6	10.8	0.0	0.7	3.9	2.0	4.4	10.2	12.5	13.3	13.1
W9	0.0	1.0	2.2	1.7	2.3	4.9	7.5	8.5	10.9	0.0	0.3	2.9	1.6	4.3	9.9	10.9	11.6	15.7
W10	0.0	1.6	2.7	1.8	2.8	5.4	5.6	6.9	13.9	0.0	2.4	3.9	2.7	5.0	9.6	11.6	11.3	13.8

Herpes Zoster 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W11	0.0	1.3	3.0	1.3	3.4	4.8	9.1	8.1	13.3	0.0	2.4	3.2	3.0	5.1	10.9	13.2	11.4	13.5
W12	0.0	1.9	3.1	2.8	3.2	5.2	8.9	10.5	12.1	0.0	2.0	3.9	2.6	4.8	9.3	12.1	10.7	16.4
W13	0.0	1.0	2.8	2.0	2.5	5.1	10.1	7.7	8.4	0.0	1.7	3.5	2.2	4.5	8.8	12.5	11.4	15.3

Herpes Zoster 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	1.5	2.2	0.5	2.7	4.7	9.8	7.9	10.9	2.7	1.1	3.0	1.5	5.1	7.6	10.9	9.5	13.1
W2	0.0	3.1	2.4	2.5	3.3	6.3	11.0	8.9	12.5	0.0	1.6	3.5	3.2	4.3	9.1	11.8	11.0	12.0
W3	0.0	2.6	2.7	2.8	2.5	5.4	9.4	8.1	9.1	0.0	0.0	1.6	2.2	3.9	8.6	11.6	11.6	17.6
W4	0.0	1.0	2.9	1.6	2.9	4.5	10.2	9.6	15.6	0.0	1.1	2.7	2.4	4.6	9.0	10.4	13.4	16.0
W5	0.0	2.1	3.5	3.3	2.6	5.2	7.3	8.3	13.0	0.0	1.6	2.8	3.1	4.9	9.0	10.7	12.0	14.9
W6	0.0	1.0	2.9	2.1	2.3	5.3	7.9	8.3	13.0	0.0	2.7	2.7	3.5	4.9	8.9	12.2	11.6	16.4
W7	0.0	0.0	2.7	1.9	2.3	5.9	9.8	9.0	13.8	0.0	3.3	3.7	2.9	4.8	9.9	12.9	12.4	16.3
W8	0.0	0.5	3.0	3.8	3.1	4.7	7.8	9.3	16.2	0.0	0.0	4.2	2.9	3.3	8.1	13.2	10.2	14.3
W9	0.0	0.5	1.9	3.6	2.6	5.6	6.5	9.0	9.7	2.7	1.1	3.7	2.2	4.5	8.1	8.9	9.5	10.7
W10	0.0	1.0	2.2	2.9	2.9	5.3	6.7	6.4	13.8	0.0	2.8	4.4	1.8	4.6	10.5	8.7	11.3	21.0
W11	0.0	1.6	4.0	2.2	2.6	5.4	8.0	5.1	10.5	0.0	0.6	3.9	2.9	4.2	9.8	10.5	11.2	19.9
W12	0.0	1.6	4.7	2.2	3.1	6.9	7.6	8.2	10.5	0.0	1.7	2.8	3.2	4.1	10.0	15.2	12.1	15.3
W13	0.0	1.6	2.0	2.2	2.0	4.9	8.8	10.5	8.1	5.4	1.1	3.0	2.3	4.4	10.3	9.9	10.1	17.8

Impetigo

Impetigo 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	14.1	12.1	7.2	2.7	1.1	0.5	0.3	1.4	0.0	7.3	15.8	6.5	4.1	2.3	1.1	0.3	1.9	0.0
W2	14.2	18.5	7.9	2.5	1.2	0.9	1.6	0.5	1.4	14.7	18.8	9.0	2.6	3.1	2.2	1.5	0.4	0.0
W3	3.6	22.1	8.6	1.9	0.4	0.6	0.0	0.9	0.0	22.2	15.8	9.0	1.5	2.4	1.2	0.9	0.0	0.9
W4	7.0	19.3	10.8	2.2	1.0	1.2	0.7	0.9	0.0	7.3	21.1	10.8	3.2	2.3	1.2	0.9	1.2	0.0
W5	7.1	21.5	8.1	2.4	1.1	0.3	0.3	0.9	0.0	14.7	17.4	11.8	3.8	2.6	1.7	1.5	1.5	0.9
W6	17.2	42.3	15.6	3.0	0.9	1.4	0.7	0.0	0.0	25.4	30.2	10.5	4.6	1.8	1.7	0.6	2.3	0.9
W7	20.8	44.5	9.8	3.2	1.3	0.5	0.7	0.4	1.3	25.7	26.4	10.8	2.9	2.3	1.2	0.6	1.5	0.8
W8	17.5	35.9	10.1	3.5	1.1	1.1	1.6	1.3	2.7	33.2	28.7	9.5	3.2	2.8	2.3	1.5	1.1	1.7
W9	17.2	23.0	8.9	1.9	0.9	0.5	1.3	0.0	2.7	10.9	22.7	8.8	3.1	1.9	1.2	0.9	2.3	0.0
W10	17.3	15.9	8.6	2.9	1.3	0.6	1.0	0.9	1.3	7.3	20.5	13.1	6.3	2.8	1.2	1.8	0.8	3.4
W11	10.5	18.7	9.6	3.2	1.0	0.7	1.3	0.0	0.0	14.8	17.4	8.3	4.3	1.4	1.3	1.5	1.1	3.4
W12	6.9	15.1	7.4	1.6	1.2	1.3	0.6	0.9	2.7	11.0	18.9	8.8	5.1	2.3	1.5	0.9	2.3	2.6
W13	10.4	13.7	4.3	1.8	0.9	1.3	0.6	0.4	1.3	7.5	9.1	4.3	3.7	1.9	0.9	0.6	1.1	0.8

Impetigo 4 weekly table (W1 - W13) - London

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	8.8	10.8	4.9	1.7	0.8	0.4	1.0	1.0	7.2	7.7	7.2	5.9	1.8	0.8	0.8	0.7	1.6	0.0
W2	7.3	10.2	7.1	1.1	0.6	0.2	0.5	1.0	0.0	12.3	9.3	6.5	1.0	1.3	1.2	0.0	1.6	0.9
W3	11.8	14.1	4.9	0.9	1.0	0.3	0.3	1.0	2.9	3.1	7.9	4.2	2.2	1.3	1.0	0.5	0.4	0.9
W4	11.6	12.8	4.2	0.9	0.8	0.5	0.5	0.0	2.8	4.6	10.3	5.6	2.0	1.3	0.7	0.2	1.6	0.9
W5	13.1	18.7	9.3	1.2	0.5	0.8	0.5	1.5	1.4	12.3	20.6	8.1	1.3	1.0	1.2	1.0	2.7	1.7
W6	8.6	18.0	5.5	0.9	0.8	0.6	1.0	1.0	1.4	10.5	18.6	6.2	1.9	1.3	1.2	0.5	0.8	0.0
W7	14.4	26.2	7.2	1.5	0.6	0.5	0.3	0.5	1.4	16.7	16.9	8.5	1.5	1.4	1.1	0.5	2.7	1.7
W8	13.0	24.0	7.0	1.8	0.6	0.6	0.8	0.5	1.4	16.8	21.1	7.2	2.9	0.9	1.4	0.7	0.4	0.0
W9	14.2	16.1	3.8	1.5	0.6	0.5	0.0	0.5	0.0	9.1	13.5	6.4	2.0	1.0	0.8	1.7	0.8	0.8
W10	18.6	19.1	5.2	1.4	0.8	0.5	0.5	0.5	0.0	9.2	15.2	7.5	2.0	1.5	1.1	1.7	0.0	1.7
W11	11.6	13.5	8.3	1.2	0.5	0.5	0.8	1.4	1.4	9.2	16.3	6.6	1.9	1.5	0.9	1.7	0.0	1.7
W12	4.3	15.2	6.8	1.3	0.6	0.6	0.7	1.4	1.4	6.1	15.3	6.6	1.7	1.2	1.3	0.7	0.0	0.8
W13	7.3	12.9	5.0	1.3	1.0	0.9	0.2	2.4	1.4	7.7	12.1	4.2	1.4	1.4	1.1	1.2	0.8	2.5

Impetigo 4 weekly table (W1 - W13) - Midlands

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	15.7	15.5	7.0	2.5	0.8	0.4	0.7	0.7	0.0	1.8	15.8	7.7	3.2	2.5	1.6	0.9	0.8	1.5
W2	5.3	11.9	7.5	2.5	1.3	0.7	1.0	0.2	1.6	10.7	12.8	8.0	3.7	2.1	1.9	0.5	2.0	1.9
W3	12.4	13.7	6.9	1.5	0.5	0.9	0.2	0.2	0.8	0.0	15.8	6.8	2.8	2.0	1.3	0.6	1.2	0.5
W4	10.4	18.7	7.6	1.9	1.0	0.8	0.3	0.7	2.3	14.2	15.0	9.8	1.6	2.6	1.1	0.8	1.2	1.0
W5	10.5	24.2	9.4	2.0	0.6	0.7	0.5	0.5	0.8	8.9	14.7	9.0	2.1	3.0	1.5	0.8	1.4	1.0
W6	17.2	33.6	9.6	4.1	0.8	1.0	1.1	0.9	1.5	19.3	33.8	9.0	4.5	2.2	2.1	0.9	0.6	0.0
W7	33.1	38.6	9.3	3.1	1.2	0.8	1.1	0.9	0.8	22.9	32.3	10.9	3.7	1.8	1.3	0.9	1.2	0.0
W8	15.7	25.3	10.0	2.6	1.2	0.8	1.1	0.5	2.3	16.0	35.4	12.5	3.6	2.8	1.8	0.9	0.2	0.0
W9	6.9	19.2	6.2	2.2	0.7	0.6	0.5	0.9	0.8	12.4	17.7	6.5	4.8	2.0	1.8	0.8	0.8	0.5
W10	17.5	21.0	11.1	2.2	1.1	1.5	0.5	0.7	0.8	5.4	17.7	9.4	4.2	3.0	1.7	0.9	1.0	1.0
W11	8.7	25.0	8.7	2.2	1.0	0.6	0.5	0.7	0.8	16.3	19.6	7.3	5.5	2.5	1.7	0.8	1.2	0.9
W12	17.2	20.7	7.1	1.5	1.0	0.9	0.3	0.2	0.0	5.3	20.3	7.5	3.7	2.1	1.7	0.9	0.0	0.5
W13	17.4	13.8	5.8	1.5	0.6	0.8	1.3	0.7	0.7	16.2	10.2	7.3	3.8	1.8	1.5	1.1	1.0	1.4

Impetigo 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	12.2	16.4	7.8	2.1	0.8	0.3	1.9	0.7	0.0	19.2	14.6	7.1	3.7	2.1	1.4	1.6	1.2	0.7
W2	3.1	14.6	9.7	3.7	1.6	0.7	1.2	1.1	1.2	12.9	15.9	11.0	4.1	2.9	1.7	0.2	0.6	2.2
W3	24.8	18.4	9.5	3.0	1.0	0.9	1.9	0.7	0.0	0.0	15.9	7.3	2.4	2.4	1.1	1.8	0.6	0.7
W4	9.1	23.4	8.0	2.7	1.2	0.3	0.9	1.1	1.2	16.0	18.6	9.5	4.6	2.8	1.3	0.5	1.8	0.7
W5	18.6	32.3	13.0	2.3	1.7	0.9	1.9	1.4	0.0	19.3	34.6	15.0	3.9	3.5	1.8	1.4	0.6	1.5
W6	27.4	44.4	13.2	2.3	1.9	0.6	0.9	0.7	1.2	25.3	36.6	12.1	3.8	3.4	1.3	1.4	0.6	0.7
W7	21.5	41.9	12.4	3.6	2.1	1.3	0.9	0.7	0.0	22.5	31.9	14.6	4.3	3.5	2.4	0.7	0.9	2.2

Impetigo 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W8	21.6	37.4	14.5	3.4	1.3	0.9	1.2	1.0	1.2	25.9	37.3	10.4	5.3	3.8	1.6	1.6	1.8	2.2
W9	15.3	24.1	11.2	4.0	0.7	0.3	0.7	0.7	2.4	16.1	28.6	12.2	4.5	3.4	2.5	0.9	0.6	0.7
W10	21.6	35.5	13.1	2.2	1.7	0.9	1.9	1.7	0.0	19.6	28.7	13.5	6.0	4.0	1.7	1.8	2.7	0.0
W11	21.8	34.3	11.4	2.5	1.5	1.0	0.0	0.7	3.5	22.9	23.3	11.7	6.7	4.4	2.0	1.1	1.2	0.7
W12	18.5	28.6	9.9	3.8	1.6	0.9	1.4	0.7	0.0	6.4	25.3	13.3	5.5	2.9	2.6	2.2	1.5	0.0
W13	9.3	16.5	9.5	4.5	1.6	0.8	0.7	1.4	0.0	13.0	17.4	10.7	3.1	3.3	1.3	0.4	1.8	2.2

Impetigo 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	18.6	20.5	7.7	2.0	0.9	0.6	1.4	0.8	0.9	14.0	18.6	8.2	2.9	2.0	1.7	0.2	1.4	0.6
W2	13.0	19.4	8.6	3.1	1.1	1.0	1.3	1.4	0.9	18.0	19.9	9.7	4.3	1.9	1.7	1.2	1.9	2.3
W3	20.5	18.2	9.6	2.8	1.1	0.8	1.3	1.9	0.0	12.1	17.5	9.0	3.4	2.5	1.2	0.5	1.6	2.3
W4	11.0	24.8	10.1	2.9	1.4	0.9	0.5	1.1	4.6	7.9	21.2	9.1	4.0	2.1	1.2	0.9	2.3	2.9
W5	14.7	27.5	15.0	3.9	1.4	1.0	0.7	1.4	5.4	9.9	24.9	14.6	3.0	2.6	1.9	1.4	0.9	1.7
W6	35.9	40.2	11.3	3.8	1.5	0.6	0.0	1.4	1.8	17.4	35.4	11.9	3.3	4.1	2.0	1.6	1.2	1.1
W7	18.0	43.8	11.8	2.7	1.7	1.1	1.4	1.3	3.6	25.1	41.6	11.9	5.0	3.5	2.5	0.7	1.2	1.7
W8	16.2	43.0	14.7	3.6	1.2	1.5	1.1	1.6	3.6	21.3	38.0	12.7	4.1	3.2	2.0	1.4	1.6	2.3
W9	19.6	24.0	8.9	2.5	1.3	1.0	0.9	1.1	0.0	17.2	24.1	9.9	4.8	3.2	1.9	0.3	0.9	1.1
W10	23.3	37.6	12.0	3.2	1.3	1.0	0.4	0.3	0.9	17.3	22.1	12.0	5.8	3.9	2.3	1.5	1.4	3.4
W11	23.6	29.1	10.4	2.7	1.4	1.6	0.5	1.6	0.9	21.2	27.5	13.5	4.6	3.2	2.4	0.9	1.2	1.1
W12	12.6	22.9	10.3	3.3	1.0	1.1	1.6	1.1	2.7	18.9	25.8	10.5	4.1	3.4	2.1	0.7	0.5	2.3
W13	9.1	17.4	8.0	1.5	0.9	1.1	1.8	0.5	0.9	9.6	19.3	8.4	5.2	3.4	1.5	1.4	0.7	0.6

Impetigo 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	20.4	22.2	7.5	2.4	1.2	0.6	0.3	0.8	1.9	13.2	11.1	9.4	3.2	1.5	1.2	0.6	1.0	0.8
W2	15.6	23.8	11.0	2.4	1.1	0.4	0.4	0.6	1.2	10.0	17.4	9.5	2.7	2.4	1.4	0.7	2.1	3.1
W3	7.9	19.7	8.8	2.8	1.2	1.1	0.6	0.8	0.0	10.0	14.8	9.9	3.3	2.0	1.6	0.8	1.4	0.8
W4	4.7	22.5	9.3	2.6	1.0	0.8	0.6	1.0	1.8	6.5	18.1	10.2	4.6	2.1	0.8	0.8	1.6	1.5
W5	22.0	25.1	13.1	2.4	1.1	0.6	0.6	0.8	0.6	14.8	25.2	13.0	4.9	2.7	1.3	1.7	1.5	0.4
W6	21.6	38.4	12.4	2.7	1.3	1.0	0.6	0.8	0.6	17.8	30.5	11.5	4.1	2.8	2.1	0.8	1.5	1.9
W7	31.0	40.3	11.3	4.3	0.9	1.1	0.1	0.6	0.0	19.5	39.6	11.9	4.5	2.7	1.6	0.8	0.9	1.9
W8	15.6	35.9	11.6	2.7	0.9	0.8	1.0	0.6	1.2	21.2	33.2	11.3	5.3	2.6	2.1	0.4	1.2	2.2
W9	12.4	21.0	8.9	2.0	0.8	0.9	0.7	1.0	1.8	11.3	17.5	10.3	3.7	2.3	1.6	0.4	1.4	0.7
W10	18.8	28.7	11.4	2.9	1.2	0.4	1.0	1.4	0.0	14.7	26.9	11.3	3.3	2.8	1.8	0.8	0.0	1.1
W11	15.8	21.1	11.3	2.3	0.8	1.2	0.7	1.0	1.2	4.9	20.5	10.3	4.6	2.3	1.3	1.0	1.0	0.4
W12	15.5	20.1	9.6	3.6	1.1	0.8	0.9	1.0	2.4	16.0	17.9	9.9	5.3	2.2	1.7	2.1	1.4	0.4
W13	6.2	16.6	5.9	1.5	1.1	0.6	0.9	1.0	1.2	13.0	20.5	6.6	3.5	2.3	1.2	1.0	0.8	1.9

Impetigo 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	5.1	23.0	6.9	3.4	0.9	0.7	0.6	1.0	0.8	21.6	20.2	6.7	4.7	1.6	0.9	0.7	0.9	0.5
W2	15.4	19.0	11.0	3.5	1.2	0.5	0.6	0.3	0.8	10.9	18.6	9.2	3.5	2.4	1.7	0.7	0.9	1.0
W3	15.5	14.4	9.4	3.2	1.0	1.2	0.4	0.5	0.8	13.9	12.0	9.0	3.7	2.3	1.2	0.7	1.1	1.0
W4	20.4	21.6	12.3	3.7	1.6	1.2	0.8	0.8	0.0	8.2	18.6	10.5	5.4	2.1	1.2	0.9	0.7	0.5
W5	28.2	30.5	16.0	3.9	1.3	1.1	0.4	0.5	3.3	8.2	21.9	15.4	6.6	3.4	1.9	0.9	1.6	2.0
W6	25.1	36.3	14.9	3.0	1.0	0.4	0.4	0.5	1.6	29.5	31.3	14.3	5.3	3.2	1.6	1.1	0.7	1.5
W7	15.2	32.7	11.4	4.7	1.8	1.0	0.4	0.5	0.0	21.6	35.7	11.5	4.4	2.9	1.7	0.9	1.1	0.5
W8	17.9	38.9	14.5	3.1	1.1	0.8	0.6	1.3	0.0	21.8	35.2	11.3	4.7	3.3	1.5	1.1	0.4	2.0
W9	15.2	22.3	10.6	3.8	1.8	1.0	0.6	1.5	0.8	16.2	23.1	11.5	6.1	2.2	1.3	1.1	0.2	0.5
W10	15.4	28.6	9.8	3.8	1.0	0.8	1.0	1.0	1.6	19.1	19.8	12.4	4.1	2.8	1.6	0.9	1.8	2.6
W11	20.7	27.0	9.6	3.3	1.5	1.0	1.3	0.5	0.0	19.1	28.1	8.5	3.1	3.4	1.9	2.2	1.3	1.5
W12	15.3	24.0	10.6	2.9	0.9	0.3	0.8	0.0	1.6	16.1	16.0	9.1	5.2	2.6	1.2	0.4	0.9	0.5
W13	23.1	19.3	8.6	3.3	1.3	0.7	0.4	1.0	0.0	8.1	15.5	9.2	4.1	2.3	1.9	1.4	1.8	1.0

Infected Insect Bites

Infected Insect Bites 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	2.9	2.4	1.4	4.0	1.7	2.3	1.8	0.0	0.0	1.5	2.5	4.1	4.4	5.4	8.6	2.7	2.6
W2	0.0	4.3	3.8	4.4	3.9	3.9	3.0	4.5	4.1	0.0	0.8	4.5	9.1	8.4	9.9	8.3	6.2	1.7
W3	0.0	2.1	4.6	4.1	4.0	3.9	4.6	4.1	2.7	0.0	1.5	5.5	9.3	11.7	12.2	8.9	9.6	4.3
W4	0.0	7.1	6.0	5.4	6.6	9.4	8.2	6.3	1.4	0.0	5.3	4.8	11.9	18.5	20.8	13.8	9.6	7.7
W5	0.0	1.4	5.0	2.7	3.8	3.9	3.9	5.4	1.4	3.7	3.0	6.3	4.9	9.3	10.3	11.4	6.2	4.3
W6	0.0	2.1	1.2	1.6	2.0	2.2	2.9	3.6	2.7	0.0	1.5	3.8	4.0	4.1	5.2	4.3	3.5	4.3
W7	0.0	1.4	1.0	1.9	2.1	0.7	1.0	0.9	1.3	0.0	0.8	2.5	1.7	2.1	3.3	3.7	3.1	0.8
W8	0.0	0.7	1.4	0.8	0.9	1.4	1.0	0.4	0.0	0.0	0.8	0.5	1.4	0.8	1.8	1.8	1.1	0.8
W9	0.0	0.0	1.2	0.8	0.7	0.6	0.3	1.3	0.0	0.0	1.5	0.3	0.9	0.9	1.0	1.5	0.8	0.0
W10	0.0	0.0	0.5	0.3	0.7	0.7	1.0	0.9	0.0	0.0	0.0	1.0	1.4	1.6	0.7	1.2	0.4	0.9
W11	0.0	0.0	1.0	0.3	0.9	0.6	1.6	1.3	1.3	0.0	0.0	0.5	1.1	0.8	1.7	1.8	1.1	0.0
W12	0.0	1.4	1.4	1.1	1.0	0.9	1.6	0.9	0.0	0.0	1.5	2.3	2.8	2.3	3.7	3.7	1.5	0.9
W13	0.0	2.2	1.4	1.1	1.3	1.6	3.9	1.8	2.7	0.0	2.3	3.0	2.3	2.2	4.9	5.8	3.4	3.4

Infected Insect Bites 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	1.5	3.6	2.7	1.3	1.4	1.3	0.3	1.0	2.9	0.0	1.7	2.5	2.8	2.6	3.3	3.5	1.6	3.5
W2	0.0	3.3	3.4	2.2	1.4	1.1	2.1	1.5	1.4	1.5	3.8	3.8	3.6	3.8	5.5	5.4	6.3	2.6
W3	0.0	3.6	4.4	2.0	1.8	3.2	2.8	2.0	2.9	1.6	3.8	4.4	3.5	4.3	5.9	5.6	4.3	3.4
W4	0.0	4.3	7.3	2.4	3.0	3.7	5.9	5.4	2.8	3.1	6.9	7.0	5.2	6.3	9.9	13.2	7.0	6.0

Infected Insect Bites 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W5	0.0	6.2	4.7	2.7	2.1	3.0	1.3	4.4	2.8	0.0	5.5	6.1	5.1	4.1	7.4	8.5	8.1	1.7
W6	0.0	2.6	3.2	0.9	1.0	1.8	2.0	1.9	0.0	0.0	1.4	1.9	2.1	2.3	3.1	2.9	2.7	1.7
W7	1.4	1.6	1.5	0.8	0.9	1.5	1.5	0.5	2.8	0.0	1.4	2.4	1.6	1.6	2.4	3.1	1.5	0.8
W8	1.4	1.0	1.9	0.4	0.3	0.6	0.3	1.0	0.0	0.0	1.0	0.4	0.9	1.7	1.4	1.4	0.0	0.8
W9	0.0	0.7	1.0	0.7	0.3	0.6	0.5	0.0	1.4	0.0	1.0	1.9	0.4	0.5	0.9	0.7	0.4	0.0
W10	0.0	1.0	1.3	0.6	0.7	0.9	1.5	0.0	1.4	0.0	2.1	1.4	0.5	0.7	0.9	1.9	0.4	0.8
W11	0.0	0.0	0.9	0.9	0.5	0.9	0.3	1.4	1.4	0.0	1.7	0.9	1.3	1.1	0.7	1.2	0.8	0.0
W12	0.0	1.0	1.7	1.3	1.0	0.9	0.2	0.5	2.8	0.0	2.1	1.7	1.5	1.7	3.0	2.1	3.1	1.7
W13	0.0	4.0	1.6	1.0	1.2	1.6	2.2	2.9	1.4	0.0	1.0	2.8	2.5	1.8	3.9	4.8	2.7	8.5

Infected Insect Bites 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	3.5	2.2	1.6	3.0	4.5	4.9	3.3	5.0	4.7	1.8	1.1	3.0	6.1	9.5	12.8	9.3	8.9	3.4
W2	0.0	2.2	4.5	3.6	6.0	6.1	9.2	3.8	2.3	0.0	2.6	4.4	8.5	14.3	16.3	12.3	6.9	2.9
W3	0.0	2.2	4.7	4.3	6.9	6.0	6.5	3.5	1.5	1.8	3.0	5.0	8.9	14.5	16.9	13.1	10.3	5.3
W4	1.7	3.2	5.1	6.9	8.9	10.0	6.4	4.2	3.8	1.8	2.3	6.0	9.6	19.8	23.2	18.9	11.9	4.8
W5	0.0	2.2	3.9	3.2	4.8	5.1	6.4	4.0	2.3	0.0	1.5	5.7	6.7	9.5	10.5	9.3	6.0	6.2
W6	0.0	1.1	2.1	1.7	2.0	3.2	2.3	2.6	2.3	0.0	1.9	2.3	2.5	4.3	6.0	6.3	3.0	1.9
W7	0.0	1.1	2.2	1.0	2.0	2.4	2.9	1.6	0.0	0.0	0.8	2.4	1.6	2.5	4.7	5.0	2.8	1.4
W8	0.0	0.4	0.4	0.9	1.3	1.9	1.8	1.2	0.0	0.0	0.4	0.5	1.7	2.1	2.2	1.6	0.2	1.4
W9	0.0	0.0	0.9	0.9	0.7	1.0	0.7	1.2	0.0	0.0	0.8	1.3	0.4	1.1	1.8	1.1	1.0	1.0
W10	1.7	0.0	0.4	0.5	0.8	1.1	1.1	0.0	3.0	0.0	0.0	0.6	1.4	1.2	0.9	1.1	0.6	1.4
W11	0.0	0.4	1.0	0.5	1.6	1.4	1.1	1.2	2.3	0.0	1.5	0.6	1.6	1.6	2.9	1.3	2.0	0.0
W12	0.0	0.7	1.5	1.7	2.7	2.3	2.6	2.3	1.5	0.0	0.8	2.3	3.0	4.8	4.1	3.9	4.4	3.8
W13	0.0	1.8	2.4	1.7	3.8	3.7	5.4	3.9	1.5	0.0	1.5	3.0	2.9	6.6	7.7	9.5	7.7	2.8

Infected Insect Bites 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	1.9	1.5	1.6	3.3	2.6	3.3	1.8	2.4	0.0	0.7	1.1	5.4	7.1	8.1	2.5	3.7	5.2
W2	0.0	2.5	3.2	3.7	5.9	6.1	4.5	2.5	2.4	0.0	1.3	5.5	7.8	12.8	12.2	8.1	5.2	3.0
W3	0.0	1.9	3.6	5.7	6.8	8.0	6.3	3.9	3.6	0.0	3.3	4.4	8.7	11.2	14.0	9.7	6.1	3.0
W4	0.0	1.3	5.7	4.3	8.1	9.4	5.9	3.2	3.6	0.0	4.6	5.3	10.6	17.6	15.4	11.7	7.6	3.7
W5	0.0	0.0	3.6	3.6	4.5	5.2	6.1	4.2	2.4	0.0	2.7	4.0	5.3	10.3	8.9	8.8	5.2	1.5
W6	0.0	3.2	2.7	2.7	1.8	3.1	2.6	2.8	3.5	0.0	0.7	4.2	2.9	6.1	7.3	6.3	3.6	2.2
W7	0.0	1.9	1.9	1.1	1.5	1.6	2.1	1.0	0.0	0.0	0.7	1.5	2.6	4.2	4.6	2.7	1.8	2.2
W8	0.0	0.6	1.9	0.2	0.8	1.4	0.7	0.3	0.0	0.0	1.3	0.7	1.0	1.4	2.1	0.9	1.2	0.0
W9	0.0	0.0	0.8	0.2	0.6	0.9	0.9	0.0	0.0	0.0	0.7	0.7	1.0	1.0	1.0	1.6	0.6	0.0
W10	0.0	1.3	0.2	0.9	1.3	0.9	0.9	1.4	0.0	0.0	0.0	0.4	0.7	0.6	2.1	0.7	0.3	0.0
W11	0.0	0.0	0.4	0.9	1.0	1.6	0.0	1.4	1.2	0.0	2.0	0.9	1.7	1.7	2.4	1.8	1.2	0.0
W12	0.0	0.6	1.9	1.8	3.7	3.0	1.4	2.4	1.2	0.0	1.3	1.8	2.1	2.6	2.6	3.8	2.1	0.7

Infected Insect Bites 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W13	0.0	1.9	2.3	2.7	2.7	4.5	3.0	2.1	1.2	0.0	2.0	2.4	3.6	5.6	5.7	2.7	5.7	0.0

Infected Insect Bites 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	3.5	4.1	4.8	4.3	5.0	3.2	3.3	2.8	0.0	0.8	3.5	5.7	8.9	10.0	5.9	6.2	3.5
W2	0.0	3.9	4.9	4.3	6.0	6.5	7.7	4.4	0.0	0.0	2.0	7.5	9.1	14.2	16.9	16.2	9.7	1.2
W3	0.0	2.7	5.3	5.1	6.8	6.3	5.4	4.9	3.7	0.0	2.8	6.7	9.1	13.0	16.1	12.7	8.7	2.9
W4	1.8	6.6	4.3	4.6	7.7	8.2	9.1	7.4	6.4	0.0	4.1	7.6	8.7	14.6	19.8	19.4	8.7	3.4
W5	0.0	3.9	6.2	4.7	4.6	5.5	5.5	6.0	2.7	0.0	3.7	9.0	8.0	12.1	12.8	18.0	12.6	6.8
W6	1.8	3.5	3.9	2.4	2.8	3.7	2.7	4.6	0.9	0.0	2.9	7.0	5.6	8.5	8.9	10.2	7.7	4.0
W7	0.0	1.5	2.9	1.4	2.0	2.7	3.5	2.4	2.7	0.0	0.4	4.1	2.4	4.9	5.2	4.3	3.3	2.8
W8	0.0	0.0	1.3	1.1	1.0	1.3	1.6	1.6	1.8	0.0	0.4	1.4	1.6	2.4	2.0	3.3	1.6	2.3
W9	0.0	0.8	0.8	0.5	0.7	0.8	1.1	0.0	0.0	0.0	2.0	0.4	0.9	1.2	1.4	1.4	1.4	1.1
W10	0.0	0.8	1.4	0.6	1.1	1.1	1.2	1.9	0.0	0.0	0.8	1.0	1.4	1.2	1.5	1.2	0.2	1.1
W11	0.0	0.0	0.9	1.1	1.1	1.8	1.2	1.1	2.7	0.0	1.2	1.1	1.7	1.5	2.1	2.1	1.6	0.6
W12	0.0	1.6	1.7	1.6	2.9	2.4	3.2	2.4	0.9	0.0	1.2	2.5	3.2	3.6	4.1	3.6	3.2	1.1
W13	1.8	0.8	2.5	1.2	2.5	3.2	3.2	1.9	5.4	3.8	3.7	4.0	2.9	4.3	5.6	5.8	3.7	1.1

Infected Insect Bites 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	2.5	2.5	2.8	4.0	4.3	3.7	3.7	2.5	0.0	2.7	3.8	5.3	8.2	9.5	10.4	7.1	5.0
W2	0.0	2.5	4.3	4.0	4.0	4.6	4.5	3.9	1.2	1.7	4.4	6.6	6.4	8.8	11.9	6.5	6.4	1.5
W3	0.0	2.2	3.8	4.2	4.6	5.1	6.5	6.2	0.6	0.0	2.3	5.2	7.5	9.5	10.4	9.4	5.7	2.3
W4	0.0	3.5	8.1	5.5	5.8	7.0	7.7	9.0	4.9	0.0	5.7	5.4	7.2	15.1	17.6	14.1	14.7	3.4
W5	1.6	4.4	5.4	3.9	4.2	5.0	4.2	4.9	1.2	3.3	4.0	6.0	4.6	9.5	10.7	8.0	7.9	5.6
W6	1.5	2.5	3.1	2.0	1.9	2.8	3.0	1.2	1.2	0.0	3.4	4.4	3.2	4.5	6.8	4.4	5.0	1.5
W7	1.6	2.2	1.9	1.5	1.3	2.2	2.5	1.6	1.8	0.0	2.3	2.2	2.7	3.7	3.2	4.1	1.9	0.7
W8	0.0	0.3	1.2	0.9	1.0	1.1	1.2	0.8	0.0	0.0	0.7	1.2	2.2	1.8	2.1	2.6	2.2	0.4
W9	0.0	0.0	0.3	0.4	0.8	0.4	0.9	0.8	1.8	0.0	0.7	0.4	1.1	1.2	0.7	1.0	0.9	0.0
W10	0.0	0.3	1.3	0.6	0.9	1.0	1.0	0.2	0.0	0.0	0.0	0.3	1.5	1.3	1.3	0.8	0.9	0.0
W11	0.0	0.6	1.5	0.6	1.1	1.4	0.7	1.0	1.2	0.0	0.3	1.0	1.2	1.5	1.6	1.1	1.7	1.1
W12	0.0	1.9	2.1	1.8	2.0	1.5	2.2	0.8	2.4	0.0	1.3	1.8	1.6	2.7	3.5	2.7	1.7	0.7
W13	0.0	2.6	2.9	2.0	2.2	2.4	3.9	2.2	3.0	0.0	1.7	2.3	1.9	3.6	6.0	4.8	4.6	1.1

Infected Insect Bites 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	1.0	1.5	1.1	2.2	2.2	1.7	1.3	1.7	0.0	0.0	1.1	2.8	4.2	4.2	3.1	2.5	0.5

Infected Insect Bites 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W2	2.6	1.0	2.2	3.2	4.2	3.0	3.1	1.3	0.0	0.0	1.6	1.6	3.7	6.0	7.5	6.9	5.2	0.5
W3	0.0	2.6	3.4	3.0	4.3	4.5	3.5	1.6	0.8	0.0	1.1	2.7	6.1	6.8	8.7	5.8	6.9	1.6
W4	2.5	4.1	3.0	3.7	4.1	6.8	4.0	4.4	4.1	0.0	2.7	4.4	6.1	10.4	13.0	9.5	7.1	1.0
W5	0.0	2.1	3.0	3.3	5.2	3.9	3.8	2.8	3.3	0.0	0.5	3.4	6.1	7.5	8.1	6.5	4.0	2.0
W6	0.0	1.6	2.5	2.8	2.4	2.1	1.9	2.3	2.4	0.0	2.2	3.0	3.3	4.9	6.1	3.4	2.7	3.1
W7	0.0	0.0	2.4	1.0	2.3	2.9	1.9	1.0	1.6	0.0	1.1	2.3	2.2	4.2	3.4	2.4	2.4	1.0
W8	0.0	0.5	0.5	0.7	1.2	1.1	0.8	0.5	0.0	0.0	0.5	1.4	1.3	1.2	1.6	1.6	1.1	0.0
W9	0.0	0.5	0.7	0.7	0.6	1.6	1.1	1.0	0.0	0.0	0.5	0.7	0.9	0.7	1.1	1.3	1.1	0.0
W10	0.0	0.0	1.0	0.2	1.2	0.7	0.8	0.5	0.8	0.0	0.0	1.4	1.8	1.1	1.4	0.7	1.1	0.5
W11	0.0	1.0	0.5	1.4	1.7	1.0	1.9	0.3	0.0	0.0	1.7	0.7	1.6	1.5	2.2	0.5	0.9	0.5
W12	0.0	0.0	1.7	2.1	2.3	1.8	1.3	1.0	0.8	0.0	1.1	0.7	2.7	2.6	2.2	1.6	0.9	0.0
W13	0.0	2.1	1.5	0.7	3.6	2.1	1.9	1.5	1.6	0.0	1.1	0.9	1.8	3.7	4.3	4.1	1.8	0.5

Infectious Mononucleosis

Infectious Mononucleosis 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.7	2.5	0.3	0.0	0.0	0.0	0.0	0.0	0.8	0.3	1.8	0.6	0.0	0.0	0.0	0.0
W2	0.0	0.0	1.0	1.4	0.2	0.1	0.0	0.0	0.0	0.0	0.8	1.0	4.1	0.2	0.0	0.0	0.0	0.0
W3	0.0	0.7	0.0	1.4	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.5	0.6	0.1	0.0	0.0	0.0	0.0
W4	0.0	0.0	0.5	1.6	0.2	0.1	0.0	0.0	0.0	0.0	0.8	0.5	3.2	0.3	0.0	0.0	0.0	0.0
W5	0.0	0.0	0.2	1.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.1	0.0	0.0	0.0	0.0
W6	0.0	0.0	0.5	2.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.6	0.2	0.0	0.0	0.0	0.0
W7	0.0	0.7	0.7	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.3	0.1	0.0	0.4	0.0
W8	0.0	0.0	0.5	2.4	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.8	2.0	0.7	0.0	0.0	0.0	0.0
W9	0.0	0.0	0.2	2.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.9	0.5	0.0	0.0	0.0	0.0
W10	0.0	0.0	0.2	2.7	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.5	4.3	0.3	0.1	0.0	0.0	0.0
W11	0.0	0.0	0.5	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.0	0.7	0.1	0.0	0.0	0.0
W12	0.0	0.0	1.9	1.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.4	0.6	0.1	0.0	0.0	0.0
W13	0.0	0.7	0.0	2.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.0	0.3	0.1	0.3	0.0	0.0

Infectious Mononucleosis 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.3	0.5	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.0	0.1	0.0	0.2	0.0	0.0
W2	0.0	0.0	0.5	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	1.0	0.1	0.3	0.0	0.0	0.0
W3	0.0	0.3	0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.7	0.3	0.0	0.0	0.0	0.0
W4	0.0	0.0	0.2	0.7	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.3	0.0	0.2	0.0	0.0
W5	0.0	0.0	0.1	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.0	0.0	0.0	0.0
W6	0.0	0.0	0.2	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.3	0.2	0.0	0.0	0.0	0.0

Infectious Mononucleosis 4 weekly table (W1 - W13) - London

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W7	0.0	0.0	0.2	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.4	1.1	0.3	0.0	0.0	0.0	0.0
W8	0.0	0.0	0.5	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.9	0.2	0.1	0.0	0.0	0.0
W9	0.0	0.0	0.0	0.6	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	1.1	0.2	0.1	0.0	0.0	0.0
W10	0.0	0.0	0.0	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.2	0.0	0.0	0.0	0.0
W11	0.0	0.0	0.5	0.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.3	1.1	0.2	0.0	0.0	0.0	0.0
W12	0.0	0.0	0.1	0.4	0.1	0.0	0.2	0.0	0.0	0.0	0.3	0.1	1.6	0.2	0.1	0.2	0.0	0.0
W13	0.0	0.3	0.1	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.3	0.4	1.5	0.2	0.1	0.0	0.0	0.0

Infectious Mononucleosis 4 weekly table (W1 - W13) - Midlands

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.4	2.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.6	0.4	0.1	0.0	0.0	0.0
W2	0.0	0.7	0.6	1.6	0.1	0.0	0.2	0.0	0.0	0.0	0.4	0.1	2.1	0.3	0.1	0.0	0.0	0.0
W3	0.0	0.4	0.0	1.2	0.3	0.0	0.2	0.0	0.0	0.0	0.0	0.3	0.9	0.2	0.1	0.0	0.0	0.0
W4	0.0	0.4	0.1	1.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.3	0.0	0.0	0.0	0.0
W5	0.0	0.0	0.2	0.9	0.2	0.1	0.2	0.0	0.0	0.0	0.4	0.0	2.7	0.1	0.0	0.0	0.0	0.0
W6	0.0	0.4	0.2	1.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.7	0.3	0.0	0.0	0.0	0.0
W7	0.0	0.7	0.7	1.0	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.4	2.2	0.2	0.1	0.0	0.0	0.0
W8	0.0	0.4	0.6	1.6	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.4	2.9	0.1	0.2	0.0	0.0	0.0
W9	0.0	0.4	0.4	1.4	0.3	0.0	0.0	0.0	0.0	0.0	0.4	0.3	2.2	0.5	0.0	0.0	0.0	0.0
W10	0.0	0.0	0.1	1.6	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	3.3	0.2	0.1	0.0	0.0	0.0
W11	0.0	0.4	0.2	0.6	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.5	0.1	0.0	0.0	0.0
W12	0.0	0.0	0.2	1.8	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.3	3.1	0.5	0.2	0.0	0.0	0.0
W13	0.0	0.0	0.5	0.9	0.2	0.1	0.2	0.0	0.0	0.0	0.0	0.3	3.0	0.4	0.3	0.0	0.0	0.0

Infectious Mononucleosis 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.6	0.4	2.3	0.5	0.1	0.0	0.0	0.0	0.0	0.7	1.1	4.4	0.0	0.1	0.0	0.0	0.0
W2	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.2	0.2	0.1	0.0	0.0	0.0
W3	0.0	0.0	0.2	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.4	0.3	0.0	0.0	0.0	0.0
W4	0.0	0.0	0.2	1.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.1	0.0	0.0	0.0	0.0
W5	0.0	0.0	0.2	1.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.2	0.4	0.0	0.0	0.0	0.0
W6	0.0	0.0	0.0	0.9	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.2	2.4	0.2	0.2	0.0	0.0	0.0
W7	0.0	0.0	0.0	2.9	0.1	0.1	0.0	0.0	0.0	0.0	0.7	0.2	1.7	0.2	0.0	0.0	0.0	0.0
W8	0.0	0.6	0.2	2.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.7	0.2	0.0	0.0	0.0	0.0
W9	0.0	0.6	0.6	0.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.4	3.1	0.0	0.0	0.0	0.0	0.0
W10	0.0	0.0	0.2	2.0	0.4	0.1	0.2	0.0	0.0	0.0	0.0	0.7	3.1	0.3	0.0	0.0	0.0	0.0
W11	0.0	0.0	0.0	1.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.9	0.4	0.0	0.0	0.0	0.0
W12	0.0	0.0	0.2	1.1	0.6	0.0	0.0	0.0	0.0	0.0	0.7	0.4	2.9	0.2	0.0	0.0	0.0	0.0
W13	0.0	0.0	0.4	2.7	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.2	1.9	0.3	0.2	0.2	0.0	0.0

Infectious Mononucleosis 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.3	2.0	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.4	2.3	0.3	0.1	0.0	0.0	0.0
W2	0.0	0.0	0.4	1.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.9	0.3	0.0	0.0	0.0	0.0
W3	1.9	0.0	0.5	1.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.4	0.2	0.1	0.0	0.0	0.0
W4	0.0	0.0	0.1	1.5	0.3	0.1	0.2	0.0	0.0	0.0	0.0	0.3	2.1	0.2	0.0	0.0	0.0	0.0
W5	0.0	0.0	0.5	0.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.4	0.2	0.1	0.0	0.0	0.0
W6	0.0	0.0	0.5	2.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.0	0.2	0.1	0.0	0.0	0.0
W7	0.0	0.8	0.4	1.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.4	0.2	0.0	0.0	0.2	0.0
W8	0.0	0.4	0.3	1.7	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.6	2.5	0.2	0.1	0.0	0.0	0.0
W9	0.0	0.4	0.4	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.1	0.2	0.0	0.0	0.0	0.0
W10	0.0	0.4	0.0	1.7	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.7	1.9	0.2	0.1	0.0	0.2	0.0
W11	0.0	0.4	0.5	1.7	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.4	2.2	0.2	0.0	0.0	0.0	0.0
W12	0.0	0.0	0.3	1.7	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.3	3.2	0.2	0.2	0.2	0.0	0.0
W13	0.0	0.0	0.1	1.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.6	0.2	0.1	0.0	0.0	0.0

Infectious Mononucleosis 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.6	0.1	2.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.7	0.6	0.1	0.0	0.0	0.0
W2	0.0	0.6	0.1	2.7	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.6	3.0	0.5	0.1	0.1	0.0	0.0
W3	0.0	0.3	0.1	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.7	0.6	0.1	0.0	0.0	0.0
W4	0.0	0.0	0.3	2.5	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.7	2.9	0.3	0.1	0.0	0.0	0.0
W5	0.0	0.0	0.0	2.0	0.1	0.0	0.1	0.0	0.0	0.0	0.3	0.1	2.3	0.3	0.1	0.0	0.0	0.4
W6	0.0	0.6	0.3	1.3	0.3	0.1	0.0	0.0	0.6	0.0	0.0	0.7	2.9	0.1	0.1	0.0	0.0	0.0
W7	1.6	0.0	0.2	1.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.6	3.0	0.1	0.1	0.0	0.0	0.0
W8	0.0	0.3	0.2	2.2	0.3	0.0	0.0	0.0	0.0	1.6	0.0	0.7	3.8	0.3	0.1	0.0	0.0	0.0
W9	0.0	0.0	0.4	2.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.8	0.4	0.2	0.0	0.2	0.0
W10	0.0	0.3	0.5	1.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.6	0.1	0.2	0.0	0.0	0.0
W11	0.0	0.0	0.4	1.8	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.3	2.8	0.6	0.2	0.0	0.0	0.0
W12	0.0	0.0	0.7	1.7	0.5	0.0	0.0	0.0	0.0	0.0	0.3	0.9	4.1	0.4	0.1	0.1	0.0	0.0
W13	0.0	0.0	0.4	2.2	0.3	0.1	0.0	0.0	0.0	0.0	0.3	0.9	3.0	0.4	0.1	0.0	0.0	0.0

Infectious Mononucleosis 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.2	1.4	0.5	0.1	0.0	0.0	0.0	0.0	0.5	0.5	3.9	0.1	0.1	0.0	0.0	0.0
W2	0.0	0.5	1.0	2.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.9	3.2	0.5	0.4	0.0	0.0	0.0
W3	0.0	0.0	0.2	2.3	0.6	0.0	0.0	0.0	0.0	2.8	0.0	0.9	3.0	0.5	0.1	0.0	0.0	0.0
W4	0.0	0.5	0.5	1.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.3	0.1	0.0	0.0	0.0
W5	0.0	0.0	1.3	2.8	0.3	0.0	0.0	0.0	0.0	0.0	1.1	0.0	2.2	0.2	0.2	0.0	0.0	0.0
W6	0.0	0.0	0.2	2.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	3.1	0.4	0.1	0.0	0.0	0.0
W7	2.5	0.0	0.5	1.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.4	3.1	0.5	0.1	0.0	0.0	0.0
W8	0.0	0.0	0.2	2.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.9	0.6	0.0	0.0	0.0	0.0

Infectious Mononucleosis 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W9	0.0	0.0	0.0	1.6	0.1	0.0	0.0	0.3	0.0	0.0	0.0	0.7	2.7	0.5	0.1	0.0	0.0	0.0
W10	0.0	0.0	0.2	1.6	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.9	2.5	0.3	0.0	0.0	0.0	0.0
W11	0.0	0.0	0.2	2.1	0.4	0.0	0.0	0.0	0.0	0.0	0.6	0.9	2.2	0.4	0.1	0.0	0.0	0.0
W12	0.0	0.0	0.3	3.8	0.2	0.2	0.0	0.0	0.0	0.0	0.0	1.1	3.6	0.5	0.2	0.0	0.0	0.0
W13	0.0	0.5	0.2	2.6	0.8	0.0	0.0	0.0	0.0	0.0	1.1	0.5	3.2	0.5	0.0	0.0	0.0	0.0

Influenza-like illness (ILI)

Influenza-like illness (ILI) 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	7.1	1.4	2.4	0.5	1.8	1.8	2.0	1.4	0.0	0.0	2.3	1.0	2.4	2.7	2.0	1.2	0.0	1.7
W2	3.5	1.4	1.4	1.6	1.7	1.3	1.0	1.4	1.4	0.0	0.8	1.3	1.8	2.3	1.2	1.5	0.8	0.9
W3	7.1	0.0	0.7	2.7	2.1	0.6	1.3	1.4	0.0	0.0	3.0	0.8	1.7	2.8	0.8	3.1	1.5	0.0
W4	0.0	0.7	0.0	1.1	0.6	0.6	1.6	1.3	0.0	3.7	0.0	0.5	0.9	0.9	1.3	0.6	1.2	0.0
W5	3.5	2.1	1.2	0.5	0.3	1.3	2.3	0.9	5.4	0.0	2.3	0.8	2.0	2.3	1.0	0.9	2.3	6.8
W6	3.4	3.6	1.2	1.9	1.7	2.1	3.3	3.1	1.4	0.0	2.3	1.3	3.5	3.9	2.3	3.7	0.8	2.6
W7	0.0	5.0	1.7	2.1	2.5	2.5	1.6	1.8	5.4	3.7	2.3	0.5	2.9	3.4	2.5	1.8	3.4	4.2
W8	21.0	12.2	4.1	3.5	4.7	5.6	6.5	6.7	6.7	18.4	19.7	6.3	5.2	8.9	5.7	3.7	5.3	6.8
W9	65.5	40.3	12.7	9.1	15.3	16.7	22.2	34.8	51.1	47.3	47.7	11.0	13.7	23.1	23.5	19.6	29.4	40.1
W10	51.9	28.1	15.8	8.8	9.1	8.7	10.1	16.9	29.6	25.6	34.9	12.6	11.4	17.8	15.7	14.7	15.6	32.4
W11	17.5	23.8	9.8	5.6	7.9	7.2	4.9	5.8	6.7	29.6	19.7	8.5	7.7	14.3	7.7	5.2	7.2	18.7
W12	17.3	11.5	2.2	3.7	5.9	3.1	3.6	2.7	9.4	3.7	9.1	5.3	6.2	6.9	5.0	4.3	6.8	7.7
W13	0.0	3.6	0.2	1.1	2.4	1.4	1.3	3.1	6.7	15.0	2.3	0.8	2.8	4.1	2.3	0.9	3.0	5.9

Influenza-like illness (ILI) 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	4.4	1.6	1.2	3.1	2.0	1.3	2.6	1.0	2.9	3.1	2.1	1.9	2.9	4.0	4.6	4.2	2.4	0.9
W2	2.9	2.0	4.0	2.5	1.7	1.5	2.3	1.5	4.3	3.1	2.1	2.5	3.6	4.2	4.7	3.7	2.4	1.7
W3	3.0	2.6	0.7	1.5	1.7	1.9	2.3	1.5	2.9	3.1	1.4	1.4	2.3	3.5	4.4	2.9	5.5	2.6
W4	1.5	0.3	0.2	0.9	0.9	1.3	0.8	1.0	1.4	3.1	0.0	0.6	1.8	2.2	3.2	1.2	2.3	0.0
W5	2.9	2.6	1.3	1.9	1.5	1.6	1.5	1.5	2.8	3.1	1.0	0.9	1.6	3.0	2.4	1.5	2.7	4.3
W6	2.9	5.9	2.7	2.5	2.7	4.0	4.1	2.9	2.8	4.5	3.4	3.0	5.2	4.7	6.3	6.3	3.9	3.4
W7	7.2	6.6	3.8	3.5	3.4	4.2	3.5	6.3	4.2	4.6	6.9	2.2	5.0	5.6	7.1	6.3	4.6	4.2
W8	17.4	15.8	8.4	6.7	5.9	6.7	9.6	6.8	4.2	15.3	21.1	9.0	7.9	10.3	12.2	9.9	10.0	11.8
W9	35.5	41.5	14.3	13.2	12.3	16.3	14.8	31.3	36.4	40.9	32.8	8.8	14.5	24.2	27.2	23.5	34.3	50.8
W10	40.1	26.4	22.0	15.8	10.2	12.1	12.5	14.9	37.8	19.9	32.5	17.9	17.5	22.2	22.3	18.5	15.4	23.7
W11	24.6	15.8	10.2	13.2	10.1	7.5	7.0	12.5	21.0	21.6	12.8	8.8	13.6	18.0	14.3	8.6	12.3	9.3
W12	14.4	10.9	8.1	5.6	5.0	5.0	5.2	3.9	5.6	9.1	8.0	6.9	9.3	9.4	8.4	6.4	6.1	5.9

Influenza-like illness (ILI) 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W13	1.5	3.0	2.4	3.1	2.6	2.6	4.0	3.8	2.8	7.7	3.1	1.3	3.4	4.4	4.3	5.2	4.6	2.5

Influenza-like illness (ILI) 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	1.8	0.2	0.9	2.3	1.3	1.0	0.7	0.0	3.6	1.9	0.6	2.1	2.4	1.6	1.4	1.2	1.9
W2	1.8	0.7	0.5	1.1	1.6	1.6	1.1	0.0	0.8	1.8	2.6	0.3	1.4	2.7	2.1	0.9	1.8	0.5
W3	1.8	1.1	0.1	0.9	1.2	1.2	1.1	1.2	0.8	1.8	1.1	0.5	1.1	2.2	2.6	1.6	0.6	2.4
W4	1.7	0.4	0.1	0.7	1.2	1.3	1.1	0.7	0.8	0.0	1.1	0.1	0.5	0.6	1.0	0.9	0.4	1.4
W5	1.8	1.1	0.4	0.5	1.2	0.8	0.7	0.2	0.0	3.6	2.3	0.4	1.5	2.3	1.0	2.0	0.4	0.0
W6	5.2	4.0	1.8	2.3	2.4	2.7	2.0	3.5	3.0	10.5	3.8	1.5	4.0	3.8	4.6	3.8	4.6	6.2
W7	7.0	6.9	2.2	3.2	3.1	2.9	2.6	4.0	1.5	5.3	7.5	2.4	2.6	5.7	6.7	3.3	5.4	6.7
W8	21.0	23.5	10.1	5.7	9.7	9.0	11.1	11.9	24.1	12.5	29.4	10.7	12.6	17.2	15.5	9.1	10.2	19.0
W9	60.6	37.2	11.4	11.6	15.5	20.1	17.4	37.9	57.4	44.2	40.7	9.1	13.6	26.7	31.5	24.8	34.3	62.8
W10	24.4	21.4	9.8	9.5	10.8	8.7	8.0	17.4	27.9	12.6	21.9	11.6	13.2	21.1	14.4	8.9	17.1	34.2
W11	17.5	9.8	6.6	9.1	10.0	5.5	4.4	8.3	11.3	9.1	12.1	6.3	10.9	17.3	8.7	7.4	6.8	15.2
W12	13.8	7.6	4.2	5.0	4.7	4.2	3.6	2.8	8.3	12.5	4.9	4.4	5.4	9.9	5.6	2.5	4.8	9.0
W13	3.5	2.2	1.3	1.4	2.2	2.2	1.3	2.5	3.7	5.4	2.3	0.8	1.9	4.1	3.1	1.4	3.2	3.8

Influenza-like illness (ILI) 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	1.3	0.8	0.9	1.8	2.0	2.8	3.5	6.0	3.2	1.3	0.9	2.4	3.5	3.2	1.6	4.6	3.7
W2	6.1	1.3	1.5	1.1	2.5	2.5	2.1	2.5	3.6	6.4	2.7	1.5	1.5	3.7	2.9	4.7	4.0	0.7
W3	0.0	3.8	1.5	1.1	1.6	3.2	5.6	7.4	8.3	0.0	0.0	2.0	2.4	2.6	4.7	7.2	5.8	3.0
W4	0.0	0.6	0.4	0.2	1.4	2.1	4.0	2.1	1.2	6.4	0.7	0.4	1.2	1.4	3.5	2.7	2.7	2.2
W5	6.2	0.6	0.4	1.8	2.4	2.2	2.1	4.2	5.9	0.0	1.3	0.0	2.4	3.5	3.1	3.6	3.0	0.0
W6	3.0	3.2	1.5	1.1	3.5	5.5	5.6	4.2	4.7	3.2	4.0	2.9	5.3	6.3	8.2	6.1	7.3	9.5
W7	6.1	7.0	2.1	2.0	3.5	4.9	6.1	5.6	4.7	6.4	11.3	3.1	5.5	5.6	6.8	6.3	10.0	9.5
W8	24.7	36.8	10.9	7.9	10.5	12.7	10.5	19.8	38.7	19.4	30.0	9.9	12.0	19.3	19.2	14.8	25.1	27.7
W9	76.6	52.0	13.7	7.9	24.4	25.8	25.5	55.6	94.2	51.4	43.3	14.2	20.1	32.6	37.1	34.1	55.2	100.9
W10	24.7	27.3	11.0	8.7	12.1	10.7	11.2	16.0	40.0	26.1	16.0	10.0	12.2	24.0	16.5	13.0	16.9	35.1
W11	18.7	14.6	5.1	6.7	11.4	6.0	7.2	8.0	16.4	13.1	7.3	6.2	13.8	19.3	8.4	5.2	9.0	19.0
W12	15.4	9.5	6.6	5.8	6.8	3.6	5.1	6.9	17.6	16.1	9.3	4.9	7.6	13.0	5.7	4.3	6.0	15.3
W13	3.1	4.5	2.1	0.7	3.9	1.6	3.2	2.4	4.7	9.7	4.7	1.1	2.1	5.5	2.9	1.8	3.9	4.4

Influenza-like illness (ILI) 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	7.4	0.8	0.5	1.1	2.3	1.6	1.6	1.4	4.7	0.0	1.2	1.7	3.2	4.0	4.0	2.6	1.2	1.2

Influenza-like illness (ILI) 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W2	1.9	1.2	0.8	0.8	3.1	2.2	2.0	1.9	4.6	2.0	1.2	1.0	2.1	3.6	2.5	1.2	2.4	0.6
W3	5.6	1.2	0.7	1.4	2.2	1.5	2.0	2.7	2.8	4.0	0.4	0.7	1.7	3.6	3.2	2.1	0.7	1.7
W4	0.0	0.4	0.9	1.1	1.7	1.0	1.2	0.8	0.0	0.0	0.8	0.6	1.4	2.0	2.4	1.6	2.1	0.6
W5	1.8	2.3	0.4	1.3	1.6	1.9	2.5	1.4	2.7	0.0	1.2	0.4	1.2	3.0	2.8	2.1	1.4	1.7
W6	0.0	3.9	1.4	2.5	4.3	3.8	2.1	3.0	0.9	11.6	3.7	0.8	5.0	5.5	5.7	5.4	3.3	4.0
W7	3.6	4.3	2.0	3.2	3.5	4.1	2.5	3.5	5.4	1.9	2.9	2.1	6.5	6.0	6.6	4.1	4.7	5.6
W8	10.8	13.2	6.0	5.8	8.8	7.1	5.1	7.8	6.3	7.7	15.1	5.9	7.0	14.4	13.7	6.4	10.9	11.3
W9	39.2	38.8	11.3	10.4	17.9	20.9	14.9	31.0	58.5	53.5	40.5	9.2	17.8	29.1	31.6	22.7	36.9	61.6
W10	44.9	38.0	17.8	14.2	17.5	15.7	13.4	20.7	34.2	30.8	34.0	15.6	20.5	29.7	26.2	12.2	24.6	37.3
W11	29.0	17.8	9.7	8.6	12.3	8.8	6.7	12.6	19.8	23.2	14.8	6.6	12.8	20.9	13.1	6.7	13.9	15.2
W12	16.1	9.3	4.9	6.3	8.0	4.4	5.6	4.8	10.8	7.6	9.8	4.1	10.7	13.3	7.9	5.3	10.4	27.1
W13	7.3	3.5	1.6	2.1	3.5	2.9	2.5	4.0	3.6	3.8	4.1	1.4	3.4	5.5	4.5	4.1	4.8	9.6

Influenza-like illness (ILI) 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	3.1	1.9	1.0	0.9	2.0	1.3	1.6	0.8	2.5	1.7	0.3	0.4	2.8	4.8	3.0	1.5	1.6	2.3
W2	1.6	1.3	0.8	2.2	2.4	1.5	1.5	1.4	1.2	1.7	1.0	1.0	1.8	4.1	2.4	1.8	0.9	0.4
W3	6.3	1.3	1.0	1.4	2.0	1.5	0.9	1.4	0.6	1.7	1.3	0.3	2.1	3.5	2.3	1.5	1.4	1.5
W4	1.6	0.3	0.4	0.7	1.8	0.9	0.9	0.0	1.2	1.6	1.7	0.3	0.9	2.1	1.8	1.1	1.4	0.8
W5	4.7	1.6	0.5	1.0	1.3	1.1	1.2	1.8	1.8	8.2	1.3	0.4	2.9	2.7	2.4	1.4	0.7	3.4
W6	3.1	2.9	1.9	2.7	3.5	2.8	2.3	1.8	3.0	3.2	4.7	1.4	3.6	6.3	3.8	3.5	2.7	1.9
W7	4.7	4.8	2.0	2.9	2.8	2.8	2.6	3.3	1.8	3.2	2.3	1.7	3.8	6.4	5.2	3.2	2.7	3.4
W8	25.0	12.4	4.7	3.2	5.9	6.7	5.5	4.9	9.6	11.4	12.8	5.1	9.2	13.1	9.0	5.2	8.0	9.3
W9	54.3	48.7	14.2	13.7	19.0	20.6	20.4	34.7	77.9	98.7	47.0	13.8	19.9	32.1	31.6	22.7	41.3	72.9
W10	36.0	45.3	13.6	13.0	15.5	13.5	11.4	17.9	35.0	39.1	35.6	16.2	19.6	30.7	20.8	12.7	17.2	42.7
W11	33.1	17.2	9.8	8.4	11.5	7.5	6.0	9.7	24.1	26.1	19.2	6.8	12.1	20.3	11.0	8.1	10.6	30.3
W12	15.5	11.5	5.7	4.8	8.3	4.2	4.0	5.3	7.2	16.0	7.1	3.7	7.4	12.7	6.3	5.6	6.0	9.3
W13	3.1	5.4	1.2	1.7	3.0	2.5	3.3	5.2	6.6	8.2	3.0	0.8	2.9	4.6	2.6	3.2	3.2	11.2

Influenza-like illness (ILI) 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	2.5	1.0	0.5	2.3	2.2	1.2	0.6	1.0	0.8	2.7	1.1	1.6	2.2	4.8	1.6	1.3	1.4	2.6
W2	2.6	2.1	1.2	0.9	2.4	1.5	0.6	0.5	2.5	2.7	2.2	0.4	2.1	4.0	1.9	1.3	0.7	1.0
W3	0.0	1.0	1.0	1.6	2.1	1.8	1.2	1.6	2.5	5.5	2.2	0.9	2.6	2.9	2.1	1.6	0.9	1.6
W4	0.0	1.5	0.0	0.4	1.6	1.2	0.6	0.5	0.8	0.0	2.2	0.2	0.7	2.0	1.2	1.3	1.1	0.0
W5	0.0	0.0	0.5	0.9	1.2	1.4	0.6	1.0	1.6	0.0	1.1	1.4	1.7	1.9	1.9	1.5	0.9	1.5
W6	0.0	2.6	1.7	2.1	2.7	2.3	1.1	1.8	2.4	8.0	1.1	1.1	4.2	5.5	4.2	2.9	5.6	2.6
W7	5.1	2.1	2.5	2.4	3.1	3.1	3.1	2.1	4.1	10.8	1.6	2.1	5.1	4.9	4.5	2.5	3.3	3.1
W8	15.4	14.0	7.6	7.4	8.4	8.6	5.0	8.0	10.5	19.1	15.4	6.2	8.5	15.6	10.7	7.8	9.3	7.6
W9	70.8	45.1	15.3	12.4	21.1	27.7	24.3	48.3	69.0	48.5	42.9	11.9	23.3	36.2	37.1	32.2	47.6	76.6
W10	35.9	28.1	13.1	13.6	16.7	17.0	10.9	19.3	34.9	24.5	28.1	14.0	16.2	29.1	22.6	14.1	22.1	30.2

Influenza-like illness (ILI) 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W11	15.5	6.2	6.4	8.8	12.6	8.0	5.7	8.2	13.0	5.5	11.0	4.6	11.0	21.8	11.7	7.0	7.3	8.2
W12	5.1	6.8	5.1	4.6	8.3	5.5	4.0	8.7	7.3	10.7	8.3	3.7	8.8	12.3	7.6	6.1	7.7	7.7
W13	7.7	2.1	0.7	2.2	3.8	2.5	2.7	3.8	4.0	2.7	3.9	0.9	3.8	6.0	4.3	3.1	4.4	6.6

Intestinal Infections

Intestinal Infections 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	38.8	37.8	11.3	5.2	3.9	3.8	3.3	5.0	5.5	73.0	42.8	13.1	4.7	6.6	3.8	6.5	6.6	6.1
W2	70.8	44.2	15.3	4.4	3.9	4.5	6.9	6.3	8.2	55.0	44.4	16.6	4.4	6.3	5.5	6.5	6.2	5.2
W3	82.0	36.4	13.7	4.6	4.3	5.5	3.3	6.3	9.5	44.5	43.6	8.8	3.8	6.9	5.9	6.2	6.6	8.6
W4	73.1	26.4	7.4	4.9	4.3	3.8	7.2	4.9	6.8	51.3	28.6	8.8	6.1	7.0	5.7	8.0	3.9	9.4
W5	38.8	33.6	9.1	3.2	4.3	4.3	2.9	4.9	1.4	40.6	25.7	7.5	4.6	7.2	5.7	2.8	5.8	9.4
W6	34.5	43.7	12.2	3.5	3.6	4.4	4.9	4.9	8.1	43.5	27.2	7.8	4.0	4.1	5.7	4.0	6.5	2.6
W7	72.9	42.3	10.3	6.2	2.1	3.1	4.2	5.8	5.4	55.0	33.9	12.0	4.9	7.1	6.0	5.8	4.6	7.6
W8	52.4	49.6	11.0	5.6	3.6	3.2	4.9	6.2	8.1	47.9	46.9	8.5	4.9	7.1	4.2	6.4	6.5	11.9
W9	44.8	33.1	11.3	3.2	4.6	4.1	4.6	5.3	5.4	47.3	35.6	10.0	5.7	6.0	3.0	6.7	5.3	8.5
W10	62.3	46.9	12.2	5.3	3.6	4.8	7.5	3.1	16.1	58.5	41.0	9.8	8.0	6.5	5.6	6.1	7.2	5.1
W11	108.4	59.8	14.9	4.5	3.8	4.6	4.9	7.6	13.4	81.5	57.6	13.3	7.7	7.4	4.9	9.2	7.6	10.2
W12	93.4	61.2	19.7	4.8	5.0	3.3	3.9	5.8	6.7	80.9	54.5	17.1	8.5	6.0	5.0	6.1	7.2	5.1
W13	90.4	48.3	13.7	5.0	4.4	2.6	5.8	4.4	9.4	89.8	48.5	12.8	5.4	4.8	5.1	4.6	4.2	10.2

Intestinal Infections 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	57.3	51.2	21.8	5.9	4.7	5.5	6.2	5.9	11.6	49.0	46.8	19.3	7.9	9.6	7.6	7.2	7.9	3.5
W2	54.3	51.9	25.9	7.2	5.5	5.3	7.0	4.4	5.8	44.5	51.3	21.7	8.7	7.4	10.4	10.3	7.1	5.2
W3	67.9	54.3	19.2	7.1	5.1	6.9	5.7	6.4	2.9	77.7	41.6	19.8	9.0	7.8	8.8	7.4	8.2	7.7
W4	60.9	48.9	10.4	6.7	4.7	5.2	7.2	8.3	12.8	67.2	28.9	9.8	7.8	7.5	8.0	9.3	7.8	13.7
W5	71.5	38.4	17.6	5.1	5.2	4.1	7.1	8.3	5.6	46.0	43.7	15.3	7.9	7.3	9.2	6.8	8.5	8.5
W6	62.9	45.5	19.4	8.3	5.4	5.4	4.3	8.2	4.2	46.7	42.7	15.6	9.7	8.6	7.9	8.2	8.1	6.8
W7	73.5	50.2	16.9	5.7	5.3	4.5	5.8	5.8	7.0	59.3	46.9	16.1	8.6	8.1	8.2	8.9	12.0	7.6
W8	62.2	61.1	21.6	7.5	5.4	4.4	7.1	5.8	5.6	58.2	55.2	19.9	8.4	8.6	9.3	8.2	6.5	11.8
W9	59.7	42.1	19.7	9.0	4.1	5.1	7.3	4.3	8.4	63.6	42.5	15.9	9.2	7.6	6.6	7.9	6.2	8.5
W10	77.3	57.4	27.7	8.9	5.9	5.0	5.0	5.8	7.0	44.4	50.9	24.2	11.3	8.6	8.9	6.7	9.2	11.8
W11	66.7	65.7	24.9	8.1	5.8	5.6	5.8	5.3	7.0	64.7	55.8	21.9	9.6	8.5	9.4	9.8	10.4	11.0
W12	79.0	80.7	30.4	7.0	5.3	5.7	8.5	9.1	9.8	65.5	68.7	26.0	8.7	8.6	9.5	10.5	8.8	11.9
W13	78.3	64.8	20.7	6.4	4.7	4.7	7.0	7.7	5.6	66.0	43.0	19.5	8.7	8.5	7.3	7.8	7.7	8.5

Intestinal Infections 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	47.1	45.0	12.7	4.9	4.3	5.2	3.3	5.9	4.7	48.3	34.2	12.3	4.4	6.2	5.0	5.2	5.5	6.8
W2	70.0	40.6	15.8	6.1	5.1	4.2	5.7	5.4	7.0	42.9	35.7	14.2	6.8	7.3	5.8	8.2	5.5	4.4
W3	86.5	37.4	13.5	4.0	5.2	4.7	6.5	6.8	8.4	66.8	34.9	12.0	6.2	7.2	6.5	7.1	7.3	8.2
W4	52.0	28.5	7.1	4.1	4.5	4.4	4.7	5.2	6.9	46.0	25.9	4.8	5.7	6.9	6.3	6.3	7.0	6.7
W5	54.3	30.0	8.2	4.3	4.4	5.8	4.7	6.3	9.1	73.3	26.7	8.7	6.4	6.5	6.7	5.8	7.0	9.5
W6	62.1	48.7	9.8	4.6	4.6	5.3	4.4	2.8	9.1	64.8	30.8	10.4	5.1	6.5	7.1	6.8	6.6	3.8
W7	60.9	34.7	8.1	4.1	4.1	4.2	5.9	5.6	9.8	52.9	35.7	7.8	5.8	7.4	5.3	6.4	6.2	5.7
W8	50.7	42.3	16.0	5.0	4.5	4.0	5.9	9.1	7.5	56.9	40.6	13.1	5.5	6.0	6.2	7.1	9.8	9.0
W9	41.5	39.0	9.7	4.3	4.3	4.8	3.6	5.8	10.6	46.0	31.3	7.6	5.1	6.3	4.4	5.3	5.6	7.6
W10	43.6	44.2	13.4	5.4	4.8	5.9	5.0	6.0	6.8	59.4	41.1	9.6	5.6	6.2	6.7	6.7	6.4	5.7
W11	80.4	55.5	12.5	5.9	4.0	5.4	7.0	6.0	7.5	57.9	42.2	11.4	6.0	8.3	4.9	5.2	8.5	9.5
W12	67.1	54.0	16.6	4.6	4.9	4.8	8.3	6.2	4.5	106.8	51.6	14.8	5.6	7.2	6.4	7.2	8.5	6.2
W13	78.2	44.5	14.9	4.8	3.8	5.2	4.5	4.8	8.2	39.6	48.2	13.4	5.4	6.3	4.6	4.7	5.5	8.0

Intestinal Infections 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	45.6	47.4	13.2	4.8	5.2	5.3	5.7	8.5	13.3	60.9	39.8	10.6	6.4	8.6	5.7	7.0	9.5	13.4
W2	52.0	43.0	13.7	3.7	6.7	7.1	5.9	7.4	8.4	70.8	36.5	10.8	7.1	6.8	6.6	7.0	8.6	9.6
W3	65.1	39.9	10.1	5.7	5.9	4.9	7.7	10.5	9.5	58.3	35.2	8.0	10.0	8.0	6.9	9.0	9.7	15.5
W4	39.5	33.6	7.8	3.9	6.3	5.2	5.4	8.1	9.5	57.5	24.6	8.2	3.6	7.9	5.9	7.2	9.1	10.3
W5	46.4	31.1	10.5	5.4	4.4	5.6	8.0	9.1	1.2	74.1	22.6	6.9	7.2	7.5	5.4	5.0	10.0	6.6
W6	82.2	37.4	12.0	5.4	5.6	6.4	6.8	4.9	2.4	88.6	38.6	6.4	8.2	9.4	6.1	7.4	7.9	7.3
W7	64.4	42.5	10.5	4.5	4.2	4.8	4.0	11.2	11.8	70.6	49.9	9.9	7.7	6.2	6.2	7.9	7.3	7.3
W8	71.0	42.5	10.9	5.2	5.6	5.0	4.4	3.8	7.0	68.0	41.3	10.8	6.7	6.1	5.7	6.1	7.8	7.3
W9	76.6	32.9	7.6	4.9	5.0	4.7	5.6	4.5	10.6	51.4	22.0	7.1	6.2	5.8	5.6	5.4	7.8	7.3
W10	52.4	39.9	11.6	6.3	5.2	4.3	3.3	3.1	9.4	48.9	29.3	10.6	7.2	7.7	5.4	6.5	7.5	9.5
W11	140.1	50.8	13.7	6.5	5.4	6.2	3.0	9.4	11.7	72.0	60.7	10.2	7.6	7.9	7.4	7.4	8.1	16.1
W12	92.4	74.3	14.6	5.6	4.6	4.0	4.2	6.2	5.9	67.4	48.7	13.7	8.3	7.4	7.1	8.1	6.6	8.8
W13	80.6	52.1	14.6	4.5	4.6	5.3	6.3	6.2	12.8	77.9	62.1	12.9	5.0	7.5	5.8	5.4	6.0	9.5

Intestinal Infections 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	63.2	47.2	14.5	5.6	6.5	5.1	5.6	8.3	17.7	40.0	37.3	11.5	7.5	7.9	7.2	7.9	8.1	7.0
W2	61.3	49.9	15.6	5.7	7.0	7.2	7.5	6.3	7.4	47.9	44.6	13.0	8.7	8.9	8.3	8.2	11.6	11.6
W3	63.5	48.9	11.3	5.2	7.0	6.6	7.0	7.9	11.9	58.5	36.2	10.9	6.4	8.9	7.6	9.9	11.1	8.0
W4	42.0	33.3	8.3	5.0	6.2	5.2	6.2	8.7	12.8	37.3	24.4	8.3	6.8	7.6	7.2	7.1	11.3	8.0
W5	57.0	22.8	8.3	5.2	6.6	5.9	6.9	9.0	8.2	51.3	28.1	5.8	6.7	8.2	8.6	8.0	6.5	8.5
W6	66.3	45.2	10.9	5.8	6.0	6.6	6.9	9.2	8.1	59.8	38.7	9.4	7.1	8.8	7.7	7.1	10.5	11.3
W7	66.4	41.4	12.3	6.2	7.1	5.8	8.0	7.3	12.6	59.8	44.9	9.8	6.0	8.3	5.6	7.8	13.5	7.9

Intestinal Infections 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W8	88.3	56.2	14.7	6.1	6.0	6.8	6.0	7.5	9.9	58.0	54.7	12.7	5.9	8.5	9.3	8.3	10.5	10.1
W9	78.4	36.5	10.4	4.5	6.7	5.0	4.8	8.3	11.7	38.2	28.6	12.3	6.0	6.7	6.8	7.9	10.0	13.0
W10	66.4	43.1	10.8	5.7	4.9	5.7	7.8	6.2	9.0	55.8	40.2	9.9	6.4	8.3	7.7	6.9	7.2	8.5
W11	77.9	61.7	12.9	6.2	7.2	6.1	4.6	6.7	16.2	65.7	49.2	12.7	5.7	8.3	8.4	7.7	11.6	14.7
W12	95.1	72.9	20.0	7.3	5.7	6.8	8.3	9.9	16.2	75.8	66.0	18.8	7.2	9.0	9.3	10.0	10.6	15.2
W13	78.0	58.5	15.7	5.0	5.1	5.7	6.5	6.9	13.5	74.6	66.5	18.2	6.2	7.8	7.9	9.6	8.5	9.6

Intestinal Infections 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	58.0	45.1	11.5	6.3	5.1	5.8	8.0	6.8	8.1	62.8	36.9	11.1	8.5	7.2	6.9	7.9	8.7	8.9
W2	75.1	40.3	15.2	6.8	5.3	5.2	6.0	6.0	4.3	51.5	35.5	11.0	8.4	8.8	7.5	7.9	8.3	8.0
W3	63.0	39.4	11.7	6.0	5.5	6.6	8.6	5.1	7.4	55.2	38.2	8.6	8.5	9.4	7.1	8.0	9.2	8.4
W4	40.5	34.0	8.1	5.8	5.6	5.3	5.7	6.6	8.0	50.7	22.5	6.4	5.5	6.4	5.9	5.4	8.8	9.5
W5	53.5	27.3	7.4	4.8	5.0	5.0	5.7	5.7	7.9	47.8	29.3	7.0	7.6	7.8	6.1	6.4	7.2	6.4
W6	64.8	34.9	9.5	4.6	5.4	5.5	6.7	6.1	10.3	54.9	35.9	6.9	7.5	7.6	7.2	6.9	7.5	11.2
W7	63.6	35.6	8.3	4.7	5.4	5.8	7.2	9.0	4.8	55.2	36.6	9.1	5.9	6.3	6.4	5.9	7.5	7.1
W8	68.8	43.9	12.3	5.5	5.4	5.1	7.5	7.5	13.3	65.3	36.6	10.9	7.4	7.8	6.4	5.5	8.0	7.8
W9	54.3	35.3	11.6	5.0	4.5	4.9	5.6	8.5	8.5	35.6	31.9	7.9	6.4	5.7	5.9	6.1	7.9	8.2
W10	56.4	47.8	13.1	5.4	4.9	4.9	6.9	7.1	7.8	60.3	43.0	10.1	8.7	8.2	5.4	7.0	9.4	10.1
W11	69.4	52.6	13.2	5.1	5.7	4.6	5.3	7.9	10.3	66.9	54.2	13.6	7.7	8.6	6.7	7.4	5.3	13.8
W12	63.5	65.2	19.4	4.9	5.8	4.6	5.5	7.9	10.9	76.9	64.0	15.1	5.7	8.9	5.8	9.3	8.0	11.2
W13	73.2	50.9	13.2	6.7	4.6	4.5	6.5	7.9	7.2	75.0	48.5	12.0	7.0	7.8	5.4	6.3	5.4	13.0

Intestinal Infections 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	50.9	35.3	9.1	4.4	5.5	5.2	6.5	7.6	5.0	54.0	30.0	8.5	3.7	6.4	5.3	4.7	5.9	7.8
W2	46.2	34.9	11.1	5.5	4.0	5.0	5.8	5.5	3.3	21.7	36.0	9.0	7.1	6.7	5.6	6.9	5.4	7.3
W3	54.3	28.8	10.1	5.5	4.5	4.2	3.8	5.7	7.4	47.1	30.6	6.7	5.0	6.2	6.2	6.9	8.3	6.7
W4	33.1	18.6	6.2	4.9	4.7	3.5	5.0	4.7	7.4	19.1	14.8	3.0	5.2	6.0	5.6	6.9	4.2	7.2
W5	38.4	23.8	6.9	3.7	4.1	4.2	4.8	4.4	7.3	52.1	15.3	5.0	4.4	6.0	4.9	2.9	6.7	9.7
W6	37.7	27.5	6.5	3.5	3.2	4.2	4.4	6.5	8.1	61.6	29.1	4.2	6.9	5.1	6.1	6.0	8.2	10.2
W7	81.3	31.6	4.9	3.8	4.6	5.1	4.2	5.4	6.5	67.5	36.3	6.2	6.9	5.4	5.6	4.9	8.4	7.1
W8	48.7	31.7	8.2	3.3	4.9	3.3	6.1	4.4	3.2	59.9	26.9	5.8	3.6	5.9	4.6	6.2	6.2	5.6
W9	48.1	34.2	6.2	3.8	4.4	3.3	3.1	4.1	4.1	40.5	19.2	6.0	5.8	4.8	4.8	5.3	4.4	5.6
W10	33.4	33.3	8.8	3.3	4.0	4.4	4.2	6.2	4.1	51.8	28.6	9.0	3.1	6.6	4.1	5.4	7.3	5.1
W11	64.8	50.4	8.6	3.4	4.1	3.8	5.0	5.9	4.9	81.9	36.4	7.3	4.7	5.3	5.8	6.1	7.7	11.2
W12	71.4	35.4	9.4	3.4	4.8	4.1	5.2	5.6	6.5	37.5	39.2	10.5	4.8	6.2	6.1	6.7	4.8	9.2
W13	51.4	30.2	7.4	3.3	3.9	4.2	5.0	4.6	6.4	24.2	32.1	7.5	4.5	5.7	4.6	4.9	6.6	5.6

Lower respiratory tract infections (LRTI)

Lower respiratory tract infections (LRTI) 4 weekly table (W1 - W13) - East of England

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	310.3	170.4	70.4	32.0	41.7	65.2	140.8	196.7	296.4	200.7	132.9	75.3	51.9	71.1	94.6	132.5	180.5	244.8
W2	272.6	136.9	67.1	25.1	41.0	57.8	126.3	189.3	306.6	194.2	121.0	61.3	41.4	59.5	83.2	123.1	151.3	244.1
W3	192.4	111.2	45.8	27.7	34.1	52.5	107.4	155.4	229.3	166.8	94.0	44.0	43.1	51.6	73.3	110.1	131.6	228.1
W4	135.8	67.8	23.0	16.2	24.0	38.2	100.1	143.4	217.2	66.0	76.8	23.8	26.1	38.1	51.9	95.9	134.9	188.5
W5	183.3	91.6	28.8	19.9	23.2	38.5	76.8	141.3	198.5	81.1	70.2	20.3	31.5	35.7	58.2	82.6	111.1	184.2
W6	396.5	186.2	43.8	31.5	37.2	70.6	126.3	201.1	336.3	221.2	166.7	32.8	46.2	68.9	97.7	138.1	189.3	310.2
W7	670.3	315.6	42.2	32.2	43.1	79.7	155.9	225.8	337.8	487.4	281.4	35.4	48.7	77.6	113.3	163.8	208.6	294.9
W8	1,139.5	512.1	89.6	39.9	53.9	97.8	170.9	262.8	422.0	939.8	485.2	70.2	61.7	100.9	143.3	184.9	224.2	391.9
W9	837.1	275.5	55.6	43.2	82.9	141.0	204.4	286.1	535.6	564.3	271.0	52.7	72.1	133.4	204.1	243.0	322.4	528.3
W10	480.8	193.3	57.3	37.0	59.3	92.7	158.0	235.8	384.6	373.0	197.2	44.9	50.8	98.3	139.5	165.4	221.3	340.5
W11	419.8	208.3	41.5	32.9	48.9	78.9	149.9	208.0	384.3	307.4	159.3	39.0	51.2	91.9	113.7	145.2	200.3	359.5
W12	418.4	211.0	42.5	22.3	42.2	70.0	125.4	195.2	345.7	253.9	190.1	39.8	43.4	74.8	95.9	129.8	169.0	282.7
W13	302.6	131.9	24.2	20.6	31.5	62.6	124.5	184.0	306.8	291.7	92.5	21.1	30.2	50.7	88.3	141.5	183.1	298.6

Lower respiratory tract infections (LRTI) 4 weekly table (W1 - W13) - London

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	233.6	113.3	57.2	25.4	23.6	46.0	106.4	144.2	215.5	137.9	96.7	48.2	32.7	42.2	75.6	118.0	144.1	179.7
W2	154.0	88.7	49.6	26.0	22.3	45.0	93.5	147.9	195.6	127.5	74.0	47.7	31.8	40.0	71.2	105.9	129.3	179.3
W3	147.6	80.2	40.0	19.9	19.2	39.7	83.7	114.5	208.4	93.2	82.9	37.2	28.5	35.4	63.0	86.3	108.6	158.2
W4	121.9	58.1	20.4	15.7	14.8	31.2	74.1	114.0	152.3	79.4	48.8	20.4	18.7	25.8	47.2	69.5	107.1	134.5
W5	148.8	65.9	21.6	17.3	13.8	32.5	67.8	105.3	165.3	85.9	53.7	21.2	20.6	27.6	48.2	79.2	95.0	137.9
W6	271.8	131.7	40.1	23.8	23.2	49.6	106.1	145.8	238.0	147.6	112.9	41.1	32.8	44.3	79.5	116.2	145.1	206.7
W7	466.7	225.6	49.3	28.1	25.6	58.2	122.9	160.8	266.3	380.0	203.3	38.6	35.8	47.6	93.0	143.1	174.8	233.3
W8	886.3	312.2	72.3	28.5	29.4	69.7	136.2	183.7	285.5	603.0	286.3	66.7	39.6	65.7	117.6	164.3	178.0	285.9
W9	468.8	148.1	56.5	30.5	39.5	88.4	166.3	245.4	378.2	342.4	157.6	48.4	42.4	73.4	143.4	190.2	249.4	387.1
W10	263.5	147.6	52.9	29.1	33.8	66.3	119.4	187.9	260.2	169.9	133.6	50.3	38.4	62.9	105.7	132.7	170.3	268.0
W11	286.9	151.8	42.6	26.6	30.7	61.3	115.3	171.0	254.3	201.7	130.6	40.9	37.0	61.3	96.6	132.2	159.4	216.4
W12	269.9	134.2	45.3	27.1	26.4	56.7	107.4	153.1	253.1	159.9	126.6	34.3	30.5	48.4	81.5	119.0	147.4	207.5
W13	197.3	82.0	23.3	17.5	21.4	45.0	103.2	151.3	221.5	139.6	70.0	19.4	24.5	34.4	66.9	112.0	147.6	235.0

Lower respiratory tract infections (LRTI) 4 weekly table (W1 - W13) - Midlands

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	306.8	155.7	69.1	34.2	47.8	80.2	155.9	204.3	315.7	202.4	142.7	66.3	51.3	83.3	117.7	175.4	188.4	302.0
W2	276.5	143.7	63.8	28.6	44.4	76.8	135.6	208.9	318.6	189.5	122.1	58.1	44.5	81.1	112.8	149.1	194.7	279.5
W3	301.8	132.5	48.1	27.0	40.1	69.1	130.2	190.2	296.7	160.7	117.9	45.6	40.0	70.9	94.9	137.2	178.7	259.0
W4	161.3	89.4	28.5	22.4	29.6	57.1	108.2	148.3	229.0	139.9	85.3	28.2	25.5	47.8	75.0	111.4	149.2	197.9
W5	227.7	123.8	34.4	20.9	27.9	53.2	106.6	151.2	254.1	135.9	95.1	27.9	29.9	52.8	77.0	101.6	143.0	225.1
W6	439.7	216.9	52.8	41.9	48.8	86.4	160.6	238.4	371.1	289.1	206.4	44.9	58.8	90.7	127.8	177.4	219.8	341.2

Lower respiratory tract infections (LRTI) 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W7	911.5	403.0	55.7	38.3	56.7	101.3	178.9	250.7	406.5	660.1	354.6	45.5	65.4	98.8	152.6	201.2	252.5	372.3
W8	1,128.4	423.8	103.2	49.3	74.2	131.6	197.6	274.9	427.5	880.6	421.9	100.1	70.9	142.5	215.9	240.8	276.9	454.8
W9	678.4	229.8	64.9	45.8	88.8	168.3	246.8	347.3	547.2	472.0	203.3	58.8	71.6	165.9	253.8	278.0	363.0	550.3
W10	427.6	202.0	57.5	38.7	63.8	107.9	180.1	253.9	433.1	293.2	177.6	53.3	56.0	111.7	155.5	188.0	244.9	396.6
W11	414.4	193.6	51.7	40.9	61.1	99.2	163.4	245.1	390.0	264.3	191.8	46.1	60.0	111.0	141.6	186.1	216.2	327.3
W12	431.8	209.1	50.6	32.6	49.8	80.8	148.9	220.6	351.6	293.7	199.3	48.6	46.6	91.2	120.2	162.4	203.4	323.9
W13	368.6	124.5	29.9	23.6	40.5	78.3	139.6	211.3	319.4	200.0	125.1	29.0	31.2	70.2	108.8	156.6	200.7	324.6

Lower respiratory tract infections (LRTI) 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	383.3	167.0	53.2	36.0	47.9	85.8	175.2	261.0	390.3	301.1	143.1	58.5	43.5	81.1	119.8	190.4	240.2	311.0
W2	330.4	146.8	57.6	28.6	43.2	75.4	151.5	258.2	357.3	189.7	133.4	44.0	47.6	71.2	114.7	166.2	237.8	292.2
W3	381.5	112.6	43.8	27.3	37.5	72.9	144.4	246.1	326.7	149.1	139.3	40.2	37.9	65.6	106.2	159.2	211.4	298.0
W4	176.4	76.6	24.2	21.6	27.9	55.5	106.3	184.0	277.5	83.1	77.0	23.2	25.1	47.2	77.3	130.8	160.3	227.5
W5	241.3	104.6	26.9	19.3	28.0	52.5	111.8	162.1	263.7	125.6	87.1	23.4	31.1	50.3	72.6	111.5	172.3	229.4
W6	496.2	226.2	41.8	34.4	46.0	85.2	151.5	230.4	427.1	294.3	184.2	40.4	52.8	85.5	124.5	172.7	230.3	372.1
W7	983.7	395.1	40.4	28.0	50.5	101.3	178.2	261.7	413.9	718.6	336.0	38.2	52.7	91.6	137.9	196.1	250.7	358.0
W8	1,071.6	436.3	86.3	37.6	67.2	127.6	215.1	296.4	457.5	958.2	431.6	71.4	72.0	137.5	186.6	239.5	299.7	451.4
W9	768.6	235.7	47.2	45.8	89.1	165.7	242.2	357.4	532.2	462.9	225.6	45.8	63.3	160.9	241.7	270.6	369.5	559.2
W10	549.1	213.7	41.1	36.3	61.1	104.4	184.9	294.2	452.1	329.4	167.9	42.5	52.7	108.3	148.2	200.9	259.2	443.8
W11	498.1	204.4	41.2	30.2	64.8	99.3	171.6	245.6	403.0	359.9	193.3	35.2	48.8	102.8	126.4	189.9	255.5	365.4
W12	474.5	212.8	45.9	28.3	49.5	84.6	163.9	232.5	360.0	324.3	196.1	37.7	40.9	91.4	122.5	166.0	219.4	310.5
W13	424.8	124.0	19.5	24.1	38.7	79.3	151.0	225.8	388.6	227.2	110.9	22.0	33.6	62.7	105.6	169.5	232.0	349.0

Lower respiratory tract infections (LRTI) 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	349.7	157.0	58.0	38.2	50.3	98.9	194.2	253.9	365.8	253.9	153.9	53.4	51.6	91.1	144.9	208.9	259.8	363.0
W2	340.2	148.7	49.6	28.5	45.6	90.8	182.5	256.2	429.3	227.4	114.9	47.6	44.8	83.2	139.6	196.8	251.6	352.0
W3	309.9	143.6	41.7	29.9	42.1	88.3	169.8	234.2	399.8	175.5	116.7	39.6	40.4	78.1	128.5	174.8	236.2	351.7
W4	248.5	98.1	22.9	22.4	33.7	72.0	134.2	203.3	324.3	166.9	83.4	21.2	30.8	54.1	98.6	151.2	188.7	298.7
W5	250.0	140.5	33.8	21.4	33.9	70.2	134.1	189.1	320.8	185.4	108.8	32.6	37.0	61.3	99.6	154.7	192.5	319.8
W6	591.6	289.9	51.6	43.9	59.1	109.3	209.4	296.0	453.5	428.1	239.4	52.5	71.1	109.5	166.6	235.5	292.7	424.8
W7	1,088.1	452.3	60.3	39.6	62.5	121.2	226.3	298.5	496.2	826.2	434.3	54.3	65.5	115.1	188.9	260.8	319.5	466.4
W8	1,390.5	491.4	105.5	45.3	83.3	156.0	246.2	352.7	553.8	1,076.6	448.0	91.0	78.1	155.6	241.3	320.9	363.1	578.5
W9	719.8	250.5	60.3	52.5	102.8	203.2	283.7	439.0	702.4	555.7	245.7	57.4	82.5	186.4	298.3	362.6	461.7	695.7
W10	524.3	249.9	71.7	48.6	82.1	149.8	234.2	326.8	515.9	354.1	213.5	64.2	74.2	150.5	217.1	267.5	320.2	525.0
W11	516.5	223.9	58.5	46.8	78.7	130.5	216.7	305.8	510.9	357.3	212.9	56.5	64.4	136.5	180.2	244.6	320.0	468.5
W12	529.3	246.7	60.8	37.2	64.5	108.3	199.4	282.8	458.3	339.0	226.0	47.4	61.2	106.6	157.4	232.7	283.3	407.3
W13	417.2	154.9	30.0	28.4	45.7	94.7	179.4	275.4	439.4	269.6	139.5	23.4	35.1	78.7	136.6	206.6	267.1	417.5

Lower respiratory tract infections (LRTI) 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	283.6	160.9	69.1	33.9	40.8	68.8	123.5	179.2	267.7	221.4	136.2	68.0	49.0	73.1	94.8	139.3	163.3	261.8
W2	242.4	116.8	58.8	26.8	39.9	60.0	117.7	161.3	240.6	157.9	104.9	50.3	44.6	62.6	82.8	125.6	159.8	229.4
W3	203.3	125.9	44.3	27.1	31.4	54.1	101.0	150.5	236.2	128.8	100.3	38.6	34.0	56.4	79.7	103.1	137.0	215.6
W4	123.0	94.0	27.5	20.0	23.1	42.6	84.4	127.6	210.6	101.4	78.9	27.6	30.7	40.6	62.9	98.3	120.6	187.6
W5	239.1	115.3	30.7	17.7	27.7	42.9	86.1	128.8	228.0	133.6	90.8	31.6	33.3	45.5	60.6	94.5	119.3	186.0
W6	492.6	222.0	50.1	37.1	40.5	72.9	127.1	194.5	342.8	290.9	203.0	43.4	54.5	83.3	105.2	148.2	190.2	289.3
W7	825.8	385.1	48.2	33.6	43.4	88.1	152.7	206.8	338.3	654.7	339.5	46.6	56.7	84.9	121.1	171.2	209.7	331.9
W8	1,242.3	485.7	84.4	39.9	59.5	99.8	163.4	227.4	391.6	942.5	449.1	79.0	62.0	112.4	152.9	188.6	230.3	369.8
W9	694.5	238.5	60.9	42.9	77.5	138.5	199.4	307.6	463.8	547.0	223.9	57.6	66.5	142.4	208.1	237.5	303.6	498.1
W10	501.3	231.7	64.4	41.4	60.4	96.4	148.0	217.2	376.7	384.4	215.4	57.9	58.1	110.6	136.3	173.6	215.9	371.5
W11	463.6	197.5	49.6	31.8	53.1	82.3	143.0	204.9	342.0	300.3	194.5	44.7	51.1	100.2	116.5	155.4	198.0	325.4
W12	479.8	237.4	51.9	27.8	44.7	70.4	138.4	189.0	309.5	290.0	203.2	44.3	45.6	88.8	101.2	145.7	176.3	288.9
W13	314.5	132.8	24.9	18.7	33.8	58.3	122.5	175.7	285.3	220.1	115.8	24.2	33.9	59.5	88.4	134.4	167.7	295.2

Lower respiratory tract infections (LRTI) 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	292.9	125.9	51.4	25.0	34.4	61.0	102.0	181.1	270.2	159.4	114.0	47.5	39.3	59.2	82.8	120.5	154.3	244.5
W2	254.2	99.0	38.6	19.5	26.1	52.6	93.5	150.7	252.7	160.3	78.6	37.6	30.6	49.2	72.0	101.5	138.5	210.4
W3	217.3	86.5	30.5	20.5	25.1	47.4	90.0	135.6	240.8	116.4	86.3	25.7	26.0	41.9	60.8	94.6	119.4	221.8
W4	152.9	52.1	14.6	10.6	18.1	44.0	78.1	122.6	205.3	81.8	59.6	17.2	22.2	30.5	51.5	84.2	103.2	163.0
W5	184.3	82.3	19.3	13.9	20.1	41.0	65.6	120.6	184.2	112.4	61.9	19.1	26.0	33.0	56.5	66.8	98.2	161.4
W6	331.7	136.2	26.4	27.8	28.8	59.6	117.3	161.2	318.0	241.0	115.7	27.1	39.3	60.8	86.0	115.2	153.5	262.2
W7	762.5	257.7	31.6	26.1	35.9	69.2	129.3	181.9	307.5	520.8	236.3	28.6	39.8	66.8	99.9	132.9	165.6	279.0
W8	1,183.4	364.2	57.7	27.7	48.2	93.8	146.8	206.9	353.1	865.7	331.4	54.5	52.0	88.9	124.2	163.8	205.6	344.3
W9	743.8	167.6	38.2	30.9	60.2	122.5	181.3	265.5	461.0	431.5	185.7	35.4	46.8	110.8	169.1	195.5	270.3	434.5
W10	377.1	148.1	33.0	29.0	42.9	82.4	131.9	198.0	363.7	278.2	130.0	27.7	35.0	74.2	110.5	141.6	180.4	311.8
W11	383.4	145.6	27.8	24.4	40.0	69.9	125.1	197.7	331.3	270.3	124.1	24.1	38.7	67.2	95.9	118.7	171.7	286.6
W12	392.6	159.0	35.2	23.0	37.2	62.1	107.7	165.2	266.4	276.0	146.5	27.2	36.3	67.0	84.5	122.0	154.5	260.5
W13	298.2	101.2	17.6	13.9	28.7	55.0	98.0	160.0	258.6	156.2	97.9	16.9	25.6	45.3	72.6	112.1	144.4	224.0

LRTI - Acute Bronchitis

LRTI - Acute Bronchitis 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	17.6	7.1	2.4	2.5	1.1	2.4	5.9	5.0	5.5	0.0	3.0	3.8	1.8	4.1	4.6	6.2	6.2	2.6
W2	0.0	2.9	1.9	0.8	1.3	2.0	3.0	5.0	4.1	7.3	3.0	1.8	1.8	3.0	3.5	4.6	3.5	4.3
W3	0.0	2.9	1.0	2.2	1.8	1.7	2.3	1.8	5.4	7.4	1.5	1.3	1.5	2.2	2.4	4.6	4.2	7.7
W4	0.0	2.1	0.7	0.0	0.9	1.2	2.9	4.0	1.4	3.7	2.3	0.3	1.2	1.6	2.3	3.7	2.7	0.0

LRTI - Acute Bronchitis 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W5	0.0	3.6	0.0	0.3	1.3	2.2	3.3	3.1	2.7	3.7	4.5	0.5	2.3	1.1	2.7	2.5	3.1	2.6
W6	20.7	3.6	1.4	3.2	1.3	2.2	2.0	4.9	1.4	7.3	4.5	0.5	2.0	4.7	5.2	4.9	4.6	6.0
W7	20.8	7.2	1.0	1.6	1.2	2.9	7.2	3.1	6.7	11.0	5.3	1.3	2.0	3.3	5.1	5.2	6.9	4.2
W8	59.4	12.2	2.4	1.9	3.0	3.4	4.6	4.9	13.4	25.8	12.8	2.5	3.4	4.2	6.7	7.7	6.9	8.5
W9	20.7	3.6	1.2	1.9	4.2	7.0	6.2	5.3	6.7	14.6	7.6	1.5	3.4	5.8	9.9	10.7	9.9	14.5
W10	17.3	4.3	0.7	0.8	2.7	4.1	5.2	4.0	6.7	3.7	6.8	1.3	2.3	5.4	6.3	5.5	13.3	8.5
W11	0.0	7.9	1.9	1.3	2.1	3.0	5.2	4.9	12.1	11.1	3.0	1.5	1.7	4.0	5.3	7.6	5.7	12.7
W12	0.0	2.9	1.4	0.3	2.2	3.7	3.6	4.9	1.3	7.4	4.5	1.8	3.4	4.0	5.2	5.8	3.8	6.8
W13	13.9	1.4	0.2	1.6	1.8	3.4	4.5	4.4	9.4	3.7	0.0	0.0	1.1	2.6	2.8	5.2	6.4	8.5

LRTI - Acute Bronchitis 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	8.8	3.3	0.7	0.0	0.5	1.0	2.6	3.5	1.4	1.5	0.3	0.5	0.3	0.9	2.3	3.0	2.4	1.7
W2	2.9	2.0	0.6	0.1	0.3	0.9	1.0	0.5	2.9	6.1	0.7	1.0	0.6	1.2	1.3	2.0	1.6	2.6
W3	3.0	1.3	0.4	0.3	0.6	0.4	1.5	2.0	2.9	3.1	0.3	0.3	0.9	0.9	1.4	0.7	1.2	0.9
W4	1.5	1.0	0.2	0.2	0.5	0.5	1.8	1.0	0.0	1.5	0.0	0.3	0.4	0.5	1.0	0.7	1.6	0.0
W5	4.4	1.6	0.1	0.4	0.3	0.5	0.5	1.5	0.0	1.5	1.0	0.1	0.3	1.0	1.2	1.2	2.3	1.7
W6	7.2	2.3	0.6	0.6	0.6	1.1	1.8	2.9	1.4	0.0	2.1	0.6	0.6	1.3	1.6	4.1	2.3	3.4
W7	17.3	5.2	1.3	0.2	0.9	1.0	3.3	3.4	2.8	4.6	4.5	0.8	1.6	1.5	2.8	3.4	1.9	2.5
W8	28.9	3.6	1.5	0.9	0.7	1.9	3.8	2.4	1.4	15.3	3.1	1.0	0.6	1.9	3.5	6.5	3.5	3.4
W9	15.6	3.0	0.9	0.3	0.9	2.9	2.5	4.3	8.4	10.6	1.4	0.8	0.9	2.3	4.4	6.0	4.2	5.1
W10	2.9	0.7	1.0	0.3	1.0	1.5	2.8	3.4	2.8	1.5	1.0	1.0	0.9	2.2	3.0	3.8	3.8	2.5
W11	7.2	1.7	0.7	0.2	0.9	1.6	2.3	2.9	1.4	4.6	2.8	0.4	0.9	1.7	2.3	4.1	3.1	1.7
W12	8.6	0.7	0.7	0.8	0.5	0.9	3.0	2.9	1.4	6.1	1.7	0.8	0.7	1.7	2.5	3.1	2.3	2.5
W13	5.8	0.7	0.6	0.7	0.7	1.1	2.0	1.0	5.6	7.7	1.7	0.1	0.5	1.2	2.0	2.6	3.1	4.2

LRTI - Acute Bronchitis 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	8.7	2.9	1.5	0.8	1.4	2.0	3.0	3.3	4.7	3.6	3.8	1.0	1.2	1.6	2.9	4.1	3.0	4.9
W2	12.3	2.9	0.7	0.6	1.0	1.2	2.5	3.3	7.0	7.2	1.1	0.9	1.4	1.9	2.6	2.7	4.4	3.4
W3	3.5	2.2	1.0	0.6	0.8	1.8	2.6	1.9	3.8	3.6	1.9	0.4	2.0	1.5	2.8	2.1	3.6	4.8
W4	3.5	0.7	0.4	0.4	1.1	1.1	2.0	1.9	2.3	5.3	2.3	0.6	0.7	0.9	2.0	2.2	1.8	2.9
W5	8.8	4.7	0.6	0.6	0.9	1.1	2.4	2.8	3.0	5.4	1.1	0.5	0.9	1.3	1.6	2.2	1.0	0.5
W6	13.8	2.2	1.1	0.8	1.3	2.3	1.3	1.6	4.5	1.8	2.3	0.4	1.1	2.2	2.2	3.1	4.4	5.7
W7	26.1	3.3	0.4	1.1	1.6	2.9	3.4	4.0	4.5	7.1	3.4	0.8	1.9	2.9	4.0	5.0	4.8	4.3
W8	35.0	5.1	1.1	0.9	2.2	3.4	2.8	3.0	5.3	10.7	4.1	1.5	2.0	3.9	6.3	6.4	6.6	8.5
W9	13.8	4.3	0.2	0.9	1.8	3.6	4.2	7.7	9.8	14.1	3.8	0.3	2.2	5.2	8.1	6.8	6.6	6.7
W10	8.7	3.6	1.0	0.5	1.4	2.3	2.8	2.8	2.3	9.0	1.1	0.6	2.4	3.5	4.0	3.5	3.8	2.9
W11	7.0	4.7	1.1	1.1	1.4	1.8	3.3	2.5	3.0	3.6	3.4	0.9	0.7	3.9	3.0	5.5	2.8	3.3
W12	5.2	2.9	0.6	0.9	1.1	2.2	1.8	3.7	1.5	5.3	1.1	0.9	1.4	2.3	2.5	3.8	3.8	4.7

LRTI - Acute Bronchitis 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W13	7.0	1.1	0.4	0.6	1.1	2.3	3.2	3.5	3.7	7.2	0.8	0.1	0.8	2.1	3.3	3.6	2.4	5.7

LRTI - Acute Bronchitis 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	6.1	3.2	1.1	0.9	0.8	1.6	2.8	4.2	3.6	9.6	1.3	1.5	1.7	2.8	3.3	4.3	2.8	3.0
W2	15.3	3.2	0.6	0.7	1.8	1.5	2.6	2.8	4.8	3.2	2.0	0.7	1.0	1.8	2.4	3.6	3.1	3.7
W3	18.6	1.3	0.4	0.0	1.2	1.7	1.9	2.5	1.2	3.2	2.0	1.1	1.2	1.6	2.3	1.8	1.8	3.7
W4	3.0	1.3	0.4	0.5	0.1	1.3	0.5	1.1	4.8	0.0	1.3	0.4	0.5	1.4	3.0	2.0	1.2	2.2
W5	9.3	4.4	0.0	0.0	0.3	1.1	1.9	1.4	4.7	6.4	0.7	0.4	1.4	1.5	2.0	4.1	1.2	2.9
W6	9.1	7.0	0.8	0.9	1.4	2.0	1.9	2.1	3.5	6.3	2.0	1.1	1.2	2.6	3.3	2.5	3.6	2.2
W7	36.8	7.0	0.4	1.1	1.5	3.3	2.6	7.7	5.9	16.0	7.3	1.1	1.4	3.3	3.0	3.8	4.2	3.7
W8	6.2	5.7	0.8	0.2	1.2	3.4	3.7	2.4	2.3	9.7	6.7	0.2	1.4	3.6	4.6	4.9	4.8	6.6
W9	6.1	4.4	1.3	0.7	2.7	4.7	4.2	5.9	4.7	9.6	4.0	1.1	1.2	4.5	7.4	4.5	5.7	8.8
W10	12.3	5.1	1.3	0.7	1.4	2.6	3.5	3.8	0.0	6.5	2.7	0.2	1.4	2.9	4.1	3.4	3.3	6.6
W11	9.3	2.5	0.8	0.9	1.9	1.8	4.0	4.9	3.5	13.1	2.0	0.4	0.7	3.0	3.3	4.0	4.2	2.2
W12	12.3	1.3	0.8	0.9	1.0	1.8	3.0	2.1	2.3	9.6	6.0	0.0	0.7	2.5	3.4	2.5	2.7	5.8
W13	15.5	1.3	0.0	0.2	1.1	1.4	2.1	3.1	4.7	3.2	3.3	0.4	1.4	2.2	2.8	4.0	3.0	5.1

LRTI - Acute Bronchitis 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	9.3	4.3	0.3	0.9	0.8	2.1	2.0	2.5	5.6	4.0	1.2	1.1	0.6	2.4	2.9	3.7	5.2	3.5
W2	13.0	1.2	0.4	0.6	0.6	1.9	3.0	3.3	3.7	4.0	2.8	0.8	0.6	1.3	2.7	2.4	3.3	2.3
W3	14.9	0.8	0.4	0.6	0.7	1.3	1.8	1.1	0.9	4.0	1.2	0.8	0.5	1.2	2.3	3.1	4.2	2.3
W4	3.7	2.7	0.5	0.9	0.4	1.2	1.1	1.9	0.9	5.9	0.0	0.3	0.4	0.8	1.2	2.4	2.3	1.7
W5	14.7	0.8	0.5	0.5	0.5	0.9	2.7	1.9	4.5	2.0	0.0	0.6	0.1	1.4	1.4	2.1	2.8	2.8
W6	7.2	5.0	1.2	0.8	1.1	1.7	3.0	3.8	8.1	3.9	4.1	0.7	1.7	3.0	3.5	5.9	4.0	3.4
W7	26.9	5.0	0.1	1.4	1.1	2.7	3.9	4.3	4.5	19.3	9.8	0.4	1.3	2.7	3.8	3.5	6.1	4.5
W8	19.8	6.6	1.2	0.7	1.6	3.9	5.3	5.7	4.5	40.6	3.7	0.8	1.0	3.4	4.9	6.7	5.3	5.6
W9	24.9	3.9	1.7	1.2	1.8	3.8	4.4	5.9	10.8	9.5	2.9	1.4	1.6	4.7	6.7	7.6	10.2	12.4
W10	10.8	4.7	1.2	0.9	1.7	2.6	3.9	3.5	10.8	7.7	3.7	0.7	1.9	2.3	5.1	3.4	5.1	3.4
W11	10.9	3.1	0.4	0.7	1.0	2.1	4.8	3.8	4.5	5.8	3.7	0.6	1.7	2.6	3.0	3.4	4.4	2.8
W12	14.4	1.9	0.5	0.2	1.1	2.0	2.5	2.9	4.5	5.7	4.1	1.4	0.6	2.7	2.8	3.3	3.7	5.6
W13	10.9	1.9	0.4	0.1	0.7	2.1	2.1	5.6	4.5	5.7	2.9	0.6	0.2	1.2	2.0	2.9	5.8	4.5

LRTI - Acute Bronchitis 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	4.7	1.6	1.0	0.3	1.3	2.0	2.8	0.8	1.9	0.0	2.3	0.7	1.5	1.8	2.8	3.1	3.3	5.0

LRTI - Acute Bronchitis 4 weekly table (W1 - W13) - South East

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W2	6.3	1.6	0.8	0.7	1.1	1.3	2.6	2.7	6.2	1.7	0.7	0.4	1.3	2.0	1.6	2.8	3.1	5.0
W3	3.2	2.2	0.6	0.6	0.7	1.4	1.6	2.3	2.5	3.3	2.0	0.2	0.8	1.8	2.4	2.6	2.2	3.4
W4	1.6	1.0	0.3	0.4	0.7	0.9	1.2	1.2	3.7	1.6	1.0	0.2	0.8	1.0	1.0	3.0	0.9	0.8
W5	4.7	1.3	0.7	0.7	1.2	1.3	0.9	1.4	3.0	4.9	0.3	0.4	0.8	1.5	2.0	1.2	1.2	3.0
W6	6.2	3.2	0.7	1.4	1.1	2.6	3.0	2.9	5.4	3.2	5.4	0.7	1.4	2.4	3.4	3.9	5.0	3.7
W7	20.2	7.9	0.5	1.2	1.0	2.8	3.9	3.1	4.8	8.1	4.4	0.8	1.2	2.8	4.7	5.1	6.2	5.2
W8	29.7	6.7	0.9	0.9	2.0	2.7	2.9	4.3	7.2	26.1	6.4	1.3	1.7	4.0	4.7	5.1	3.9	4.9
W9	12.4	2.2	1.2	1.5	2.0	4.8	5.1	6.7	6.6	22.7	3.4	0.6	2.1	4.9	8.0	7.2	9.0	7.1
W10	3.1	2.2	0.7	1.7	1.6	3.6	3.6	4.1	4.8	8.1	1.7	0.6	1.2	3.5	4.3	2.9	4.8	9.0
W11	9.5	2.9	0.7	1.1	1.5	2.7	2.7	2.6	3.0	3.3	2.0	0.2	1.4	2.8	3.8	3.8	3.6	3.0
W12	4.6	1.3	0.5	0.7	0.9	2.1	3.0	1.4	2.4	3.2	1.0	0.7	1.3	2.5	2.9	5.2	5.3	3.7
W13	6.2	1.0	0.4	0.6	1.1	1.2	2.7	3.0	1.8	1.6	1.7	0.2	0.6	1.7	2.4	4.5	6.1	3.7

LRTI - Acute Bronchitis 4 weekly table (W1 - W13) - South West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	5.1	3.6	0.8	0.5	1.4	1.8	2.7	5.0	3.3	2.7	4.9	1.6	2.2	3.0	3.4	2.2	5.0	2.6
W2	7.7	1.5	0.3	0.9	1.2	1.9	2.3	1.3	0.8	5.4	1.6	0.4	1.5	1.9	2.1	2.4	2.7	2.6
W3	0.0	1.5	0.5	0.4	0.7	1.2	2.9	1.3	2.5	0.0	2.7	0.5	1.1	1.5	1.5	2.2	1.6	2.6
W4	0.0	1.5	0.3	0.0	0.8	1.5	2.3	1.0	4.1	0.0	1.6	0.5	0.6	1.2	1.3	1.8	1.6	2.1
W5	2.6	3.1	0.5	0.2	0.4	1.2	0.8	2.1	1.6	8.2	3.3	0.5	1.3	0.9	1.6	2.2	1.3	2.0
W6	25.1	3.1	0.7	1.2	0.7	1.2	2.1	3.4	3.3	5.4	2.2	1.1	1.8	2.2	2.6	3.6	2.9	2.6
W7	15.2	7.3	1.2	0.5	1.5	2.3	2.7	3.6	2.4	13.5	5.5	0.2	1.1	2.6	3.5	5.4	4.0	3.1
W8	17.9	9.3	1.2	1.6	1.7	3.3	3.1	4.9	4.0	10.9	7.1	1.6	2.0	3.9	5.7	5.4	6.4	7.6
W9	27.8	4.2	1.9	0.7	2.5	4.6	5.4	6.4	7.3	5.4	2.7	1.8	2.9	5.8	7.8	6.3	10.6	6.6
W10	5.1	2.6	0.7	1.2	2.0	2.6	5.4	4.9	3.2	5.5	1.1	0.5	1.1	3.7	4.8	4.3	3.5	3.1
W11	10.4	2.1	0.7	1.9	1.7	2.3	2.3	4.6	4.1	2.7	2.2	0.7	1.1	2.7	4.1	4.0	4.2	3.6
W12	10.2	4.7	0.3	1.2	1.2	1.6	3.1	3.1	4.0	2.7	1.7	0.9	2.3	2.8	3.2	4.7	3.7	6.1
W13	5.1	1.6	0.5	0.0	1.1	1.1	2.3	4.6	3.2	2.7	1.7	0.7	0.7	1.9	3.1	3.1	3.5	4.6

LRTI - Bronchiolitis

LRTI - Bronchiolitis 4 weekly table (W1 - W13) - East of England

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	197.4	16.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	105.8	14.3	0.3	0.0	0.1	0.0	0.0	0.8	0.0
W2	177.0	17.1	0.0	0.0	0.0	0.1	0.7	0.5	0.0	84.3	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W3	142.6	9.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	85.2	3.8	0.0	0.0	0.0	0.0	0.0	0.4	0.0
W4	48.7	3.6	0.0	0.0	0.0	0.1	0.3	0.4	0.0	22.0	3.8	0.0	0.0	0.2	0.1	0.3	0.4	0.0
W5	134.0	14.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	51.6	8.3	0.0	0.0	0.1	0.1	0.0	0.0	0.0
W6	248.2	27.9	0.0	0.3	0.0	0.2	0.0	0.0	0.0	130.5	15.8	0.5	0.0	0.2	0.2	0.6	0.4	0.0

LRTI - Bronchiolitis 4 weekly table (W1 - W13) - East of England

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W7	500.1	53.1	0.2	0.0	0.1	0.0	0.0	0.0	1.3	348.2	40.7	0.3	0.0	0.1	0.0	0.0	0.4	0.0
W8	884.4	81.2	0.0	0.0	0.1	0.1	0.0	0.0	0.0	696.6	67.3	0.0	0.0	0.0	0.4	0.3	0.0	0.8
W9	613.2	38.8	0.2	0.0	0.0	0.0	0.0	0.0	1.3	418.7	27.2	0.3	0.0	0.1	0.1	0.3	0.0	0.0
W10	301.0	31.7	0.0	0.0	0.0	0.1	0.0	0.0	0.0	237.7	25.0	0.3	0.3	0.0	0.2	0.0	0.4	0.0
W11	269.4	29.6	0.0	0.0	0.0	0.0	0.0	0.9	0.0	170.4	15.9	0.0	0.0	0.0	0.1	0.0	0.4	0.0
W12	293.9	32.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	154.5	18.2	0.0	0.0	0.1	0.1	0.3	0.4	0.0
W13	173.9	19.5	0.0	0.0	0.0	0.1	0.0	0.0	0.0	187.0	6.1	0.5	0.0	0.2	0.4	0.3	0.4	1.7

LRTI - Bronchiolitis 4 weekly table (W1 - W13) - London

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	152.8	11.5	0.0	0.0	0.0	0.0	0.3	0.0	0.0	79.7	6.9	0.0	0.0	0.0	0.0	0.0	0.4	0.0
W2	114.4	11.5	0.0	0.0	0.0	0.0	0.0	0.5	0.0	84.5	6.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0
W3	95.9	10.9	0.0	0.0	0.0	0.1	0.0	0.0	0.0	46.6	4.8	0.0	0.0	0.0	0.1	0.0	0.0	0.0
W4	75.4	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44.3	3.1	0.0	0.0	0.0	0.1	0.0	0.4	0.0
W5	93.4	12.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	64.4	5.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0
W6	175.9	18.0	0.2	0.0	0.0	0.1	0.0	0.5	0.0	96.4	11.7	0.0	0.0	0.1	0.3	0.0	0.0	0.0
W7	342.9	37.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	276.6	24.8	0.0	0.0	0.0	0.1	0.2	0.0	0.0
W8	675.2	58.8	0.2	0.1	0.0	0.0	0.0	0.0	0.0	477.5	43.5	0.0	0.0	0.0	0.1	0.0	0.0	0.0
W9	345.2	20.4	0.0	0.1	0.0	0.1	0.0	0.0	0.0	233.3	17.6	0.1	0.0	0.0	0.1	0.2	0.4	0.0
W10	179.0	20.5	0.2	0.0	0.1	0.1	0.0	0.0	0.0	107.2	11.8	0.0	0.0	0.0	0.1	0.0	0.0	0.8
W11	184.0	15.5	0.0	0.0	0.0	0.1	0.0	0.0	1.4	115.5	10.0	0.1	0.0	0.0	0.1	0.2	0.0	0.0
W12	183.8	20.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0	94.4	13.5	0.3	0.0	0.0	0.1	0.0	0.0	0.0
W13	120.4	11.6	0.0	0.2	0.0	0.0	0.0	0.5	0.0	81.3	11.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0

LRTI - Bronchiolitis 4 weekly table (W1 - W13) - Midlands

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	172.6	8.3	0.1	0.0	0.0	0.0	0.2	0.2	0.0	103.9	7.9	0.3	0.0	0.1	0.0	0.0	0.2	0.0
W2	161.0	8.6	0.0	0.0	0.1	0.1	0.0	0.0	0.0	84.0	4.9	0.0	0.0	0.1	0.0	0.2	0.0	0.0
W3	160.6	6.8	0.0	0.0	0.0	0.1	0.0	0.0	0.0	84.8	4.1	0.0	0.1	0.1	0.1	0.2	0.2	0.0
W4	90.2	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	58.4	6.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0
W5	117.4	15.5	0.1	0.0	0.0	0.1	0.2	0.0	0.0	66.1	7.5	0.1	0.0	0.0	0.1	0.2	0.0	0.0
W6	282.8	21.7	0.0	0.0	0.1	0.1	0.2	0.2	0.0	166.4	14.3	0.1	0.0	0.1	0.2	0.2	0.4	0.0
W7	615.8	51.3	0.1	0.0	0.1	0.1	0.0	0.0	0.0	430.6	38.4	0.0	0.1	0.0	0.1	0.3	0.0	0.0
W8	804.7	46.2	0.4	0.0	0.1	0.1	0.2	0.0	0.0	622.6	37.6	0.1	0.0	0.0	0.1	0.3	0.2	0.0
W9	455.1	27.1	0.2	0.1	0.1	0.1	0.2	0.0	0.0	302.3	19.2	0.0	0.1	0.0	0.0	0.0	0.4	0.0
W10	274.0	21.0	0.1	0.0	0.1	0.1	0.3	0.2	0.0	161.9	15.1	0.0	0.0	0.1	0.0	0.2	0.2	0.0
W11	243.0	21.0	0.1	0.0	0.0	0.0	0.2	0.0	0.0	146.6	14.3	0.0	0.0	0.1	0.1	0.3	0.0	0.9
W12	247.7	17.4	0.1	0.0	0.0	0.0	0.3	0.0	0.0	151.3	14.7	0.0	0.1	0.0	0.1	0.0	0.2	0.0
W13	217.3	8.3	0.0	0.0	0.1	0.1	0.2	0.0	0.0	86.5	12.4	0.0	0.0	0.1	0.0	0.0	0.0	0.0

LRTI - Bronchiolitis 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	237.3	15.8	0.0	0.0	0.0	0.1	0.0	0.4	0.0	147.3	11.3	0.0	0.0	0.0	0.1	0.0	0.0	0.0
W2	186.6	10.1	0.2	0.0	0.0	0.1	0.5	0.4	0.0	96.5	4.6	0.0	0.0	0.1	0.1	0.2	0.0	0.0
W3	232.6	15.2	0.2	0.0	0.0	0.0	0.2	0.4	0.0	71.3	11.3	0.0	0.0	0.0	0.1	0.2	0.0	0.0
W4	100.3	10.1	0.0	0.0	0.1	0.2	0.2	0.4	0.0	54.3	2.7	0.2	0.0	0.0	0.2	0.0	0.0	0.0
W5	167.1	15.8	0.0	0.0	0.0	0.2	0.0	0.0	0.0	83.8	7.3	0.0	0.0	0.1	0.1	0.5	0.0	0.0
W6	316.6	32.3	0.0	0.0	0.0	0.0	0.2	0.0	0.0	177.2	19.9	0.0	0.0	0.0	0.0	0.0	0.0	0.7
W7	668.0	71.7	0.0	0.0	0.0	0.1	0.2	0.0	0.0	468.4	47.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0
W8	821.5	68.5	0.2	0.0	0.0	0.1	0.2	0.0	0.0	689.5	40.0	0.2	0.0	0.0	0.0	0.2	0.0	0.0
W9	566.5	26.6	0.2	0.0	0.0	0.1	0.2	0.0	0.0	308.6	23.3	0.2	0.0	0.0	0.2	0.0	0.0	0.0
W10	351.7	26.6	0.0	0.0	0.2	0.1	0.0	0.0	0.0	215.2	14.0	0.0	0.0	0.0	0.1	0.4	0.3	0.0
W11	308.2	16.5	0.4	0.0	0.3	0.1	0.0	0.0	0.0	180.0	20.0	0.0	0.0	0.2	0.0	0.4	0.0	0.0
W12	274.2	29.9	0.0	0.0	0.0	0.2	0.0	0.0	0.0	157.3	14.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0
W13	245.0	15.9	0.2	0.2	0.0	0.0	0.0	0.0	0.0	129.8	12.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0

LRTI - Bronchiolitis 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	197.2	13.5	0.0	0.0	0.1	0.1	0.4	0.0	0.0	121.9	11.3	0.0	0.0	0.0	0.2	0.0	0.2	0.0
W2	198.9	13.9	0.3	0.0	0.0	0.1	0.2	0.0	0.0	141.6	4.9	0.0	0.0	0.0	0.1	0.0	0.0	0.0
W3	175.5	14.7	0.1	0.0	0.0	0.0	0.2	0.0	0.0	96.8	6.1	0.0	0.0	0.1	0.1	0.3	0.0	0.6
W4	160.8	12.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	110.0	5.7	0.0	0.1	0.0	0.0	0.0	0.0	0.0
W5	163.6	19.3	0.3	0.0	0.0	0.1	0.0	0.8	0.9	116.4	12.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0
W6	367.5	41.7	0.0	0.0	0.0	0.0	0.2	0.0	0.0	277.7	29.3	0.1	0.0	0.0	0.1	0.2	0.0	0.0
W7	782.9	70.5	0.1	0.0	0.1	0.1	0.2	0.5	0.9	546.3	55.5	0.0	0.0	0.1	0.0	0.2	0.2	0.0
W8	1,041.1	71.7	0.3	0.0	0.2	0.0	0.4	0.0	1.8	759.6	51.5	0.7	0.0	0.1	0.2	0.0	0.0	0.0
W9	509.6	31.8	0.1	0.0	0.1	0.1	0.0	0.5	0.0	372.4	20.8	0.0	0.0	0.1	0.1	0.0	0.0	0.0
W10	332.2	28.3	0.0	0.0	0.0	0.1	0.0	0.3	0.9	254.0	23.4	0.0	0.3	0.1	0.3	0.5	0.2	1.7
W11	313.5	29.9	0.3	0.1	0.1	0.1	0.2	0.0	0.9	210.5	16.0	0.1	0.0	0.1	0.0	0.0	0.0	0.6
W12	317.6	29.1	0.3	0.0	0.0	0.0	0.0	0.5	0.0	178.0	23.4	0.3	0.0	0.0	0.1	0.0	0.0	0.0
W13	266.7	22.1	0.0	0.1	0.0	0.0	0.2	0.3	0.0	139.6	13.5	0.1	0.1	0.1	0.1	0.0	0.2	0.0

LRTI - Bronchiolitis 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	159.8	9.5	0.1	0.0	0.0	0.5	0.7	0.0	0.0	114.0	8.7	0.3	0.0	0.0	0.6	0.3	0.2	1.2
W2	126.7	11.1	0.1	0.0	0.0	0.8	1.2	0.2	0.0	96.4	7.0	0.2	0.0	0.0	0.6	1.1	0.7	0.0
W3	111.9	9.5	0.3	0.0	0.0	0.7	1.0	0.0	0.6	63.6	5.7	0.1	0.0	0.1	0.6	1.4	0.0	0.0
W4	63.8	7.0	0.0	0.0	0.0	0.3	3.3	1.2	0.0	42.5	4.4	0.0	0.1	0.0	0.1	1.9	0.0	0.0
W5	147.9	14.0	0.0	0.0	0.0	0.1	0.9	0.4	0.0	80.8	5.0	0.1	0.0	0.0	0.1	1.2	0.0	0.0
W6	307.3	27.0	0.3	0.0	0.0	0.5	1.2	0.6	0.0	171.3	21.1	0.0	0.0	0.0	0.4	0.8	0.0	0.0
W7	600.8	62.2	0.2	0.0	0.0	1.8	3.3	0.4	0.0	419.2	49.0	0.3	0.0	0.1	2.1	2.3	0.7	0.4
W8	950.1	78.3	0.4	0.1	0.0	1.5	2.9	0.6	0.6	691.0	56.7	0.2	0.0	0.1	1.3	2.5	0.9	0.4

LRTI - Bronchiolitis 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W9	497.6	25.8	0.2	0.1	0.1	0.2	0.6	0.4	0.0	362.5	23.8	0.2	0.0	0.1	0.2	1.4	0.0	0.7
W10	316.4	19.8	0.0	0.0	0.1	0.1	0.1	0.0	0.0	234.6	22.2	0.1	0.0	0.0	0.1	0.3	0.5	0.0
W11	247.6	17.5	0.0	0.0	0.0	0.1	0.6	0.2	0.0	164.8	16.2	0.2	0.0	0.0	0.3	0.4	0.5	0.7
W12	270.9	28.8	0.2	0.0	0.0	0.1	0.4	0.2	0.0	176.3	12.5	0.0	0.2	0.0	0.1	0.0	0.2	0.4
W13	177.5	13.1	0.1	0.0	0.0	0.1	0.3	0.2	0.6	97.8	11.4	0.0	0.1	0.0	0.0	0.0	0.2	0.7

LRTI - Bronchiolitis 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	191.0	10.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	97.2	7.6	0.0	0.0	0.1	0.1	0.0	0.2	0.5
W2	164.3	9.7	0.0	0.0	0.0	0.0	0.2	0.3	0.8	87.0	9.3	0.0	0.2	0.0	0.2	0.0	0.2	0.0
W3	132.0	11.8	0.3	0.0	0.1	0.2	0.0	0.0	0.8	74.8	10.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0
W4	117.2	5.2	0.0	0.0	0.0	0.1	0.0	0.3	0.0	46.3	7.1	0.2	0.0	0.0	0.1	0.4	0.2	0.0
W5	138.2	16.0	0.0	0.0	0.0	0.1	0.0	0.3	0.0	76.8	13.1	0.4	0.0	0.0	0.1	0.0	0.4	0.0
W6	228.7	25.9	0.3	0.0	0.0	0.1	0.2	0.3	0.0	160.7	19.7	0.0	0.0	0.0	0.2	0.7	0.4	0.0
W7	564.2	48.7	0.3	0.0	0.1	0.0	0.0	0.0	0.0	385.9	43.4	0.2	0.2	0.0	0.1	0.0	0.2	0.0
W8	963.1	70.0	0.5	0.0	0.1	0.2	0.4	0.0	0.0	686.0	58.3	0.2	0.2	0.1	0.0	0.4	0.0	0.5
W9	541.4	29.6	0.3	0.0	0.1	0.2	0.4	0.0	0.0	323.6	24.2	0.4	0.0	0.1	0.2	0.0	0.7	0.5
W10	274.5	26.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	190.9	20.9	0.2	0.2	0.1	0.2	0.0	0.2	0.0
W11	256.5	17.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	172.0	16.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0
W12	247.3	24.0	0.2	0.0	0.1	0.1	0.0	0.0	0.8	158.1	14.4	0.0	0.0	0.1	0.2	0.0	0.2	0.0
W13	210.8	13.0	0.0	0.0	0.0	0.2	0.4	0.3	0.0	83.5	9.4	0.2	0.0	0.1	0.1	0.0	0.0	0.5

LRTI - Pneumonia

LRTI - Pneumonia 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	6.4	3.4	1.1	3.3	4.1	13.8	29.9	61.5	0.0	1.5	3.3	2.1	3.5	4.9	10.5	20.2	46.0
W2	3.5	2.9	3.8	1.9	2.9	4.7	16.4	38.9	53.2	0.0	1.5	1.8	0.9	3.6	4.4	16.3	22.1	53.5
W3	0.0	3.6	1.7	2.2	2.8	4.4	15.1	24.8	55.6	0.0	1.5	2.0	0.3	3.8	4.8	12.6	11.6	49.7
W4	0.0	3.6	1.2	1.1	1.2	3.7	14.4	27.4	48.9	0.0	3.8	1.3	1.4	2.5	3.0	7.1	21.6	37.7
W5	0.0	2.1	0.5	1.1	1.7	3.2	11.4	22.0	50.0	0.0	2.3	0.8	0.9	2.1	3.6	9.2	15.4	35.8
W6	3.4	4.3	1.4	1.1	1.8	4.7	12.1	22.4	66.2	0.0	3.0	1.0	1.4	2.9	4.9	12.3	18.8	46.0
W7	0.0	7.9	1.0	1.1	1.7	4.4	12.1	28.2	48.5	3.7	6.0	2.3	0.6	2.9	5.0	10.4	26.0	39.1
W8	0.0	10.8	3.1	3.2	1.6	5.4	13.4	26.8	68.5	3.7	12.1	0.8	2.3	3.2	5.2	10.1	24.4	68.9
W9	0.0	7.2	1.0	0.8	3.6	7.8	16.6	34.3	96.9	0.0	5.3	1.5	1.1	3.4	8.8	17.5	29.8	63.9
W10	6.9	5.0	0.7	1.6	2.9	4.5	13.7	38.7	69.9	7.3	2.3	0.3	1.4	2.4	6.6	13.8	24.4	47.7
W11	3.5	4.3	1.4	1.1	2.2	6.3	13.7	26.2	76.6	0.0	4.6	0.3	1.1	3.3	5.5	12.8	22.0	60.3
W12	3.5	5.0	1.0	2.1	1.9	4.7	11.4	30.2	59.2	3.7	6.1	0.8	2.3	2.6	4.5	12.5	25.4	52.8

LRTI - Pneumonia 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W13	0.0	2.9	0.2	0.8	1.5	4.6	14.3	21.2	64.3	0.0	3.8	0.3	2.0	1.7	4.9	13.1	17.1	51.8

LRTI - Pneumonia 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	7.3	4.9	3.2	1.6	1.9	4.2	11.4	17.3	46.3	4.6	6.9	3.6	2.1	2.3	5.3	10.6	22.0	36.6
W2	2.9	6.2	3.5	1.5	1.5	4.6	11.4	23.1	41.7	4.6	3.1	1.9	1.9	2.2	4.6	10.1	15.3	32.9
W3	1.5	2.3	1.8	0.9	1.5	3.8	13.7	19.1	48.5	0.0	3.8	1.5	2.5	1.8	3.7	7.6	14.5	31.0
W4	2.9	3.6	1.9	1.1	1.2	4.2	10.5	22.4	35.6	3.1	2.8	1.0	1.2	1.5	3.4	4.4	16.7	24.0
W5	2.9	3.6	1.1	0.3	1.4	3.5	10.2	20.4	35.3	1.5	2.8	1.4	1.7	1.6	3.1	6.6	14.3	22.1
W6	2.9	3.9	1.2	0.6	1.4	3.7	13.7	22.8	47.9	0.0	2.4	2.2	1.2	2.0	3.6	11.9	14.3	45.9
W7	1.4	5.6	1.8	1.2	1.7	4.1	12.6	23.7	36.4	3.0	6.5	1.0	1.7	1.7	4.5	12.3	24.3	37.3
W8	7.2	11.8	1.8	1.8	1.5	4.8	14.9	27.0	47.6	7.7	5.9	1.3	1.6	2.0	6.3	10.8	18.5	57.5
W9	1.4	4.6	1.0	0.9	1.9	5.9	19.1	38.1	70.0	3.0	5.5	2.3	1.1	2.5	5.9	12.0	22.7	64.4
W10	0.0	3.3	1.3	1.4	1.7	5.8	11.3	33.2	50.4	0.0	3.1	1.8	1.7	2.0	5.7	10.8	23.4	51.6
W11	4.3	4.0	1.2	0.7	1.8	5.7	15.8	27.5	47.5	3.1	4.5	1.5	1.2	1.5	5.5	12.2	18.0	28.7
W12	1.4	6.9	1.1	0.8	1.7	4.3	12.7	28.9	58.7	1.5	3.1	0.6	1.5	1.8	4.7	9.5	18.4	39.0
W13	2.9	2.3	1.0	0.4	1.0	3.5	14.2	23.5	39.0	3.1	2.1	0.3	0.7	1.2	3.8	11.9	20.7	56.6

LRTI - Pneumonia 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	2.2	1.2	0.9	3.0	6.2	15.7	33.8	58.6	0.0	1.1	1.4	2.1	3.1	6.0	13.6	22.1	52.5
W2	0.0	1.8	1.6	2.1	2.2	5.6	17.2	32.1	65.1	0.0	3.0	1.8	1.8	2.8	5.5	10.9	20.0	55.6
W3	3.5	1.8	0.9	1.1	2.3	5.1	13.7	30.1	58.3	0.0	1.5	0.9	1.6	2.7	5.1	12.3	19.2	46.6
W4	0.0	2.5	0.9	0.6	1.9	5.0	14.9	24.9	69.5	0.0	2.3	0.6	0.9	2.3	4.3	9.9	24.0	40.2
W5	0.0	1.4	1.0	0.9	1.4	4.7	9.8	22.7	53.9	3.6	0.4	0.6	1.1	1.9	3.8	9.6	16.6	44.3
W6	3.4	1.8	0.7	1.2	2.2	5.9	16.2	30.8	72.7	0.0	3.0	0.9	0.8	3.0	5.4	11.3	23.2	60.0
W7	0.0	4.3	0.9	1.3	2.2	6.0	13.4	33.8	77.8	1.8	4.9	0.8	0.8	3.3	5.9	11.6	24.9	51.8
W8	0.0	3.3	0.9	0.2	2.4	7.1	13.5	33.0	65.6	5.3	2.6	1.7	1.3	3.5	6.9	13.4	26.5	68.4
W9	5.2	5.4	0.5	0.8	2.3	8.2	19.6	42.0	97.5	3.5	1.9	1.0	2.0	3.7	8.9	16.8	29.5	83.2
W10	1.7	1.8	0.5	1.3	2.1	6.9	16.6	34.5	77.0	0.0	0.8	0.4	1.2	3.3	5.9	13.5	30.8	78.5
W11	5.2	2.2	0.6	0.8	2.3	6.8	15.8	34.3	71.5	1.8	1.9	0.5	1.6	2.6	8.0	13.5	26.0	52.2
W12	1.7	2.2	0.7	0.9	2.1	5.1	15.1	34.0	70.0	1.8	3.8	0.4	0.7	2.2	4.9	14.3	25.6	56.4
W13	0.0	2.9	0.1	1.3	1.7	5.2	14.6	24.0	69.7	3.6	2.3	0.3	0.6	2.2	5.1	12.4	23.7	53.9

LRTI - Pneumonia 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	6.1	5.7	1.3	2.3	2.9	6.1	16.2	39.6	81.9	0.0	1.3	2.4	1.5	4.2	5.6	17.2	29.1	55.8

LRTI - Pneumonia 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W2	0.0	1.3	1.7	2.7	2.7	7.8	14.3	43.0	76.7	0.0	6.0	1.3	2.2	3.5	7.8	17.4	27.8	55.5
W3	3.1	1.3	1.9	1.8	2.4	5.8	16.4	41.1	63.2	0.0	3.3	1.5	0.7	3.6	4.4	13.5	18.9	56.8
W4	0.0	2.5	0.6	1.1	1.9	4.7	13.1	27.7	61.9	0.0	2.7	0.4	0.5	2.1	5.0	13.1	23.1	47.9
W5	0.0	2.5	2.5	0.2	1.8	5.1	15.5	25.2	60.3	0.0	2.0	0.4	1.4	2.7	4.3	11.3	19.4	52.0
W6	0.0	3.2	0.2	2.0	2.7	6.1	15.0	33.9	81.4	3.2	4.7	1.5	1.0	2.4	6.9	15.8	26.7	49.1
W7	9.2	5.1	0.4	1.8	2.9	7.1	19.6	37.3	78.8	3.2	7.3	0.7	2.2	3.5	7.8	16.0	27.5	51.9
W8	12.4	8.9	1.1	0.9	2.9	8.2	20.1	43.1	91.5	3.2	8.7	1.8	2.2	4.2	8.3	15.5	35.9	59.8
W9	3.1	5.7	1.1	1.8	2.5	11.9	22.7	41.0	106.0	0.0	7.3	0.7	1.0	4.8	12.8	20.9	35.0	93.6
W10	6.2	1.9	0.2	1.3	2.9	7.4	17.0	42.3	106.0	3.3	4.0	1.5	2.4	2.3	6.8	17.1	29.2	81.2
W11	0.0	4.4	0.8	0.7	2.5	8.2	16.8	35.7	78.7	0.0	2.7	1.1	1.4	4.5	6.2	17.0	33.9	74.5
W12	3.1	7.0	0.8	1.1	3.2	6.3	14.6	34.6	90.3	0.0	7.3	1.3	1.0	3.2	6.5	13.0	31.5	50.4
W13	6.2	3.8	0.4	0.2	2.6	8.6	16.0	34.2	74.7	6.5	2.7	0.0	0.9	3.2	6.3	16.3	28.7	74.9

LRTI - Pneumonia 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	2.7	1.8	1.0	2.3	7.4	20.1	35.3	68.1	2.0	2.8	1.7	1.2	3.5	6.8	16.6	30.8	57.1
W2	0.0	4.3	0.8	1.1	2.4	7.0	22.2	39.5	89.7	0.0	0.4	0.4	0.6	3.8	7.5	12.7	25.3	52.1
W3	3.7	2.3	1.1	1.8	1.8	6.8	17.9	41.3	77.0	0.0	1.6	1.1	0.9	3.3	6.5	15.3	25.6	41.4
W4	1.8	1.2	0.7	1.0	1.8	6.1	12.1	29.7	74.0	0.0	1.2	0.7	1.2	3.0	4.8	11.5	25.4	48.1
W5	1.8	1.9	0.5	0.4	1.3	5.0	16.6	32.8	76.1	2.0	0.8	0.7	1.4	2.0	5.0	13.5	22.0	51.7
W6	3.6	2.7	0.3	1.6	2.2	6.6	22.4	40.3	84.0	0.0	2.0	1.2	1.0	2.7	6.8	18.3	36.4	55.5
W7	5.4	8.1	0.9	1.0	2.5	6.7	18.4	34.0	83.6	5.8	3.3	1.2	1.1	3.3	7.5	21.1	31.4	70.6
W8	5.4	7.8	1.7	1.4	2.1	6.9	19.7	40.7	89.8	7.7	4.5	0.3	0.9	3.9	10.4	22.1	40.7	72.7
W9	3.6	0.8	0.8	1.4	3.3	10.7	21.1	50.9	111.7	0.0	3.3	0.6	0.9	4.1	9.5	26.0	42.1	83.6
W10	0.0	1.2	0.8	1.1	2.5	8.4	16.6	41.1	99.0	0.0	2.0	0.6	1.8	4.1	9.6	20.1	33.6	78.5
W11	0.0	4.7	0.8	0.9	2.7	9.0	20.0	41.9	76.5	1.9	1.2	1.0	1.2	3.5	8.9	14.8	34.0	84.0
W12	3.6	4.7	1.3	1.0	2.3	7.2	17.1	37.5	89.1	3.8	2.9	0.4	1.6	3.6	7.4	19.7	29.3	64.9
W13	0.0	1.9	0.8	1.0	1.8	7.6	17.6	38.2	90.6	3.8	0.8	0.1	0.7	2.7	6.0	19.6	30.6	60.1

LRTI - Pneumonia 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	1.6	3.5	3.0	1.4	2.6	5.7	16.8	33.6	63.8	5.0	4.0	3.0	2.4	4.2	6.1	13.9	24.2	53.1
W2	0.0	4.4	3.4	1.8	2.6	5.3	13.7	29.1	65.7	0.0	4.4	2.1	2.3	3.8	4.9	14.4	21.2	48.9
W3	3.2	3.8	2.3	1.3	2.2	4.9	14.8	26.5	59.7	3.3	1.7	1.3	1.8	3.1	5.2	9.6	22.5	40.6
W4	1.6	2.9	1.4	1.0	2.1	4.8	14.4	26.9	53.3	0.0	3.7	1.1	2.0	2.5	4.2	10.8	20.7	41.6
W5	0.0	2.9	0.7	0.4	1.9	3.5	12.2	27.4	62.5	1.6	4.0	1.4	1.9	2.4	3.7	9.3	17.4	32.3
W6	4.6	6.0	0.8	1.4	2.1	5.2	16.1	31.2	81.0	1.6	4.4	1.1	1.6	3.0	5.4	10.9	25.9	48.3
W7	3.1	7.3	0.8	1.5	2.2	5.1	17.2	30.3	74.8	6.5	7.0	0.9	1.5	3.3	5.3	14.4	21.2	60.2
W8	4.7	8.6	2.3	1.8	3.4	7.9	16.3	35.8	79.5	4.9	6.0	2.1	2.0	4.1	7.9	16.7	23.9	60.8
W9	0.0	6.4	1.4	1.4	4.6	9.3	24.7	44.3	90.0	1.6	6.7	0.9	1.7	3.7	10.6	19.2	35.2	93.1
W10	1.6	4.8	1.4	1.4	2.7	6.7	17.4	41.2	81.5	1.6	4.7	1.4	1.7	3.8	7.5	15.4	26.6	70.3

LRTI - Pneumonia 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W11	3.2	2.9	1.1	1.0	2.8	6.0	16.7	37.1	75.4	1.6	4.4	1.2	1.2	2.3	6.5	17.7	29.8	67.6
W12	4.6	6.4	0.6	1.1	2.2	5.7	17.1	27.9	76.6	0.0	2.0	0.4	1.6	3.1	6.2	14.4	24.1	50.1
W13	1.6	3.5	0.4	0.7	2.0	5.6	15.5	30.7	70.9	3.3	3.4	1.1	1.1	2.0	6.0	13.2	22.2	66.3

LRTI - Pneumonia 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	5.1	7.7	3.2	3.0	3.1	6.3	15.0	33.5	53.5	0.0	8.2	2.5	1.9	4.1	6.1	12.9	21.0	51.2
W2	2.6	5.6	2.7	1.1	2.2	6.6	12.5	28.2	62.3	0.0	5.5	2.8	1.5	2.7	6.0	13.5	24.1	37.9
W3	7.8	8.8	2.4	1.8	2.2	6.7	13.2	25.2	55.2	0.0	3.8	2.5	2.0	1.5	5.1	11.5	17.5	49.1
W4	0.0	3.1	0.8	0.4	2.4	5.8	12.5	25.2	43.5	0.0	3.3	2.0	1.7	1.8	4.9	9.5	18.8	33.5
W5	2.6	4.7	1.3	1.1	1.7	5.1	9.0	24.1	37.5	0.0	2.2	1.6	0.7	2.2	4.7	9.6	13.8	34.8
W6	2.5	6.2	1.3	1.6	2.7	5.3	14.0	32.3	69.1	2.7	5.5	0.9	1.3	2.8	6.1	11.8	15.6	46.5
W7	7.6	12.4	1.7	0.5	2.3	5.7	13.8	28.3	58.4	5.4	9.9	2.1	1.1	2.4	7.0	14.0	22.4	52.5
W8	2.6	17.1	1.3	2.6	2.1	7.1	14.4	32.1	66.4	2.7	8.2	2.1	2.9	3.9	7.4	14.5	23.7	59.1
W9	5.1	6.2	1.5	1.4	3.9	9.8	22.4	41.4	80.3	2.7	6.0	1.6	1.1	4.2	9.3	16.7	31.9	78.1
W10	0.0	3.6	0.7	1.7	2.8	7.0	15.9	27.0	72.3	2.7	4.4	1.4	0.9	4.3	8.5	14.1	27.6	65.4
W11	0.0	6.8	1.2	1.5	2.0	5.9	13.6	36.4	72.9	0.0	2.8	0.9	1.6	4.2	6.8	13.4	28.2	55.2
W12	5.1	2.6	1.3	0.7	2.7	7.4	14.5	29.7	72.1	2.7	3.3	1.4	2.2	3.4	5.8	12.6	26.9	59.3
W13	2.6	1.0	0.7	0.9	2.6	6.0	14.5	26.1	69.3	2.7	1.7	0.7	2.0	2.8	6.0	12.8	23.3	49.4

Measles

Measles 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	3.5	2.1	0.5	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0
W2	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3	1.5	0.3	0.6	0.2	0.0	0.0	0.0	0.0
W3	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0
W4	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W5	7.1	0.7	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W6	0.0	0.7	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
W7	0.0	0.7	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W8	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.1	0.0	0.0	0.0
W9	0.0	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W10	0.0	0.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0
W11	0.0	1.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.1	0.0	0.0	0.0	0.0
W12	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0
W13	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0

Measles 4 weekly table (W1 - W13) - London

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	7.3	3.6	2.8	0.5	0.1	0.1	0.3	0.0	0.0	6.1	1.4	1.1	0.3	0.2	0.1	0.0	0.0	0.0
W2	5.9	4.3	2.6	0.2	0.1	0.0	0.0	0.0	0.0	1.5	3.8	2.2	0.2	0.0	0.1	0.0	0.0	0.0
W3	7.4	2.0	3.5	0.2	0.2	0.1	0.0	0.0	0.0	7.8	4.8	1.4	0.0	0.2	0.2	0.0	0.0	0.0
W4	4.4	5.3	1.1	0.3	0.2	0.0	0.0	0.0	0.0	3.1	4.1	1.1	0.4	0.2	0.1	0.0	0.0	0.0
W5	1.5	1.6	1.1	0.1	0.0	0.0	0.3	0.0	0.0	4.6	1.0	0.5	0.1	0.1	0.0	0.0	0.0	0.0
W6	2.9	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0
W7	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0
W8	0.0	0.3	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.7	0.4	0.0	0.0	0.1	0.2	0.0	0.0
W9	0.0	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0
W10	1.4	1.3	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.7	0.1	0.0	0.0	0.1	0.0	0.0	0.0
W11	1.4	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W12	0.0	1.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.3	0.0	0.1	0.0	0.2	0.0	0.0
W13	0.0	1.7	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.1	0.0	0.0	0.0	0.0

Measles 4 weekly table (W1 - W13) - Midlands

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.9	0.1	0.0	0.1	0.0	0.0	0.0	1.8	1.9	0.5	0.2	0.1	0.1	0.0	0.0	0.0
W2	0.0	2.5	0.7	0.1	0.1	0.0	0.3	0.0	0.0	5.4	1.5	0.1	0.0	0.2	0.1	0.3	0.2	1.0
W3	0.0	0.4	0.6	0.1	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0
W4	0.0	1.4	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.8	0.3	0.0	0.1	0.0	0.0	0.2	0.0
W5	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	1.8	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0
W6	3.4	1.1	0.4	0.0	0.0	0.0	0.2	0.0	0.0	0.0	1.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0
W7	3.5	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W8	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0
W9	3.5	0.4	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.2	0.0
W10	1.7	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.4	0.0	0.2	0.0	0.0	0.0	0.2	0.0
W11	0.0	1.1	0.0	0.1	0.0	0.0	0.0	0.2	0.0	0.0	0.8	0.1	0.0	0.0	0.0	0.0	0.4	0.0
W12	0.0	1.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0
W13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0

Measles 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	1.9	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	3.3	0.7	0.2	0.0	0.0	0.0	0.0	0.0
W2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	3.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
W3	3.1	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0
W4	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W5	3.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
W6	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W7	3.1	1.3	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.1	0.0	0.0	0.0	0.0	0.0	0.0

Measles 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W8	3.1	1.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.9	0.2	0.0	0.0	0.0	0.0	0.0
W9	0.0	1.9	0.6	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.7	0.9	0.0	0.1	0.0	0.0	0.0	0.0
W10	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.2	0.0	0.1	0.0	0.0	0.0	0.0
W11	0.0	0.6	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W12	0.0	0.6	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.1	0.0	0.0	0.0	0.0
W13	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Measles 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.8	0.5	0.1	0.1	0.1	0.0	0.3	0.0	0.0	0.4	0.3	0.0	0.1	0.1	0.0	0.0	0.0
W2	0.0	0.8	0.5	0.1	0.0	0.0	0.0	0.0	0.0	2.0	0.8	0.0	0.1	0.0	0.0	0.0	0.0	0.0
W3	0.0	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	4.0	1.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0
W4	0.0	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0
W5	0.0	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0
W6	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W7	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
W8	1.8	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W9	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
W10	1.8	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W11	0.0	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	3.9	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0
W12	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
W13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0

Measles 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	3.1	0.3	0.0	0.2	0.1	0.0	0.0	0.0	0.0	3.3	1.0	0.1	0.1	0.2	0.0	0.0	0.0	0.0
W2	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0
W3	1.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0
W4	3.1	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.7	0.0	0.0	0.0	0.1	0.0	0.0	0.0
W5	1.6	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
W6	1.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W7	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.3	0.0	0.0	0.1	0.0	0.0	0.0	0.0
W8	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.1	0.0	0.0	0.0	0.0
W9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W10	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.1	0.0	0.0	0.0
W11	1.6	1.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W12	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W13	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Measles 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.0	0.0	0.1	0.0	0.0	0.0
W2	0.0	0.5	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.1	0.2	0.0	0.0
W5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0
W6	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W7	0.0	0.5	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.2	0.0	0.0	0.0
W8	0.0	0.5	0.5	0.3	0.2	0.0	0.0	0.0	0.0	2.7	0.5	0.9	0.7	0.2	0.2	0.0	0.0	0.0
W9	2.5	1.0	1.0	0.0	0.1	0.2	0.0	0.0	0.0	2.7	0.5	0.7	0.4	0.1	0.1	0.0	0.0	0.0
W10	2.6	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	1.1	0.9	0.4	0.1	0.1	0.0	0.0	0.0
W11	2.6	0.5	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W12	2.5	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W13	2.6	0.5	0.0	0.0	0.1	0.0	0.0	0.0	0.0	2.7	1.1	0.0	0.2	0.2	0.0	0.0	0.0	0.0

Meningitis / Encephalitis

Meningitis / Encephalitis 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.5	0.3	0.0	0.0	0.7	0.5	0.0	7.3	0.0	0.0	0.3	0.3	0.0	0.3	0.0	0.9
W2	10.6	0.0	0.0	0.0	0.2	0.1	1.0	0.0	0.0	0.0	1.5	0.0	0.9	0.2	0.1	1.2	0.0	0.0
W3	7.1	0.7	0.5	0.0	0.0	0.3	0.3	0.5	0.0	11.1	0.0	0.0	0.0	0.2	0.2	0.3	0.0	0.0
W4	0.0	0.0	0.0	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.8	0.3	0.6	0.3	0.1	0.0	0.0	1.7
W5	7.1	0.7	0.2	1.1	0.0	0.5	0.0	0.0	0.0	0.0	0.8	1.0	0.0	0.2	0.1	0.3	0.0	0.0
W6	3.4	1.4	0.0	0.0	0.7	0.2	0.0	1.3	0.0	7.3	0.0	0.3	0.0	0.7	0.2	0.3	0.4	0.0
W7	0.0	0.7	0.2	1.1	0.1	0.1	1.0	0.0	0.0	3.7	0.0	0.5	0.6	0.7	0.2	0.0	0.0	0.0
W8	10.5	0.0	0.2	0.0	0.3	0.1	0.3	0.4	1.3	0.0	0.8	0.0	0.0	0.2	0.6	0.6	0.4	0.0
W9	3.4	0.0	0.0	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.8	0.0	0.3	0.2	0.4	0.0	0.0	1.7
W10	0.0	0.7	0.2	0.0	0.1	0.2	0.0	0.4	0.0	3.7	0.0	0.0	0.0	0.3	0.4	0.6	0.0	0.0
W11	0.0	0.0	0.2	0.0	0.3	0.1	0.7	0.4	0.0	7.4	0.0	0.0	0.0	0.1	0.1	0.3	0.0	0.0
W12	6.9	0.7	0.0	0.3	0.2	0.1	0.0	0.0	0.0	7.4	0.8	0.0	0.3	0.2	0.2	0.0	0.4	0.0
W13	3.5	0.0	0.5	0.0	0.1	0.0	0.0	0.0	0.0	11.2	2.3	0.3	0.3	0.5	0.4	0.3	0.4	0.0

Meningitis / Encephalitis 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	2.9	0.3	0.5	0.1	0.3	0.4	0.0	0.0	0.0	1.5	0.3	0.4	0.1	0.3	0.2	0.0	0.0	0.0
W2	4.4	0.3	0.1	0.5	0.1	0.1	0.3	0.5	0.0	4.6	0.7	0.1	0.3	0.4	0.1	0.0	0.0	0.0
W3	3.0	0.3	0.7	0.2	0.1	0.4	0.0	1.0	0.0	3.1	0.0	0.3	0.0	0.2	0.0	0.5	0.4	0.0
W4	2.9	0.0	0.0	0.2	0.1	0.2	0.0	0.0	0.0	4.6	0.7	0.4	0.4	0.2	0.3	0.2	0.0	0.0

Meningitis / Encephalitis 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W5	1.5	0.7	0.2	0.3	0.2	0.1	0.3	0.0	1.4	1.5	0.0	0.3	0.2	0.2	0.2	0.0	0.0	0.0
W6	2.9	0.3	0.1	0.1	0.1	0.3	0.5	0.0	0.0	1.5	0.0	0.0	0.1	0.2	0.2	0.5	0.0	0.0
W7	0.0	0.3	0.4	0.3	0.1	0.2	0.0	0.0	0.0	3.0	0.3	0.1	0.0	0.2	0.2	0.7	0.0	0.0
W8	0.0	0.0	0.1	0.7	0.1	0.4	0.0	0.0	0.0	0.0	0.7	0.4	0.4	0.3	0.3	0.2	0.0	0.0
W9	1.4	0.3	0.1	0.2	0.1	0.2	0.3	0.5	0.0	1.5	0.3	0.0	0.2	0.2	0.1	0.5	0.8	0.8
W10	1.4	0.0	0.1	0.3	0.1	0.4	0.0	0.0	0.0	1.5	0.0	0.6	0.2	0.2	0.0	0.0	0.0	0.0
W11	4.3	0.0	0.2	0.0	0.1	0.4	0.0	0.5	0.0	1.5	0.0	0.1	0.4	0.2	0.3	0.2	0.0	0.0
W12	2.9	0.3	0.1	0.2	0.2	0.2	0.2	1.0	1.4	3.0	0.0	0.0	0.2	0.3	0.2	0.5	0.0	0.0
W13	4.4	0.3	0.1	0.1	0.1	0.4	0.2	0.5	0.0	4.6	1.0	0.1	0.4	0.2	0.1	0.5	0.8	0.0

Meningitis / Encephalitis 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	5.2	0.0	0.0	0.0	0.2	0.2	0.2	0.7	0.0	1.8	0.4	0.0	0.5	0.7	0.3	0.0	0.0	0.5
W2	3.5	0.0	0.0	0.0	0.2	0.2	0.5	0.2	0.8	7.2	1.1	0.3	0.2	0.4	0.4	0.2	0.0	0.5
W3	3.5	0.4	0.4	0.1	0.4	0.2	0.3	0.5	0.0	0.0	0.4	0.1	0.2	0.6	0.5	0.3	0.2	0.0
W4	1.7	0.0	0.2	0.2	0.2	0.4	0.0	0.7	0.0	3.5	0.4	0.0	0.2	0.5	0.1	0.2	0.0	0.0
W5	3.5	0.0	0.2	0.1	0.1	0.2	0.3	0.5	2.3	3.6	0.8	0.1	0.9	0.1	0.4	0.3	0.0	0.0
W6	0.0	0.4	0.1	0.0	0.2	0.2	0.2	0.2	1.5	1.8	0.4	0.0	0.4	0.1	0.1	0.2	0.0	0.0
W7	3.5	0.4	0.2	0.0	0.1	0.2	0.2	0.5	0.0	1.8	0.0	0.0	0.4	0.3	0.2	0.3	0.6	0.0
W8	7.0	0.0	0.6	0.2	0.3	0.2	0.3	0.5	0.0	1.8	0.0	0.1	0.1	0.2	0.1	0.0	0.2	0.5
W9	1.7	0.0	0.1	0.1	0.3	0.2	0.5	0.5	0.0	0.0	0.0	0.1	0.0	0.2	0.1	0.6	0.2	0.0
W10	5.2	0.7	0.4	0.0	0.2	0.2	0.2	0.5	0.0	5.4	0.4	0.0	0.4	0.3	0.3	0.2	0.0	0.0
W11	7.0	1.1	0.6	0.5	0.0	0.1	0.0	0.9	0.8	3.6	0.4	0.1	0.0	0.1	0.4	0.2	0.0	0.9
W12	5.2	0.7	0.5	0.1	0.2	0.2	0.3	0.5	0.0	1.8	0.4	0.0	0.2	0.5	0.1	0.0	0.2	0.0
W13	7.0	0.4	0.1	0.0	0.2	0.2	0.3	0.5	0.0	7.2	0.0	0.3	0.4	0.4	0.1	0.2	0.2	0.0

Meningitis / Encephalitis 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	3.0	0.0	0.4	0.2	0.4	0.3	0.0	0.0	0.0	3.2	0.7	0.0	0.5	0.5	0.1	0.7	0.0	0.0
W2	15.3	0.0	0.0	0.5	0.3	0.5	0.2	0.0	0.0	0.0	0.0	0.4	0.2	0.2	0.1	0.0	0.3	0.7
W3	3.1	0.6	0.0	0.5	0.2	0.2	0.0	1.1	0.0	3.2	0.0	0.7	0.7	0.5	0.3	0.0	0.6	0.0
W4	6.1	0.0	0.2	0.5	0.0	0.4	0.2	0.7	0.0	9.6	0.7	0.0	0.5	0.9	0.2	0.0	0.3	0.0
W5	3.1	0.0	0.0	0.5	0.3	0.5	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.4	0.4	0.2	0.0	0.0
W6	3.0	0.6	0.0	0.0	0.2	0.1	0.2	0.3	0.0	3.2	1.3	0.0	0.0	0.4	0.4	0.0	0.0	0.7
W7	9.2	0.6	0.0	0.2	0.0	0.6	0.2	0.0	0.0	6.4	0.0	0.0	0.0	0.4	0.5	0.2	0.3	0.0
W8	3.1	0.0	0.4	0.0	0.3	0.3	0.0	1.0	0.0	0.0	0.7	0.0	0.5	0.5	0.1	0.2	0.3	0.0
W9	0.0	0.0	0.0	0.2	0.1	0.3	0.2	0.3	0.0	0.0	0.0	0.2	0.7	0.0	0.2	0.4	0.0	0.0
W10	0.0	0.6	0.0	0.0	0.1	0.1	0.2	0.0	0.0	9.8	0.0	0.7	0.5	0.4	0.1	0.2	0.3	1.5
W11	9.3	0.6	0.2	0.0	0.3	0.3	0.2	0.7	0.0	3.3	0.0	0.4	0.0	0.3	0.3	0.0	0.6	0.0
W12	6.2	0.0	0.2	0.4	0.2	0.3	0.2	0.0	0.0	3.2	0.7	0.0	0.0	1.0	0.5	0.2	0.0	0.0

Meningitis / Encephalitis 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W13	3.1	0.6	0.0	0.2	0.3	0.3	0.2	1.0	0.0	3.2	0.7	0.2	0.0	0.6	0.3	0.7	0.0	0.7

Meningitis / Encephalitis 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.3	0.1	0.3	0.2	0.2	0.3	0.0	0.0	0.4	0.0	0.0	0.3	0.3	0.7	0.5	0.0
W2	1.9	0.0	0.1	0.3	0.3	0.4	0.0	0.0	0.0	4.0	0.0	0.1	0.4	0.7	0.1	0.2	0.0	0.0
W3	5.6	0.8	0.0	0.0	0.3	0.3	0.4	0.0	0.0	10.1	0.8	0.3	0.0	0.5	0.3	0.3	0.5	0.0
W4	0.0	0.8	0.1	0.8	0.1	0.1	0.5	0.0	0.9	2.0	0.0	0.1	0.3	0.5	0.3	0.5	0.0	0.0
W5	1.8	0.4	0.0	0.3	0.3	0.3	1.2	0.3	0.0	0.0	0.0	0.0	0.3	0.7	0.4	0.3	0.2	0.0
W6	7.2	0.0	0.1	0.4	0.1	0.3	0.4	0.0	0.0	1.9	0.0	0.0	0.1	0.4	0.6	0.7	0.7	0.0
W7	3.6	0.4	0.4	0.0	0.2	0.4	0.4	0.0	0.9	3.9	0.4	0.1	0.3	0.4	0.0	0.2	0.0	1.1
W8	1.8	0.4	0.3	0.2	0.1	0.4	0.2	0.0	0.0	5.8	0.0	0.3	0.6	0.2	0.6	0.0	0.5	0.0
W9	3.6	0.4	0.1	0.0	0.2	0.1	0.2	0.5	0.0	3.8	0.0	0.0	0.4	0.2	0.2	0.5	0.7	0.6
W10	7.2	1.2	0.3	0.1	0.1	0.3	1.2	0.0	0.9	0.0	0.0	0.1	0.3	0.1	0.3	0.5	0.0	1.1
W11	1.8	0.0	0.4	0.5	0.1	0.1	0.0	0.5	0.0	5.8	0.0	0.1	0.2	0.4	0.5	0.3	0.9	1.7
W12	5.4	0.8	0.0	0.2	0.1	0.3	0.4	0.3	0.0	1.9	0.0	0.4	0.4	0.7	0.3	0.2	0.5	0.0
W13	7.3	0.4	0.0	0.2	0.2	0.4	0.5	0.0	0.0	1.9	0.8	0.0	0.5	0.5	0.3	0.9	0.5	0.0

Meningitis / Encephalitis 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	7.8	0.0	0.3	0.1	0.3	0.4	0.4	0.2	0.0	3.3	0.0	0.0	0.2	0.5	0.3	0.3	0.7	0.0
W2	7.8	0.3	0.1	0.1	0.1	0.2	0.1	0.6	0.0	1.7	0.3	0.2	0.0	0.5	0.3	0.1	0.0	0.0
W3	3.2	0.6	0.1	0.1	0.2	0.3	0.7	0.8	0.0	1.7	0.0	0.3	0.2	0.4	0.2	0.3	0.5	0.4
W4	4.7	0.0	0.0	0.2	0.2	0.4	0.4	0.2	0.0	3.3	0.7	0.0	0.0	0.2	0.2	0.3	0.0	0.4
W5	6.3	0.3	0.4	0.3	0.2	0.1	0.1	0.6	0.6	3.3	0.3	0.2	0.2	0.4	0.3	0.3	0.0	0.8
W6	6.2	0.3	0.1	0.2	0.2	0.2	0.1	0.4	0.0	3.2	0.3	0.2	0.2	0.1	0.2	0.4	0.0	0.0
W7	3.1	0.6	0.0	0.1	0.0	0.3	0.3	0.6	0.0	3.2	0.3	0.1	0.2	0.5	0.1	0.6	0.3	0.4
W8	1.6	0.3	0.1	0.2	0.2	0.4	0.1	0.4	0.0	4.9	0.0	0.1	0.3	0.5	0.4	0.1	0.2	0.0
W9	7.8	0.3	0.4	0.0	0.3	0.1	0.3	0.4	0.0	3.2	0.3	0.1	0.4	0.2	0.2	0.4	0.2	0.0
W10	6.3	1.0	0.3	0.0	0.1	0.1	0.6	0.0	0.6	0.0	1.3	0.6	0.3	0.1	0.1	0.1	0.2	0.0
W11	9.5	0.3	0.1	0.3	0.2	0.3	0.1	0.2	0.0	6.5	1.0	0.1	0.1	0.3	0.2	0.1	0.5	0.0
W12	6.2	0.0	0.4	0.0	0.3	0.3	0.1	0.2	0.6	8.0	0.3	0.1	0.6	0.3	0.5	0.5	0.5	0.4
W13	4.7	0.3	0.0	0.1	0.3	0.2	0.6	0.0	0.6	4.9	0.3	0.0	0.3	0.1	0.3	0.8	0.2	0.0

Meningitis / Encephalitis 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	2.5	0.5	0.2	0.5	0.4	0.2	0.4	0.5	0.0	8.1	0.0	0.2	0.2	0.3	0.4	0.7	0.2	0.5

Meningitis / Encephalitis 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W2	5.1	0.5	0.3	0.2	0.0	0.2	0.2	0.5	0.0	10.9	0.0	0.0	0.2	0.5	0.2	0.0	0.7	0.0
W3	0.0	0.5	0.0	0.4	0.2	0.0	0.8	0.8	0.0	8.3	0.0	0.4	0.2	0.6	0.2	0.4	0.4	0.0
W4	0.0	0.0	0.2	0.0	0.2	0.4	0.0	0.8	0.0	8.2	0.0	0.0	0.6	0.9	0.2	0.4	0.7	0.0
W5	10.2	0.0	0.2	0.0	0.1	0.1	0.6	0.5	0.0	5.5	0.0	0.2	0.6	0.2	0.4	0.9	0.2	0.0
W6	5.0	0.0	0.5	0.0	0.5	0.3	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.2	0.2	0.0
W7	5.1	0.0	0.0	0.5	0.4	0.3	0.4	0.3	0.0	5.4	0.0	0.2	0.7	0.6	0.3	0.2	0.4	0.0
W8	2.6	0.5	0.0	0.2	0.3	0.0	0.0	0.0	0.0	2.7	0.0	0.2	1.1	0.5	0.5	0.0	0.2	0.0
W9	7.6	1.0	0.0	0.3	0.5	0.2	0.2	0.0	0.0	5.4	0.5	0.2	0.2	0.2	0.4	0.9	0.4	0.0
W10	7.7	0.0	0.3	0.5	0.2	0.1	0.0	0.3	0.8	0.0	0.6	0.2	0.2	0.2	0.2	0.5	0.2	0.0
W11	10.4	1.0	0.0	0.0	0.4	0.1	0.4	1.0	0.0	8.2	0.6	0.2	0.7	0.5	0.2	0.2	0.7	0.0
W12	0.0	0.5	0.3	0.5	0.1	0.1	0.2	0.3	0.0	5.4	0.0	0.0	0.7	0.7	0.5	0.0	0.2	0.0
W13	5.1	0.0	0.3	0.0	0.4	0.2	1.1	0.3	0.0	8.1	0.0	0.0	0.2	0.7	0.2	0.4	0.2	0.0

Mumps

Mumps 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	1.4	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0
W2	0.0	0.7	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0
W3	0.0	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0
W4	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
W5	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0
W6	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.3	0.0	0.0	0.1	0.0	0.0	0.0
W7	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W8	0.0	1.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	0.0	0.0	0.0
W9	0.0	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.3	0.0	0.3	0.0	0.0	0.0	0.0
W10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
W11	0.0	0.0	0.5	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W12	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W13	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.1	0.3	0.0	0.0

Mumps 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0
W2	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	1.5	0.0	0.3	0.1	0.0	0.0	0.2	0.0	0.0
W3	0.0	0.7	0.4	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0
W4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.0
W5	0.0	0.3	0.1	0.1	0.0	0.1	0.3	0.5	0.0	0.0	0.3	0.0	0.0	0.1	0.0	0.0	0.0	0.0
W6	0.0	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.4	0.0

Mumps 4 weekly table (W1 - W13) - London

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W7	0.0	0.7	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
W8	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0
W9	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.4	0.0
W10	0.0	1.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.2	0.0	0.0
W11	0.0	0.7	0.1	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0
W12	0.0	0.3	0.4	0.0	0.0	0.1	0.0	0.0	0.0	0.0	1.0	0.3	0.0	0.1	0.1	0.0	0.4	0.0
W13	0.0	1.3	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.1	0.2	0.0	0.0

Mumps 4 weekly table (W1 - W13) - Midlands

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	1.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.1	0.1	0.0	0.0	0.0	0.0	0.0
W2	0.0	0.4	0.0	0.2	0.0	0.1	0.2	0.0	0.0	0.0	0.4	0.0	0.1	0.1	0.0	0.2	0.0	0.0
W3	0.0	0.4	0.6	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.1	0.0	0.0	0.2	0.0
W4	0.0	0.4	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.4	0.1	0.1	0.0	0.1	0.0	0.0	0.0
W5	0.0	0.4	0.2	0.1	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
W6	0.0	1.1	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.0	0.1	0.0	0.0	0.0
W7	0.0	1.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0
W8	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.4	0.3	0.1	0.1	0.1	0.0	0.0	0.0
W9	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0
W10	0.0	0.0	0.0	0.2	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0
W11	0.0	0.7	0.4	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.2	0.0	0.0	0.0
W12	0.0	0.4	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0
W13	0.0	1.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.2	0.0	0.0

Mumps 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.6	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.1	0.0	0.0	0.0	0.0
W2	0.0	1.9	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.0	0.0	0.2	0.0	0.0	0.0
W3	0.0	0.6	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.3	0.0
W4	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.7
W5	0.0	0.0	0.2	0.2	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W6	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
W7	0.0	0.6	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.1	0.0	0.0	0.0	0.0
W8	0.0	0.6	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0
W9	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.1	0.0	0.0	0.0	0.0
W10	0.0	0.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.4	0.2	0.1	0.1	0.0	0.0	0.0
W11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.1	0.1	0.2	0.0	0.0
W12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.3	0.0
W13	0.0	0.6	0.0	0.0	0.0	0.1	0.0	0.3	0.0	0.0	0.7	0.0	0.5	0.1	0.1	0.2	0.0	0.0

Mumps 4 weekly table (W1 - W13) - North West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.4	0.1	0.1	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.3	0.1	0.1	0.0	0.0	0.0	0.0
W2	0.0	0.8	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.0	0.0
W3	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0
W4	0.0	0.8	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.1	0.0	0.0	0.0	0.0	0.0
W5	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
W6	0.0	0.4	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.1	0.0	0.0	0.0
W7	0.0	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.2	0.0	0.0	0.0
W8	0.0	0.0	0.7	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.4	0.1	0.3	0.0	0.1	0.0	0.0	0.0
W9	0.0	0.0	0.5	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0
W10	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.8	0.0	0.1	0.1	0.1	0.0	0.0	0.0
W11	0.0	1.2	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.1	0.1	0.0	0.0	0.0
W12	0.0	0.4	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.0
W13	0.0	1.2	0.5	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.1	0.0	0.0	0.0	0.0

Mumps 4 weekly table (W1 - W13) - South East

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	1.0	0.3	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.0
W2	0.0	1.0	0.4	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.3	0.1	0.1	0.1	0.1	0.1	0.0	0.0
W3	0.0	0.0	0.5	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.3	0.2	0.1	0.0	0.1	0.0	0.2	0.0
W4	0.0	0.3	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W5	0.0	0.3	0.3	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
W6	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.2	0.0
W7	0.0	0.6	0.3	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.3	0.2	0.1	0.0	0.2	0.0	0.0	0.0
W8	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.2	0.1	0.1	0.0	0.0	0.0
W9	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
W10	0.0	1.0	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.3	0.3	0.0	0.1	0.1	0.0	0.0	0.0
W11	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.0
W12	1.5	0.3	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0
W13	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.1	0.1	0.0	0.0	0.0

Mumps 4 weekly table (W1 - W13) - South West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.4	0.2	0.1	0.0	0.0	0.2	0.0
W2	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.2	0.1	0.0	0.0	0.0
W3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0
W4	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
W5	0.0	1.0	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
W6	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.2	0.1	0.0	0.0	0.0
W7	0.0	1.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
W8	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.5	0.2	0.0	0.3	0.0	0.2	0.0	0.0

Mumps 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W9	0.0	1.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0
W10	0.0	0.0	0.0	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
W11	0.0	1.6	0.2	0.0	0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
W12	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.2	0.2	0.0
W13	0.0	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.0	0.2	0.0	0.0	0.2	0.0

Musculoskeletal symptoms

Musculoskeletal symptoms 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	7.1	4.3	6.2	1.9	4.6	7.3	29.2	80.2	219.9	7.3	6.0	5.0	4.1	5.6	13.2	41.0	97.0	256.9
W2	10.6	7.8	5.0	2.5	3.9	10.9	39.0	94.0	226.2	7.3	5.3	4.8	5.9	7.8	14.5	37.9	97.9	267.4
W3	21.4	8.6	4.3	3.3	3.8	9.7	36.4	86.5	214.4	7.4	3.8	3.5	3.8	6.5	17.1	31.4	95.3	229.9
W4	17.4	6.4	2.2	3.5	3.9	11.6	37.3	80.9	217.2	14.7	6.8	4.3	9.6	7.1	12.7	39.0	84.8	220.1
W5	7.1	7.9	4.6	3.2	4.0	9.4	30.4	79.4	232.3	18.4	8.3	3.5	4.3	8.4	16.2	33.8	89.6	225.2
W6	6.9	10.7	5.3	3.0	3.8	11.0	38.5	81.1	226.9	18.1	12.1	3.5	7.2	6.2	14.8	40.8	79.1	219.0
W7	24.3	12.2	4.6	3.0	3.7	11.4	32.6	81.4	180.4	7.3	7.5	4.8	8.1	8.6	13.3	45.7	84.6	218.4
W8	10.5	6.5	3.4	2.4	3.4	10.8	33.6	79.0	248.6	14.7	9.8	3.5	7.2	9.0	14.3	35.6	84.8	235.5
W9	10.3	8.6	3.6	2.1	3.7	9.6	30.6	71.3	208.6	0.0	9.8	2.3	2.0	6.0	13.4	25.1	77.8	212.2
W10	27.7	8.7	4.8	2.7	3.3	12.3	35.8	88.5	239.4	0.0	4.6	3.0	4.9	7.3	17.5	37.1	94.8	229.9
W11	10.5	9.4	4.1	3.7	3.9	10.9	34.1	80.9	200.2	7.4	8.3	3.0	6.8	9.2	18.4	38.5	90.1	246.5
W12	10.4	16.6	5.0	4.2	4.8	11.8	35.4	85.2	208.5	11.0	7.6	5.3	6.0	10.0	17.2	40.3	88.5	235.9
W13	3.5	8.6	3.8	5.0	4.1	12.2	41.8	84.1	186.2	15.0	10.6	3.3	6.5	9.6	15.1	33.5	96.6	228.2

Musculoskeletal symptoms 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	11.8	6.9	4.5	2.6	3.3	8.7	31.2	71.6	172.1	18.4	4.5	2.5	4.9	5.9	16.4	38.0	83.9	166.6
W2	8.8	5.3	4.5	4.1	2.9	10.6	34.4	75.2	151.0	18.4	4.1	4.7	4.8	7.0	18.8	43.1	92.1	169.8
W3	11.8	3.6	3.9	2.6	3.3	10.8	37.1	79.8	157.0	20.2	4.5	3.3	4.2	6.4	18.6	39.5	80.9	165.1
W4	20.3	5.9	2.8	2.6	3.5	9.8	33.6	76.0	175.0	16.8	4.1	2.3	4.0	5.6	16.3	38.8	84.5	153.4
W5	20.4	6.9	4.7	3.8	3.6	8.9	34.7	84.9	149.7	23.0	3.8	2.9	6.0	6.2	17.2	44.2	90.0	155.8
W6	8.6	6.6	3.3	3.1	4.4	10.5	34.8	71.2	198.5	28.6	4.8	2.9	4.6	7.4	20.7	40.9	89.8	171.0
W7	10.1	5.2	4.0	3.2	3.3	10.7	34.1	74.9	161.2	19.8	4.5	3.8	3.8	5.5	17.2	38.8	84.9	162.9
W8	8.7	5.6	3.0	3.7	2.6	10.6	32.8	81.5	167.9	16.8	6.2	3.9	4.4	5.5	15.7	40.4	75.1	196.3
W9	14.2	4.6	3.0	2.3	2.5	8.6	30.4	69.9	175.1	22.7	4.1	2.5	3.9	5.1	14.7	32.4	86.2	150.8
W10	12.9	9.6	4.3	3.5	3.5	11.2	32.8	81.4	166.5	21.4	8.3	3.8	3.9	6.7	17.9	41.9	83.8	169.9
W11	13.0	5.6	3.8	2.5	2.7	12.3	35.8	88.6	176.0	16.9	5.2	3.7	3.8	6.8	17.8	40.9	89.9	203.7
W12	12.9	7.9	4.2	3.5	3.8	11.9	35.5	94.4	187.4	18.3	4.9	4.0	4.1	7.1	18.7	42.2	89.8	189.8

Musculoskeletal symptoms 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W13	11.6	9.6	3.9	3.3	3.4	10.6	35.8	93.7	163.0	24.5	5.2	4.2	3.5	5.7	15.5	39.0	89.7	165.6

Musculoskeletal symptoms 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	10.5	3.6	3.7	2.8	2.8	9.2	25.6	63.4	136.0	32.2	4.1	3.2	6.4	6.4	14.0	29.6	65.5	153.2
W2	24.5	5.4	3.3	3.3	4.0	10.4	31.1	69.8	183.7	34.0	2.6	3.5	4.7	7.5	14.1	35.1	78.1	163.0
W3	26.5	5.4	3.3	1.8	3.3	10.3	36.3	70.8	155.7	27.1	3.8	3.2	4.8	5.5	13.6	32.1	75.4	161.5
W4	15.6	1.1	2.6	2.7	4.1	9.6	31.4	66.4	164.9	24.8	1.9	2.1	3.9	6.3	13.4	34.7	78.9	159.6
W5	14.0	4.7	3.1	3.2	3.8	9.7	31.0	63.1	141.1	19.7	6.8	3.3	4.6	6.6	14.1	31.5	70.6	176.0
W6	22.4	8.3	3.9	3.3	3.8	9.3	24.6	62.3	168.1	17.5	4.1	2.8	5.0	6.4	14.5	30.4	75.4	142.5
W7	20.9	6.5	3.2	2.9	3.3	10.1	26.4	67.5	147.3	21.2	4.5	2.2	4.9	6.8	14.0	27.7	73.4	148.8
W8	22.7	4.3	3.3	2.3	3.2	9.4	27.9	71.3	165.9	19.6	3.4	3.2	4.8	7.6	13.6	25.9	69.1	160.0
W9	12.1	4.7	3.9	1.6	2.9	8.2	27.5	49.9	131.5	10.6	2.3	2.2	4.1	6.3	12.1	24.8	59.7	147.0
W10	17.5	6.5	4.4	3.4	4.2	10.8	29.5	63.8	166.0	16.2	4.5	3.9	5.3	8.0	14.2	27.6	76.6	184.0
W11	17.5	4.0	3.8	2.1	4.8	9.2	23.4	63.0	176.2	23.5	6.4	2.7	5.7	7.4	14.6	32.1	72.1	177.4
W12	18.9	3.6	4.8	2.4	3.9	9.8	28.0	61.3	169.4	14.2	7.2	3.0	4.4	8.5	14.4	28.8	67.8	170.7
W13	19.1	5.1	3.3	2.6	3.3	10.2	28.2	66.4	152.2	27.0	3.4	2.8	3.2	6.0	13.7	30.0	68.9	159.2

Musculoskeletal symptoms 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	18.3	8.2	4.6	2.5	3.7	12.7	28.3	76.4	171.1	19.2	6.6	4.2	5.6	7.9	14.8	34.9	80.0	198.6
W2	18.4	8.9	4.6	3.0	5.3	14.1	36.5	83.5	199.0	25.7	10.6	5.3	6.1	8.3	18.7	37.1	89.3	204.9
W3	18.6	7.0	4.6	3.0	5.3	14.8	36.9	79.0	165.7	13.0	8.6	4.2	5.8	9.5	15.4	43.1	85.6	209.5
W4	18.2	8.2	3.8	1.1	4.7	11.9	37.5	81.6	185.8	19.2	11.9	2.4	5.8	7.3	17.0	35.6	85.8	229.7
W5	24.8	5.7	3.8	2.9	5.0	12.2	34.2	73.0	214.0	12.9	2.7	4.0	7.0	7.2	15.8	37.0	79.2	224.3
W6	27.4	7.6	5.9	4.8	6.1	11.8	32.5	89.4	199.4	22.2	11.3	4.0	7.4	9.8	17.3	37.4	89.7	254.9
W7	15.3	11.4	5.3	5.2	5.0	13.3	30.4	75.3	223.4	44.9	9.3	2.9	5.7	8.5	18.1	33.1	82.3	211.1
W8	30.9	12.0	3.2	4.5	5.5	13.8	39.9	85.2	210.0	38.8	8.7	3.1	6.5	7.1	17.5	36.6	85.7	244.3
W9	9.2	8.2	2.3	2.9	4.6	10.1	27.6	75.4	203.7	28.9	5.3	2.4	3.3	5.0	13.1	33.9	73.9	209.1
W10	24.7	7.6	5.1	3.1	4.4	13.0	30.8	84.3	209.6	13.0	8.7	5.8	6.0	9.1	17.6	40.9	92.7	216.4
W11	0.0	8.9	6.8	2.2	5.1	15.8	36.8	74.1	235.0	16.4	12.7	4.9	4.0	10.5	17.9	36.5	87.4	214.8
W12	12.3	11.4	6.1	4.5	4.3	13.3	36.3	67.5	212.3	28.9	8.0	5.8	7.8	11.1	19.3	37.0	82.1	222.8
W13	31.0	10.2	4.9	3.6	3.9	11.0	32.2	75.3	193.7	22.7	7.3	5.1	5.7	7.5	16.1	38.0	78.0	205.8

Musculoskeletal symptoms 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	16.7	8.5	4.6	4.1	5.0	16.2	43.6	82.6	146.5	24.0	9.3	3.5	5.2	8.0	21.8	51.2	88.3	157.9

Musculoskeletal symptoms 4 weekly table (W1 - W13) - North West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W2	24.2	11.6	5.3	4.1	4.7	17.8	45.3	87.2	173.9	21.9	13.0	3.7	7.8	9.5	26.2	52.8	107.2	167.3
W3	24.3	7.4	4.9	3.7	5.1	18.2	49.7	97.0	179.7	22.2	7.3	3.6	6.2	8.5	27.7	64.2	106.3	160.3
W4	20.1	4.3	4.0	4.1	6.0	18.0	43.2	87.5	148.9	15.7	6.5	4.2	6.5	8.2	25.0	55.2	105.2	203.1
W5	16.5	5.4	5.0	4.3	5.4	17.5	41.8	86.8	176.7	25.6	11.0	4.0	6.1	10.8	28.4	56.3	95.2	185.8
W6	19.7	8.5	6.2	3.8	5.5	18.2	45.3	86.6	217.7	27.0	7.7	3.6	6.1	10.6	28.0	54.0	108.3	201.1
W7	19.8	6.2	4.6	4.2	5.6	17.6	52.7	93.4	197.8	21.2	6.5	3.4	7.9	9.7	27.1	62.5	94.1	214.0
W8	23.4	10.1	4.9	3.6	4.8	19.0	46.8	100.0	185.8	32.9	5.3	3.3	6.3	9.3	27.0	57.6	114.1	199.6
W9	26.7	5.0	2.4	2.0	5.3	16.1	34.9	71.6	183.7	15.3	5.3	3.6	4.8	6.6	18.9	42.7	82.7	184.8
W10	16.2	8.5	5.8	5.1	6.0	21.7	58.2	103.7	193.6	40.4	7.8	5.0	6.5	8.9	32.0	74.0	120.4	222.4
W11	14.5	3.9	4.3	3.6	6.4	17.5	39.6	89.9	203.3	32.8	5.3	5.3	6.6	8.5	24.2	53.9	91.7	178.1
W12	19.7	10.1	3.9	4.7	5.8	19.9	43.8	84.4	162.1	34.1	7.4	4.3	7.0	10.9	24.3	44.6	96.8	161.9
W13	16.3	8.1	5.0	3.6	5.2	15.0	34.9	68.9	160.5	24.9	7.0	4.6	5.5	7.7	19.3	44.8	76.9	161.3

Musculoskeletal symptoms 4 weekly table (W1 - W13) - South East

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	20.4	6.3	4.1	2.7	4.3	10.8	26.3	62.8	154.5	28.1	7.7	4.3	5.6	7.4	15.0	29.9	71.5	149.7
W2	36.0	9.5	4.0	3.3	4.8	11.9	32.2	66.1	142.0	28.3	10.1	5.5	4.0	9.5	15.3	31.8	72.7	170.2
W3	28.4	9.9	3.4	2.6	4.8	10.3	30.0	64.1	164.2	31.8	8.0	2.8	5.3	7.4	14.9	35.9	70.7	160.6
W4	26.5	6.0	4.0	4.1	3.5	12.7	26.4	64.2	136.5	39.3	4.4	3.0	5.4	8.4	15.6	31.0	70.2	171.4
W5	18.9	7.3	4.2	3.0	4.4	10.8	30.9	62.4	169.2	31.3	5.4	3.4	5.8	9.4	17.3	35.3	66.5	181.8
W6	26.2	10.5	4.5	4.4	4.2	12.5	31.0	65.5	188.0	29.1	7.7	4.2	7.5	8.4	17.0	33.6	70.0	157.0
W7	21.7	7.3	4.4	2.6	5.3	12.7	29.4	67.0	170.0	27.6	4.7	2.9	5.5	8.6	14.6	29.0	66.7	170.4
W8	25.0	8.0	3.9	4.0	5.1	11.9	32.5	65.4	175.9	29.4	5.0	3.2	6.3	9.3	16.5	30.7	65.2	181.4
W9	14.0	5.1	3.5	3.3	4.1	8.4	22.7	58.3	147.4	22.7	4.4	3.4	4.1	7.7	13.5	28.4	57.5	147.0
W10	9.4	8.3	4.9	4.1	5.1	11.7	28.3	61.9	164.2	24.4	4.7	5.0	6.1	9.1	15.9	29.7	70.9	170.6
W11	28.4	7.0	4.0	3.4	4.4	10.5	28.2	65.7	159.8	34.3	6.4	3.4	6.5	8.5	15.2	33.4	69.6	159.2
W12	15.5	8.9	5.3	4.1	5.6	11.0	31.1	60.7	153.3	30.4	5.4	3.7	5.3	9.3	15.8	34.6	66.5	151.0
W13	17.1	8.6	3.5	3.8	3.6	10.0	28.9	65.4	165.1	27.7	6.7	2.6	3.7	8.1	14.4	28.9	68.7	164.9

Musculoskeletal symptoms 4 weekly table (W1 - W13) - South West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	17.8	6.7	6.1	3.0	3.9	10.6	29.6	81.0	196.6	16.2	6.0	4.3	6.0	6.2	12.2	29.7	75.1	219.4
W2	15.4	6.7	3.2	4.1	3.2	10.5	31.2	75.2	222.8	27.2	4.9	3.7	4.3	5.1	14.0	36.6	80.9	228.6
W3	12.9	6.2	3.4	3.5	3.8	10.8	29.6	81.2	178.1	22.2	7.1	4.3	4.1	5.9	13.9	36.6	82.2	213.6
W4	15.3	6.2	4.9	3.9	3.5	11.8	29.7	74.0	220.9	24.5	3.3	1.8	5.6	6.1	15.5	34.0	88.5	230.0
W5	5.1	4.7	3.7	1.9	4.4	10.4	32.0	74.5	184.2	19.2	9.3	5.0	3.3	7.7	14.2	32.1	87.3	198.8
W6	20.1	9.3	5.2	4.0	4.2	10.0	28.4	77.2	219.6	37.5	6.6	3.0	4.9	7.5	14.8	31.7	84.7	219.8
W7	10.2	9.3	4.5	3.3	4.6	10.3	28.3	68.0	186.6	13.5	4.4	1.9	5.1	6.6	13.8	31.5	74.8	200.4
W8	33.3	3.6	5.9	3.3	4.1	11.6	30.4	79.9	194.4	24.5	3.3	4.6	4.9	7.8	13.3	35.5	84.2	216.4
W9	15.2	1.6	3.9	2.1	3.2	9.6	27.3	68.6	189.9	35.1	3.3	2.3	4.5	4.8	11.3	29.7	68.6	198.6
W10	30.8	9.9	4.5	3.3	3.7	12.8	31.0	77.5	244.4	13.6	6.6	7.4	5.4	8.9	18.4	33.9	78.2	215.2

Musculoskeletal symptoms 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W11	28.5	8.8	5.9	3.3	4.0	11.8	31.7	78.7	234.1	16.4	7.2	3.2	5.2	7.1	15.3	35.2	82.0	220.2
W12	15.3	5.7	5.6	2.7	5.8	13.6	37.4	74.5	201.6	29.5	5.5	5.0	4.8	7.7	15.9	38.1	73.7	221.2
W13	23.1	7.8	3.7	2.2	4.7	11.1	29.5	77.4	221.5	26.9	4.4	4.1	6.1	7.5	15.4	32.3	83.3	199.5

Non-infective Enteritis / Colitis

Non-infective Enteritis / Colitis 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	52.9	7.1	1.2	1.6	4.1	3.5	5.6	7.7	4.1	58.4	5.3	1.0	2.4	3.0	4.0	5.9	5.8	3.5
W2	92.1	6.4	0.0	3.5	3.9	4.9	7.5	7.2	10.9	73.3	8.3	0.5	1.8	3.7	4.2	4.3	6.6	5.2
W3	117.6	7.8	1.0	1.6	3.2	4.4	5.6	7.2	1.4	51.9	9.0	0.3	2.0	4.1	4.4	6.8	8.1	6.0
W4	55.7	5.7	1.0	2.4	4.0	4.9	6.5	4.9	4.1	77.0	5.3	1.0	3.5	3.2	4.4	4.9	8.9	11.1
W5	81.1	10.0	1.0	2.4	4.3	3.5	8.5	4.5	8.1	110.6	5.3	1.3	2.3	3.3	5.6	4.9	4.2	6.0
W6	89.6	8.6	1.4	1.3	3.0	5.3	4.6	6.7	4.1	68.9	7.5	1.0	2.6	4.2	6.6	5.5	8.8	2.6
W7	83.4	5.0	1.7	1.9	3.1	3.6	4.9	4.0	5.4	69.6	3.0	0.8	3.2	3.7	5.8	6.1	6.1	5.1
W8	104.9	6.5	2.2	2.9	4.5	4.0	9.8	9.8	4.0	70.0	6.8	1.3	3.2	3.9	5.4	4.6	7.3	11.1
W9	51.7	7.9	2.4	1.6	3.8	3.9	3.6	6.7	9.4	65.5	4.5	1.0	2.0	3.2	5.2	4.9	5.3	5.1
W10	107.2	11.5	1.9	1.9	4.3	4.2	2.9	8.9	5.4	62.2	5.3	0.8	3.1	5.0	6.5	6.1	11.4	9.4
W11	105.0	13.0	1.9	2.4	3.0	4.5	7.8	8.4	5.4	74.1	6.8	1.3	0.6	4.7	4.3	7.3	6.8	6.8
W12	114.1	10.1	0.5	1.6	3.5	4.1	6.5	10.6	8.1	117.7	5.3	1.5	2.8	5.8	7.0	6.7	8.4	4.3
W13	87.0	9.4	1.9	2.6	4.2	4.8	5.2	5.8	1.3	63.6	5.3	1.3	3.1	4.2	5.6	6.7	4.9	5.1

Non-infective Enteritis / Colitis 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	42.6	3.6	1.6	2.1	2.5	4.6	4.9	10.4	0.0	24.5	3.8	1.1	2.1	3.5	4.1	5.4	4.3	2.6
W2	33.7	4.9	1.2	2.9	2.9	5.0	6.2	5.9	7.2	38.4	4.1	2.2	2.7	2.6	3.7	3.9	7.1	5.2
W3	47.2	3.6	1.8	3.4	3.2	2.8	7.5	6.9	4.3	45.0	4.5	1.3	1.2	2.8	4.3	5.4	4.7	1.7
W4	40.6	5.3	1.9	2.4	2.5	3.8	6.1	7.3	5.7	24.4	6.5	0.6	2.1	3.6	4.5	5.9	4.7	7.7
W5	37.9	5.6	1.8	2.0	2.6	4.1	5.9	6.3	8.5	33.7	3.1	1.4	2.2	3.0	3.6	5.8	9.3	6.0
W6	40.0	7.5	1.7	2.4	3.7	3.8	7.6	7.3	7.0	30.1	6.9	1.4	2.5	2.9	4.8	6.3	7.4	3.4
W7	46.1	6.2	1.6	2.1	2.8	4.3	4.8	6.3	8.4	44.1	3.8	2.2	2.1	2.9	5.2	8.0	8.1	6.8
W8	43.4	9.2	1.9	2.8	3.8	3.4	5.0	4.8	1.4	39.8	5.5	1.1	3.6	3.3	4.5	5.5	6.9	6.8
W9	35.5	4.3	0.5	2.5	2.1	3.0	6.0	6.3	2.8	31.8	4.5	1.7	1.7	2.6	3.9	4.6	5.0	2.5
W10	67.3	4.6	2.3	3.1	3.2	4.4	6.8	9.2	8.4	38.3	3.5	1.7	2.2	3.6	4.0	5.3	5.0	4.2
W11	56.5	3.6	1.2	3.2	2.9	4.5	7.0	6.3	4.2	46.2	3.5	1.1	2.5	4.1	4.7	3.8	6.5	5.1
W12	43.1	5.6	1.1	4.3	2.7	4.1	4.2	8.2	2.8	33.5	4.5	0.6	2.5	4.1	4.7	5.2	6.9	7.6
W13	47.9	5.6	1.3	2.7	2.1	3.0	6.2	5.8	4.2	35.3	3.8	1.3	2.7	3.0	3.7	4.8	8.4	3.4

Non-infective Enteritis / Colitis 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	40.1	5.8	0.7	2.2	2.8	3.7	6.1	6.9	1.6	53.7	2.3	0.1	2.2	3.7	4.1	6.8	6.9	3.9
W2	71.8	6.5	0.9	3.5	3.0	4.4	6.4	8.0	3.1	60.8	4.9	0.8	2.2	3.3	4.7	4.7	6.3	4.8
W3	75.9	7.2	1.1	2.2	3.3	4.0	4.6	4.7	3.8	43.3	3.0	0.8	2.2	3.3	5.8	6.6	6.1	2.9
W4	62.4	5.0	1.0	2.0	4.4	3.7	5.1	8.7	5.3	70.8	5.3	0.6	1.0	2.9	4.4	6.0	5.8	3.4
W5	68.3	4.0	0.9	2.2	3.5	4.0	4.6	6.8	2.3	53.6	6.0	0.9	1.1	3.8	5.2	6.0	7.4	7.6
W6	44.8	5.8	1.1	3.0	3.4	4.1	7.8	6.1	6.8	47.3	4.5	0.9	3.0	3.5	6.0	4.7	6.8	3.8
W7	52.2	6.9	1.7	3.6	3.6	5.0	5.9	7.2	3.8	56.5	5.6	0.4	1.8	4.1	5.0	8.0	5.4	4.3
W8	68.2	5.4	1.0	1.7	4.5	3.2	6.2	7.4	6.8	71.2	5.3	1.0	1.4	4.0	3.9	6.4	6.2	5.2
W9	53.6	4.0	1.2	1.9	3.0	3.6	4.6	6.5	5.3	37.1	4.5	0.8	1.9	3.1	4.4	6.4	4.8	2.9
W10	73.3	7.6	0.7	3.3	3.8	4.5	4.6	7.2	6.0	66.6	5.3	0.4	2.2	4.5	4.8	6.9	4.8	3.8
W11	42.0	4.0	1.5	1.4	3.2	3.8	4.6	11.8	5.3	70.6	6.4	0.5	2.0	4.0	5.1	5.6	5.2	11.9
W12	74.0	6.9	1.5	2.9	3.5	4.1	5.5	7.9	5.3	71.2	6.8	0.4	1.6	4.0	6.2	6.6	5.7	5.2
W13	60.9	4.3	0.9	1.9	3.3	3.3	5.8	4.6	5.2	57.7	5.7	0.5	1.7	4.5	4.9	5.2	7.5	6.1

Non-infective Enteritis / Colitis 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	73.0	3.8	0.0	3.4	4.9	4.4	6.6	5.7	8.4	48.0	4.6	0.7	2.9	4.3	6.0	7.2	4.9	7.4
W2	67.3	3.2	1.1	2.7	3.4	4.3	4.9	7.8	2.4	67.5	8.0	0.9	4.1	5.2	5.4	7.0	7.0	8.1
W3	68.2	7.6	1.5	3.0	4.0	4.3	6.8	7.0	10.7	68.1	10.0	1.5	2.9	5.6	5.0	7.2	9.4	7.4
W4	82.1	6.3	1.3	2.7	3.4	5.2	5.2	8.4	2.4	79.9	2.7	0.4	1.7	4.0	6.2	9.5	9.1	7.4
W5	46.4	5.1	0.6	3.4	2.8	4.4	6.3	8.7	7.1	58.0	2.7	0.7	1.2	2.9	7.3	7.0	5.8	6.6
W6	82.2	3.8	1.5	2.7	3.0	4.8	6.1	7.3	4.7	104.4	5.3	0.7	1.2	6.0	6.0	9.9	7.0	5.1
W7	101.1	3.2	1.3	1.6	3.4	5.8	8.2	8.0	3.5	93.0	5.3	0.9	2.9	4.6	6.4	6.5	7.6	5.8
W8	67.9	5.1	1.9	1.4	3.1	5.1	8.2	9.0	2.3	100.4	7.3	2.2	2.4	4.5	5.3	7.6	7.8	4.4
W9	70.4	3.2	0.8	1.8	3.5	4.1	4.9	4.9	5.9	61.1	6.7	0.9	3.1	3.5	4.1	5.6	7.8	7.3
W10	95.6	2.5	1.5	2.5	4.1	5.3	7.5	11.1	5.9	65.2	0.7	0.9	3.1	5.1	7.9	7.4	9.3	8.8
W11	96.5	4.4	1.3	4.2	3.9	5.1	6.8	5.5	1.2	85.1	4.0	2.0	2.4	4.7	6.0	8.3	11.1	3.7
W12	83.2	5.7	1.3	2.9	4.1	5.2	7.0	6.6	10.6	89.9	8.0	0.9	2.9	4.8	6.5	6.5	8.7	7.3
W13	102.3	10.8	1.1	2.7	4.1	4.5	9.5	6.6	3.5	81.1	4.0	1.3	3.6	4.0	6.7	6.5	6.6	6.5

Non-infective Enteritis / Colitis 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	48.4	7.3	1.1	3.2	4.1	4.1	6.6	6.6	7.5	70.0	2.4	0.8	1.6	4.9	5.3	9.6	6.2	8.2
W2	65.1	7.4	1.5	3.4	4.5	3.8	7.5	7.1	7.4	57.9	2.0	1.7	2.3	4.1	6.3	8.0	7.1	4.1
W3	70.9	7.0	0.5	2.5	3.8	5.4	6.4	6.0	5.5	66.6	4.9	0.7	2.1	4.8	6.8	9.0	6.4	4.0
W4	63.9	3.9	1.1	3.3	3.7	5.2	7.0	6.0	4.6	53.0	2.8	1.1	1.8	4.8	6.7	6.8	7.0	5.7
W5	55.2	7.4	0.5	2.8	4.3	5.4	6.2	8.1	5.4	47.3	6.1	1.4	1.8	4.6	8.0	6.2	7.7	6.8
W6	66.3	5.4	1.1	3.0	4.4	5.6	8.2	7.3	9.9	75.2	6.5	1.4	3.2	4.1	6.6	8.3	9.3	6.8
W7	80.8	4.6	0.9	4.2	3.4	5.9	6.4	5.7	3.6	50.2	3.3	1.1	1.4	4.4	6.4	9.5	7.7	6.2

Non-infective Enteritis / Colitis 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W8	63.0	8.5	1.6	2.5	4.3	5.5	4.8	6.2	3.6	54.1	7.8	1.0	3.6	4.1	6.1	5.5	8.4	5.6
W9	57.0	5.0	1.2	1.6	3.6	4.1	3.4	10.0	3.6	42.0	2.9	1.0	2.8	3.2	5.8	5.3	6.5	5.1
W10	71.8	8.5	1.8	3.2	4.7	5.3	8.5	8.3	9.9	75.0	9.0	1.0	3.1	5.5	6.7	8.1	6.5	8.5
W11	74.3	7.8	0.8	2.7	5.1	5.6	8.3	11.8	8.1	75.3	5.3	0.7	3.5	3.7	6.2	10.0	7.2	8.5
W12	84.3	8.5	0.9	2.7	4.3	4.9	6.2	8.6	9.0	68.2	7.0	1.4	1.7	5.2	7.2	6.4	5.1	2.3
W13	58.1	7.4	1.3	2.8	3.7	5.5	5.6	6.7	6.3	59.3	3.7	0.7	2.2	4.2	6.0	6.5	7.6	2.8

Non-infective Enteritis / Colitis 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	64.3	7.0	2.1	2.3	5.5	4.3	6.9	7.9	8.1	41.3	6.7	1.8	1.4	4.2	6.5	7.6	7.5	6.5
W2	79.8	7.3	2.0	3.0	4.6	5.1	6.4	7.0	2.5	56.5	4.4	1.0	3.8	4.7	5.6	6.2	5.0	5.4
W3	69.3	7.9	1.3	3.1	4.0	4.6	7.7	8.2	5.5	56.9	6.0	0.7	3.0	5.0	6.5	7.6	8.6	6.5
W4	65.4	7.6	1.6	3.5	4.2	5.5	6.5	10.3	4.3	52.3	7.1	1.2	2.3	3.9	6.3	5.8	7.4	4.2
W5	75.5	8.9	1.3	2.3	3.1	4.3	6.7	6.1	3.6	84.1	5.0	1.1	2.2	4.9	5.7	6.9	7.9	9.0
W6	84.9	6.0	1.7	2.8	4.6	6.1	8.1	7.8	3.0	75.9	9.1	1.1	2.9	5.9	6.9	9.7	8.2	8.6
W7	65.2	7.3	1.4	3.6	4.0	6.0	8.7	9.4	8.4	65.0	6.7	1.3	3.3	5.6	5.9	7.3	8.4	6.4
W8	46.9	7.0	1.2	1.9	4.7	5.1	6.2	7.9	4.2	42.5	6.0	0.8	2.2	5.2	5.7	6.9	7.7	4.1
W9	65.1	4.1	0.9	2.5	3.9	4.3	7.2	4.7	5.4	37.2	4.0	0.7	2.2	3.7	4.4	7.0	5.1	4.9
W10	75.2	10.5	2.1	2.8	4.3	5.4	8.4	9.7	7.8	61.9	8.4	0.9	2.3	5.8	5.9	6.9	6.8	3.0
W11	96.2	7.7	1.0	2.8	4.4	5.4	6.3	10.5	4.2	62.0	6.4	1.2	2.2	5.4	5.8	7.1	8.2	2.6
W12	82.0	7.0	1.3	3.3	3.5	4.9	6.2	8.1	1.8	88.1	6.1	1.9	3.6	4.5	6.3	7.7	9.0	7.1
W13	60.7	6.7	1.2	2.1	3.5	4.7	7.0	9.5	3.6	63.6	7.4	0.2	2.0	4.8	4.9	7.1	7.0	4.1

Non-infective Enteritis / Colitis 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	89.1	6.1	1.3	2.8	2.6	5.1	5.0	5.8	2.5	54.0	3.3	0.5	1.7	4.0	4.6	5.5	5.2	6.8
W2	77.0	7.7	1.0	2.0	3.7	2.8	4.2	8.4	3.3	32.6	7.1	0.4	2.1	4.5	5.2	6.2	5.4	6.8
W3	82.8	6.2	0.8	3.5	3.0	3.5	6.1	5.2	3.3	63.7	3.8	1.1	1.7	5.7	5.1	7.1	7.2	4.7
W4	91.7	3.1	0.7	2.3	4.6	3.9	5.0	8.1	4.1	68.1	3.3	0.9	2.6	4.4	5.3	5.8	7.8	6.2
W5	58.9	5.2	1.0	1.9	3.5	5.3	6.3	7.5	2.4	49.3	4.9	0.5	3.3	5.1	5.8	7.3	3.8	6.1
W6	82.9	9.3	1.2	2.8	3.3	3.8	4.8	6.5	3.3	50.9	7.7	0.7	2.6	5.5	6.1	6.0	6.0	5.6
W7	76.2	4.7	0.3	1.6	3.2	4.5	5.9	5.7	7.3	35.1	4.4	0.9	3.3	5.0	5.0	6.0	8.9	4.1
W8	56.4	10.4	1.2	1.9	3.2	4.4	5.5	5.4	4.9	62.6	5.5	1.1	2.2	3.8	6.7	7.6	5.3	3.6
W9	45.5	4.7	1.3	1.7	3.9	4.4	4.0	7.7	8.9	45.8	6.0	0.9	1.6	3.0	3.8	5.6	6.4	6.1
W10	53.9	6.2	1.0	2.8	4.9	5.9	6.5	8.5	2.4	43.6	8.8	0.2	3.1	5.9	5.5	6.9	9.1	6.1
W11	101.0	6.2	0.7	1.7	3.5	5.2	5.0	8.7	4.9	60.1	6.1	0.7	3.1	4.6	6.5	7.2	8.2	3.1
W12	81.6	8.9	0.8	2.6	4.5	4.5	6.5	4.9	4.9	48.2	5.5	0.7	1.6	5.2	4.6	6.3	6.8	3.1
W13	84.8	4.7	0.8	1.5	2.7	5.0	6.7	5.9	2.4	61.9	4.4	1.4	2.1	5.5	5.9	5.6	9.0	4.1

Peripheral Neuropathy

Peripheral Neuropathy 4 weekly table (W1 - W13) - East of England

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.7	1.9	2.2	14.2	21.1	42.7	41.7	42.3	0.0	0.8	2.3	6.5	24.4	40.3	37.0	53.6	39.1
W2	3.5	0.7	1.7	4.1	14.8	30.0	39.0	38.9	40.9	0.0	0.8	2.3	7.0	24.3	38.2	48.6	56.5	45.7
W3	0.0	0.0	1.4	4.1	13.7	25.7	41.6	37.4	33.9	0.0	0.0	1.8	7.6	23.6	38.3	44.3	43.6	44.6
W4	3.5	1.4	1.4	3.2	13.2	27.6	37.9	40.5	38.0	3.7	0.0	2.0	7.8	22.5	33.0	42.4	42.8	41.1
W5	0.0	1.4	1.0	5.4	13.2	23.1	32.3	40.8	41.9	0.0	2.3	1.3	6.9	26.5	35.4	42.7	46.5	29.0
W6	0.0	0.7	1.4	4.3	14.9	27.9	37.9	47.9	45.9	0.0	3.0	1.3	7.5	29.0	37.3	37.7	48.4	40.1
W7	0.0	1.4	1.2	3.5	14.1	29.3	34.9	41.1	36.3	3.7	0.8	1.8	10.4	25.6	37.5	42.6	54.7	38.2
W8	0.0	1.4	1.7	5.6	17.3	26.5	40.8	45.1	43.0	3.7	0.8	2.0	10.9	27.2	37.2	36.5	47.0	38.3
W9	0.0	0.0	1.2	2.9	12.8	20.3	27.1	31.2	32.3	0.0	0.0	1.3	7.2	19.4	27.3	26.7	35.1	30.7
W10	0.0	2.9	1.7	5.3	16.6	27.6	31.9	42.7	30.9	3.7	0.8	2.0	8.6	26.3	40.6	42.3	49.1	36.6
W11	3.5	0.7	2.2	3.5	11.8	27.6	35.1	48.4	41.7	0.0	2.3	1.3	6.8	23.7	41.1	43.1	47.1	39.9
W12	3.5	2.9	1.2	5.0	13.8	28.3	40.0	42.2	41.7	0.0	3.0	2.8	8.5	27.1	39.5	50.4	55.8	36.6
W13	0.0	0.7	1.9	3.2	11.1	26.0	32.1	42.9	40.2	0.0	0.8	1.5	7.1	23.0	35.3	39.9	46.6	47.5

Peripheral Neuropathy 4 weekly table (W1 - W13) - London

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	4.4	1.3	1.2	3.1	9.0	22.8	28.4	38.5	23.1	0.0	0.7	0.9	4.4	16.8	40.2	39.3	40.6	30.5
W2	1.5	1.3	1.2	3.8	9.4	25.9	35.0	41.8	31.6	0.0	1.7	1.4	4.9	22.4	46.6	52.9	49.0	49.4
W3	1.5	2.0	1.0	3.8	11.0	24.1	31.2	46.0	40.0	1.6	1.7	1.0	4.5	21.3	44.9	41.4	50.0	35.3
W4	4.4	0.3	1.3	2.5	9.5	23.2	33.1	40.5	17.1	3.1	0.0	0.8	4.6	17.1	43.5	42.5	45.9	47.1
W5	4.4	1.0	0.5	3.1	9.2	24.4	33.1	35.9	39.5	0.0	0.7	1.4	5.0	18.9	40.8	44.7	41.9	36.6
W6	1.4	1.0	1.2	3.0	9.6	26.7	28.9	36.3	29.6	1.5	1.4	1.8	5.7	20.0	45.8	54.7	50.3	39.1
W7	5.8	1.3	2.1	3.9	9.9	26.6	35.9	34.8	42.0	1.5	1.4	1.8	7.0	18.3	43.7	40.5	46.7	37.3
W8	2.9	0.3	1.1	3.9	9.0	26.3	32.0	34.7	35.0	3.1	0.7	0.9	4.9	18.9	45.5	46.2	45.5	40.6
W9	1.4	0.0	1.2	3.4	7.6	20.2	27.7	31.8	30.8	1.5	0.3	2.0	3.5	15.0	32.9	33.4	28.9	30.5
W10	1.4	0.7	1.1	4.7	10.9	27.6	40.1	42.4	40.6	4.6	0.7	1.5	6.4	21.7	47.4	44.3	40.0	37.2
W11	1.4	1.0	1.5	4.2	10.1	25.8	31.8	33.7	37.7	0.0	1.0	1.4	6.0	18.5	45.0	46.6	53.8	40.6
W12	0.0	0.3	1.3	2.4	10.3	25.2	36.7	38.0	37.8	3.0	0.7	1.4	6.4	20.0	48.3	47.5	45.3	36.4
W13	2.9	1.7	0.7	4.1	9.1	23.6	33.6	32.2	25.1	1.5	1.4	1.4	5.8	19.2	46.2	45.2	42.2	42.3

Peripheral Neuropathy 4 weekly table (W1 - W13) - Midlands

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	5.2	1.8	1.7	2.3	14.1	29.2	35.9	39.3	35.2	1.8	1.5	1.9	5.8	23.5	38.5	35.0	43.8	32.1
W2	1.8	1.1	1.5	4.1	16.6	31.1	39.3	42.2	34.1	3.6	0.4	2.1	5.9	24.6	42.3	39.2	44.5	34.3
W3	1.8	0.4	1.2	4.0	13.8	30.6	36.8	38.1	41.4	1.8	1.1	2.3	6.4	25.2	41.9	45.5	46.4	37.0
W4	3.5	1.1	1.6	3.9	13.9	27.7	35.2	37.3	32.1	0.0	1.1	1.9	4.9	25.3	41.5	40.7	50.3	31.6
W5	3.5	1.8	1.3	4.0	15.3	30.5	37.6	43.5	34.9	5.4	0.4	0.8	5.7	24.3	42.2	41.9	46.9	30.5
W6	0.0	1.4	2.3	3.1	15.2	31.7	33.8	38.7	42.4	3.5	0.8	2.2	7.5	29.7	44.1	42.3	46.2	27.2

Peripheral Neuropathy 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W7	3.5	1.8	1.6	4.5	16.5	29.4	33.8	44.2	27.2	1.8	1.5	2.6	9.3	25.7	41.2	33.8	45.5	36.1
W8	1.7	0.4	1.7	3.5	14.5	30.2	33.7	40.0	27.9	1.8	0.8	1.2	7.3	27.0	39.4	38.8	40.2	35.1
W9	6.9	0.4	1.7	2.9	10.9	23.2	28.0	33.0	24.2	1.8	1.9	1.5	5.9	20.7	30.7	30.6	29.7	26.6
W10	0.0	1.4	1.5	4.0	16.7	29.9	36.3	37.1	30.2	1.8	0.4	1.8	6.6	31.1	44.2	41.9	46.3	32.3
W11	3.5	1.4	1.7	3.9	16.2	29.2	38.2	35.6	43.7	7.2	1.1	1.8	6.9	24.0	42.5	41.2	51.0	38.4
W12	3.4	1.1	0.7	3.9	15.2	30.1	36.4	42.1	33.1	1.8	1.5	1.8	4.9	28.2	43.6	41.7	50.3	37.0
W13	1.7	1.1	1.2	3.4	15.8	28.2	33.9	37.4	28.5	0.0	0.8	2.2	5.5	25.8	38.6	41.0	41.8	30.7

Peripheral Neuropathy 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	6.1	0.0	2.1	4.6	14.2	29.6	35.3	38.2	33.7	3.2	0.0	3.1	9.8	25.9	39.4	36.5	49.0	40.9
W2	0.0	2.5	1.1	3.4	19.1	32.0	41.2	50.0	30.0	0.0	0.7	0.9	7.3	27.8	43.8	39.1	56.9	34.0
W3	6.2	2.5	1.5	3.2	16.6	32.2	35.7	40.4	26.2	0.0	0.0	1.5	6.1	28.1	40.9	38.4	51.2	29.5
W4	6.1	0.6	1.7	3.6	18.2	30.1	36.4	33.3	28.6	0.0	1.3	3.1	7.7	23.7	40.0	38.8	46.5	40.5
W5	3.1	1.3	0.6	5.0	17.0	33.7	33.3	38.4	37.8	3.2	0.7	2.0	7.0	25.9	44.2	39.2	42.8	43.2
W6	0.0	0.0	2.1	4.8	20.1	32.6	34.2	41.5	36.6	3.2	2.7	1.3	7.0	29.6	40.9	42.3	49.7	40.3
W7	9.2	1.3	1.1	3.8	16.5	33.8	38.1	33.8	37.6	0.0	1.3	1.3	7.2	30.6	42.0	38.5	52.6	48.2
W8	3.1	1.3	1.7	3.8	17.8	31.7	37.6	36.2	41.1	3.2	0.0	2.0	9.1	31.3	39.8	38.0	45.9	26.3
W9	3.1	1.9	1.3	3.6	14.4	26.8	30.8	26.1	15.3	3.2	0.0	1.5	6.9	21.9	32.2	34.4	37.4	25.6
W10	3.1	0.0	1.9	4.7	18.1	31.8	38.5	46.1	22.4	0.0	1.3	1.8	9.8	33.3	47.7	50.5	42.7	40.2
W11	3.1	1.3	2.3	6.0	19.2	34.4	38.6	45.4	48.2	0.0	2.0	2.2	10.2	29.8	47.1	45.3	49.8	33.6
W12	6.2	1.9	2.1	3.6	18.2	33.3	42.5	51.9	37.5	0.0	1.3	2.4	11.2	31.2	49.2	47.3	56.3	34.3
W13	3.1	1.3	2.1	2.9	18.0	32.4	42.7	49.0	24.5	3.2	1.3	2.0	8.5	26.7	39.7	45.8	54.1	34.9

Peripheral Neuropathy 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	3.7	2.3	2.0	3.8	15.5	30.9	34.7	49.8	39.2	4.0	1.6	2.9	8.4	27.9	43.2	48.0	49.7	46.0
W2	0.0	1.2	1.6	3.9	16.7	35.2	39.9	51.0	35.2	0.0	1.2	1.2	6.1	29.3	45.8	42.4	57.4	50.4
W3	3.7	0.8	1.8	2.9	15.5	33.3	43.1	49.5	38.5	4.0	0.4	1.5	6.8	28.4	46.1	48.7	53.6	43.7
W4	3.7	1.2	1.3	5.0	17.2	32.7	41.1	49.3	37.5	2.0	0.8	1.4	8.3	28.0	47.0	46.9	58.7	40.6
W5	0.0	1.9	1.2	4.2	16.0	33.6	40.8	43.4	39.9	3.9	2.0	1.8	9.1	29.4	45.7	45.0	53.1	38.6
W6	3.6	0.4	1.6	6.0	16.7	33.5	40.0	48.7	39.8	1.9	2.0	3.3	7.8	30.2	46.9	47.2	56.9	47.0
W7	3.6	2.3	2.5	4.4	18.0	35.1	41.9	41.0	39.6	1.9	1.2	1.9	8.8	30.7	47.0	50.3	55.0	42.4
W8	0.0	1.6	2.1	4.6	17.9	33.2	43.4	50.9	49.4	3.9	4.5	2.2	9.6	28.7	45.9	47.4	53.0	46.8
W9	3.6	1.2	1.8	4.2	13.8	27.9	36.8	32.6	23.4	3.8	1.2	1.9	5.5	22.4	38.3	35.7	41.8	27.1
W10	1.8	1.6	2.0	4.0	19.4	37.1	45.4	47.3	45.9	0.0	1.6	2.6	9.5	29.7	53.2	45.9	57.1	47.4
W11	1.8	0.8	1.4	5.4	16.2	31.0	39.7	53.1	38.7	3.9	1.6	1.5	8.0	27.6	44.0	47.9	54.0	40.6
W12	1.8	0.8	2.6	4.3	17.1	34.2	47.3	51.2	50.4	1.9	0.8	1.7	9.6	27.4	45.9	52.5	60.5	43.4
W13	3.6	1.2	1.6	3.4	14.4	30.0	37.1	47.8	37.7	5.7	2.1	1.9	7.7	25.1	43.6	41.7	55.7	49.4

Peripheral Neuropathy 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	1.6	1.6	1.6	2.9	14.0	25.7	33.3	38.5	37.5	3.3	0.3	1.8	6.8	25.5	38.7	39.4	57.3	41.6
W2	4.7	1.0	1.6	4.8	14.2	26.9	41.4	50.2	31.6	1.7	1.0	1.9	7.3	27.1	39.3	41.5	53.8	42.8
W3	3.2	1.6	1.7	3.9	14.6	27.0	39.3	43.4	41.8	3.3	1.0	1.1	6.2	26.6	37.7	38.0	50.9	44.0
W4	4.7	1.6	2.1	3.1	13.8	29.1	38.9	45.8	42.2	4.9	0.7	1.9	6.8	23.6	38.5	41.5	58.7	42.7
W5	4.7	0.6	2.1	3.5	14.2	24.6	32.9	38.7	37.6	6.6	1.0	1.7	7.8	23.8	38.7	43.8	49.5	36.8
W6	4.6	1.0	1.2	3.7	15.3	29.2	40.4	49.0	34.5	3.2	2.0	1.7	8.5	25.4	38.1	46.6	56.6	43.1
W7	3.1	1.3	1.5	3.2	14.5	27.3	35.7	42.1	43.4	4.9	0.7	2.3	8.6	26.9	37.2	40.0	49.6	37.0
W8	0.0	1.0	2.0	4.2	13.0	27.3	40.3	45.7	37.3	1.6	1.0	1.7	7.2	27.5	38.0	40.4	49.5	40.7
W9	1.6	0.6	1.2	3.8	12.3	23.0	28.2	34.1	30.8	3.2	1.0	1.7	6.4	21.0	29.6	34.9	37.7	35.2
W10	1.6	1.9	1.5	4.2	15.8	28.7	36.6	46.9	39.2	1.6	0.3	2.4	8.0	28.3	41.0	49.8	50.3	39.3
W11	3.2	1.9	1.7	3.8	14.5	29.2	40.2	47.0	44.6	1.6	1.3	2.8	7.0	26.0	41.5	43.2	51.9	44.5
W12	1.5	1.3	2.2	3.4	16.2	30.3	39.6	43.1	41.6	1.6	4.0	2.2	7.0	24.7	42.4	44.9	57.3	48.6
W13	0.0	1.9	1.4	3.7	13.6	28.5	38.3	42.4	34.2	1.6	0.7	1.2	7.3	22.2	39.6	41.2	53.2	39.5

Peripheral Neuropathy 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	2.5	2.0	0.3	3.4	14.0	28.4	36.0	43.2	36.8	5.4	1.1	2.3	4.9	24.0	35.7	40.1	47.6	41.8
W2	0.0	1.5	2.4	4.4	14.9	30.6	35.2	55.1	48.2	2.7	3.3	3.0	9.5	23.7	39.1	45.2	60.9	48.3
W3	2.6	1.0	1.7	3.9	15.5	28.5	42.0	37.7	41.2	0.0	0.5	1.1	6.9	26.0	38.1	41.8	52.9	46.0
W4	0.0	0.0	1.5	2.3	14.1	31.4	36.6	40.8	27.9	5.5	2.2	1.1	6.3	22.2	39.9	42.0	44.7	50.0
W5	7.7	1.6	1.7	5.5	13.9	29.2	34.9	37.8	33.4	0.0	1.6	1.6	7.0	24.4	37.7	40.3	46.8	43.0
W6	0.0	0.5	1.8	2.8	19.6	29.7	36.0	48.3	44.7	2.7	1.1	1.9	9.5	26.0	39.8	43.7	55.6	39.4
W7	5.1	1.6	1.2	3.3	15.6	31.8	40.6	52.5	43.0	8.1	1.6	1.2	5.5	25.3	41.5	41.1	48.6	38.2
W8	5.1	2.1	1.7	3.8	16.4	27.7	42.1	45.2	42.1	0.0	0.5	1.6	8.3	26.5	41.7	39.9	52.5	43.8
W9	0.0	2.1	1.2	1.7	13.5	25.3	30.0	35.7	30.0	8.1	1.1	1.9	5.2	19.9	29.6	25.4	43.2	36.8
W10	2.6	2.1	2.4	4.8	16.0	30.8	37.3	44.4	47.1	2.7	0.0	3.0	6.1	26.8	41.4	41.5	55.2	50.1
W11	0.0	0.0	2.0	4.1	15.9	29.9	34.4	52.8	40.5	5.5	0.0	2.0	6.8	24.8	39.5	39.9	51.8	40.9
W12	5.1	4.2	2.0	4.3	15.6	33.6	41.6	45.3	55.1	2.7	1.1	2.3	8.4	25.6	41.4	39.2	50.4	45.5
W13	0.0	1.0	2.4	3.6	14.8	27.5	39.1	41.7	41.1	5.4	1.7	1.8	5.9	22.1	41.3	39.6	48.1	47.8

Pertussis

Pertussis 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	3.5	3.6	1.2	1.4	0.6	0.3	0.0	0.5	0.0	3.6	0.0	2.0	0.9	0.3	0.6	0.0	0.4	0.0
W2	0.0	0.7	1.4	0.3	0.9	0.7	0.7	0.5	0.0	18.3	0.8	1.8	0.6	0.5	0.8	0.0	0.0	0.0
W3	0.0	1.4	1.9	0.5	0.2	0.3	0.3	0.0	0.0	0.0	1.5	0.5	0.6	0.3	0.5	0.9	0.4	0.0
W4	3.5	2.9	0.5	0.3	0.7	0.3	1.0	0.9	1.4	0.0	0.8	0.8	0.3	0.3	0.6	0.3	0.8	0.0

Pertussis 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W5	0.0	0.7	0.5	0.3	0.1	0.3	0.0	0.9	0.0	7.4	1.5	0.8	0.0	0.3	0.6	0.0	0.0	0.0
W6	0.0	0.0	0.2	0.0	0.2	0.1	0.3	0.0	0.0	3.6	0.8	1.0	0.0	0.0	0.4	0.0	0.0	0.0
W7	3.5	0.7	0.2	0.0	0.1	0.5	0.0	0.0	0.0	0.0	2.3	0.0	0.3	0.1	0.1	0.0	0.4	0.0
W8	3.5	1.4	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.2	0.3	0.0	0.0
W9	0.0	2.9	0.0	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.4	0.0
W10	0.0	0.7	0.0	0.0	0.1	0.0	0.0	0.4	0.0	3.7	1.5	0.3	0.0	0.2	0.1	0.0	0.0	0.0
W11	7.0	0.7	0.0	0.3	0.1	0.1	0.0	0.0	0.0	3.7	0.0	0.0	0.6	0.1	0.1	0.0	0.0	0.0
W12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.4	0.0
W13	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	0.3	0.0	0.0

Pertussis 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	2.9	3.3	1.7	0.6	0.4	0.6	0.0	0.0	0.0	9.2	5.2	1.4	1.1	1.0	0.8	0.7	0.8	0.9
W2	5.9	1.0	2.7	0.8	0.2	0.2	0.5	0.0	0.0	1.5	1.7	1.9	1.3	1.1	0.6	0.2	0.0	0.9
W3	5.9	3.0	1.0	0.2	0.2	0.1	0.3	0.0	0.0	3.1	0.7	1.7	0.6	0.9	0.8	0.0	0.0	0.0
W4	4.4	1.0	0.2	0.5	0.2	0.1	0.5	0.0	0.0	3.1	1.7	0.4	0.2	0.6	0.1	0.2	0.0	0.0
W5	1.5	0.3	0.8	0.1	0.1	0.2	0.0	0.5	1.4	3.1	0.7	0.5	0.3	0.4	0.5	0.7	0.0	0.9
W6	1.4	0.3	0.1	0.3	0.2	0.1	0.0	0.0	0.0	0.0	1.0	0.1	0.0	0.3	0.0	0.0	0.4	0.0
W7	1.4	1.0	0.2	0.2	0.0	0.1	0.0	0.0	0.0	3.0	0.7	0.4	0.1	0.1	0.1	0.2	0.8	0.0
W8	1.4	0.7	0.2	0.0	0.1	0.1	0.3	0.0	0.0	7.7	0.7	0.5	0.0	0.1	0.1	0.0	0.0	0.0
W9	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.3	0.3	0.1	0.2	0.1	0.0	0.0	0.0
W10	0.0	0.7	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.8	0.0
W11	1.4	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0
W12	0.0	0.7	0.0	0.1	0.0	0.1	0.2	0.0	0.0	3.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0
W13	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0

Pertussis 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	12.2	1.8	1.6	1.8	0.6	0.7	0.3	0.2	0.0	3.6	2.3	3.5	1.8	1.8	0.9	0.3	0.4	0.5
W2	8.8	2.5	2.8	1.1	0.7	0.7	1.0	0.9	0.0	1.8	1.5	1.9	0.9	1.9	1.3	0.8	0.6	0.0
W3	3.5	1.8	1.1	0.9	0.5	0.9	0.7	0.5	0.0	0.0	1.9	1.8	0.7	1.7	1.2	0.9	0.4	0.5
W4	3.5	2.5	1.1	0.1	0.4	0.8	0.5	0.5	0.8	7.1	0.8	1.5	0.7	1.1	0.6	0.9	1.4	0.5
W5	1.8	0.4	0.7	0.1	0.3	0.4	0.2	0.5	0.0	3.6	0.8	0.6	0.5	0.3	0.5	0.6	0.4	0.0
W6	0.0	0.0	0.5	0.3	0.2	0.4	0.0	0.0	0.0	0.0	1.5	0.4	0.7	0.3	0.4	0.3	1.2	0.0
W7	0.0	1.1	0.1	0.2	0.1	0.2	0.3	0.2	0.0	0.0	1.1	0.5	0.0	0.1	0.2	0.0	0.4	0.0
W8	0.0	0.7	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.8	0.5	0.1	0.2	0.4	0.3	0.2	0.0
W9	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.0	1.8	0.0	0.4	0.1	0.1	0.1	0.3	0.0	0.0
W10	0.0	1.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.0
W11	0.0	0.0	0.1	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.4	0.1	0.1	0.1	0.1	0.0	0.0	0.0
W12	0.0	0.4	0.0	0.2	0.1	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.0	0.0	0.0

Pertussis 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W13	0.0	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.1	0.0	0.0	0.2	0.0	0.0	0.0

Pertussis 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	12.2	5.1	1.7	0.9	0.6	0.7	1.2	0.0	0.0	22.4	4.6	4.0	0.5	0.8	0.9	0.9	0.3	0.0
W2	12.2	2.5	2.1	0.5	1.5	0.9	0.5	1.8	0.0	6.4	2.0	2.7	1.2	1.5	1.9	1.1	0.3	0.0
W3	6.2	2.5	1.1	1.1	0.9	0.8	0.2	0.7	0.0	6.5	3.3	1.1	0.5	0.9	1.0	0.7	0.6	0.0
W4	6.1	1.3	0.4	0.2	0.3	0.8	0.2	0.4	0.0	19.2	2.0	0.2	1.0	1.6	1.0	1.6	0.0	0.0
W5	3.1	1.3	0.4	0.0	0.5	0.0	0.2	0.3	0.0	3.2	2.0	0.7	0.0	1.3	0.4	0.0	0.3	0.0
W6	3.0	3.2	0.2	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.6	0.4	0.2	0.3	0.0
W7	3.1	0.0	0.0	0.5	0.1	0.0	0.5	0.0	0.0	0.0	1.3	0.0	0.2	0.4	0.1	0.2	0.0	0.0
W8	3.1	0.0	0.2	0.0	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.1	0.2	0.0	0.0	0.0
W9	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.0	0.0
W10	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.7	0.5	0.1	0.2	0.0	0.0
W11	3.1	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	1.3	0.0	1.2	0.1	0.4	0.0	0.0	0.0
W12	0.0	0.6	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
W13	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.4	0.0	0.0	0.0	0.0

Pertussis 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	11.2	1.9	1.5	0.3	0.4	0.4	0.2	0.3	0.0	12.0	1.6	1.5	0.3	1.0	0.5	0.7	0.2	0.0
W2	7.4	2.3	1.2	0.5	0.3	0.3	0.4	0.3	0.0	8.0	0.8	1.5	0.5	0.7	0.8	0.0	0.7	0.0
W3	7.5	3.5	1.2	0.1	0.3	0.7	0.2	0.0	0.0	8.1	2.8	1.2	0.1	0.7	0.5	0.5	0.2	0.0
W4	1.8	2.7	0.5	0.4	0.3	0.4	0.4	0.3	0.9	3.9	1.2	0.7	0.8	0.8	0.8	0.3	0.5	0.0
W5	0.0	0.4	0.3	0.0	0.1	0.1	0.0	0.3	0.0	2.0	0.8	0.3	0.6	0.2	0.3	0.0	0.0	0.0
W6	1.8	0.8	0.4	0.4	0.1	0.1	0.2	0.0	0.9	1.9	1.2	0.1	0.3	0.1	0.1	0.0	0.2	0.0
W7	1.8	0.0	0.3	0.2	0.0	0.1	0.2	0.0	0.0	0.0	1.6	0.1	0.3	0.1	0.1	0.0	0.0	0.0
W8	0.0	0.8	0.5	0.0	0.1	0.1	0.0	0.3	0.0	3.9	1.6	0.3	0.1	0.2	0.1	0.0	0.5	0.0
W9	1.8	0.4	0.0	0.0	0.2	0.1	0.4	0.0	0.0	1.9	0.0	0.1	0.0	0.3	0.1	0.3	0.0	0.0
W10	3.6	0.8	0.0	0.0	0.0	0.1	0.0	0.0	0.0	5.8	0.4	0.1	0.0	0.1	0.1	0.3	0.0	0.0
W11	3.6	1.2	0.3	0.0	0.1	0.0	0.0	0.0	0.0	1.9	0.4	0.1	0.0	0.0	0.1	0.0	0.0	0.0
W12	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.4	0.1	0.0	0.1	0.1	0.0	0.0	0.0
W13	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.3	0.0	0.1	0.1	0.2	0.0	0.0

Pertussis 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	3.1	3.2	2.7	0.8	0.3	0.8	0.4	0.2	0.0	13.2	3.7	3.9	1.3	0.8	1.1	0.7	0.7	0.4

Pertussis 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W2	1.6	1.6	1.8	0.4	1.1	0.7	0.9	0.8	0.0	8.3	2.7	2.1	1.5	1.2	1.4	0.6	0.5	0.0
W3	6.3	1.6	1.4	0.1	0.4	0.3	0.3	0.6	0.6	3.3	2.3	2.2	0.6	0.5	1.0	0.7	0.3	0.0
W4	1.6	1.6	1.8	0.1	0.3	0.9	0.3	0.2	0.0	1.6	1.7	0.4	0.8	0.4	0.8	0.6	0.7	0.0
W5	1.6	1.6	0.3	0.2	0.3	0.3	0.4	0.4	0.0	1.6	2.0	0.4	0.2	0.1	0.6	0.4	0.2	0.0
W6	1.5	1.3	0.4	0.4	0.1	0.2	0.1	0.2	0.0	0.0	2.0	0.3	0.3	0.2	0.3	0.7	0.0	0.0
W7	4.7	1.0	0.3	0.1	0.1	0.2	0.0	0.2	0.0	4.9	0.7	0.8	0.3	0.5	0.3	0.1	0.0	0.0
W8	1.6	0.6	0.4	0.2	0.0	0.0	0.1	0.0	0.0	0.0	1.3	0.1	0.3	0.1	0.2	0.4	0.0	0.0
W9	0.0	0.6	0.1	0.0	0.1	0.1	0.3	0.0	0.0	1.6	0.3	0.1	0.1	0.1	0.1	0.0	0.2	0.0
W10	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.3	0.2	0.0	0.2	0.2	0.0	0.2	0.0
W11	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.7	0.1	0.0	0.1	0.1	0.3	0.0	0.0
W12	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.2	0.0
W13	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0

Pertussis 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	15.3	6.1	8.4	1.4	1.4	1.8	1.0	1.8	0.0	24.3	5.5	10.8	3.4	2.7	2.7	1.6	0.2	0.5
W2	18.0	4.1	5.7	1.2	1.6	2.2	1.5	0.3	0.0	8.2	6.5	7.1	3.0	2.6	2.7	1.3	1.1	1.6
W3	7.8	1.0	3.7	1.1	0.9	0.8	1.0	0.3	0.0	16.6	4.4	5.3	1.5	1.2	1.9	1.5	0.7	0.5
W4	0.0	4.1	1.5	1.8	1.0	0.7	0.4	1.0	0.0	5.5	2.7	3.0	1.7	1.3	1.7	0.9	0.7	0.0
W5	0.0	1.6	1.2	0.5	0.3	0.4	1.0	0.3	0.0	2.7	2.2	1.1	0.4	0.5	0.9	0.5	0.4	0.0
W6	5.0	1.6	0.7	0.7	0.3	0.5	1.0	0.8	0.8	2.7	2.2	1.1	0.0	0.7	0.3	0.4	0.0	0.0
W7	0.0	1.0	0.5	0.2	0.4	0.4	0.0	0.3	0.0	2.7	1.1	0.4	0.2	0.3	0.1	0.5	0.0	0.0
W8	0.0	2.1	0.0	0.0	0.1	0.2	0.0	0.3	0.0	0.0	3.3	0.4	0.2	0.4	0.3	0.7	0.2	0.0
W9	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.3	0.0	0.0	2.7	0.0	0.0	0.2	0.2	0.0	0.0	0.0
W10	2.6	0.0	0.5	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.1	0.1	0.0	0.0	0.0
W11	0.0	0.0	0.2	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.5	0.2	0.1	0.3	0.2	0.0	0.0
W12	0.0	1.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	2.7	1.1	0.2	0.2	0.2	0.1	0.2	0.0	0.0
W13	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.2	0.0	0.0	0.0

Rubella

Rubella 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W3	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
W6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Rubella 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
W10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Rubella 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
W5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W7	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0
W9	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
W11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Rubella 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
W4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W6	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W11	0.0	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Rubella 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W7	0.0	1.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Rubella 4 weekly table (W1 - W13) - North West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
W2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W3	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
W4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.1	0.0	0.0	0.0	0.0
W5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.1	0.0	0.0	0.0
W8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W9	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
W10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
W11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0
W12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Rubella 4 weekly table (W1 - W13) - South East

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W3	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
W8	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Rubella 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0

Rubella 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W3	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
W9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W10	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W11	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W12	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
W13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Scabies

Scabies 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	4.3	1.4	4.1	0.9	0.7	1.3	1.8	1.4	3.6	0.8	1.8	2.7	1.3	0.8	1.2	3.1	4.3
W2	3.5	2.1	1.2	5.4	1.1	0.6	0.3	0.9	2.7	0.0	1.5	1.0	2.6	0.7	0.6	0.9	0.8	2.6
W3	0.0	0.7	1.0	2.2	0.8	0.9	0.3	0.9	1.4	3.7	0.0	1.8	2.0	1.1	1.0	1.2	0.0	0.0
W4	0.0	2.1	0.5	3.5	1.1	0.5	0.0	0.9	1.4	0.0	0.8	1.0	2.3	0.5	0.7	0.6	1.5	0.0
W5	3.5	1.4	1.2	3.8	0.8	0.5	2.3	0.4	0.0	0.0	0.8	0.8	2.3	0.6	1.0	0.3	0.8	0.0
W6	0.0	2.1	2.2	5.1	1.5	1.1	1.6	0.4	1.4	0.0	0.8	2.8	2.6	1.3	1.0	0.6	1.9	0.9
W7	0.0	5.0	3.6	7.2	2.1	1.1	1.6	2.2	4.0	0.0	0.8	2.0	5.8	1.4	1.9	2.1	1.5	5.1
W8	0.0	0.7	1.7	5.3	1.0	1.0	0.3	0.4	0.0	3.7	1.5	1.5	4.0	1.8	1.1	0.6	0.4	0.8
W9	3.4	4.3	1.2	3.7	1.0	1.1	0.0	0.9	0.0	0.0	2.3	2.5	5.4	1.8	1.1	0.3	0.8	1.7
W10	6.9	2.2	2.9	6.4	1.6	1.0	0.0	0.4	0.0	0.0	2.3	2.8	4.9	1.5	0.6	0.6	0.4	0.9
W11	7.0	2.2	1.4	4.5	1.8	1.4	0.7	1.8	0.0	0.0	0.8	1.0	2.3	1.1	0.6	1.8	0.8	0.0
W12	0.0	2.2	2.9	7.2	1.2	1.6	1.0	0.9	5.4	0.0	2.3	1.5	3.1	1.3	0.8	0.6	1.1	0.0

Scabies 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W13	7.0	2.9	1.2	6.3	1.0	1.0	0.3	0.9	0.0	3.7	0.8	1.5	3.7	1.7	1.3	0.3	1.1	0.0

Scabies 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	1.5	2.3	2.8	5.6	1.8	0.8	1.0	1.5	0.0	1.5	2.1	1.7	3.2	1.4	1.1	2.2	1.6	0.9
W2	5.9	2.3	3.3	5.9	2.4	1.4	1.6	1.0	1.4	0.0	3.1	2.0	4.0	2.3	1.2	1.0	1.6	2.6
W3	3.0	5.3	3.0	3.4	2.2	0.9	1.5	1.5	1.4	4.7	4.1	3.4	3.0	2.2	1.1	1.0	0.4	1.7
W4	4.4	1.6	2.2	3.6	2.3	1.3	1.3	1.9	1.4	7.6	2.4	2.0	2.4	2.3	1.4	2.0	1.6	1.7
W5	2.9	5.9	3.9	4.3	2.0	1.3	2.5	1.0	0.0	6.1	3.8	2.4	3.2	1.8	1.3	2.4	1.2	0.9
W6	0.0	2.0	3.0	5.9	1.9	1.5	2.5	1.5	2.8	3.0	3.1	3.7	4.5	1.7	1.8	1.5	1.5	3.4
W7	2.9	2.3	4.1	6.6	2.3	2.1	2.0	2.4	1.4	3.0	4.8	4.4	5.3	2.7	2.1	1.0	1.5	1.7
W8	2.9	3.6	3.8	4.2	2.6	1.9	1.3	0.5	0.0	1.5	2.4	3.3	4.6	2.0	2.1	1.0	3.5	2.5
W9	5.7	2.0	3.3	5.5	2.0	1.4	0.5	0.5	1.4	6.1	2.4	2.7	4.6	2.6	1.8	1.2	0.4	0.0
W10	4.3	4.6	3.9	5.4	2.8	2.5	1.3	1.9	0.0	1.5	4.2	3.4	4.5	2.7	2.0	0.2	0.4	0.8
W11	5.8	3.6	3.3	6.6	2.6	2.3	1.8	0.5	2.8	0.0	4.5	2.7	4.6	1.9	1.5	1.7	0.8	1.7
W12	1.4	3.0	4.6	7.3	2.6	1.3	1.2	1.9	2.8	1.5	3.5	2.7	4.8	2.8	2.6	1.0	1.9	0.0
W13	4.4	3.6	3.8	4.5	2.1	1.8	1.0	0.5	1.4	6.1	4.2	1.8	3.0	1.8	1.7	1.7	2.3	0.0

Scabies 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	3.5	3.6	2.5	6.9	1.0	1.0	0.7	1.4	5.5	1.8	1.1	1.7	5.4	1.3	1.1	1.4	2.2	13.6
W2	3.5	2.5	1.8	8.2	1.0	0.8	0.3	0.9	3.1	1.8	1.1	1.9	4.7	1.9	1.0	0.8	2.0	5.8
W3	3.5	3.6	1.8	4.2	1.9	1.1	0.5	1.2	1.5	0.0	1.5	1.5	3.7	1.3	1.1	0.5	1.4	3.8
W4	5.2	2.9	1.8	4.2	1.7	1.1	1.1	1.9	1.5	1.8	1.9	2.2	4.4	2.3	0.9	0.9	1.8	3.8
W5	0.0	2.2	2.7	5.7	1.2	1.1	1.8	1.6	0.8	3.6	1.5	1.9	4.7	1.9	1.6	0.9	2.2	2.4
W6	5.2	2.5	2.1	8.2	2.0	1.9	1.0	3.5	2.3	5.3	3.0	3.9	6.8	2.1	1.6	0.6	1.0	2.9
W7	7.0	5.4	3.3	10.7	2.2	2.1	2.1	2.6	5.3	5.3	3.4	3.5	9.9	2.5	2.3	0.8	1.2	1.0
W8	3.5	3.6	2.7	10.2	1.4	2.0	1.6	2.1	3.0	3.6	3.4	1.8	5.7	2.7	1.9	1.3	1.6	1.9
W9	5.2	3.6	3.2	9.4	2.0	1.8	1.1	1.4	0.8	1.8	3.4	4.5	4.8	2.4	2.1	1.6	1.6	3.8
W10	1.7	5.1	4.5	11.4	1.8	1.5	1.5	2.6	4.5	3.6	7.5	4.9	8.1	2.5	1.7	1.7	2.4	3.3
W11	3.5	3.6	3.9	9.8	1.7	1.2	2.6	4.6	7.5	5.4	2.6	3.2	9.6	2.3	2.5	1.4	4.4	9.0
W12	3.4	3.3	2.6	9.7	2.0	1.7	1.0	1.6	1.5	5.3	5.3	3.2	7.6	2.4	1.4	0.6	1.2	1.4
W13	1.7	2.9	2.6	7.5	1.9	1.5	1.0	1.4	7.5	1.8	2.3	3.0	6.5	1.6	1.7	0.6	3.0	17.5

Scabies 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	6.1	3.2	3.6	3.7	1.0	1.6	0.9	0.4	1.2	0.0	5.3	4.6	7.6	2.3	1.6	0.9	0.9	0.7

Scabies 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W2	3.1	1.9	2.7	9.2	1.5	2.4	0.7	1.8	1.2	3.2	2.7	4.9	6.3	2.2	2.1	0.7	1.5	1.5
W3	0.0	3.2	3.2	5.9	1.6	2.4	0.9	2.5	0.0	0.0	2.7	2.9	4.4	2.3	2.0	1.1	1.8	2.2
W4	6.1	6.3	4.2	5.9	2.0	2.4	0.7	2.1	4.8	6.4	4.6	3.5	7.7	2.5	1.5	0.5	0.3	2.9
W5	0.0	4.4	4.0	7.0	2.3	1.2	1.4	0.7	3.5	9.7	8.0	4.2	5.3	2.7	2.3	2.0	3.6	11.0
W6	15.2	4.4	5.3	10.0	2.3	1.2	0.5	1.0	4.7	9.5	2.7	5.5	7.0	3.8	2.3	0.9	0.6	3.7
W7	6.1	6.3	6.7	9.2	2.2	2.1	1.6	2.8	1.2	0.0	4.7	7.5	11.0	4.2	2.5	0.7	3.0	5.8
W8	27.8	7.0	9.1	7.4	3.3	2.6	0.9	2.8	7.0	3.2	4.0	5.7	9.3	3.5	2.8	1.1	0.9	2.2
W9	3.1	3.2	7.0	10.1	2.9	2.5	1.6	0.7	2.4	6.4	6.0	6.0	7.2	3.4	3.4	0.9	1.8	0.7
W10	3.1	6.3	4.6	10.3	3.5	2.6	1.6	3.1	4.7	6.5	8.7	4.4	7.2	3.3	3.6	2.0	3.0	16.1
W11	3.1	5.1	4.9	8.5	3.1	2.1	1.9	1.4	8.2	3.3	6.7	4.7	7.9	3.4	3.0	1.8	1.5	1.5
W12	6.2	8.3	4.2	8.3	3.0	2.6	2.1	3.5	3.5	3.2	5.3	5.3	8.6	3.5	2.9	1.6	2.7	1.5
W13	6.2	7.6	4.7	8.9	3.2	2.0	1.4	3.1	3.5	0.0	6.0	3.6	10.2	4.3	2.0	2.7	0.9	2.2

Scabies 4 weekly table (W1 - W13) - North West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	11.2	4.3	4.8	9.7	2.7	2.8	2.9	6.9	19.6	6.0	3.2	3.9	7.5	2.8	2.7	2.4	4.7	14.0
W2	9.3	6.2	3.3	9.8	3.1	1.7	2.1	3.3	8.3	2.0	5.3	4.6	5.3	3.2	2.6	2.1	1.9	6.9
W3	3.7	5.4	4.2	7.6	3.4	2.0	1.8	4.4	9.2	2.0	4.1	4.6	5.8	3.3	2.2	3.0	5.6	14.4
W4	3.7	3.5	4.6	7.1	3.3	2.2	3.0	4.1	7.3	3.9	2.0	2.6	5.5	3.3	2.3	1.6	4.7	10.3
W5	3.7	5.4	5.1	9.5	2.6	2.5	1.6	6.2	5.4	3.9	5.7	4.4	7.5	4.1	3.1	1.9	8.0	19.3
W6	3.6	5.0	5.3	9.9	3.6	2.0	2.1	7.6	9.0	0.0	6.1	5.8	9.8	3.9	4.0	2.2	4.2	14.2
W7	7.2	4.6	6.2	13.3	3.5	3.8	3.9	2.7	4.5	5.8	4.9	7.6	14.1	4.7	4.7	3.8	3.7	11.9
W8	7.2	5.8	5.5	14.4	4.2	2.4	3.0	5.7	15.3	5.8	6.9	5.5	12.2	5.0	2.7	4.1	6.5	17.5
W9	0.0	8.5	6.3	11.9	3.4	3.0	2.3	4.8	14.4	9.5	4.1	6.8	8.9	4.5	3.1	3.1	6.5	17.5
W10	9.0	4.7	6.3	16.1	3.3	3.5	2.8	2.7	4.5	1.9	7.4	6.2	12.6	3.7	3.7	2.8	4.9	10.2
W11	7.2	9.3	5.7	15.4	4.3	3.4	3.4	4.3	9.0	5.8	6.6	7.5	14.2	4.6	3.7	1.9	2.5	4.5
W12	3.6	6.6	7.6	12.7	3.6	3.6	2.8	4.6	8.1	3.8	4.9	7.0	14.1	4.7	3.5	2.7	5.5	13.5
W13	7.3	6.6	5.9	11.1	3.7	2.2	2.5	4.3	6.3	7.6	3.7	4.4	7.4	3.1	3.1	1.5	3.0	12.9

Scabies 4 weekly table (W1 - W13) - South East

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	6.3	1.9	1.9	5.3	1.1	1.0	1.2	0.6	0.6	3.3	2.7	1.0	5.6	1.1	1.6	0.4	0.3	0.8
W2	4.7	2.9	3.1	8.3	1.8	0.7	0.9	0.4	1.2	3.3	4.0	2.8	5.0	1.8	1.1	0.6	0.5	1.5
W3	1.6	1.3	2.0	6.2	1.2	1.0	0.4	0.2	1.8	1.7	1.3	1.1	5.1	1.3	1.5	0.7	1.2	1.1
W4	1.6	1.3	1.9	6.1	1.3	1.4	1.3	1.0	1.8	6.5	2.4	1.7	3.7	1.6	1.7	1.5	0.9	1.1
W5	3.1	2.5	1.8	6.1	1.6	1.3	0.9	1.2	0.6	3.3	3.0	1.1	4.5	1.5	1.5	1.1	0.7	0.0
W6	1.5	3.5	2.5	7.6	2.0	1.9	1.0	0.0	1.8	3.2	2.7	2.2	5.7	2.3	1.3	0.6	1.4	2.2
W7	3.1	3.5	3.3	10.0	2.1	2.0	1.4	1.6	3.0	9.7	1.7	2.4	8.8	2.9	1.9	0.7	1.5	0.4
W8	0.0	2.5	3.2	8.7	2.2	1.3	1.4	1.4	1.8	8.2	3.4	3.3	8.0	2.8	1.8	0.8	1.0	0.7
W9	7.8	3.2	3.0	11.6	2.1	1.1	1.7	1.2	0.0	1.6	3.4	2.9	6.9	1.5	1.3	0.6	0.3	1.9
W10	3.1	2.2	2.8	8.2	2.3	1.8	1.3	2.4	2.4	3.3	2.4	2.3	6.9	2.4	2.0	1.1	1.9	2.2

Scabies 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W11	4.7	4.5	5.0	9.7	2.8	1.1	1.0	0.8	3.0	6.5	3.0	3.6	9.5	2.5	1.6	1.9	0.5	1.1
W12	3.1	4.5	3.7	12.4	1.8	1.7	1.6	1.0	1.2	1.6	4.7	3.0	8.0	2.5	3.0	0.5	0.8	1.1
W13	3.1	1.6	2.3	10.5	1.8	1.6	0.9	1.0	3.6	1.6	4.0	2.7	7.3	2.3	1.2	0.7	0.8	0.4

Scabies 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	2.5	2.6	2.9	8.2	2.0	1.5	0.2	0.5	0.0	2.7	3.3	1.8	8.0	2.3	2.3	0.5	0.2	2.1
W2	5.1	7.2	2.5	10.6	2.8	1.0	1.0	0.0	3.3	0.0	2.2	3.0	6.7	3.2	0.9	1.1	0.7	0.0
W3	0.0	1.5	3.5	9.0	2.1	0.8	0.4	1.0	3.3	0.0	1.6	3.0	6.5	2.3	1.7	1.1	0.4	3.1
W4	0.0	3.6	3.7	6.2	2.4	1.5	0.8	1.6	4.1	2.7	2.7	2.0	5.7	2.5	1.9	0.5	0.9	0.5
W5	2.6	4.1	2.9	10.7	2.4	1.5	1.7	2.6	4.9	8.2	2.2	3.0	7.7	2.4	1.5	0.7	2.2	6.7
W6	10.1	2.1	3.4	9.4	3.2	2.1	0.4	1.6	1.6	8.0	6.6	5.7	8.0	3.7	2.2	0.9	0.7	1.0
W7	5.1	4.7	5.9	14.8	4.0	2.1	0.6	1.0	2.4	8.1	7.1	5.0	14.6	4.9	2.8	1.1	1.8	2.0
W8	5.1	8.3	3.5	11.6	3.1	2.1	1.5	2.1	0.8	10.9	3.3	5.3	13.2	4.6	3.3	0.9	1.1	5.1
W9	5.1	4.7	5.7	12.4	3.3	1.4	2.5	1.3	1.6	8.1	4.4	3.9	12.3	3.4	2.8	1.4	0.4	1.0
W10	2.6	3.6	4.9	16.7	5.0	2.4	2.1	1.0	1.6	5.5	6.1	3.4	12.3	4.0	2.9	0.9	1.5	2.0
W11	10.4	4.7	6.2	17.7	3.7	2.5	1.7	1.5	3.2	10.9	5.5	5.1	15.1	4.7	2.9	1.6	1.3	2.0
W12	2.5	2.6	7.1	15.5	3.1	1.9	1.9	0.8	0.8	5.4	5.0	2.8	12.6	4.1	2.9	1.6	2.2	1.5
W13	5.1	4.2	4.4	15.1	3.5	1.5	1.9	0.8	0.8	2.7	5.5	5.5	10.2	3.8	2.4	1.4	1.3	0.0

Skin / subcutaneous infections

Skin / subcutaneous infections 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	172.8	150.4	88.6	56.0	48.7	57.2	80.4	98.8	166.7	167.9	141.1	97.9	69.0	64.2	63.7	81.1	99.0	168.4
W2	155.8	210.3	111.9	64.3	55.4	55.9	85.9	127.9	179.9	164.9	156.4	102.2	78.3	67.8	74.0	84.0	135.1	178.5
W3	142.6	204.6	98.1	57.5	51.4	59.7	86.1	105.8	142.5	163.1	175.3	98.7	75.7	69.8	69.9	86.1	101.5	179.3
W4	181.1	177.8	78.3	68.9	59.3	65.3	87.0	112.4	154.8	172.3	160.3	85.1	85.4	77.8	82.9	89.1	113.3	191.0
W5	148.1	183.9	70.7	64.7	46.6	56.0	83.0	95.1	145.9	165.9	150.3	81.3	69.6	66.9	72.6	82.0	111.1	166.3
W6	227.5	294.4	87.9	59.8	48.7	56.2	77.0	99.9	144.5	235.7	274.6	90.8	65.3	61.5	63.9	74.6	100.2	179.8
W7	340.4	349.3	88.2	59.6	48.9	51.1	84.8	93.0	150.8	322.5	290.4	88.8	64.3	61.1	58.4	67.2	93.8	148.7
W8	251.7	216.9	80.0	47.9	43.3	49.6	77.3	99.0	119.6	162.2	193.5	76.2	52.3	55.1	55.3	75.4	91.7	155.6
W9	165.4	127.3	57.0	47.8	35.6	43.6	55.8	84.2	113.0	149.3	127.9	69.2	53.8	44.9	49.0	46.9	76.7	135.5
W10	159.1	133.4	72.8	58.3	47.3	50.7	79.2	104.5	153.3	142.6	131.2	82.9	66.0	62.6	58.5	70.1	104.3	187.3
W11	185.4	145.6	72.9	49.4	45.8	50.8	73.5	104.9	134.4	137.0	137.3	72.6	60.3	52.4	52.7	70.0	89.3	165.7
W12	172.9	139.0	76.0	58.1	46.9	56.2	75.4	113.1	164.1	180.3	127.3	78.5	70.7	60.7	59.2	73.9	109.0	177.1
W13	184.4	108.8	56.9	53.6	43.9	52.6	86.3	112.4	180.9	157.1	92.5	56.6	61.3	55.0	63.6	73.8	102.3	161.2

Skin / subcutaneous infections 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	160.1	170.4	98.6	67.6	48.9	59.2	89.5	115.5	167.8	151.7	148.3	97.3	64.8	61.5	72.6	83.0	109.5	155.2
W2	211.2	210.8	126.2	69.2	56.0	62.3	99.4	111.1	162.5	188.9	182.4	113.9	72.5	69.5	80.0	94.6	126.6	193.2
W3	219.9	239.1	117.7	69.8	53.8	65.3	96.1	117.9	161.3	174.0	203.7	110.0	74.3	63.9	79.3	92.4	122.7	158.2
W4	179.9	190.5	90.9	64.8	54.9	68.2	97.6	114.0	167.9	172.6	174.3	102.6	78.1	72.4	85.3	108.6	135.1	190.2
W5	176.5	165.2	97.0	65.1	49.9	65.2	94.8	104.8	128.5	180.9	158.9	99.0	68.4	64.8	79.0	88.4	114.8	159.2
W6	211.7	268.7	98.1	60.2	49.5	62.3	84.8	111.4	135.2	195.8	241.2	95.1	73.4	60.1	72.0	85.9	108.3	168.4
W7	275.1	321.0	109.9	65.2	48.5	59.9	79.9	120.2	148.6	256.9	278.1	111.1	67.9	60.0	66.8	86.6	117.3	156.1
W8	202.4	237.7	106.4	60.5	44.9	56.8	81.2	96.9	159.5	206.6	187.2	94.2	59.3	59.6	65.7	78.7	90.1	132.0
W9	159.1	114.5	68.4	56.6	36.3	51.4	74.0	85.3	110.7	154.5	108.9	70.5	52.5	48.1	52.0	68.9	85.8	134.7
W10	177.5	140.0	90.9	60.7	49.3	59.6	80.7	107.4	142.7	137.8	126.4	84.9	69.3	59.8	68.3	81.0	103.8	127.7
W11	210.1	135.6	82.3	65.8	45.4	58.1	82.0	102.1	141.1	186.3	125.0	77.9	65.4	57.7	69.2	89.1	110.6	158.1
W12	185.2	136.8	90.2	66.0	49.5	60.2	93.2	121.3	165.0	152.3	129.4	77.5	69.0	61.1	74.0	88.0	109.0	179.6
W13	152.3	128.9	74.9	60.1	47.9	55.1	85.8	124.4	144.9	145.7	113.0	70.4	60.8	55.5	70.7	78.2	101.2	160.6

Skin / subcutaneous infections 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	170.8	152.1	106.9	71.1	61.3	70.1	93.2	119.4	176.6	134.3	162.3	106.6	80.9	78.8	82.0	88.8	139.8	211.0
W2	161.0	186.8	121.2	76.6	67.4	75.1	103.8	128.3	186.1	175.2	181.5	121.2	84.1	94.1	94.0	98.7	132.3	215.2
W3	211.8	195.8	109.1	72.3	70.9	74.7	105.3	122.3	181.7	146.2	203.2	104.0	78.1	89.0	90.8	99.8	126.1	203.3
W4	180.4	179.1	92.8	80.0	72.6	84.7	108.7	125.0	174.8	147.0	168.7	100.9	82.2	98.5	102.2	111.4	142.7	202.2
W5	208.5	188.8	94.3	72.3	66.4	70.7	94.4	109.1	157.0	184.1	161.7	92.9	82.8	86.9	81.9	90.9	120.5	181.7
W6	294.9	339.6	102.8	74.8	60.8	71.6	89.1	111.3	160.6	290.8	306.4	108.2	81.4	78.9	78.1	85.6	114.2	187.8
W7	299.2	323.2	104.3	78.5	59.6	72.0	86.4	112.0	157.9	296.5	285.1	101.7	85.6	71.7	72.1	80.3	109.4	169.3
W8	234.4	214.3	85.9	68.6	53.1	61.7	78.4	108.3	143.3	225.9	213.4	89.4	71.4	68.6	67.2	68.5	99.0	182.3
W9	169.6	138.0	72.3	58.2	45.2	54.1	71.1	95.7	130.0	129.1	125.0	74.1	56.7	59.5	56.9	67.2	88.6	173.6
W10	188.5	164.7	92.4	74.8	56.1	67.1	85.8	116.2	160.0	160.1	141.8	86.8	80.4	71.4	69.8	78.6	111.2	199.7
W11	204.6	158.8	87.8	65.1	60.2	64.3	84.2	125.4	182.2	161.1	158.7	87.9	81.3	74.6	72.1	84.6	116.8	215.4
W12	196.1	170.3	88.3	69.7	60.7	67.9	86.6	114.3	174.7	162.0	160.9	90.0	77.8	78.1	72.2	84.9	122.9	211.0
W13	165.2	128.9	82.1	68.6	59.3	68.5	91.2	118.6	191.2	158.6	112.7	77.5	74.0	72.1	73.1	87.0	129.8	209.3

Skin / subcutaneous infections 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	191.6	184.7	97.5	70.9	68.6	65.2	82.4	99.4	148.2	179.4	160.4	101.8	87.8	82.5	83.7	71.3	113.3	168.1
W2	208.0	180.3	113.1	97.1	75.0	79.1	104.4	132.1	167.9	221.9	167.9	123.9	85.1	94.6	91.5	97.0	120.4	204.1
W3	201.6	205.0	107.1	92.5	76.6	80.1	88.8	128.8	158.6	168.5	169.2	103.8	86.2	92.5	89.8	86.9	110.6	174.8
W4	225.0	156.4	95.0	87.3	73.9	77.7	98.3	120.2	162.0	169.4	155.3	99.7	107.8	96.3	92.2	94.7	129.3	172.3
W5	185.6	187.6	93.6	80.8	67.6	71.1	85.0	107.6	144.3	241.6	198.9	98.4	92.0	85.3	83.1	91.5	113.4	167.8
W6	347.1	333.3	99.6	78.9	63.8	68.1	92.5	98.4	162.8	341.8	306.5	103.8	81.9	83.7	74.8	86.4	106.3	175.0
W7	318.7	310.7	101.3	72.6	62.5	62.0	79.0	106.6	130.5	279.1	276.8	99.4	82.3	77.8	74.0	76.0	100.1	177.5

Skin / subcutaneous infections 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W8	262.5	223.9	118.5	68.9	58.6	61.4	75.7	105.1	133.7	268.7	231.1	91.8	84.2	69.3	66.2	79.3	99.9	153.9
W9	168.4	145.1	79.6	65.1	42.8	50.6	66.6	87.3	136.6	228.2	135.8	75.0	67.4	64.9	57.9	62.9	88.7	149.9
W10	188.2	188.3	97.3	76.0	60.1	62.2	91.9	111.7	162.5	192.4	157.9	104.9	83.7	83.5	70.9	82.8	109.0	190.1
W11	211.7	186.0	96.4	73.8	61.4	74.3	80.8	120.2	146.9	235.6	160.7	93.1	83.3	80.1	73.1	77.8	104.2	192.2
W12	218.8	181.1	102.8	73.2	63.6	64.0	87.9	106.2	174.7	208.7	178.8	105.8	80.8	82.0	70.2	84.4	117.8	173.1
W13	207.8	162.1	89.8	70.8	63.1	63.3	78.4	109.4	136.5	181.8	127.6	82.8	81.7	77.0	69.7	86.3	117.2	186.1

Skin / subcutaneous infections 4 weekly table (W1 - W13) - North West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	269.7	202.3	125.4	94.1	85.7	96.5	111.5	148.7	236.1	183.9	215.1	123.9	103.3	101.6	106.6	116.2	165.1	264.6
W2	245.4	250.1	136.3	100.7	87.5	103.8	123.2	170.4	238.7	257.4	225.7	146.4	108.1	118.4	115.3	139.8	174.4	296.4
W3	291.3	273.6	136.5	93.1	89.0	99.7	124.4	162.8	214.6	252.1	261.5	138.0	102.6	115.9	112.7	132.8	169.1	266.0
W4	224.7	215.9	112.6	96.8	96.2	108.6	136.4	164.1	265.9	235.7	196.1	126.9	100.1	118.4	124.2	146.2	180.5	287.3
W5	246.4	219.8	122.1	99.4	87.5	100.5	122.0	148.4	213.9	276.1	201.7	128.9	109.0	118.0	113.9	136.5	172.4	284.6
W6	356.7	298.8	117.2	96.3	83.0	93.8	115.2	156.1	234.0	308.6	289.5	124.9	110.3	106.1	101.1	122.6	158.7	268.5
W7	339.4	298.6	122.9	85.3	78.9	90.6	112.5	154.1	244.5	310.8	269.9	122.7	107.0	106.8	105.1	106.7	152.3	282.3
W8	309.8	245.9	112.3	95.6	72.7	84.8	107.9	144.7	220.8	305.4	229.5	115.5	99.8	99.1	95.9	115.8	141.6	268.9
W9	222.7	174.9	95.2	77.7	65.3	73.6	98.8	133.6	197.2	212.0	156.6	90.7	84.8	80.2	83.0	90.3	128.0	206.3
W10	263.9	224.3	121.5	98.1	77.0	95.3	113.3	138.1	236.8	275.2	210.3	118.4	110.7	102.6	96.6	112.7	163.1	290.7
W11	275.5	221.9	112.7	89.9	82.3	90.1	109.8	144.6	228.5	283.9	208.0	114.8	104.7	104.1	95.3	113.2	161.2	265.0
W12	296.1	207.9	119.0	94.7	81.4	94.1	129.7	158.7	250.3	265.2	209.6	127.0	106.9	101.9	104.8	114.4	165.7	283.8
W13	277.6	164.2	108.3	85.5	80.4	94.5	116.9	162.1	223.3	204.6	153.1	101.2	96.9	98.4	100.8	117.0	156.6	276.4

Skin / subcutaneous infections 4 weekly table (W1 - W13) - South East

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	191.2	178.1	103.6	66.9	58.9	64.8	93.4	111.9	171.4	166.9	161.0	108.5	81.5	80.4	77.8	85.8	129.5	222.9
W2	186.1	201.9	124.9	83.9	63.0	73.1	100.8	123.7	191.0	148.0	170.2	118.8	85.1	89.4	84.1	96.2	123.7	216.0
W3	178.1	219.0	111.2	68.1	60.6	71.8	98.1	116.4	173.5	177.3	202.5	117.4	80.7	85.4	80.3	95.0	135.1	209.6
W4	188.4	200.3	94.9	77.6	67.2	77.6	102.8	132.8	183.6	161.9	182.0	103.2	87.0	96.3	92.3	105.6	144.4	239.8
W5	218.7	187.0	97.0	77.0	62.1	69.7	100.3	122.5	161.9	176.5	164.7	107.4	88.8	84.8	82.0	92.2	130.8	202.1
W6	281.0	345.4	105.0	69.0	59.4	70.5	91.8	115.3	189.9	295.7	295.9	101.2	81.8	79.6	78.7	80.5	110.9	202.7
W7	375.7	351.2	100.4	73.6	58.0	68.1	81.9	109.7	171.9	337.9	308.6	96.2	82.6	75.5	71.8	80.0	111.4	195.1
W8	196.9	225.8	87.5	64.0	55.7	62.5	86.4	105.5	163.3	228.7	212.8	87.9	79.7	70.1	67.4	79.3	112.3	199.3
W9	175.2	135.0	69.4	59.2	44.4	52.8	70.0	92.9	149.8	155.3	117.8	70.1	58.9	60.9	54.0	65.4	87.7	164.2
W10	183.3	159.4	92.7	67.4	57.2	61.6	88.8	112.9	173.2	218.3	153.9	87.0	79.6	73.4	70.4	76.8	105.4	187.8
W11	225.5	162.1	83.4	67.1	56.2	62.1	83.1	108.8	182.8	174.6	153.1	85.2	79.0	70.4	70.5	86.2	120.9	196.2
W12	190.4	148.9	82.1	70.8	57.3	63.7	94.0	121.8	184.6	190.7	150.6	85.6	76.3	72.5	76.1	83.7	128.5	213.4
W13	185.3	117.7	71.2	69.6	52.3	65.4	87.6	120.7	205.4	158.2	124.5	72.0	73.6	72.4	70.9	84.0	112.1	211.8

Skin / subcutaneous infections 4 weekly table (W1 - W13) - South West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	157.9	164.3	85.0	63.9	55.0	57.3	72.9	86.2	158.9	162.1	165.3	86.7	78.7	65.7	63.4	73.5	97.5	149.9
W2	202.8	182.1	96.7	70.8	67.0	60.7	75.6	97.7	127.2	141.3	154.5	103.7	77.7	75.5	69.4	80.7	95.5	149.1
W3	160.4	180.3	98.8	64.9	58.7	61.5	72.0	91.6	148.4	169.0	175.3	100.8	84.0	75.0	68.2	73.7	107.7	164.4
W4	170.7	182.4	78.3	68.0	66.6	69.8	84.8	101.3	152.8	141.7	166.2	83.2	79.0	81.4	83.9	75.5	98.7	175.3
W5	202.2	176.5	84.3	79.5	60.0	64.5	73.4	95.8	145.1	170.0	139.2	80.3	77.4	76.3	71.7	69.5	96.7	165.5
W6	278.9	261.1	87.8	71.1	59.9	59.7	64.6	84.0	127.7	254.4	254.5	90.2	74.3	73.4	64.8	66.2	89.0	153.3
W7	287.2	231.8	86.8	72.3	57.1	62.0	70.1	78.6	143.6	291.4	273.1	79.6	78.6	68.4	61.6	67.4	79.0	162.2
W8	251.0	211.2	85.6	62.8	54.3	54.2	72.0	93.3	140.9	193.3	200.6	79.8	78.0	64.8	55.6	59.1	78.9	142.1
W9	146.7	119.3	64.1	55.9	46.3	47.9	57.6	77.9	132.3	148.3	133.0	67.1	62.1	54.6	51.3	50.0	73.3	133.8
W10	171.9	124.8	76.8	67.9	56.5	61.1	69.7	101.9	144.5	169.1	136.0	78.7	82.2	68.6	62.4	63.7	89.0	157.4
W11	215.0	152.9	75.5	73.8	55.9	55.0	79.3	87.2	161.2	174.7	147.3	72.8	77.0	71.0	63.5	68.1	95.0	162.4
W12	196.3	146.5	79.6	72.7	58.1	61.4	72.5	99.1	145.7	176.9	127.7	67.7	73.6	73.2	62.1	72.6	93.3	163.5
W13	138.8	114.2	65.2	64.5	58.8	58.0	80.6	91.5	138.6	99.6	111.8	63.5	72.3	65.4	66.4	64.7	92.9	154.7

Skin symptoms

Skin symptoms 4 weekly table (W1 - W13) - East of England

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	377.3	153.3	81.4	44.8	51.1	97.7	162.5	250.2	363.4	430.7	156.1	94.7	68.7	94.6	127.9	179.7	227.5	294.2
W2	396.5	185.3	97.8	50.7	58.8	105.8	197.8	294.6	396.6	428.7	154.1	112.5	71.9	100.7	143.1	186.8	282.9	316.5
W3	377.8	163.3	79.1	47.5	55.8	96.1	183.4	273.9	374.5	418.8	150.4	92.4	75.1	92.6	130.9	193.1	246.6	319.1
W4	393.5	128.5	62.8	47.8	56.2	100.3	180.2	294.5	372.0	414.2	134.7	78.6	79.0	97.4	135.6	179.4	240.9	314.4
W5	416.0	114.5	59.2	50.7	51.4	90.1	175.4	271.3	336.3	442.4	121.6	66.8	63.3	83.5	122.1	174.7	212.2	291.7
W6	462.0	147.5	57.0	46.6	51.9	88.2	165.5	259.8	355.2	456.8	176.5	69.9	63.3	92.1	130.4	178.6	229.2	260.8
W7	489.7	182.2	64.7	38.1	50.0	90.6	184.6	233.8	343.2	527.7	168.2	71.0	69.2	88.6	122.7	172.7	232.0	252.4
W8	517.3	171.7	67.3	40.1	53.2	94.1	201.9	256.5	380.4	420.2	175.3	82.7	60.3	88.1	127.9	178.4	244.8	284.8
W9	375.5	115.1	58.0	43.5	43.4	74.7	143.5	224.1	289.3	476.9	134.7	56.7	62.4	72.1	100.3	136.1	182.8	250.5
W10	432.4	137.7	70.7	51.4	53.7	102.0	204.2	286.0	425.0	585.0	166.1	80.3	80.8	105.1	142.8	187.1	248.3	323.5
W11	468.8	175.9	70.0	51.0	55.7	106.3	171.3	270.7	389.6	492.6	191.9	85.9	80.3	98.3	133.8	187.7	241.0	288.1
W12	567.1	178.6	76.0	50.9	61.5	105.0	182.6	284.0	431.8	478.3	176.5	88.1	88.0	101.3	138.3	201.0	262.8	359.4
W13	497.4	139.1	75.3	51.3	55.7	95.1	193.0	267.7	410.0	366.5	152.3	72.0	65.6	101.0	133.2	183.5	238.0	278.3

Skin symptoms 4 weekly table (W1 - W13) - London

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	396.7	185.2	102.7	51.2	53.7	85.8	171.7	262.1	358.7	395.4	179.3	107.7	74.6	94.4	142.9	187.2	268.9	316.6
W2	390.2	223.3	126.4	57.9	57.0	93.1	192.1	287.5	397.0	434.6	225.7	124.5	78.3	110.4	150.9	223.1	290.0	356.1
W3	345.3	194.3	99.7	56.1	54.3	89.9	178.8	280.9	354.0	371.2	196.5	104.2	72.6	103.9	150.0	205.7	271.9	325.9
W4	346.7	165.5	88.8	56.2	57.9	88.2	179.9	272.9	344.4	322.2	165.0	95.0	85.0	100.4	153.7	232.8	312.3	334.2

Skin symptoms 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W5	322.4	152.8	84.5	55.3	53.2	86.0	171.0	255.8	334.8	383.4	160.3	90.7	70.8	94.5	136.9	192.6	248.6	286.0
W6	370.5	175.3	80.5	48.0	50.8	83.3	170.3	262.0	323.9	361.4	193.4	82.4	67.2	91.3	138.2	203.6	253.8	311.4
W7	393.3	200.0	89.1	51.2	52.0	83.2	176.0	233.7	329.4	422.6	204.0	89.6	71.9	88.4	125.3	179.8	231.1	269.8
W8	409.2	170.1	77.5	52.3	50.0	81.2	169.7	268.6	348.5	445.4	170.2	85.8	66.1	89.0	130.6	181.4	221.5	291.9
W9	369.4	128.0	62.2	43.5	39.6	67.1	128.6	229.5	255.0	334.8	128.2	72.3	56.8	71.9	98.2	131.1	170.9	233.8
W10	370.8	161.4	85.4	52.3	54.1	90.9	168.5	265.9	334.4	413.3	171.7	86.8	74.2	95.6	135.8	188.3	252.2	302.7
W11	407.2	160.4	79.0	55.0	52.0	82.5	166.8	265.4	375.8	452.6	148.2	86.0	76.9	95.0	139.8	195.2	235.0	313.7
W12	399.2	175.2	88.8	50.3	54.5	92.7	182.6	273.9	344.0	359.5	185.3	87.7	80.5	103.7	138.6	195.3	264.9	312.6
W13	374.3	149.4	79.0	53.6	51.3	83.1	169.4	277.2	351.0	369.7	166.0	89.4	76.7	95.6	139.2	196.4	268.8	295.0

Skin symptoms 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	320.8	177.0	102.4	55.2	60.0	105.3	206.6	298.9	368.1	410.1	172.8	109.6	82.0	104.8	152.9	209.3	278.9	321.9
W2	409.6	185.7	116.5	53.5	66.2	118.7	216.5	343.1	421.0	409.3	175.5	121.1	83.1	123.3	157.5	226.6	296.7	339.0
W3	351.2	162.7	87.8	50.1	65.2	112.8	217.2	313.0	381.8	379.1	170.9	100.1	80.5	112.7	148.8	217.6	294.3	332.1
W4	398.9	135.8	84.3	49.2	62.1	117.4	207.5	315.3	368.0	373.7	152.2	85.8	83.8	109.9	155.7	219.7	290.1	332.0
W5	317.1	146.6	70.6	50.3	58.2	104.7	203.8	304.8	381.6	434.4	161.7	77.0	81.8	104.2	137.6	193.0	262.5	283.7
W6	400.1	149.1	66.1	52.3	58.1	107.4	199.8	315.1	363.5	445.0	189.1	75.9	81.0	104.1	142.1	185.0	253.2	263.1
W7	354.9	174.4	71.4	50.1	56.6	105.8	191.8	291.5	337.0	441.2	181.6	75.4	83.9	101.4	134.6	180.9	238.9	281.9
W8	390.1	152.8	67.0	50.5	54.0	99.5	187.9	277.0	376.2	432.3	161.1	73.1	81.5	98.2	135.0	186.0	234.9	262.1
W9	327.1	121.1	60.4	41.9	46.2	77.8	146.2	228.6	301.5	346.5	139.3	61.5	61.6	81.1	101.1	132.4	170.3	212.6
W10	410.1	145.5	72.6	56.9	60.9	111.3	195.4	310.9	400.7	403.0	158.0	78.6	87.8	111.5	136.9	186.6	267.3	283.0
W11	388.1	168.9	74.3	53.6	58.7	104.7	195.5	283.1	395.3	445.3	178.6	87.8	80.0	108.6	143.4	191.7	268.7	289.9
W12	419.8	168.5	77.0	53.3	62.9	107.6	202.3	305.3	387.0	464.6	186.5	86.5	90.6	115.0	145.9	191.9	278.1	326.3
W13	389.5	166.1	73.5	49.2	63.3	102.6	193.5	280.5	380.1	391.0	154.1	75.4	82.9	106.7	141.7	204.2	261.8	310.0

Skin symptoms 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	374.2	169.5	86.0	46.4	63.9	106.8	203.2	287.5	344.5	413.2	182.2	97.2	93.4	114.1	143.4	211.0	268.1	316.2
W2	455.8	177.8	90.0	57.2	76.3	126.7	211.5	312.5	432.8	495.3	189.2	106.0	105.1	126.9	164.8	240.8	296.5	375.7
W3	437.3	158.2	77.4	56.7	66.9	113.7	198.9	310.0	414.9	398.6	154.6	88.6	81.3	118.2	146.9	213.2	259.3	335.7
W4	340.5	133.6	68.5	51.2	67.9	112.4	214.7	282.4	413.2	396.4	139.4	77.6	92.1	107.3	146.3	206.8	270.4	311.4
W5	334.1	138.8	65.6	49.5	60.9	106.9	176.4	272.5	338.2	457.4	142.3	71.8	74.2	101.8	135.2	183.4	243.0	261.6
W6	401.9	167.9	57.8	48.0	63.0	108.0	196.7	283.8	413.0	550.7	173.5	80.2	77.1	104.5	144.3	184.8	249.4	325.9
W7	398.4	171.9	62.2	40.6	60.3	107.3	181.9	268.0	335.2	420.3	189.6	70.5	70.1	102.6	139.5	172.0	231.1	252.1
W8	364.4	132.5	70.5	45.7	59.8	107.1	179.4	280.0	350.7	514.7	183.2	70.1	78.4	101.9	132.5	190.1	223.1	272.0
W9	327.6	115.3	49.9	35.5	50.3	84.2	142.2	203.0	255.5	414.7	117.2	56.6	57.1	80.0	101.3	119.9	164.1	227.3
W10	364.0	155.4	69.6	56.3	68.0	110.3	183.3	277.2	380.3	417.4	168.6	76.4	85.4	113.1	143.2	196.2	256.2	297.6
W11	460.8	175.9	67.2	51.7	63.5	105.4	181.6	265.0	352.4	471.1	159.3	73.1	80.2	106.0	146.8	191.7	252.5	314.9
W12	403.6	153.8	79.7	53.1	64.0	113.4	182.2	286.4	398.7	462.3	184.1	91.1	86.2	112.6	150.8	206.3	244.5	344.1

Skin symptoms 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W13	403.1	176.1	72.6	47.2	62.4	107.1	182.0	267.9	355.9	441.4	142.3	75.7	84.8	106.6	141.7	190.5	266.1	311.2

Skin symptoms 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	500.3	241.7	121.0	76.8	91.6	155.3	268.7	404.6	590.7	513.8	256.4	139.2	128.7	157.9	209.0	303.6	407.3	491.8
W2	535.3	250.5	141.8	80.8	94.2	164.7	296.2	454.8	567.2	584.5	269.5	151.8	132.8	163.6	228.7	301.0	449.6	540.1
W3	507.9	241.0	121.0	67.8	93.4	153.2	276.1	422.4	557.5	576.8	263.9	136.1	115.9	164.7	214.4	306.0	411.0	484.4
W4	412.9	200.0	104.6	73.1	95.7	156.2	291.5	442.7	609.4	498.9	216.4	123.2	119.5	158.9	222.5	325.5	432.6	527.0
W5	487.2	188.8	96.2	74.1	87.3	154.6	279.7	419.7	532.9	524.6	206.2	109.3	116.6	151.7	208.6	282.0	391.3	461.3
W6	541.4	227.7	88.8	71.0	83.5	147.7	278.7	434.0	571.0	617.1	248.8	98.4	116.4	149.8	204.2	279.5	380.2	461.6
W7	542.3	218.8	99.4	70.8	83.6	148.9	262.0	418.6	572.6	579.1	241.8	103.0	117.2	144.1	200.2	264.9	366.3	434.8
W8	524.2	210.2	89.3	73.7	76.1	145.1	278.8	416.5	560.0	581.8	232.4	102.9	109.0	141.7	188.6	262.4	351.2	441.5
W9	390.2	166.0	75.7	64.3	69.5	112.5	210.6	317.3	422.3	429.7	153.3	82.8	92.3	111.5	150.5	197.5	264.5	341.9
W10	597.9	232.9	106.0	80.4	90.9	153.4	258.3	433.0	580.8	567.6	229.9	113.5	122.6	159.8	207.5	280.1	367.3	483.3
W11	520.1	240.6	99.9	76.6	89.8	147.5	279.2	418.0	559.5	625.7	250.6	112.0	117.1	151.7	210.5	277.5	399.2	484.3
W12	541.9	234.6	106.2	74.7	85.9	156.3	269.0	424.3	611.4	611.7	254.7	120.9	120.7	161.3	218.4	293.5	421.0	521.8
W13	488.0	213.8	96.7	66.3	83.8	148.8	255.5	417.2	533.6	550.7	209.3	104.9	109.2	148.6	205.7	279.7	407.6	469.7

Skin symptoms 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	456.0	258.4	139.4	62.7	76.7	130.2	247.0	359.8	491.6	444.4	245.5	144.6	109.5	155.1	184.9	256.9	356.7	407.3
W2	448.9	273.0	150.9	70.3	82.1	148.1	284.7	438.4	564.3	462.2	242.3	162.3	115.8	161.2	210.0	288.9	393.0	453.9
W3	422.3	254.6	134.5	63.9	77.0	137.6	260.9	393.7	525.9	404.8	244.1	146.5	109.9	154.4	187.8	267.8	373.4	431.7
W4	350.3	213.9	104.5	69.3	87.4	140.3	264.1	397.9	562.6	431.8	237.0	119.2	111.3	151.8	195.3	270.5	370.4	451.7
W5	415.3	202.0	101.7	71.5	75.2	132.5	237.2	387.8	540.3	420.6	211.1	112.1	110.8	141.8	179.3	243.6	330.5	391.8
W6	435.4	246.1	91.5	54.8	77.0	134.1	232.2	377.3	472.2	502.5	257.0	102.3	102.2	136.7	178.3	244.4	335.7	392.7
W7	493.6	256.6	93.4	60.6	76.7	121.9	238.8	354.0	484.2	542.6	255.0	101.1	96.8	128.9	170.6	231.5	302.8	372.6
W8	432.8	230.3	97.4	63.0	73.3	123.1	228.3	375.5	494.0	439.4	249.1	101.6	96.3	125.8	170.4	231.5	303.7	375.0
W9	361.2	180.9	69.5	51.7	58.3	99.8	179.3	278.4	372.6	420.7	171.5	82.4	75.2	107.7	129.4	166.3	233.1	285.7
W10	466.8	226.0	95.8	64.5	78.2	136.7	252.3	379.0	515.5	522.9	224.8	113.6	105.1	146.9	187.5	246.3	314.8	380.9
W11	469.9	251.4	93.7	65.5	77.4	134.5	231.5	366.2	509.7	561.4	247.7	108.3	103.3	145.7	176.0	241.4	328.3	403.2
W12	498.4	229.7	97.4	62.5	76.8	129.7	242.9	372.6	526.2	511.2	251.3	108.9	100.9	145.5	185.1	253.7	346.3	424.5
W13	451.5	194.2	90.8	58.6	72.7	122.7	231.2	362.0	476.8	428.8	195.2	93.6	106.2	138.4	172.6	242.3	344.0	419.1

Skin symptoms 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	336.2	190.4	87.0	51.9	66.2	117.1	206.1	308.2	421.6	437.6	194.2	102.1	86.6	112.5	157.7	216.2	295.5	362.5

Skin symptoms 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W2	398.0	191.4	100.8	51.8	76.6	130.9	234.2	362.2	492.1	415.8	183.4	114.5	92.5	124.9	168.8	244.6	348.2	400.6
W3	377.7	175.1	95.3	54.1	68.8	118.6	215.4	337.8	454.3	446.1	164.9	98.1	89.7	122.3	164.5	228.0	296.1	355.7
W4	389.9	157.2	75.1	55.3	70.8	117.8	228.9	335.0	453.3	378.8	180.5	84.1	91.8	116.9	159.2	232.2	312.1	366.7
W5	330.1	138.7	71.7	57.1	66.9	116.9	208.6	314.5	417.3	455.1	160.5	78.2	86.1	110.4	146.6	203.6	286.6	341.3
W6	442.2	174.6	70.3	55.7	67.7	116.6	201.6	314.4	451.4	484.7	186.5	74.8	78.8	116.1	146.4	203.7	284.9	331.2
W7	406.7	157.1	67.0	55.3	65.2	114.6	209.7	290.6	450.3	499.2	200.6	67.4	77.1	100.9	146.4	198.1	267.9	332.5
W8	399.6	165.0	67.1	60.7	62.9	111.5	200.7	314.1	447.0	441.0	174.2	75.0	84.4	101.7	135.2	194.6	284.2	304.5
W9	313.7	132.3	52.0	47.5	54.5	88.9	162.4	239.1	346.6	374.9	146.2	60.0	66.6	86.9	110.4	146.9	203.4	270.6
W10	446.4	147.1	66.7	57.4	72.1	114.8	197.0	342.0	447.3	444.5	169.0	80.0	96.2	117.3	145.7	209.3	259.7	337.4
W11	398.9	179.9	72.7	60.4	66.8	115.7	199.8	328.2	469.9	464.1	199.1	70.4	84.7	118.2	152.2	194.8	268.7	356.6
W12	410.4	181.9	78.4	60.5	72.2	118.9	208.5	319.2	447.7	458.2	179.6	83.7	88.8	122.6	159.6	216.9	303.8	359.1
W13	354.7	162.7	67.2	52.5	68.3	116.7	211.4	305.9	445.5	404.0	179.3	79.3	89.0	116.5	156.4	205.6	289.1	364.0

Strep throat / peritonsillar abscess

Strep throat / peritonsillar abscess 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	3.5	16.4	11.7	2.5	0.7	0.7	0.0	0.5	0.0	0.0	21.0	13.8	0.6	2.7	0.8	0.3	0.0	0.0
W2	10.6	24.2	12.2	2.5	1.2	0.6	0.7	0.0	0.0	0.0	12.0	12.1	0.3	2.1	0.2	1.2	0.0	0.0
W3	0.0	15.0	11.5	1.6	1.1	0.1	0.3	0.0	0.0	3.7	24.1	13.3	3.5	1.3	0.7	0.3	0.4	0.0
W4	0.0	5.0	1.4	2.7	0.9	0.9	0.0	0.0	0.0	0.0	6.8	2.5	2.0	1.3	0.4	0.6	0.0	0.0
W5	3.5	5.7	1.9	1.9	1.1	0.1	0.3	0.0	1.4	7.4	5.3	2.3	2.0	0.8	0.2	0.6	0.0	0.0
W6	3.4	8.6	3.8	2.4	1.1	0.7	0.0	0.4	0.0	7.3	11.3	4.0	1.7	1.3	0.7	0.3	0.0	0.0
W7	0.0	15.8	3.8	2.4	0.2	0.7	0.3	0.4	0.0	3.7	6.8	3.8	1.2	1.6	0.2	0.0	0.0	0.0
W8	7.0	16.5	5.3	1.3	0.5	0.5	0.0	0.0	0.0	7.4	18.9	3.8	2.6	1.0	0.1	0.3	0.0	0.0
W9	3.4	14.4	3.8	2.4	0.9	0.5	0.3	0.0	0.0	3.6	14.4	5.5	0.6	2.2	0.2	0.9	0.0	0.0
W10	3.5	15.1	4.8	0.8	0.7	1.1	0.3	0.0	0.0	0.0	13.7	6.5	0.9	1.4	0.4	0.0	0.8	0.0
W11	7.0	15.9	4.8	2.4	0.7	0.2	0.0	0.0	0.0	0.0	14.4	6.5	1.7	1.1	0.8	0.0	0.4	0.0
W12	0.0	13.0	2.6	2.1	0.8	0.8	0.3	0.0	0.0	3.7	9.8	8.1	1.4	0.8	0.1	0.0	0.0	0.0
W13	3.5	13.7	3.4	1.1	0.9	0.3	0.0	0.0	0.0	0.0	7.6	2.8	1.4	0.8	0.5	0.6	0.0	0.0

Strep throat / peritonsillar abscess 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	7.3	17.7	9.9	1.0	0.4	0.4	0.0	0.0	0.0	1.5	14.8	9.3	0.9	0.9	0.2	0.2	0.0	0.0
W2	2.9	19.0	9.6	0.8	0.4	0.6	0.3	0.5	0.0	0.0	13.4	11.2	0.4	1.0	0.6	0.0	0.4	0.0
W3	3.0	9.5	7.0	1.1	0.5	0.1	0.3	0.5	0.0	3.1	13.8	7.4	0.4	0.4	0.3	0.2	0.0	0.0
W4	2.9	4.3	2.4	1.0	0.5	0.3	0.0	0.0	0.0	3.1	4.5	2.0	0.9	0.6	0.1	0.2	0.0	0.0
W5	2.9	4.6	1.7	1.2	0.4	0.2	0.0	0.0	0.0	1.5	3.4	1.8	0.9	0.4	0.1	0.0	0.4	0.0
W6	1.4	7.2	2.7	0.7	0.3	0.4	0.5	0.0	0.0	0.0	7.2	2.8	0.6	0.7	0.3	0.0	0.0	0.0

Strep throat / peritonsillar abscess 4 weekly table (W1 - W13) - London

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W7	1.4	8.2	2.9	1.1	0.6	0.2	0.3	0.0	0.0	0.0	9.6	2.8	1.2	0.8	0.1	0.0	0.4	0.0
W8	1.4	8.5	2.3	0.9	0.4	0.3	0.5	0.0	0.0	3.1	10.7	3.6	1.3	0.6	0.4	0.0	0.0	0.0
W9	1.4	5.6	1.8	0.8	0.3	0.2	0.0	0.0	0.0	0.0	6.6	2.4	1.3	0.4	0.1	0.0	0.4	0.0
W10	4.3	10.2	3.8	0.8	0.4	0.3	0.3	0.0	0.0	0.0	10.4	2.9	1.2	0.5	0.1	0.5	0.0	0.0
W11	5.8	11.6	4.3	1.3	0.5	0.4	0.0	0.0	0.0	0.0	5.5	4.3	0.9	0.6	0.3	0.5	0.4	0.0
W12	1.4	10.9	4.2	0.6	0.6	0.2	0.2	0.0	0.0	1.5	10.4	3.7	0.9	0.5	0.1	0.0	0.4	0.0
W13	2.9	6.9	1.3	0.2	0.4	0.2	0.0	0.0	0.0	3.1	6.6	2.8	0.9	0.4	0.3	0.0	0.0	0.0

Strep throat / peritonsillar abscess 4 weekly table (W1 - W13) - Midlands

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	1.7	16.2	12.2	1.4	0.9	0.5	0.2	0.0	0.0	1.8	17.7	12.3	1.7	1.5	0.5	0.6	0.4	0.0
W2	3.5	19.4	9.8	0.6	0.9	0.4	0.8	0.0	0.0	8.9	14.7	9.0	2.2	1.6	0.7	0.3	0.0	1.0
W3	7.1	13.0	7.0	0.6	0.5	0.4	0.2	0.2	0.0	5.4	12.0	6.7	2.1	1.1	0.4	0.2	0.2	0.0
W4	3.5	6.1	2.0	1.3	0.8	0.6	0.2	0.0	0.0	1.8	4.9	2.7	1.7	1.2	0.6	0.0	0.0	0.0
W5	0.0	7.6	1.3	1.1	0.8	0.5	0.2	0.2	0.0	0.0	7.1	2.7	1.5	0.9	0.4	0.2	0.0	0.0
W6	1.7	11.9	2.7	1.0	0.7	0.6	0.2	0.2	0.0	3.5	13.2	3.5	1.6	1.1	0.6	0.2	0.2	0.5
W7	8.7	13.7	3.3	1.0	0.5	0.2	0.2	0.0	0.0	1.8	11.3	3.1	1.4	1.2	0.3	0.0	0.2	0.0
W8	3.5	17.0	6.7	2.9	0.9	0.2	0.7	0.0	0.0	0.0	12.8	5.9	1.7	1.0	0.4	0.3	0.0	0.9
W9	1.7	11.2	4.6	0.7	0.6	0.8	0.7	0.2	0.0	0.0	13.6	6.7	1.2	1.3	0.4	0.3	0.0	0.5
W10	5.2	17.7	5.7	2.3	0.7	0.4	0.2	0.2	0.0	0.0	13.2	5.5	2.3	0.9	0.3	0.6	0.0	0.0
W11	1.7	12.3	5.1	2.2	0.9	0.4	0.0	0.0	0.0	1.8	16.6	5.8	1.0	1.0	0.7	0.2	0.0	0.0
W12	10.3	17.4	6.4	1.7	0.7	0.3	0.5	0.0	0.0	1.8	21.5	5.3	1.4	1.2	0.7	0.2	0.2	0.5
W13	3.5	16.3	2.6	1.4	0.6	0.4	0.3	0.5	0.0	0.0	8.7	2.7	1.3	1.3	0.5	0.0	0.2	0.0

Strep throat / peritonsillar abscess 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	3.0	20.2	6.9	0.7	1.5	0.7	0.0	0.0	0.0	6.4	18.6	9.9	2.9	2.1	0.8	0.2	0.3	0.0
W2	9.2	12.7	10.9	2.1	0.5	0.4	0.2	0.0	1.2	3.2	12.6	9.1	1.5	1.6	0.7	0.7	0.3	0.0
W3	3.1	12.0	6.7	1.4	0.7	0.7	0.0	0.4	0.0	0.0	7.3	7.3	2.4	2.1	0.6	0.2	0.3	0.0
W4	6.1	4.4	1.3	1.4	0.5	0.3	0.5	0.0	0.0	0.0	6.6	3.1	2.4	1.4	0.3	0.0	0.3	0.0
W5	0.0	7.6	0.8	1.1	0.7	0.1	0.2	0.0	0.0	0.0	2.0	2.4	1.4	1.0	0.4	0.0	0.0	0.0
W6	0.0	8.9	2.7	2.7	0.5	0.3	0.0	0.0	0.0	0.0	10.0	3.5	2.6	1.1	0.5	0.0	0.0	0.0
W7	3.1	11.4	3.4	1.8	0.5	0.2	0.0	0.0	0.0	0.0	10.6	2.9	1.7	0.8	0.5	0.4	0.0	0.0
W8	6.2	17.1	4.8	1.4	0.9	0.3	0.0	0.0	0.0	3.2	20.0	7.1	1.9	1.0	0.4	0.2	0.3	0.0
W9	0.0	13.3	3.2	1.6	0.9	0.7	0.7	0.0	0.0	0.0	10.7	6.0	0.7	1.1	0.2	0.0	0.3	0.0
W10	0.0	22.2	4.9	0.9	1.4	0.5	0.0	0.0	0.0	6.5	17.3	6.9	3.1	0.8	0.4	0.2	0.6	0.0
W11	3.1	20.3	5.5	0.7	1.1	0.2	0.2	0.0	0.0	6.5	13.3	3.8	1.7	1.4	0.3	0.7	0.3	0.0
W12	9.2	11.4	5.7	1.8	1.4	0.2	0.0	0.3	0.0	6.4	20.7	5.5	3.1	1.7	0.8	0.2	0.0	0.0
W13	3.1	15.3	2.5	1.8	1.3	0.6	0.5	0.0	0.0	3.2	11.4	4.2	1.2	1.0	0.5	0.7	0.3	0.0

Strep throat / peritonsillar abscess 4 weekly table (W1 - W13) - North West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	3.7	20.1	9.3	1.3	1.1	0.7	0.0	0.0	0.0	6.0	26.3	9.0	2.5	2.0	0.5	0.0	0.0	1.2
W2	5.6	13.2	6.2	1.1	0.6	0.3	0.5	0.0	0.0	8.0	17.5	8.2	1.2	1.1	0.5	0.3	0.2	0.0
W3	5.6	20.2	7.6	1.4	1.4	0.5	0.2	0.5	0.0	0.0	11.8	9.0	1.8	1.0	0.3	0.0	0.0	0.0
W4	3.7	8.9	2.4	1.1	0.6	0.4	0.4	0.0	0.0	0.0	8.5	4.2	1.8	1.7	0.5	0.5	0.0	0.0
W5	0.0	5.4	1.8	0.4	0.7	0.3	0.0	0.3	0.0	0.0	6.5	2.3	1.8	1.1	0.4	0.2	0.0	0.0
W6	7.2	7.3	2.5	1.5	0.6	0.3	0.4	0.3	0.0	3.9	15.5	4.4	1.9	0.7	0.4	0.0	0.2	0.0
W7	0.0	9.3	2.9	2.1	0.8	0.4	0.4	0.3	0.0	3.9	11.4	4.4	2.6	0.7	0.3	0.2	0.0	0.0
W8	1.8	15.1	4.2	0.9	0.9	0.2	0.0	0.3	0.0	1.9	18.0	5.0	2.5	0.7	0.8	0.2	0.0	0.0
W9	5.3	15.9	3.8	0.9	0.5	0.5	0.2	0.0	0.9	0.0	13.1	3.6	0.5	1.7	0.5	0.3	0.7	0.0
W10	5.4	22.5	6.8	0.6	1.2	0.3	0.2	0.3	0.0	9.6	16.8	7.3	2.8	1.0	0.5	0.0	0.0	0.0
W11	9.1	21.0	4.9	1.4	1.4	0.3	0.2	0.0	0.0	1.9	21.7	6.9	2.0	1.7	0.9	0.3	0.0	0.0
W12	5.4	17.8	5.7	2.0	1.4	0.3	0.0	0.0	0.0	3.8	23.4	7.6	1.7	1.7	0.3	0.2	0.0	0.0
W13	9.1	12.8	1.8	0.4	0.5	0.5	0.2	0.0	0.0	3.8	12.3	2.2	2.0	1.0	0.5	0.3	0.0	0.0

Strep throat / peritonsillar abscess 4 weekly table (W1 - W13) - South East

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	4.7	25.7	15.0	1.0	1.1	0.6	0.1	0.4	0.0	1.7	29.9	14.8	1.7	1.5	0.5	0.3	0.3	0.0
W2	4.7	19.4	10.8	1.1	1.2	0.8	0.0	0.2	0.0	3.3	16.1	9.6	2.3	1.9	0.6	0.4	0.0	0.4
W3	4.7	17.2	6.0	1.0	1.1	0.5	0.1	0.0	0.0	0.0	15.1	9.7	1.3	1.1	0.5	0.1	0.0	0.4
W4	1.6	6.7	1.8	1.8	1.1	0.2	0.3	0.0	0.0	3.3	9.1	2.4	0.9	1.3	0.5	0.1	0.0	0.0
W5	3.1	7.3	2.9	1.0	0.7	0.4	0.3	0.0	0.0	4.9	3.4	2.8	0.9	0.6	0.2	0.3	0.2	0.0
W6	1.5	11.4	5.4	1.7	0.8	0.3	0.1	0.0	0.0	4.8	13.1	4.9	1.7	1.0	0.3	0.1	0.0	0.0
W7	4.7	14.9	4.5	1.0	0.6	0.5	0.7	0.2	0.0	6.5	15.1	4.8	1.9	1.1	0.4	0.0	0.0	0.0
W8	1.6	19.7	5.2	1.6	0.9	0.1	0.3	0.0	0.0	0.0	20.5	5.9	1.9	1.2	0.3	0.1	0.0	0.0
W9	3.1	10.8	4.1	1.4	0.4	0.3	0.1	0.0	0.0	1.6	14.4	6.0	1.8	1.0	0.7	0.0	0.0	0.0
W10	1.6	20.7	6.1	1.3	0.9	0.3	0.1	0.4	0.6	0.0	23.2	6.8	1.3	1.1	0.6	0.3	0.0	0.0
W11	6.3	23.0	5.4	1.4	0.9	0.6	0.3	0.2	0.6	0.0	20.5	5.4	1.8	1.1	0.4	0.1	0.0	0.0
W12	3.1	21.4	5.7	1.4	0.9	0.7	0.3	0.2	0.0	3.2	19.2	5.7	1.9	1.3	0.3	0.0	0.0	0.4
W13	1.6	9.0	3.4	0.9	0.8	0.3	0.4	0.0	0.0	1.6	11.8	3.2	1.7	1.1	0.5	0.0	0.0	0.0

Strep throat / peritonsillar abscess 4 weekly table (W1 - W13) - South West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	22.5	9.4	0.2	1.1	0.3	0.0	0.0	0.0	5.4	28.9	15.1	2.2	1.6	0.7	0.0	0.2	0.0
W2	7.7	29.8	10.4	1.1	1.5	0.5	0.2	0.3	0.0	5.4	19.6	11.2	2.4	1.4	0.7	0.2	0.2	0.0
W3	0.0	12.4	7.9	1.4	1.3	0.7	0.2	0.0	0.8	2.8	11.5	12.6	2.2	1.6	0.3	0.0	0.0	0.0
W4	5.1	4.6	2.2	1.8	1.0	0.4	0.2	0.0	0.8	0.0	8.2	2.5	1.5	1.6	0.6	0.4	0.0	0.0
W5	5.1	2.6	2.0	0.9	1.3	0.3	0.0	0.0	0.0	0.0	3.3	3.0	2.6	0.9	0.4	0.5	0.0	0.5
W6	5.0	14.5	6.0	1.9	0.7	0.5	0.4	0.0	0.8	2.7	11.0	3.7	1.1	1.6	0.6	0.7	0.0	0.0
W7	5.1	8.8	4.0	1.9	0.7	0.5	0.0	0.0	0.0	2.7	13.7	3.0	1.6	1.5	0.5	0.0	0.0	0.0
W8	5.1	15.6	4.7	1.9	1.2	0.2	0.0	0.0	0.0	2.7	18.7	5.7	2.5	1.7	0.5	0.4	0.0	0.0

Strep throat / peritonsillar abscess 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W9	0.0	10.9	3.5	1.4	1.4	0.5	0.4	0.0	0.8	5.4	19.8	4.4	3.3	1.2	0.5	0.4	0.0	0.0
W10	5.1	14.6	4.2	1.6	0.9	0.5	0.2	0.3	0.0	0.0	13.8	5.7	2.0	1.5	0.6	0.0	0.0	0.0
W11	7.8	19.8	6.7	1.5	0.8	0.2	0.2	0.3	0.0	0.0	18.8	7.1	1.8	2.2	0.6	0.5	0.4	0.5
W12	2.5	17.7	6.1	1.2	0.9	0.4	0.0	0.0	0.0	5.4	16.6	5.0	1.8	2.5	0.9	0.4	0.2	0.5
W13	5.1	15.6	3.0	0.9	1.0	0.2	0.0	0.0	0.0	2.7	11.6	4.8	2.0	1.4	0.6	0.2	0.0	0.0

Upper respiratory tract infections (URTI)

Upper respiratory tract infections (URTI) 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	1,022.5	837.0	330.7	109.6	80.8	54.4	56.8	44.9	39.6	854.0	772.3	359.4	212.4	180.7	109.7	84.8	64.0	47.7
W2	970.1	712.9	278.7	94.5	70.8	55.1	65.6	52.4	45.0	743.9	654.8	316.6	197.2	173.4	106.6	80.9	67.0	53.5
W3	844.6	700.1	263.5	105.0	75.4	44.2	44.9	45.9	38.0	689.4	569.4	272.3	180.5	166.9	94.0	77.5	56.0	49.7
W4	699.9	397.7	122.9	80.3	53.0	38.4	41.5	39.6	33.9	527.8	382.4	150.8	142.7	115.7	75.6	56.5	49.0	41.1
W5	669.9	508.6	147.1	85.1	55.1	40.3	44.7	34.5	44.6	634.1	421.4	162.4	164.9	117.6	77.0	60.8	49.6	36.7
W6	1,292.9	910.3	235.7	103.9	71.4	53.2	55.5	62.3	63.5	971.6	822.4	271.0	210.4	163.9	116.3	97.6	82.1	70.7
W7	1,486.5	1,197.1	229.7	102.8	81.5	63.5	65.9	65.3	55.2	1,282.7	1,096.1	249.0	220.2	189.6	130.7	93.3	86.9	58.6
W8	1,971.5	1,704.4	423.2	125.2	96.3	74.6	73.4	77.6	82.0	1,780.1	1,686.1	479.9	247.5	235.3	158.6	119.0	85.2	102.0
W9	1,598.5	1,211.4	300.8	144.6	127.3	111.0	96.8	103.8	91.5	1,387.1	1,107.4	347.4	272.5	285.9	205.9	154.4	132.0	115.9
W10	1,290.3	1,175.5	369.7	146.7	108.4	84.1	79.5	71.2	68.6	1,053.1	1,095.4	381.4	247.0	248.5	158.8	118.2	83.8	95.3
W11	1,357.4	1,124.4	322.7	140.5	112.2	71.3	79.0	70.7	61.8	1,148.1	1,026.9	335.0	241.3	256.7	155.3	116.8	92.0	85.0
W12	1,303.6	1,086.5	319.2	132.3	93.0	68.0	69.2	51.9	53.8	1,085.3	979.4	354.7	223.6	236.9	140.0	113.6	77.5	61.3
W13	897.4	655.2	150.4	88.8	78.8	54.6	55.8	49.6	54.9	901.4	613.1	176.2	181.7	166.6	109.4	99.7	68.6	54.3

Upper respiratory tract infections (URTI) 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	858.0	673.6	260.9	74.7	48.9	44.6	52.6	48.4	66.5	697.4	611.4	249.7	120.5	119.9	103.4	93.3	78.7	59.3
W2	786.2	611.8	245.7	67.1	48.6	46.3	58.8	56.5	60.4	640.4	506.5	241.2	117.2	121.7	104.7	85.7	68.6	57.2
W3	764.4	545.2	212.6	62.2	43.3	41.9	48.4	55.8	48.5	580.9	499.0	205.4	108.3	107.4	90.5	76.7	72.3	62.8
W4	513.5	353.4	93.1	55.4	39.5	35.4	48.7	39.0	41.3	432.2	288.8	104.1	89.1	76.6	73.4	66.6	56.5	35.1
W5	663.8	416.1	140.0	61.3	38.1	37.9	45.6	50.0	43.8	538.2	337.8	131.4	94.7	83.7	78.1	64.1	60.1	60.4
W6	1,029.8	786.0	235.2	81.8	49.0	54.3	72.9	64.9	64.8	897.4	700.9	215.4	131.4	113.1	112.7	99.3	94.8	68.1
W7	1,243.2	1,040.3	227.5	81.9	57.0	61.3	79.9	74.4	81.3	1,152.1	950.4	218.5	137.4	126.0	125.8	118.2	89.5	87.4
W8	1,587.5	1,397.1	389.9	109.8	65.6	71.1	87.8	90.7	70.0	1,452.4	1,340.1	378.5	168.9	154.8	149.7	135.2	108.6	87.1
W9	1,147.9	925.9	278.3	101.4	78.0	87.7	96.9	118.6	128.9	1,131.8	856.1	269.9	160.3	171.2	178.4	153.2	150.5	122.8
W10	960.8	985.4	390.0	122.6	77.5	75.7	89.0	74.2	96.5	912.4	922.4	375.6	181.5	177.6	160.0	122.0	108.0	77.8
W11	1,085.3	907.6	300.9	109.6	80.1	72.8	92.1	75.2	86.6	959.0	866.3	298.7	166.5	176.8	146.1	125.0	108.7	76.9
W12	1,041.0	861.8	279.9	102.0	69.4	68.2	81.4	73.7	74.1	918.5	776.1	283.4	160.2	154.9	138.2	126.9	93.3	91.5

Upper respiratory tract infections (URTI) 4 weekly table (W1 - W13) - London

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W13	780.5	544.1	150.5	65.0	57.5	55.7	72.4	73.0	64.1	673.5	505.4	143.8	108.2	116.0	108.2	114.3	107.4	75.2

Upper respiratory tract infections (URTI) 4 weekly table (W1 - W13) - Midlands

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	932.7	747.4	302.8	95.5	76.6	56.1	60.0	57.7	47.7	829.1	690.8	337.5	192.1	188.8	114.8	81.8	70.2	61.3
W2	946.9	727.0	291.2	96.1	82.6	55.4	55.0	45.0	40.3	791.9	647.4	316.0	185.0	184.9	118.7	86.5	65.1	52.7
W3	863.1	672.1	246.3	83.7	73.2	49.4	51.0	49.4	43.7	698.6	616.7	269.4	155.2	168.0	105.5	76.9	62.7	46.6
W4	572.3	414.0	117.9	68.7	57.0	43.9	41.2	46.5	32.8	556.1	374.6	141.8	126.5	122.2	82.6	70.7	51.5	41.7
W5	811.1	518.7	151.9	69.7	53.8	39.7	44.1	37.9	35.7	681.2	481.7	169.5	134.9	119.8	84.9	74.5	54.5	46.3
W6	1,300.2	936.6	239.5	108.9	72.4	59.9	62.2	62.0	62.1	1,105.4	874.0	272.7	218.3	181.9	123.9	95.4	80.4	65.8
W7	1,595.2	1,263.2	249.9	114.4	83.0	67.8	72.1	67.3	78.6	1,406.6	1,203.4	275.8	227.9	194.5	133.4	115.2	87.4	70.4
W8	1,735.4	1,617.3	485.9	133.9	103.7	81.5	81.0	71.1	71.6	1,654.4	1,630.3	518.1	269.3	259.1	177.5	134.6	92.4	80.7
W9	1,268.5	1,021.6	293.8	126.9	119.1	101.5	94.4	86.0	99.8	1,219.9	988.4	310.8	227.7	277.5	207.5	146.4	123.7	97.0
W10	1,263.5	1,133.0	359.8	140.6	108.3	81.6	80.4	71.0	50.6	1,099.2	985.6	397.2	238.8	252.2	162.6	112.2	85.5	68.5
W11	1,229.1	1,017.1	299.3	139.8	113.8	75.5	82.0	66.9	71.5	1,057.1	977.2	339.9	249.6	269.0	161.4	111.6	88.8	72.6
W12	1,247.3	1,080.8	312.7	122.4	99.9	65.9	66.5	61.1	61.0	1,044.9	949.9	354.4	218.7	228.8	139.9	102.1	74.9	52.6
W13	1,020.7	713.4	180.2	87.0	77.9	57.0	59.2	63.2	66.7	900.9	651.1	199.6	171.0	175.9	118.1	97.6	72.0	53.9

Upper respiratory tract infections (URTI) 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	1,128.6	830.4	268.0	100.1	73.7	54.2	61.0	55.9	51.8	964.1	762.0	309.1	215.2	178.3	117.6	91.2	72.6	67.0
W2	1,018.7	736.6	241.8	100.3	76.6	55.0	56.0	60.2	57.6	881.2	710.2	302.0	185.6	174.5	117.0	93.1	76.1	57.7
W3	1,017.3	701.2	218.8	77.7	65.1	46.5	51.9	50.9	45.3	845.8	617.1	243.0	185.7	167.8	103.0	79.9	74.3	65.7
W4	659.8	413.5	119.0	64.8	55.6	39.2	47.9	41.7	46.4	572.2	355.7	137.7	140.2	124.0	74.9	60.4	51.1	55.9
W5	832.2	530.5	131.2	74.4	50.5	40.1	40.3	41.6	47.3	798.9	488.9	158.5	156.1	119.3	76.5	70.3	53.4	39.6
W6	1,415.6	973.8	231.0	103.8	72.0	54.9	54.3	58.3	72.0	1,218.4	866.3	265.9	217.6	181.7	122.5	86.4	88.2	66.6
W7	1,559.8	1,204.9	222.6	107.4	80.6	60.6	69.7	64.1	58.8	1,376.3	1,136.6	270.0	221.4	188.6	127.5	107.0	91.0	70.1
W8	1,933.2	1,684.9	430.9	129.4	97.4	81.4	75.5	70.6	72.7	1,761.0	1,561.3	471.6	264.0	268.4	173.0	121.8	100.2	102.1
W9	1,534.1	1,062.5	261.5	128.6	120.5	97.1	94.6	92.1	89.5	1,366.2	1,010.4	294.4	257.3	296.5	203.6	145.1	117.7	116.2
W10	1,323.4	1,137.0	354.9	137.2	105.5	72.5	74.2	69.0	60.0	1,177.2	1,028.3	357.8	265.0	257.5	159.0	126.6	99.0	79.0
W11	1,422.8	1,092.7	291.8	128.1	119.8	68.5	68.0	69.3	78.7	1,312.0	1,045.3	348.8	279.2	281.3	154.9	120.6	95.8	81.8
W12	1,438.9	1,116.3	316.8	132.1	98.4	59.6	56.0	58.1	58.6	1,239.3	1,041.9	347.2	249.2	238.3	146.6	99.9	82.7	83.3
W13	1,231.0	714.7	173.6	94.9	82.8	53.5	55.9	66.6	51.3	986.7	638.5	195.7	196.7	191.6	116.8	103.5	84.6	77.1

Upper respiratory tract infections (URTI) 4 weekly table (W1 - W13) - North West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	1,114.1	881.1	294.8	100.7	82.4	62.2	67.0	60.6	52.3	1,057.5	789.5	320.3	199.3	197.7	133.3	101.1	79.3	69.3

Upper respiratory tract infections (URTI) 4 weekly table (W1 - W13) - North West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W2	1,087.4	811.2	267.5	92.7	86.5	65.5	63.2	67.2	66.6	1,107.2	706.2	302.0	194.1	205.0	132.1	100.2	85.7	78.2
W3	1,077.3	797.2	247.9	89.5	77.7	59.1	60.2	50.0	70.6	899.5	742.6	283.8	174.6	185.8	119.5	96.7	73.9	66.1
W4	739.9	540.7	128.3	75.4	64.6	50.9	53.0	53.7	51.2	658.0	482.9	146.3	138.7	137.4	97.5	79.8	61.3	46.9
W5	1,003.8	684.6	175.2	86.4	64.2	52.1	54.1	43.7	45.3	879.6	584.0	200.0	161.4	141.7	100.2	81.1	69.5	56.8
W6	1,586.5	1,223.8	292.1	118.1	82.9	66.6	64.9	71.4	87.6	1,458.0	1,090.5	329.0	241.6	211.3	145.1	116.6	94.5	95.7
W7	1,817.1	1,428.6	267.9	115.9	89.3	75.5	85.5	84.2	87.2	1,698.6	1,379.9	307.0	244.6	221.9	155.4	130.4	103.4	88.7
W8	2,109.2	1,740.6	477.6	144.1	108.4	93.8	96.4	85.9	103.2	1,851.6	1,631.2	509.8	284.4	289.6	200.4	154.9	126.5	103.7
W9	1,555.5	1,225.8	319.2	134.0	133.8	123.0	104.6	103.4	129.7	1,365.4	1,183.8	341.1	269.5	322.5	230.2	165.8	139.4	145.8
W10	1,581.9	1,389.8	424.6	157.0	121.2	94.3	87.0	82.5	89.1	1,393.1	1,271.4	460.8	279.9	285.7	199.3	140.6	113.9	91.5
W11	1,549.4	1,239.6	346.1	150.8	128.5	91.5	81.6	79.1	89.1	1,436.8	1,181.3	384.9	274.8	299.8	194.8	144.4	121.6	92.5
W12	1,543.2	1,288.0	353.3	135.9	114.3	80.8	84.4	78.5	73.8	1,426.1	1,164.0	390.5	260.7	261.4	168.1	133.1	103.5	77.3
W13	1,220.9	804.9	195.9	101.0	86.7	65.6	72.0	68.7	65.5	1,141.5	766.9	220.2	186.3	198.8	141.2	120.5	99.3	74.2

Upper respiratory tract infections (URTI) 4 weekly table (W1 - W13) - South East

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	882.3	700.2	268.7	92.1	72.7	52.7	49.4	43.9	46.9	761.7	651.4	284.2	179.0	165.4	104.1	77.5	66.2	45.0
W2	802.3	607.9	233.4	87.7	70.4	49.6	49.7	42.5	56.4	636.7	560.3	258.9	167.3	161.4	96.2	75.8	62.8	47.0
W3	694.9	592.1	205.2	79.1	58.8	44.3	44.8	43.0	41.2	677.5	549.6	225.6	153.1	150.7	84.5	67.2	53.1	39.1
W4	577.7	409.2	118.8	75.1	52.3	38.0	36.5	38.2	36.7	489.0	375.7	126.1	137.7	108.7	72.5	61.9	47.1	35.2
W5	737.8	519.5	140.2	79.7	50.6	36.7	38.4	36.6	37.0	625.1	412.9	150.4	152.2	117.0	74.7	54.8	46.1	42.5
W6	1,230.6	925.9	220.8	104.7	66.9	51.8	56.2	50.0	50.2	1,060.0	857.9	241.8	205.6	167.0	107.7	88.4	74.8	77.2
W7	1,508.9	1,231.3	210.6	103.7	74.3	59.0	65.4	64.5	56.7	1,299.7	1,116.5	232.0	221.0	183.0	118.1	93.1	77.3	76.6
W8	1,673.6	1,519.6	361.0	120.7	89.8	70.5	70.1	66.4	69.3	1,491.4	1,394.0	384.0	237.4	227.1	152.3	100.8	80.1	73.9
W9	1,333.2	1,087.3	264.2	120.9	108.6	88.1	86.0	80.9	77.9	1,200.7	988.6	285.5	224.6	262.3	179.3	122.2	116.2	114.1
W10	1,281.4	1,174.2	329.5	127.9	102.3	68.9	68.2	65.8	48.3	1,094.7	1,059.2	352.5	229.0	233.6	153.8	103.7	83.9	82.3
W11	1,293.0	1,042.7	283.7	125.2	102.4	66.5	71.5	63.2	63.9	1,065.7	956.8	303.8	237.0	247.4	143.7	113.0	82.1	54.9
W12	1,208.8	1,034.1	281.2	108.8	93.1	59.3	62.6	54.6	60.3	1,006.3	983.1	321.7	210.9	223.2	127.6	99.5	88.1	68.4
W13	850.1	634.1	154.7	84.1	71.8	52.5	55.7	52.7	40.2	727.2	567.5	163.7	159.2	164.0	98.9	89.5	72.9	56.9

Upper respiratory tract infections (URTI) 4 weekly table (W1 - W13) - South West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	743.7	573.9	219.7	82.9	61.8	43.8	40.4	39.8	33.5	594.3	512.7	243.5	173.5	141.5	89.8	64.3	53.7	38.7
W2	675.3	514.6	193.3	73.6	60.2	42.7	40.0	39.7	39.1	616.9	435.0	219.1	153.1	134.2	82.1	62.5	49.0	40.0
W3	667.5	526.0	172.4	73.0	55.1	34.8	31.9	31.0	31.3	579.0	459.3	211.5	150.1	131.0	77.9	65.1	42.8	39.8
W4	412.8	331.9	93.3	69.8	47.5	31.1	29.7	21.3	24.6	378.8	300.2	105.2	124.5	94.0	59.2	49.5	39.1	29.4
W5	604.0	376.2	109.9	65.9	42.5	30.5	29.5	28.5	31.8	540.0	329.8	128.7	136.6	90.8	61.6	45.6	42.5	35.4
W6	957.4	676.1	166.5	77.6	59.0	43.3	46.6	41.1	48.0	830.1	603.2	184.8	182.7	140.0	86.4	71.1	62.9	50.1
W7	1,199.6	913.2	174.0	90.2	63.9	48.5	51.3	54.9	56.0	1,106.4	869.9	189.2	188.4	149.3	100.8	85.9	68.8	59.7
W8	1,506.2	1,259.8	303.0	113.7	79.4	60.2	54.7	55.5	47.0	1,350.3	1,238.2	362.9	221.1	189.4	127.2	93.1	80.0	71.8
W9	1,206.8	818.2	233.0	110.0	99.7	81.6	77.3	75.6	78.7	973.6	806.1	256.2	213.4	220.5	156.5	112.1	101.6	81.2
W10	928.7	853.5	268.5	120.0	86.7	61.0	56.8	61.4	54.4	870.0	791.3	292.0	208.7	203.8	131.3	90.9	74.2	62.4

Upper respiratory tract infections (URTI) 4 weekly table (W1 - W13) - South West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W11	981.8	819.6	219.8	110.5	89.8	56.1	52.2	51.5	42.1	914.5	775.4	246.6	217.6	214.9	128.8	88.4	79.8	58.2
W12	958.5	818.8	253.6	103.7	89.7	52.1	54.4	44.6	32.4	844.1	789.8	283.5	197.3	207.2	115.0	87.4	68.9	61.3
W13	740.3	531.4	129.7	81.1	71.5	45.8	46.9	49.3	40.3	635.6	496.9	157.4	159.9	149.9	92.6	71.4	60.6	54.5

Urinary Tract Infections

Urinary Tract Infections 4 weekly table (W1 - W13) - East of England

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	14.1	10.0	4.8	3.3	4.1	9.7	27.9	62.1	136.6	36.5	19.5	18.8	57.8	49.1	48.7	60.1	92.0	164.9
W2	28.3	7.8	4.8	3.0	5.0	11.4	30.2	61.9	144.5	36.6	25.6	20.8	49.3	52.0	52.4	68.0	111.9	151.8
W3	21.4	7.1	3.1	3.0	5.1	10.2	32.8	63.5	135.7	25.9	27.1	18.3	51.5	56.6	52.7	71.7	105.8	166.4
W4	10.4	12.1	3.8	2.4	3.9	11.4	30.7	69.2	122.2	29.3	21.8	15.3	62.2	55.3	58.0	67.3	100.2	146.5
W5	10.6	5.0	1.9	2.2	4.3	10.9	32.7	63.2	121.6	33.2	24.9	20.3	54.0	59.8	57.1	76.5	116.1	154.4
W6	17.2	10.7	2.9	3.5	4.6	9.4	33.3	59.6	129.7	21.8	29.4	23.1	59.8	58.5	57.1	73.9	123.6	149.2
W7	27.8	9.3	2.4	3.0	3.7	13.1	28.1	61.7	114.4	18.3	29.4	19.8	60.2	64.1	61.8	76.4	105.6	150.4
W8	17.5	12.9	5.3	2.9	3.4	10.0	34.2	59.8	149.2	25.8	28.7	26.1	62.9	58.3	62.8	74.2	103.9	159.0
W9	17.2	5.8	3.4	3.7	4.4	10.1	31.6	57.9	125.2	25.5	28.0	18.8	55.0	58.0	58.5	68.3	95.0	150.0
W10	10.4	12.3	3.4	2.4	5.2	10.5	35.8	70.3	154.7	32.9	40.2	23.9	61.4	58.1	59.1	72.3	103.2	184.7
W11	21.0	10.8	5.5	5.3	4.8	11.3	26.7	64.9	130.3	18.5	26.5	22.6	54.4	55.3	55.8	66.7	90.5	161.5
W12	13.8	10.8	6.0	2.7	2.8	9.3	30.5	63.0	146.6	25.8	34.1	19.9	55.9	58.8	58.9	69.9	95.7	141.4
W13	10.4	5.8	3.8	2.6	3.5	11.2	35.7	61.1	132.6	15.0	26.5	18.4	61.3	55.5	59.4	60.7	105.4	152.7

Urinary Tract Infections 4 weekly table (W1 - W13) - London

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	8.8	4.9	1.9	1.6	2.2	6.8	18.5	42.5	69.4	19.9	17.2	10.7	22.1	27.6	30.0	42.7	76.0	100.3
W2	17.6	4.9	2.7	1.6	2.5	7.6	24.3	55.0	87.7	21.5	14.1	14.4	21.6	27.3	29.8	45.3	74.1	118.7
W3	28.0	8.2	2.4	2.2	3.0	7.1	22.9	58.2	84.2	14.0	16.9	10.7	21.9	28.1	32.9	43.6	82.8	104.9
W4	18.9	3.9	0.8	1.9	2.8	7.9	27.2	37.0	86.8	16.8	13.4	8.1	21.3	31.1	36.4	44.9	77.9	108.0
W5	21.9	3.9	1.9	2.1	2.3	8.0	25.0	51.9	83.3	15.3	11.7	12.3	24.1	32.7	38.4	48.1	81.1	107.3
W6	15.7	5.6	2.9	1.3	3.0	7.7	26.4	54.7	84.5	16.6	12.4	8.9	27.5	33.4	39.7	47.0	83.2	120.8
W7	21.6	5.6	2.5	2.3	2.5	7.7	23.0	51.7	96.7	12.2	20.0	11.9	27.9	38.3	41.3	48.3	77.2	101.8
W8	5.8	6.6	2.7	2.6	2.6	7.9	23.7	45.8	88.2	12.2	16.9	13.6	27.2	36.8	38.5	47.2	69.0	80.4
W9	12.8	5.3	2.2	1.5	2.6	7.5	22.1	46.8	70.0	12.1	14.2	10.4	25.5	31.9	39.2	42.5	68.1	84.7
W10	17.2	6.9	2.9	2.5	2.2	7.4	21.6	43.8	97.9	12.2	18.0	13.4	28.6	37.3	41.9	46.2	75.0	104.0
W11	21.7	5.6	2.3	3.1	2.2	8.5	23.5	53.5	93.6	15.4	13.5	11.5	29.8	36.3	41.0	47.6	75.6	84.5
W12	14.4	4.3	2.8	1.3	2.5	8.3	25.5	54.4	92.3	6.1	18.7	14.4	28.0	34.7	42.0	46.0	69.1	104.2
W13	16.0	6.9	2.7	1.8	2.8	7.4	22.4	49.5	94.7	15.3	14.9	10.5	24.0	34.8	39.9	43.5	65.2	99.7

Urinary Tract Infections 4 weekly table (W1 - W13) - Midlands

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	10.5	5.8	3.6	1.2	3.2	9.9	25.1	47.8	87.5	12.5	15.4	15.4	37.9	44.6	46.0	45.9	76.7	107.9
W2	8.8	7.5	3.7	1.6	3.2	9.5	22.8	44.6	103.9	14.3	16.5	16.1	45.2	48.6	48.4	54.2	88.4	115.1
W3	12.4	7.2	3.2	2.8	3.9	8.8	27.3	54.8	99.7	1.8	15.8	16.0	43.6	52.3	48.7	50.2	84.3	119.2
W4	12.1	3.6	2.2	2.0	3.3	10.3	26.2	49.7	107.6	17.7	14.7	13.3	42.7	53.0	51.9	60.7	92.8	125.1
W5	12.3	6.1	3.5	1.6	3.8	10.3	28.3	56.3	110.0	8.9	15.4	15.2	47.8	54.4	52.4	54.8	84.4	124.5
W6	19.0	4.3	2.4	2.2	3.1	9.8	26.9	50.2	109.8	12.3	14.7	20.2	52.0	55.2	57.3	58.1	94.8	112.5
W7	19.1	7.6	3.9	2.1	3.9	10.6	27.7	55.6	87.6	10.6	27.1	16.7	57.5	63.4	60.0	55.8	85.6	142.2
W8	21.0	8.3	3.2	2.2	4.5	9.1	25.6	51.4	95.0	10.7	24.8	17.7	58.4	59.6	57.6	57.2	83.1	120.6
W9	12.1	4.0	2.7	2.2	2.9	9.6	24.3	44.1	101.3	8.8	19.6	15.3	52.1	59.7	55.2	53.6	75.7	106.1
W10	8.7	5.1	4.2	2.2	3.3	10.4	29.8	52.4	98.8	9.0	23.0	21.5	49.4	60.0	58.3	54.6	94.5	131.3
W11	15.7	5.8	3.3	3.5	3.9	10.9	25.2	59.5	86.6	7.2	20.4	16.4	54.9	60.2	60.6	57.1	84.0	135.2
W12	13.8	5.8	4.2	4.0	4.6	9.7	30.1	53.9	113.7	16.0	20.3	17.9	49.1	55.8	57.5	49.7	84.8	120.9
W13	12.2	5.4	3.2	2.9	3.2	9.7	24.3	53.1	103.5	14.4	19.6	16.6	53.7	57.1	52.1	52.1	78.0	124.8

Urinary Tract Infections 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	15.2	9.5	4.8	2.5	5.4	12.3	33.4	66.8	131.3	28.8	30.5	22.5	56.0	58.9	55.6	63.9	103.5	134.6
W2	24.5	10.1	4.2	3.7	5.8	13.2	29.9	75.7	139.1	19.3	35.8	22.3	55.4	61.0	52.3	71.2	108.5	160.5
W3	34.1	10.1	4.6	2.5	5.4	13.0	41.8	74.8	130.0	29.2	33.8	20.1	57.3	60.7	56.1	65.0	111.2	152.7
W4	24.3	7.6	2.5	4.3	5.4	11.2	32.1	69.0	135.8	22.4	24.6	18.3	63.8	63.5	61.8	63.1	105.9	146.5
W5	15.5	7.0	5.3	4.1	6.1	14.4	36.1	74.8	125.3	25.8	31.3	22.5	63.4	68.4	63.4	73.2	118.6	164.9
W6	18.3	5.7	2.9	2.3	4.6	13.0	37.0	65.6	138.0	19.0	35.2	25.8	72.3	74.9	71.6	70.0	118.5	158.2
W7	33.7	4.4	4.4	2.7	4.8	14.1	32.0	68.6	141.1	22.5	34.6	22.8	82.6	75.0	69.1	71.3	101.0	144.7
W8	15.4	9.5	4.8	3.6	6.7	13.1	32.5	75.5	139.6	32.4	35.3	24.8	76.8	74.9	71.2	67.6	100.2	164.1
W9	21.4	8.2	2.1	3.1	4.5	11.3	29.4	68.8	95.4	0.0	37.9	23.2	70.7	70.2	66.9	68.3	95.9	148.4
W10	18.5	10.8	6.3	6.1	5.7	14.9	37.3	68.7	115.4	29.3	29.3	29.2	73.7	77.2	70.4	61.5	104.5	168.9
W11	18.7	8.9	3.4	2.7	5.1	14.1	34.5	73.4	124.5	9.8	39.3	29.2	84.3	77.4	69.3	65.9	114.1	152.0
W12	12.3	8.3	4.7	3.1	5.5	10.8	35.3	68.5	136.0	19.3	36.0	27.7	71.3	74.3	67.4	65.8	107.0	162.2
W13	18.6	8.9	4.4	4.0	4.4	13.4	34.8	66.6	145.9	26.0	34.1	23.3	67.5	70.2	70.6	68.9	99.0	177.4

Urinary Tract Infections 4 weekly table (W1 - W13) - North West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	16.7	4.6	4.0	3.1	3.8	11.7	23.4	52.3	114.8	18.0	23.5	17.8	43.9	52.4	48.9	61.0	101.4	133.4
W2	13.0	6.2	3.0	3.1	4.7	11.1	27.0	52.9	105.5	21.9	23.1	19.2	46.3	56.3	56.1	62.9	105.7	136.0
W3	20.5	5.4	2.4	1.8	3.9	10.9	26.5	54.9	124.7	8.1	22.4	15.4	47.9	55.3	55.7	62.9	106.6	141.9
W4	14.6	2.3	2.5	2.4	3.9	10.0	28.7	55.1	96.8	15.7	18.3	12.0	47.5	54.7	59.6	62.0	103.3	146.5
W5	16.5	4.6	2.8	3.4	4.8	10.9	30.6	56.2	100.6	25.6	21.2	18.5	51.9	58.2	57.6	66.2	100.3	151.7
W6	14.3	6.2	3.4	3.6	4.3	12.8	29.1	64.4	134.6	7.7	23.6	20.7	59.0	67.6	67.6	66.6	111.6	153.5
W7	16.2	6.6	3.4	2.4	5.1	11.5	30.0	55.1	143.8	15.4	26.5	17.8	69.7	74.3	73.9	70.6	113.0	157.0

Urinary Tract Infections 4 weekly table (W1 - W13) - North West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W8	12.6	4.7	3.3	3.6	5.0	12.0	24.1	54.2	103.2	15.5	23.3	22.1	69.2	66.5	67.3	71.4	103.9	147.7
W9	12.5	5.0	3.5	2.8	4.8	11.5	27.8	51.4	102.7	17.2	24.9	15.7	57.2	67.7	65.1	63.2	99.0	139.0
W10	9.0	5.0	3.6	3.2	4.0	13.1	29.0	62.6	114.4	11.5	27.9	26.2	63.2	72.0	71.0	73.5	102.3	151.3
W11	12.7	7.0	2.6	4.2	4.8	11.0	33.2	62.8	123.2	29.0	29.9	22.0	61.0	66.4	71.4	69.9	101.4	156.7
W12	16.1	8.1	4.1	5.1	5.2	11.2	29.8	53.9	105.4	22.7	20.5	22.5	58.3	66.3	63.2	64.9	106.1	141.6
W13	20.0	3.5	3.4	3.4	3.9	12.1	26.9	57.7	113.9	19.1	24.2	19.4	56.4	64.3	64.0	62.0	100.4	146.7

Urinary Tract Infections 4 weekly table (W1 - W13) - South East

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	18.8	4.8	3.0	2.2	3.2	7.8	22.4	58.4	99.4	33.0	25.8	16.7	44.3	42.7	44.1	47.9	87.1	132.8
W2	15.6	5.1	3.1	1.9	4.1	8.2	29.2	57.4	107.9	15.0	21.4	15.9	41.3	43.4	45.4	57.6	89.9	132.7
W3	20.5	8.3	2.5	2.4	3.7	9.5	31.0	49.1	125.5	31.8	18.8	15.1	44.6	47.5	46.7	54.3	91.0	141.2
W4	20.2	3.8	2.3	2.1	3.4	9.8	29.8	55.6	97.9	26.2	19.1	13.2	44.0	50.8	49.8	56.4	99.5	135.8
W5	18.9	4.1	2.9	2.4	3.4	9.3	25.8	65.0	119.5	24.7	26.2	15.8	48.1	51.5	53.9	59.9	91.9	136.0
W6	21.6	7.3	2.3	3.2	4.6	9.7	28.8	60.8	119.1	27.5	30.2	19.2	58.0	56.7	57.3	65.9	94.5	150.6
W7	14.0	9.2	2.8	3.2	3.4	11.2	26.8	54.8	125.4	17.9	28.5	15.5	59.3	61.2	57.9	57.8	101.3	135.3
W8	14.1	6.0	2.7	2.2	2.9	10.0	26.3	58.9	125.3	9.8	32.6	19.8	57.2	56.9	56.4	55.3	100.9	125.4
W9	31.0	6.4	2.3	1.8	3.7	10.7	24.5	54.3	122.0	19.4	31.9	15.5	49.8	56.1	52.7	53.5	84.8	111.8
W10	11.0	6.4	3.6	3.2	4.2	10.2	27.1	55.8	124.4	14.7	25.2	19.5	54.3	54.7	59.4	60.1	90.0	135.8
W11	12.6	7.0	3.7	2.5	3.7	9.9	30.4	52.7	126.7	19.6	21.2	18.2	51.2	52.7	55.6	58.5	88.7	140.1
W12	18.6	8.3	4.3	2.9	3.9	10.5	26.6	56.1	114.0	30.4	22.6	21.4	49.4	53.9	53.2	55.7	90.3	128.6
W13	29.6	7.4	3.6	2.8	3.3	9.0	25.4	62.4	112.9	31.0	29.3	15.0	50.0	49.0	53.8	52.3	88.0	129.5

Urinary Tract Infections 4 weekly table (W1 - W13) - South West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	15.3	4.6	3.4	3.0	4.8	10.6	29.1	67.1	109.6	24.3	23.5	19.9	49.9	41.7	42.7	55.0	91.6	117.5
W2	20.5	7.7	5.1	3.0	4.6	10.7	27.7	47.5	129.7	21.7	25.1	18.8	43.3	44.6	50.6	60.1	103.4	138.7
W3	25.9	7.7	2.9	2.3	4.2	11.7	28.2	66.4	135.2	36.0	21.3	17.9	48.1	48.5	54.2	54.2	99.0	139.6
W4	20.4	5.2	1.9	3.2	4.3	11.8	29.2	57.9	124.8	19.1	21.3	17.0	47.9	48.0	52.2	64.0	103.7	137.7
W5	17.9	6.7	4.4	3.3	5.4	12.3	25.3	63.4	101.9	21.9	24.7	16.5	55.7	54.1	56.7	61.6	96.4	129.1
W6	22.6	3.6	3.5	3.5	5.0	10.9	30.5	55.5	122.8	32.1	28.5	20.7	62.7	57.2	60.8	63.8	103.6	128.3
W7	35.6	8.8	2.7	3.6	4.3	12.3	31.2	66.5	104.7	37.8	26.4	18.9	62.6	65.3	59.3	64.5	107.0	138.2
W8	28.2	10.9	4.0	2.4	4.7	12.8	27.7	58.9	118.2	24.5	32.4	23.0	62.5	62.7	60.7	63.4	106.1	130.4
W9	12.7	6.2	3.4	3.5	3.2	10.5	25.1	54.2	95.8	5.4	29.1	13.1	54.2	57.3	60.6	53.1	91.2	130.2
W10	25.7	9.9	4.4	2.9	5.3	11.5	31.0	56.0	125.8	13.6	25.3	23.8	64.7	64.5	61.8	57.7	100.7	143.6
W11	25.9	9.9	4.6	2.6	4.1	10.0	26.6	66.9	113.4	10.9	34.2	19.3	65.8	60.8	59.6	64.5	108.9	147.1
W12	12.7	11.5	5.4	4.1	5.1	11.4	30.5	63.0	106.1	16.1	28.2	22.4	59.4	58.7	58.6	57.8	89.1	137.9
W13	33.4	6.8	3.0	2.1	5.7	12.2	27.8	53.9	132.9	40.4	33.8	16.9	57.5	53.2	54.5	59.1	96.9	145.6

URTI - Croup

URTI - Croup 4 weekly table (W1 - W13) - East of England

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	38.8	21.4	2.6	0.0	0.0	0.1	0.0	0.0	0.0	3.6	15.8	2.0	0.6	0.0	0.0	0.3	0.0	0.0
W2	38.9	24.2	3.4	0.0	0.0	0.0	0.3	0.0	0.0	14.7	18.0	1.0	0.3	0.0	0.1	0.0	0.0	0.0
W3	46.3	32.8	4.8	0.0	0.0	0.0	0.0	0.5	0.0	14.8	18.8	1.0	0.0	0.0	0.2	0.0	0.0	0.0
W4	27.9	15.7	1.2	0.0	0.0	0.0	0.0	0.0	0.0	14.7	14.3	1.0	0.0	0.0	0.1	0.3	0.0	0.0
W5	21.2	30.8	2.9	0.0	0.0	0.0	0.0	0.0	0.0	11.1	20.4	2.5	0.0	0.0	0.0	0.0	0.0	0.0
W6	20.7	48.7	6.5	0.0	0.0	0.0	0.0	0.0	0.0	25.4	29.4	2.3	0.0	0.1	0.0	0.0	0.0	0.0
W7	66.0	50.9	5.5	0.0	0.0	0.0	0.0	0.0	0.0	36.6	43.8	3.3	0.0	0.1	0.0	0.0	0.0	0.0
W8	48.9	58.9	12.2	0.0	0.0	0.0	0.0	0.0	0.0	40.5	37.8	5.3	0.3	0.1	0.0	0.0	0.0	0.0
W9	44.8	52.5	9.3	0.0	0.0	0.0	0.0	0.0	0.0	36.4	34.8	2.3	0.0	0.1	0.0	0.0	0.0	0.0
W10	31.1	52.6	7.4	0.0	0.0	0.0	0.0	0.0	0.0	7.3	35.7	4.0	0.0	0.0	0.1	0.0	0.0	0.0
W11	45.5	36.0	3.6	0.0	0.0	0.0	0.0	0.4	0.0	25.9	24.3	1.8	0.3	0.0	0.0	0.0	0.0	0.0
W12	38.0	45.4	4.1	0.0	0.0	0.0	0.0	0.0	0.0	47.8	24.2	2.5	0.0	0.0	0.0	0.0	0.0	0.0
W13	34.8	28.1	1.9	0.0	0.0	0.0	0.0	0.0	0.0	22.4	16.7	1.3	0.0	0.1	0.1	0.0	0.0	0.0

URTI - Croup 4 weekly table (W1 - W13) - London

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	29.4	27.6	2.1	0.0	0.0	0.0	0.0	0.0	0.0	13.8	15.1	1.4	0.0	0.0	0.0	0.0	0.0	0.0
W2	33.7	30.2	2.4	0.0	0.0	0.0	0.0	0.0	0.0	26.1	17.2	1.0	0.0	0.0	0.0	0.0	0.0	0.0
W3	31.0	36.8	4.6	0.1	0.0	0.0	0.0	0.0	0.0	21.7	19.3	1.9	0.0	0.0	0.1	0.0	0.0	0.0
W4	21.8	24.6	1.2	0.0	0.0	0.0	0.0	0.0	0.0	12.2	12.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0
W5	43.8	37.4	2.4	0.0	0.0	0.0	0.0	0.0	0.0	19.9	13.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0
W6	34.3	54.4	6.3	0.0	0.0	0.0	0.0	0.0	0.0	28.6	33.4	2.0	0.0	0.0	0.0	0.0	0.0	0.0
W7	53.3	62.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	44.1	34.8	1.6	0.0	0.0	0.0	0.0	0.0	0.0
W8	54.9	63.4	5.7	0.0	0.0	0.0	0.0	0.0	0.0	30.6	34.5	3.0	0.0	0.0	0.0	0.0	0.0	0.0
W9	36.9	31.9	4.4	0.0	0.0	0.0	0.0	0.0	0.0	30.3	19.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0
W10	32.9	44.2	4.3	0.0	0.0	0.0	0.0	0.0	0.0	26.0	27.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0
W11	36.2	33.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	30.8	16.3	1.4	0.0	0.0	0.0	0.0	0.0	0.0
W12	44.5	33.4	2.8	0.0	0.0	0.0	0.0	0.5	0.0	24.4	19.8	1.3	0.0	0.0	0.1	0.0	0.0	0.0
W13	21.8	23.1	1.3	0.0	0.0	0.1	0.0	0.0	0.0	18.4	11.8	1.1	0.0	0.0	0.0	0.0	0.0	0.0

URTI - Croup 4 weekly table (W1 - W13) - Midlands

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	29.6	30.2	5.4	0.0	0.0	0.0	0.0	0.0	0.0	14.3	19.2	1.4	0.0	0.1	0.0	0.0	0.0	0.0
W2	52.5	37.4	5.3	0.0	0.0	0.0	0.0	0.0	0.0	32.2	21.8	2.1	0.0	0.1	0.1	0.0	0.0	0.0
W3	44.1	43.9	5.3	0.0	0.0	0.0	0.0	0.0	0.0	18.1	28.2	1.5	0.0	0.0	0.0	0.0	0.0	0.0
W4	24.3	25.9	1.7	0.0	0.0	0.0	0.0	0.0	0.0	12.4	16.2	0.6	0.2	0.0	0.1	0.0	0.0	0.0
W5	40.3	48.7	3.8	0.0	0.0	0.0	0.0	0.0	0.0	30.4	24.1	2.1	0.0	0.1	0.0	0.0	0.0	0.0
W6	70.7	65.3	7.7	0.0	0.1	0.0	0.0	0.0	0.0	45.5	43.6	3.3	0.0	0.0	0.1	0.0	0.0	0.0

URTI - Croup 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W7	52.2	79.8	7.8	0.0	0.0	0.0	0.0	0.2	0.0	52.9	54.9	3.9	0.0	0.0	0.0	0.2	0.0	0.0
W8	54.2	82.4	13.7	0.0	0.0	0.0	0.0	0.0	0.0	42.7	50.4	4.9	0.0	0.1	0.1	0.0	0.0	0.0
W9	53.6	36.9	6.5	0.0	0.0	0.1	0.0	0.0	0.0	26.5	28.6	3.0	0.2	0.0	0.1	0.0	0.0	0.0
W10	62.8	63.7	6.0	0.0	0.0	0.0	0.0	0.0	0.0	34.2	30.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0
W11	55.9	43.5	3.5	0.0	0.0	0.0	0.0	0.0	0.0	23.5	27.5	1.5	0.0	0.0	0.1	0.0	0.2	0.0
W12	46.5	54.0	5.6	0.0	0.0	0.0	0.0	0.0	0.0	28.5	35.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0
W13	43.5	33.3	3.2	0.0	0.0	0.0	0.0	0.0	0.0	45.0	20.7	0.8	0.0	0.0	0.1	0.2	0.2	0.0

URTI - Croup 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	39.5	37.3	4.8	0.0	0.0	0.0	0.0	0.0	0.0	25.6	23.2	2.7	0.0	0.0	0.0	0.0	0.0	0.0
W2	42.8	36.7	4.2	0.0	0.0	0.0	0.0	0.0	0.0	19.3	25.9	2.0	0.0	0.1	0.1	0.0	0.0	0.0
W3	83.7	53.8	6.1	0.0	0.0	0.0	0.0	0.4	0.0	29.2	40.5	2.2	0.0	0.0	0.0	0.0	0.0	0.0
W4	30.4	41.8	0.8	0.0	0.1	0.1	0.0	0.0	0.0	16.0	17.3	0.4	0.2	0.0	0.0	0.2	0.0	0.0
W5	34.0	53.2	4.4	0.2	0.0	0.1	0.0	0.3	0.0	25.8	25.3	2.0	0.0	0.0	0.0	0.0	0.0	0.0
W6	76.1	60.8	6.3	0.0	0.0	0.1	0.0	0.0	0.0	38.0	43.9	3.8	0.0	0.1	0.1	0.0	0.0	0.0
W7	67.4	57.7	4.0	0.0	0.0	0.0	0.0	0.0	0.0	61.0	48.6	3.5	0.2	0.1	0.1	0.0	0.0	0.0
W8	49.4	84.3	10.5	0.0	0.0	0.0	0.0	0.0	0.0	45.3	50.0	3.8	0.0	0.1	0.0	0.0	0.0	0.0
W9	76.6	57.0	7.0	0.0	0.0	0.0	0.0	0.0	0.0	35.4	37.3	5.1	0.0	0.1	0.0	0.0	0.0	0.0
W10	74.0	65.3	8.4	0.0	0.0	0.0	0.2	0.0	0.0	26.1	44.0	3.1	0.0	0.0	0.1	0.0	0.0	0.0
W11	59.2	46.3	4.0	0.0	0.0	0.0	0.0	0.0	0.0	26.2	29.3	2.7	0.0	0.1	0.1	0.0	0.0	0.0
W12	70.9	69.9	6.8	0.2	0.0	0.0	0.0	0.0	0.0	41.7	28.0	3.1	0.0	0.0	0.0	0.0	0.0	0.0
W13	43.4	36.9	2.3	0.0	0.0	0.0	0.0	0.0	0.0	22.7	27.4	1.3	0.0	0.1	0.0	0.0	0.0	0.0

URTI - Croup 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	52.1	50.7	6.9	0.0	0.0	0.0	0.0	0.0	0.0	68.0	29.2	3.2	0.0	0.0	0.0	0.0	0.0	0.0
W2	66.9	60.4	8.3	0.0	0.0	0.0	0.0	0.0	0.0	45.9	37.7	4.2	0.0	0.1	0.1	0.0	0.0	0.0
W3	95.2	72.6	8.2	0.1	0.0	0.0	0.0	0.0	0.0	54.5	54.9	3.2	0.0	0.0	0.0	0.0	0.0	0.0
W4	56.6	54.3	4.5	0.0	0.0	0.0	0.0	0.0	0.0	51.1	27.3	1.2	0.0	0.0	0.0	0.0	0.0	0.0
W5	62.5	84.0	8.3	0.0	0.0	0.1	0.0	0.0	0.0	43.4	39.9	3.7	0.0	0.1	0.0	0.0	0.0	0.0
W6	96.8	109.4	12.1	0.0	0.0	0.0	0.0	0.0	0.0	50.1	74.5	6.6	0.0	0.1	0.0	0.0	0.0	0.0
W7	98.8	121.6	11.6	0.0	0.0	0.0	0.0	0.0	0.0	73.4	87.3	5.8	0.0	0.0	0.0	0.0	0.0	0.0
W8	90.1	110.5	14.6	0.0	0.0	0.0	0.0	0.0	0.0	63.8	73.5	8.1	0.0	0.0	0.0	0.0	0.0	0.0
W9	85.5	67.5	7.5	0.0	0.0	0.1	0.0	0.0	0.0	49.7	42.1	5.4	0.0	0.0	0.1	0.0	0.0	0.0
W10	98.8	99.7	13.8	0.0	0.0	0.0	0.0	0.0	0.0	26.9	56.6	6.9	0.0	0.1	0.0	0.0	0.0	0.0
W11	52.6	70.2	8.7	0.0	0.0	0.0	0.0	0.0	0.0	29.0	39.8	3.6	0.0	0.1	0.0	0.0	0.0	0.0
W12	57.4	81.4	10.7	0.0	0.0	0.0	0.0	0.0	0.0	32.2	40.6	5.1	0.0	0.2	0.0	0.0	0.0	0.0
W13	56.2	51.9	6.3	0.0	0.0	0.0	0.0	0.0	0.0	44.0	31.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0

URTI - Croup 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	40.7	37.5	6.9	0.0	0.0	0.0	0.0	0.0	0.0	21.5	25.5	2.5	0.0	0.0	0.0	0.0	0.0	0.0
W2	53.2	51.1	6.4	0.0	0.0	0.0	0.0	0.0	0.0	29.9	24.1	3.5	0.0	0.0	0.0	0.0	0.0	0.0
W3	47.3	65.8	6.2	0.1	0.0	0.0	0.0	0.0	0.0	30.1	41.2	3.7	0.1	0.0	0.0	0.0	0.0	0.0
W4	51.4	48.6	3.1	0.0	0.0	0.0	0.0	0.0	0.0	32.7	26.2	1.1	0.0	0.0	0.0	0.0	0.0	0.0
W5	61.4	79.4	7.1	0.0	0.0	0.0	0.0	0.0	0.0	31.3	41.4	2.1	0.0	0.0	0.0	0.0	0.0	0.0
W6	92.6	113.6	11.2	0.1	0.0	0.0	0.0	0.0	0.0	74.3	72.5	4.9	0.1	0.0	0.1	0.0	0.0	0.0
W7	114.9	137.8	10.2	0.0	0.0	0.1	0.0	0.0	0.0	84.5	85.9	5.8	0.0	0.0	0.0	0.0	0.0	0.0
W8	89.1	108.5	14.1	0.0	0.0	0.0	0.1	0.0	0.0	65.3	65.1	6.8	0.0	0.0	0.2	0.0	0.0	0.0
W9	62.0	64.0	7.7	0.1	0.0	0.0	0.0	0.0	0.0	45.3	35.6	3.0	0.0	0.0	0.1	0.0	0.0	0.0
W10	100.3	87.7	10.7	0.0	0.0	0.0	0.0	0.0	0.0	52.1	49.7	5.1	0.0	0.0	0.0	0.0	0.0	0.0
W11	53.6	62.5	5.1	0.1	0.0	0.0	0.0	0.0	0.0	27.7	32.0	3.0	0.0	0.0	0.1	0.0	0.0	0.0
W12	55.7	63.6	7.6	0.0	0.0	0.0	0.0	0.0	0.0	33.7	33.7	2.8	0.0	0.0	0.0	0.0	0.0	0.0
W13	31.1	48.0	3.7	0.0	0.0	0.0	0.0	0.0	0.0	16.3	19.9	1.2	0.0	0.0	0.0	0.0	0.0	0.0

URTI - Croup 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	56.0	37.9	4.9	0.0	0.0	0.0	0.0	0.0	0.0	18.9	21.8	2.5	0.0	0.0	0.0	0.0	0.0	0.0
W2	25.7	45.1	5.4	0.2	0.0	0.0	0.0	0.0	0.0	38.0	21.8	2.0	0.0	0.0	0.0	0.0	0.0	0.0
W3	49.2	65.9	5.9	0.0	0.0	0.0	0.0	0.0	0.0	30.5	32.8	3.7	0.0	0.0	0.1	0.0	0.0	0.0
W4	33.1	35.6	1.9	0.2	0.0	0.0	0.0	0.0	0.0	16.4	21.3	1.4	0.0	0.2	0.0	0.0	0.0	0.0
W5	38.4	55.9	5.4	0.0	0.0	0.1	0.0	0.0	0.0	30.2	30.1	1.9	0.0	0.1	0.0	0.0	0.0	0.0
W6	75.4	101.0	8.1	0.0	0.0	0.0	0.0	0.0	0.0	50.9	50.5	3.2	0.0	0.0	0.0	0.0	0.0	0.0
W7	114.4	124.5	8.1	0.0	0.0	0.0	0.0	0.0	0.0	56.7	80.8	6.2	0.0	0.1	0.0	0.0	0.2	0.0
W8	99.9	113.1	12.4	0.2	0.1	0.0	0.0	0.0	0.0	35.4	64.9	6.9	0.0	0.0	0.1	0.0	0.0	0.0
W9	75.9	59.1	8.6	0.0	0.0	0.0	0.0	0.0	0.0	43.1	33.0	2.5	0.0	0.0	0.0	0.0	0.0	0.0
W10	51.3	80.6	7.2	0.2	0.0	0.0	0.0	0.0	0.0	43.6	49.6	2.0	0.0	0.0	0.0	0.0	0.0	0.0
W11	72.5	53.6	4.9	0.0	0.0	0.0	0.0	0.0	0.0	43.7	32.5	2.3	0.0	0.0	0.0	0.0	0.0	0.0
W12	56.1	67.8	6.1	0.0	0.1	0.1	0.0	0.0	0.0	26.8	37.0	2.1	0.0	0.0	0.3	0.0	0.0	0.0
W13	48.8	34.4	2.7	0.0	0.0	0.0	0.0	0.0	0.0	26.9	21.0	0.7	0.0	0.0	0.1	0.0	0.0	0.0

URTI - Laryngitis

URTI - Laryngitis 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	3.5	2.1	1.4	0.5	0.3	0.6	0.3	0.0	0.0	0.0	3.8	1.0	1.2	2.3	1.8	0.9	0.4	0.0
W2	3.5	4.3	1.2	0.3	0.4	0.2	0.7	0.5	0.0	3.7	3.8	0.8	1.5	1.5	2.0	1.5	0.4	0.0
W3	3.6	4.3	1.4	0.3	0.2	0.2	0.3	0.0	0.0	3.7	4.5	1.0	0.6	1.6	1.3	0.9	0.8	0.0
W4	0.0	3.6	1.0	0.3	0.3	0.2	0.3	0.0	0.0	14.7	3.8	0.5	0.0	0.8	0.7	0.6	0.8	0.0

URTI - Laryngitis 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W5	7.1	4.3	1.2	0.3	0.3	0.7	0.3	0.0	0.0	0.0	3.0	0.3	0.6	1.0	0.6	0.3	0.0	0.0
W6	3.4	10.7	1.4	0.5	0.2	0.3	0.3	0.9	0.0	0.0	6.0	1.3	0.3	2.3	1.7	1.2	0.0	0.0
W7	6.9	15.1	3.4	0.3	0.2	0.6	0.3	0.4	0.0	3.7	9.1	0.5	0.3	1.5	1.9	1.8	1.1	0.0
W8	7.0	12.2	2.6	0.5	0.3	0.3	0.0	1.8	0.0	3.7	9.1	1.3	0.9	2.1	2.5	2.1	1.5	1.7
W9	3.4	6.5	1.9	1.1	0.5	1.0	0.0	0.0	0.0	7.3	6.1	0.8	2.6	2.7	2.9	1.2	1.1	2.6
W10	3.5	9.4	1.0	0.3	0.3	0.1	0.3	0.0	1.3	3.7	3.0	2.3	2.0	2.3	2.5	0.6	0.8	0.0
W11	14.0	8.6	0.7	0.3	0.7	0.1	0.3	0.9	0.0	7.4	2.3	1.8	2.0	3.4	2.0	0.9	0.4	0.8
W12	6.9	8.6	1.4	0.0	0.4	0.7	0.3	0.0	0.0	3.7	3.0	0.8	2.0	1.8	1.1	0.9	1.1	0.9
W13	0.0	5.8	0.7	0.0	0.2	0.5	0.0	0.4	0.0	3.7	1.5	0.5	0.6	1.5	1.4	0.6	0.8	0.8

URTI - Laryngitis 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	1.5	0.7	0.6	0.2	0.1	0.7	0.8	1.5	1.4	0.0	0.0	0.4	0.9	1.4	2.2	2.0	1.6	0.9
W2	0.0	0.0	0.2	0.3	0.2	0.5	0.5	1.0	0.0	3.1	0.3	0.6	0.6	1.8	1.6	1.2	0.8	0.9
W3	0.0	0.0	0.6	0.2	0.3	0.3	0.3	1.0	0.0	0.0	0.7	0.5	0.9	1.1	1.4	1.0	1.6	3.4
W4	1.5	0.7	0.0	0.2	0.2	0.4	0.3	0.5	0.0	0.0	1.0	0.3	0.7	0.9	1.1	0.7	1.6	1.7
W5	0.0	0.3	0.5	0.0	0.1	0.4	0.3	0.5	0.0	0.0	0.0	0.1	0.2	0.7	1.0	0.5	0.4	0.9
W6	1.4	1.3	0.7	0.2	0.4	0.2	0.0	0.0	1.4	0.0	1.0	0.8	0.7	1.6	2.0	0.7	0.4	1.7
W7	1.4	0.7	0.6	0.0	0.1	0.4	0.8	0.0	0.0	0.0	1.0	0.5	1.5	1.6	2.0	0.7	1.2	0.8
W8	0.0	0.7	0.9	0.6	0.3	0.5	0.8	0.5	1.4	0.0	1.7	1.4	0.7	1.7	2.0	2.2	1.5	2.5
W9	1.4	1.3	0.4	0.4	0.6	0.4	0.8	1.0	0.0	0.0	0.7	0.6	0.9	2.3	2.2	2.4	1.9	1.7
W10	1.4	0.7	0.6	0.1	0.4	0.5	0.8	0.0	0.0	0.0	0.7	0.4	1.4	1.4	2.4	2.4	1.5	0.0
W11	2.9	0.3	0.6	0.4	0.3	0.5	0.0	1.0	2.8	4.6	0.3	0.5	0.4	1.8	1.7	1.7	1.9	3.4
W12	1.4	0.3	0.2	0.6	0.3	0.4	1.2	0.0	0.0	0.0	0.7	0.8	1.2	1.5	2.3	1.7	2.3	2.5
W13	1.5	0.0	0.0	0.1	0.3	0.2	0.5	0.0	2.8	0.0	0.7	0.3	0.6	1.3	1.2	1.0	1.9	0.8

URTI - Laryngitis 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	1.4	1.0	0.4	0.8	0.7	0.3	0.7	0.0	1.8	0.8	0.8	1.1	3.1	2.3	1.6	1.0	0.0
W2	1.8	3.6	0.9	0.1	0.5	0.5	0.8	0.7	1.6	0.0	1.5	0.6	1.5	3.1	2.7	1.6	1.6	1.5
W3	3.5	1.8	0.7	0.2	0.4	0.6	0.8	0.2	0.8	0.0	1.1	0.4	2.2	1.9	1.9	1.6	1.4	1.9
W4	0.0	1.1	0.2	0.2	0.4	0.7	0.7	0.0	0.8	0.0	0.4	0.3	0.4	1.3	1.4	1.7	0.2	0.0
W5	1.8	1.4	0.1	0.1	0.3	0.5	0.2	0.7	0.0	1.8	0.0	0.1	0.2	1.6	1.6	1.1	0.4	0.5
W6	3.4	3.2	0.7	0.5	0.6	0.4	0.5	0.5	0.0	0.0	1.1	0.6	1.6	2.6	2.5	0.9	1.0	1.0
W7	1.7	2.2	1.2	0.6	0.5	0.4	0.7	0.2	0.8	0.0	1.9	0.8	1.7	3.1	2.5	1.9	1.4	1.4
W8	3.5	3.3	1.2	0.8	0.9	0.5	0.3	0.7	0.8	1.8	2.3	1.2	1.8	3.8	2.8	1.4	0.4	3.3
W9	0.0	0.7	0.4	0.8	0.4	0.5	1.0	1.2	2.3	1.8	2.3	0.5	0.8	3.3	3.2	1.9	2.2	0.5
W10	1.7	4.3	0.9	0.6	0.4	0.5	0.7	0.2	2.3	0.0	1.1	0.3	1.3	3.1	2.2	0.8	1.8	1.9
W11	1.7	2.5	0.6	0.8	0.8	0.6	0.7	0.5	1.5	0.0	0.8	0.6	1.4	3.6	1.9	1.1	0.2	0.0
W12	0.0	0.0	0.9	0.9	0.6	0.2	0.3	0.7	0.8	0.0	0.4	0.8	1.3	2.9	2.2	1.3	1.2	0.9

URTI - Laryngitis 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W13	0.0	0.7	0.1	0.2	0.4	0.6	0.6	0.5	1.5	0.0	0.8	0.6	0.6	2.8	1.9	1.6	0.8	0.9

URTI - Laryngitis 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	4.4	0.8	1.4	0.8	1.2	0.7	0.0	0.0	6.4	6.0	0.9	1.5	1.1	2.0	1.4	0.9	0.0
W2	0.0	2.5	1.1	0.2	0.4	0.3	0.5	0.0	1.2	0.0	4.0	0.7	1.5	1.7	1.4	0.5	0.6	0.0
W3	3.1	10.8	0.6	0.2	0.2	0.7	0.5	0.4	0.0	0.0	4.0	0.4	1.2	1.4	1.7	0.2	0.3	0.0
W4	0.0	4.4	0.4	0.2	0.0	0.7	0.2	0.0	0.0	0.0	1.3	0.2	0.7	0.8	1.3	0.0	0.3	0.0
W5	9.3	7.0	0.8	0.0	0.0	0.1	0.9	0.3	0.0	0.0	5.3	0.4	0.0	1.3	1.0	0.2	0.3	0.7
W6	3.0	7.6	2.1	0.5	0.6	0.1	0.5	0.3	0.0	3.2	4.0	0.2	1.0	3.1	1.9	0.7	0.3	0.0
W7	12.3	9.5	2.5	0.5	0.2	0.3	0.2	0.3	1.2	3.2	12.6	1.3	1.2	1.8	1.4	1.3	1.2	0.7
W8	15.4	10.8	2.7	0.4	0.6	0.5	1.2	0.0	1.2	3.2	5.3	2.0	1.0	2.0	2.2	0.4	1.2	0.7
W9	12.2	7.6	1.3	0.7	0.5	0.5	0.5	0.7	0.0	3.2	0.7	1.3	1.7	3.6	2.5	1.3	1.8	0.0
W10	9.3	10.1	1.7	1.1	0.5	0.6	0.7	0.7	2.4	3.3	6.7	2.2	1.7	2.6	2.6	1.1	1.8	0.0
W11	12.5	5.1	0.8	0.4	0.1	0.5	0.0	0.3	1.2	0.0	0.0	0.4	1.7	2.5	1.9	0.9	1.5	0.7
W12	9.2	8.9	1.1	0.7	1.0	0.9	0.2	0.0	1.2	0.0	1.3	0.4	1.0	3.4	2.7	0.9	0.3	0.0
W13	3.1	2.5	0.2	0.0	0.6	0.3	0.2	0.0	0.0	6.5	3.3	0.7	0.7	1.4	1.4	1.1	0.6	0.0

URTI - Laryngitis 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.8	0.5	0.4	0.6	1.0	0.7	0.6	0.9	2.0	0.8	0.6	1.2	1.7	3.8	0.9	0.9	0.6
W2	0.0	0.4	0.5	0.4	0.3	0.4	0.5	0.3	0.0	2.0	1.2	0.6	0.9	1.6	1.9	1.6	1.7	1.2
W3	0.0	0.8	0.1	0.3	0.7	0.7	0.7	1.1	2.8	2.0	0.8	0.6	0.9	2.1	1.6	1.6	0.9	0.6
W4	0.0	0.0	0.7	0.1	0.2	0.4	0.5	0.0	0.0	0.0	0.8	0.4	0.6	1.3	1.6	0.7	0.5	1.1
W5	0.0	0.8	0.0	0.3	0.4	0.6	0.5	0.8	0.9	0.0	0.8	0.0	1.0	0.9	1.4	1.4	0.9	0.6
W6	1.8	0.4	0.9	0.3	0.4	0.3	0.5	0.5	0.9	1.9	1.2	0.7	1.0	2.8	2.2	1.2	0.9	1.1
W7	1.8	1.5	0.7	0.1	0.4	0.3	1.1	0.3	0.9	1.9	1.2	0.8	1.9	2.5	2.2	1.4	1.9	1.1
W8	0.0	1.9	0.9	0.5	0.5	0.6	0.9	0.5	1.8	1.9	0.4	1.7	2.4	2.4	2.7	1.9	1.2	1.7
W9	0.0	0.4	0.9	0.4	1.0	0.7	0.2	0.0	2.7	0.0	0.0	0.6	1.3	3.7	3.7	1.6	1.2	1.1
W10	1.8	1.2	0.9	1.1	0.8	0.5	0.4	1.3	0.0	0.0	0.0	1.2	1.4	3.4	2.8	2.1	1.2	1.1
W11	0.0	0.4	0.5	0.5	0.4	0.1	0.4	0.8	0.9	0.0	1.2	0.4	2.2	3.2	3.2	2.6	2.5	1.7
W12	0.0	0.8	0.9	0.2	0.5	0.6	0.4	0.8	0.0	0.0	0.8	0.3	0.9	2.6	2.6	1.7	0.7	0.6
W13	0.0	0.8	0.5	0.2	0.6	1.0	0.7	0.0	0.0	0.0	0.4	0.0	0.9	2.4	2.1	1.7	2.1	0.6

URTI - Laryngitis 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.6	0.2	0.0	0.8	0.9	0.3	1.0	0.6	0.0	1.0	0.4	1.0	2.3	2.8	0.8	2.3	0.4

URTI - Laryngitis 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W2	0.0	1.3	0.3	0.6	0.7	0.4	0.4	1.2	1.2	0.0	0.7	0.8	0.7	2.5	1.7	1.4	0.7	0.4
W3	1.6	1.9	0.8	0.3	0.5	0.5	0.1	0.6	0.6	0.0	2.3	0.9	1.0	1.9	1.8	0.7	1.0	0.4
W4	0.0	0.6	0.0	0.4	0.2	0.6	0.1	0.8	0.6	0.0	1.7	0.4	1.4	1.5	1.8	1.7	0.9	0.4
W5	1.6	1.6	0.3	0.2	0.4	0.4	0.4	0.2	0.0	1.6	1.7	0.4	1.3	1.0	1.1	0.4	0.5	0.0
W6	1.5	1.6	0.5	0.5	0.8	0.3	0.4	0.4	1.2	0.0	0.7	0.8	0.9	3.1	2.5	1.2	1.0	0.0
W7	3.1	2.2	0.5	0.0	0.5	0.4	0.7	1.0	0.0	3.2	1.3	1.0	1.2	2.4	2.1	0.4	1.0	1.9
W8	3.1	2.5	0.7	0.5	0.7	1.0	0.6	0.4	0.6	0.0	2.0	0.9	1.7	3.6	3.2	1.7	1.4	1.1
W9	1.6	0.6	0.7	0.5	0.9	0.8	0.9	0.6	1.8	3.2	0.3	0.1	2.0	3.6	2.5	2.5	1.2	0.7
W10	0.0	1.0	0.7	0.6	1.1	0.7	0.6	0.6	0.6	0.0	1.7	0.4	1.5	3.8	2.4	1.0	1.4	1.1
W11	3.2	1.0	1.5	0.4	0.7	0.5	0.7	0.8	0.0	1.6	1.3	0.6	2.6	2.2	2.6	1.2	1.0	0.4
W12	1.5	1.6	0.3	0.3	0.5	0.6	0.4	0.8	0.6	1.6	1.0	1.0	2.1	2.8	2.1	1.9	0.8	0.7
W13	0.0	0.6	0.0	0.3	0.6	0.4	0.1	0.2	0.6	0.0	0.0	0.4	1.0	1.8	1.7	1.8	0.7	1.1

URTI - Laryngitis 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	2.6	0.0	0.2	0.6	0.2	0.4	0.3	0.8	5.4	2.2	0.4	0.7	1.8	2.7	1.1	0.7	0.0
W2	5.1	3.6	0.5	0.4	0.7	0.3	1.0	0.3	0.8	5.4	0.5	0.5	0.9	2.2	1.2	1.1	0.7	0.0
W3	5.2	2.1	1.0	0.2	0.5	0.4	0.6	0.3	0.0	0.0	1.1	0.5	0.7	1.2	1.6	1.1	0.4	0.0
W4	0.0	1.0	0.2	0.2	0.3	0.1	0.0	0.0	0.8	0.0	2.2	0.4	1.3	0.8	0.9	1.5	0.7	1.5
W5	0.0	3.6	0.3	0.0	0.1	0.4	0.4	0.3	0.0	0.0	1.1	0.2	0.6	1.2	0.9	0.7	0.9	0.5
W6	0.0	6.7	1.3	0.7	0.3	0.6	0.4	0.5	0.0	5.4	4.4	0.2	0.4	1.7	1.5	0.7	0.0	1.0
W7	7.6	6.7	1.2	0.2	0.3	0.4	1.0	0.0	0.0	10.8	4.9	0.9	0.9	2.0	1.7	1.8	1.6	1.5
W8	10.2	7.8	1.8	0.5	0.4	0.6	0.6	1.0	0.8	2.7	6.6	0.7	1.8	2.0	2.1	1.3	2.7	4.6
W9	10.1	3.6	1.3	0.0	0.4	0.5	0.4	1.5	2.4	2.7	5.5	1.2	0.9	2.7	2.2	1.3	5.1	2.6
W10	12.8	6.2	1.7	0.2	0.4	0.2	0.0	1.3	0.8	5.5	2.8	1.1	0.9	2.1	1.6	1.1	0.4	0.0
W11	5.2	3.1	1.2	0.5	0.8	0.2	0.2	1.0	0.8	2.7	2.8	0.7	0.4	2.1	1.7	1.1	2.6	2.0
W12	10.2	2.6	0.5	0.2	0.6	0.3	0.6	0.5	0.0	0.0	2.2	0.5	1.4	2.5	1.9	1.1	0.7	2.6
W13	7.7	2.6	0.7	0.5	0.9	0.0	0.2	0.5	0.0	2.7	0.6	0.4	0.7	1.8	1.7	1.8	1.1	1.0

URTI - Otitis Media

URTI - Otitis Media 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	112.8	202.5	60.6	10.1	6.8	6.1	6.6	2.7	5.5	102.2	180.1	66.1	17.4	14.9	9.1	8.9	6.2	3.5
W2	123.9	158.3	48.2	8.4	6.2	6.8	9.8	3.2	5.5	69.6	145.8	52.2	15.3	15.9	10.8	6.5	3.9	4.3
W3	99.8	140.4	44.6	12.5	9.0	6.4	4.6	6.3	5.4	63.0	110.6	50.5	15.7	16.5	7.9	7.1	4.2	4.3
W4	114.9	80.7	37.1	11.3	7.8	7.1	8.2	6.3	4.1	91.6	70.0	45.4	11.9	12.3	9.4	7.1	4.2	4.3
W5	67.0	88.7	29.0	9.4	6.4	6.8	5.9	4.5	5.4	77.4	76.3	34.9	15.9	14.1	10.7	6.8	5.8	1.7
W6	89.6	184.1	37.8	8.3	8.6	6.2	4.6	5.4	8.1	83.4	166.0	46.6	17.1	16.2	11.7	8.3	7.7	2.6

URTI - Otitis Media 4 weekly table (W1 - W13) - East of England

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W7	125.0	248.9	41.9	14.0	9.1	5.6	6.2	7.2	1.3	131.9	199.9	46.6	21.0	17.2	10.7	9.2	10.7	5.1
W8	164.3	382.1	87.6	12.0	8.2	5.9	5.5	4.5	2.7	129.0	393.8	93.5	18.1	18.1	13.1	7.7	7.3	4.3
W9	137.8	280.5	61.8	14.1	10.7	9.5	4.9	7.6	4.0	112.9	258.9	81.5	26.9	22.8	13.9	9.8	8.0	4.3
W10	134.9	280.5	62.1	15.7	10.8	8.4	6.2	5.3	8.1	84.1	244.3	73.3	25.4	20.2	14.4	8.6	6.5	3.4
W11	150.4	281.8	67.4	12.5	8.9	7.1	5.5	2.7	2.7	92.6	256.4	62.8	20.5	19.5	13.2	7.3	6.8	6.8
W12	166.0	252.7	68.1	13.0	6.0	7.3	5.2	3.1	2.7	84.6	228.0	78.2	17.9	17.1	10.4	12.8	5.7	5.1
W13	104.4	152.1	35.7	10.0	6.7	5.0	5.8	4.4	4.0	108.5	162.9	45.6	18.1	14.0	9.6	9.1	3.8	2.5

URTI - Otitis Media 4 weekly table (W1 - W13) - London

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	67.6	110.0	31.5	5.4	3.4	3.7	6.8	5.9	4.3	42.9	97.7	31.9	7.6	7.6	8.5	7.7	5.5	4.4
W2	51.3	90.6	30.5	4.0	4.2	4.6	4.9	2.9	1.4	61.4	76.7	28.5	8.2	7.4	6.4	7.1	4.7	3.5
W3	51.6	89.1	26.1	5.1	3.3	4.2	4.6	4.4	2.9	45.0	70.5	22.9	7.8	6.9	6.8	6.9	6.3	3.4
W4	36.3	55.2	19.0	6.8	4.4	4.1	5.9	3.9	2.8	41.2	35.8	21.2	8.7	6.1	7.3	7.6	4.3	6.0
W5	42.3	51.5	16.4	6.4	4.0	5.2	4.8	3.4	2.8	39.9	40.6	18.9	7.1	6.8	8.3	5.8	5.8	7.7
W6	60.1	110.1	24.7	4.8	3.7	4.8	5.3	6.3	1.4	55.7	105.0	23.6	8.4	7.5	8.3	6.5	5.4	4.3
W7	76.4	144.9	30.5	6.6	4.5	5.2	6.1	4.8	5.6	62.3	138.2	30.4	7.9	9.1	9.7	10.1	5.8	4.2
W8	107.0	242.6	53.3	6.3	3.3	5.7	4.5	4.3	8.4	81.1	214.1	60.6	10.9	9.4	10.2	8.9	6.5	6.8
W9	76.7	165.9	40.5	7.6	4.6	5.3	5.5	4.3	1.4	86.4	130.3	45.4	10.3	10.4	10.4	7.9	8.5	4.2
W10	57.3	172.0	42.0	8.0	4.8	5.5	4.0	4.8	11.2	72.0	145.4	46.1	10.8	10.2	9.7	7.7	7.7	1.7
W11	92.7	159.1	45.1	7.5	4.9	5.3	6.8	4.3	1.4	84.7	159.0	44.0	9.1	9.6	9.0	7.9	6.5	5.9
W12	77.5	153.7	42.2	5.8	4.0	4.3	4.5	5.8	7.0	62.4	135.0	44.3	9.4	8.6	8.9	7.9	4.6	4.2
W13	72.5	93.6	27.6	5.1	3.4	3.6	4.0	5.8	2.8	58.3	84.9	27.6	7.5	6.2	6.6	6.4	6.5	1.7

URTI - Otitis Media 4 weekly table (W1 - W13) - Midlands

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	118.5	166.9	56.9	8.9	7.9	6.4	8.0	5.4	7.8	102.1	151.4	61.8	17.5	14.8	12.3	9.2	4.7	6.8
W2	105.0	157.3	47.7	8.6	8.5	7.6	8.2	5.4	4.7	110.8	126.2	54.0	14.3	16.3	12.6	7.3	6.7	4.8
W3	100.6	145.8	43.9	8.8	8.6	7.6	8.0	6.6	5.4	79.4	122.4	43.6	13.9	14.4	11.7	7.4	5.4	8.2
W4	76.3	94.4	32.3	9.1	7.8	6.8	7.2	8.9	6.9	67.3	80.8	37.8	13.1	14.4	11.5	8.7	7.2	7.2
W5	80.6	94.6	26.1	8.4	7.6	6.5	8.0	4.2	6.8	73.3	91.8	27.4	10.7	15.0	11.0	11.3	9.4	4.8
W6	127.6	181.2	37.6	9.4	8.0	7.1	9.8	6.3	7.6	115.6	169.5	45.3	15.9	16.8	11.0	11.2	7.6	4.3
W7	132.2	246.6	44.6	11.8	9.4	8.9	7.8	7.2	4.5	130.6	218.1	52.6	20.5	18.2	12.8	9.4	7.2	5.2
W8	164.4	357.0	88.1	11.8	9.0	7.6	7.2	6.7	6.8	140.5	351.5	103.5	21.7	22.0	14.3	11.8	8.0	2.8
W9	147.1	247.2	58.0	11.8	11.2	8.4	7.3	3.7	5.3	116.7	238.7	64.7	21.9	22.8	15.4	10.2	10.4	4.3
W10	169.3	270.4	58.6	11.0	8.6	7.2	8.5	7.9	3.8	109.7	234.9	67.3	21.2	20.4	14.2	10.8	6.8	3.3
W11	157.4	247.6	59.2	11.9	9.9	7.6	6.3	5.8	7.5	148.4	233.3	68.4	20.7	21.3	14.9	10.7	6.4	3.8
W12	144.5	256.6	54.8	10.1	7.5	6.8	7.3	6.2	4.5	121.0	210.6	68.3	17.1	18.4	14.6	7.7	6.3	3.8
W13	95.6	171.2	41.2	8.7	7.4	5.9	5.2	6.2	7.5	104.5	150.7	47.0	13.8	14.7	10.5	8.3	7.5	2.4

URTI - Otitis Media 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	130.8	171.4	52.5	11.5	7.5	5.2	4.7	2.1	2.4	102.5	155.1	56.8	21.3	13.2	11.2	7.2	3.7	8.9
W2	119.3	153.1	36.4	8.9	8.5	5.7	6.8	4.6	4.8	80.4	134.1	51.5	16.8	15.3	10.9	8.8	6.4	5.9
W3	130.3	133.5	36.0	6.2	7.3	6.3	6.6	5.6	6.0	97.2	124.1	37.6	18.0	14.7	10.8	7.7	8.5	5.9
W4	91.2	85.5	31.3	8.6	7.3	7.2	6.6	4.6	6.0	86.3	61.1	33.6	15.0	15.4	8.8	7.0	7.0	5.9
W5	80.4	99.5	24.0	8.6	5.9	6.0	6.3	4.5	1.2	83.8	89.1	35.4	12.5	14.0	10.7	7.0	5.5	6.6
W6	130.9	194.5	39.9	9.7	7.9	7.3	6.3	4.5	7.1	101.3	176.9	49.9	19.5	20.1	10.5	7.9	6.1	3.7
W7	134.8	248.0	40.8	11.3	9.0	6.0	6.1	4.9	4.7	105.9	210.9	47.9	20.1	16.1	12.6	7.2	7.6	2.2
W8	142.1	367.2	81.9	11.0	7.8	6.6	5.8	4.5	7.0	165.1	340.4	102.6	22.5	21.2	11.3	7.2	5.1	6.6
W9	134.7	250.3	47.4	12.8	9.7	7.0	7.7	4.2	7.1	112.5	235.6	59.3	23.9	24.7	14.8	9.2	4.5	7.3
W10	120.3	251.1	65.0	13.7	7.5	6.4	7.9	3.8	4.7	123.9	234.6	67.3	20.5	20.8	10.7	10.3	8.7	4.4
W11	140.1	252.7	58.3	10.3	9.3	6.2	4.7	5.9	4.7	163.6	246.7	69.8	25.7	21.9	13.4	9.0	6.9	3.7
W12	172.5	237.0	62.6	14.3	8.8	6.2	4.6	4.2	2.3	179.8	234.8	72.9	20.0	19.1	11.6	8.1	6.3	4.4
W13	117.8	159.0	37.7	9.4	6.2	4.5	5.1	6.2	4.7	113.6	146.9	45.1	18.7	18.7	12.4	7.8	6.0	3.6

URTI - Otitis Media 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	130.2	206.5	58.1	8.8	7.6	7.8	8.8	6.6	6.5	121.9	176.2	57.1	16.9	17.4	13.5	9.8	6.6	9.3
W2	154.3	176.2	42.6	9.5	7.7	7.1	9.3	9.6	3.7	149.6	147.7	46.2	16.0	18.3	13.3	9.8	6.6	9.8
W3	119.5	149.8	41.9	8.9	7.9	8.8	8.6	6.0	4.6	90.8	143.2	44.8	14.8	17.9	12.9	10.3	9.2	7.5
W4	84.0	118.6	32.9	10.8	9.3	10.0	9.6	8.4	4.6	58.9	96.0	35.7	15.5	15.0	14.9	10.1	6.6	4.0
W5	103.0	130.8	29.7	10.0	9.0	8.4	8.0	5.2	6.3	74.9	99.8	38.7	15.4	14.9	13.6	9.9	6.5	8.5
W6	168.5	227.3	48.6	9.8	8.0	9.3	7.6	8.1	10.8	160.1	200.8	53.8	18.7	20.2	14.7	13.7	10.5	7.9
W7	184.9	268.4	44.3	11.5	9.1	9.6	9.6	11.3	8.1	177.6	255.3	59.8	21.9	22.0	15.8	12.1	12.1	6.2
W8	176.5	358.4	88.0	14.6	10.8	8.8	9.0	5.4	4.5	152.7	352.9	98.9	24.8	23.3	16.9	13.5	7.9	6.8
W9	160.4	276.5	52.0	11.5	10.3	9.9	8.0	7.0	8.1	139.4	257.9	62.1	20.4	25.3	16.9	12.2	7.4	6.2
W10	195.7	328.7	60.4	12.6	10.3	8.6	9.2	9.1	7.2	150.1	276.7	79.1	22.1	21.6	16.0	14.6	10.4	9.0
W11	161.3	288.7	60.3	13.9	10.2	9.0	8.5	7.8	6.3	166.1	277.7	67.3	20.7	22.6	18.4	16.1	10.4	5.6
W12	184.8	299.4	58.8	10.0	9.3	8.3	7.4	8.3	6.3	162.9	275.6	69.2	20.7	20.2	16.4	12.4	6.5	6.2
W13	127.0	189.4	39.8	9.5	7.8	6.4	8.8	8.5	10.8	154.9	150.2	46.9	12.8	16.9	12.0	14.1	8.1	7.9

URTI - Otitis Media 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	136.3	177.4	51.6	9.1	6.4	6.2	2.5	2.9	3.1	97.5	166.0	58.6	13.1	12.9	8.5	5.6	5.9	1.5
W2	109.5	149.2	42.9	5.9	6.3	5.2	5.0	3.3	8.7	61.5	140.1	46.7	12.8	10.8	8.9	7.5	5.4	4.6
W3	96.1	133.8	39.8	7.7	5.9	6.7	5.2	3.7	3.7	83.6	111.3	44.2	13.5	11.2	6.2	5.4	4.5	3.4
W4	88.8	97.8	35.4	10.3	7.1	6.5	4.9	3.1	3.7	57.2	81.9	38.7	15.7	10.3	8.5	5.5	4.0	2.6
W5	96.0	100.0	30.9	8.8	6.4	6.1	5.2	4.1	2.4	64.3	88.1	34.0	14.8	12.0	8.4	5.7	4.0	3.0
W6	109.6	187.8	36.2	7.1	6.3	5.9	7.4	4.5	3.6	93.7	168.1	46.2	15.2	13.5	9.7	6.1	4.3	4.5
W7	131.9	237.2	43.0	10.1	7.6	5.7	6.9	4.9	4.2	136.5	223.4	46.7	18.8	14.4	9.6	7.2	5.0	3.4
W8	171.9	349.3	80.6	10.9	7.5	6.4	6.2	3.7	4.8	137.2	348.1	84.0	17.7	17.8	10.5	7.0	6.5	4.5

URTI - Otitis Media 4 weekly table (W1 - W13) - South East

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W9	134.9	269.4	56.3	11.4	9.4	5.8	5.5	4.5	4.2	129.5	221.2	67.9	19.1	17.6	11.8	6.9	6.3	4.1
W10	155.1	297.1	66.6	12.8	8.3	5.6	5.5	6.1	3.6	131.9	265.8	71.0	18.4	16.8	10.3	8.1	3.8	4.5
W11	214.5	295.1	62.0	10.5	7.7	4.6	4.5	3.0	4.2	140.3	244.3	69.7	17.9	18.3	9.5	7.7	6.0	4.9
W12	170.2	246.6	60.2	8.4	6.7	4.7	5.2	4.3	4.8	134.6	251.0	74.7	15.5	15.6	8.2	6.3	7.0	5.2
W13	102.8	157.7	38.7	7.4	5.7	4.8	4.7	5.5	2.4	91.3	149.8	41.2	13.8	11.3	7.8	6.6	6.4	4.8

URTI - Otitis Media 4 weekly table (W1 - W13) - South West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	124.8	153.6	50.4	6.4	4.4	3.9	3.5	3.1	2.5	81.0	129.8	47.0	13.8	10.8	6.6	4.2	3.8	2.6
W2	97.6	143.7	36.9	6.0	5.0	4.4	3.1	3.4	4.2	73.4	104.8	41.8	12.3	8.9	6.5	5.8	3.6	2.6
W3	88.0	122.6	35.5	9.2	3.6	4.6	2.3	4.7	2.5	69.3	98.3	37.4	11.5	9.4	7.4	4.4	4.0	2.6
W4	79.0	78.9	32.2	7.9	5.1	4.8	3.8	2.3	4.9	43.6	73.8	32.6	9.4	7.4	5.0	5.1	4.0	1.0
W5	56.3	97.3	24.6	7.6	6.1	4.0	4.0	2.3	0.8	57.6	78.3	28.2	9.6	10.0	5.8	4.5	3.1	2.0
W6	93.0	127.4	32.6	6.1	6.1	4.2	3.8	3.9	5.7	93.7	135.5	34.3	11.2	11.3	7.3	7.6	4.7	3.6
W7	101.7	181.5	35.1	6.9	6.2	4.7	4.0	2.8	2.4	97.1	169.8	36.1	12.4	11.5	8.8	5.4	4.4	2.5
W8	156.3	310.8	71.1	8.1	7.0	3.4	3.6	0.8	3.2	89.8	295.7	87.6	15.8	12.4	8.2	7.1	4.4	2.5
W9	101.2	214.3	50.5	10.0	8.4	5.9	3.3	3.6	1.6	75.5	196.2	61.4	20.8	15.3	9.7	5.8	3.1	1.5
W10	110.3	215.7	60.6	10.0	6.7	4.7	5.7	2.1	3.2	84.5	209.8	65.4	16.8	14.3	8.4	6.2	4.6	1.0
W11	132.1	237.1	55.1	7.6	5.4	4.2	3.1	3.8	5.7	103.7	225.6	56.1	19.1	14.9	8.9	5.2	5.3	3.6
W12	122.4	219.4	59.7	6.2	5.5	3.8	5.9	1.5	1.6	93.8	208.4	69.5	13.3	13.9	7.2	5.1	4.2	6.1
W13	82.3	147.1	33.3	6.9	5.2	4.1	3.4	2.6	2.4	59.2	118.4	40.6	13.6	10.4	5.3	7.2	3.3	2.0

URTI - Sinusitis

URTI - Sinusitis 4 weekly table (W1 - W13) - East of England

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.7	5.5	4.9	11.6	12.7	14.8	7.7	5.5	3.6	0.0	5.3	15.9	27.7	27.6	25.6	14.0	9.5
W2	0.0	1.4	4.1	7.4	13.7	13.2	13.8	8.1	2.7	0.0	2.3	3.8	14.7	28.0	27.7	24.6	17.4	7.8
W3	0.0	2.1	2.2	6.5	11.9	8.5	10.2	7.7	2.7	0.0	0.8	2.5	9.9	27.3	27.3	24.0	15.4	5.1
W4	0.0	0.0	1.4	4.3	7.6	8.5	9.5	6.7	5.4	0.0	1.5	1.5	8.4	20.1	20.3	14.1	9.6	5.1
W5	0.0	0.7	1.7	3.8	7.9	9.5	11.4	9.0	4.1	0.0	0.0	3.0	10.7	21.1	22.3	16.6	11.5	6.8
W6	3.4	3.6	2.9	7.0	12.9	14.1	15.7	10.3	9.5	0.0	0.0	3.3	15.0	32.7	32.3	31.3	22.6	11.9
W7	0.0	2.9	3.6	6.4	14.8	15.8	12.7	11.6	2.7	0.0	0.0	6.5	14.7	38.6	40.5	28.8	20.7	9.3
W8	0.0	2.2	2.6	8.0	17.5	18.7	16.0	15.2	12.1	0.0	2.3	5.5	18.7	52.4	45.7	36.2	15.3	8.5
W9	0.0	2.2	4.5	9.6	22.7	19.9	21.8	20.9	9.4	0.0	1.5	5.0	24.9	59.3	52.2	40.4	20.6	6.0
W10	0.0	3.6	5.8	10.4	19.3	19.2	20.5	16.9	8.1	0.0	2.3	5.0	18.8	54.4	44.5	38.9	19.8	7.7
W11	0.0	2.2	5.3	8.5	19.9	17.5	22.4	17.8	13.4	0.0	2.3	5.5	16.8	53.4	52.2	36.4	20.9	9.3
W12	0.0	1.4	5.3	10.1	15.6	18.3	19.2	14.2	4.0	3.7	6.1	8.1	19.6	54.1	47.0	34.2	22.8	11.9

URTI - Sinusitis 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W13	3.5	0.7	4.6	6.6	15.5	15.2	13.9	10.6	8.0	0.0	0.8	2.5	14.4	39.1	36.6	31.4	15.5	6.8

URTI - Sinusitis 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	2.9	1.3	5.1	6.1	6.5	6.3	7.3	5.9	5.8	0.0	0.7	5.1	9.6	18.6	20.1	20.7	11.8	4.4
W2	0.0	2.6	2.7	5.0	7.5	7.9	9.3	9.8	5.8	1.5	1.0	3.7	8.4	18.5	20.5	15.5	10.6	4.3
W3	3.0	1.3	2.3	4.8	5.4	6.0	8.5	6.4	4.3	0.0	2.4	3.0	9.0	15.5	14.7	14.7	10.2	1.7
W4	0.0	1.0	1.7	4.1	4.9	6.8	7.7	4.9	4.3	0.0	0.3	1.6	5.6	10.1	13.9	11.7	6.2	3.4
W5	0.0	0.3	2.7	4.4	4.7	6.7	9.9	4.9	1.4	1.5	0.0	1.3	6.9	12.9	16.4	14.3	14.3	5.1
W6	0.0	2.3	4.0	6.3	7.2	8.5	12.2	6.8	5.6	0.0	1.7	3.7	8.2	17.8	24.6	20.3	13.9	7.7
W7	1.4	1.0	3.3	5.5	7.7	9.0	15.7	9.2	9.8	0.0	1.0	3.9	11.2	19.8	26.6	21.0	10.8	9.3
W8	1.4	2.6	4.0	8.4	10.1	10.9	12.4	10.6	4.2	0.0	2.1	3.4	13.7	27.1	27.1	27.9	14.6	7.6
W9	0.0	1.0	3.3	6.7	10.8	12.9	17.1	14.9	5.6	0.0	1.4	3.9	12.3	26.0	32.6	27.4	12.7	8.5
W10	0.0	1.7	5.1	10.2	10.8	13.6	14.8	11.6	5.6	1.5	2.4	6.4	16.0	30.1	32.8	25.2	17.3	7.6
W11	1.4	3.0	4.8	8.1	12.8	11.9	12.8	11.1	5.6	1.5	1.4	4.2	13.9	30.9	33.8	29.9	21.5	11.8
W12	0.0	1.3	3.9	8.4	11.8	15.3	16.5	10.6	5.6	0.0	1.4	5.5	13.3	28.7	30.7	26.5	19.2	7.6
W13	0.0	0.0	2.6	5.9	11.1	13.2	14.7	15.4	5.6	1.5	1.4	3.1	12.5	22.3	23.9	25.7	17.6	8.5

URTI - Sinusitis 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	1.8	3.9	7.2	10.2	12.3	13.9	13.5	6.3	0.0	1.1	3.1	10.7	28.9	26.6	21.7	18.1	9.7
W2	0.0	1.8	4.5	6.9	14.4	11.7	11.6	9.7	5.4	0.0	1.5	3.0	13.0	30.3	31.4	23.2	15.6	6.3
W3	1.8	1.1	2.0	6.0	10.8	10.4	12.8	12.5	5.4	0.0	0.8	3.7	8.7	27.5	28.7	21.3	15.1	9.1
W4	0.0	1.1	2.0	3.6	8.9	10.1	11.1	9.2	2.3	0.0	0.8	2.1	7.6	19.6	22.7	18.5	15.5	7.2
W5	0.0	0.4	2.3	4.6	8.3	7.8	9.0	8.4	4.6	0.0	0.8	2.2	7.4	19.8	23.1	19.9	13.4	7.2
W6	0.0	0.4	2.4	6.6	10.8	12.9	13.4	12.6	5.3	0.0	0.8	3.0	12.3	33.6	37.1	26.9	21.8	14.8
W7	3.5	2.5	2.9	8.5	13.6	15.0	17.0	11.4	5.3	1.8	1.1	2.1	14.6	39.8	38.9	32.1	21.2	8.1
W8	1.7	1.1	5.1	6.9	15.6	17.5	16.0	11.4	3.0	0.0	2.6	5.4	19.1	51.6	50.7	37.2	20.7	8.1
W9	0.0	0.0	2.8	8.9	17.5	19.7	20.1	15.8	9.1	0.0	0.8	3.6	14.0	52.4	54.5	36.6	22.3	4.8
W10	3.5	1.1	4.0	8.8	16.9	19.2	19.2	15.1	5.3	0.0	0.8	6.0	14.7	52.1	50.2	33.7	21.7	6.7
W11	1.7	1.1	4.9	9.5	18.5	18.7	22.9	14.6	10.5	1.8	2.6	5.7	18.2	52.7	46.9	35.0	22.6	10.9
W12	0.0	0.7	4.9	7.5	19.8	17.1	19.5	13.0	9.8	0.0	1.9	3.5	16.5	45.7	41.3	34.1	24.0	5.7
W13	1.7	1.1	1.6	7.3	13.6	14.7	15.4	15.9	7.5	1.8	1.5	2.4	12.4	36.1	36.8	32.5	21.4	10.4

URTI - Sinusitis 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	1.3	5.0	7.8	11.2	11.7	14.1	7.1	2.4	3.2	0.7	3.1	15.9	31.5	33.3	25.6	15.0	4.5

URTI - Sinusitis 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W2	0.0	1.3	4.0	7.3	11.5	12.8	14.3	12.0	6.0	0.0	1.3	5.7	11.0	32.4	33.6	21.5	14.7	6.7
W3	6.2	0.6	3.2	6.2	10.0	9.4	11.5	8.8	4.8	0.0	3.3	1.5	13.4	30.1	30.8	21.2	14.9	12.5
W4	0.0	0.6	1.9	2.7	8.1	9.5	13.4	9.5	4.8	0.0	0.7	2.4	8.2	21.1	23.2	15.8	14.0	5.2
W5	0.0	1.9	2.5	4.5	8.1	10.1	9.8	10.1	2.4	0.0	0.7	1.8	7.0	22.1	23.2	23.9	14.0	6.6
W6	3.0	1.3	2.7	3.8	13.1	12.0	11.7	9.4	9.4	0.0	2.0	6.2	14.9	35.3	35.5	26.8	21.5	6.6
W7	3.1	0.6	2.3	8.6	11.6	14.6	15.7	11.5	4.7	0.0	1.3	2.9	12.2	38.0	38.3	34.0	22.1	8.0
W8	0.0	4.4	4.8	7.4	16.2	17.4	16.4	12.2	7.0	0.0	3.3	4.6	18.9	54.1	50.2	35.3	17.2	16.8
W9	3.1	1.9	3.2	6.5	19.6	19.5	17.3	12.9	5.9	0.0	2.0	3.8	17.0	58.2	49.9	34.6	20.2	8.0
W10	0.0	1.9	5.1	8.1	17.7	17.7	18.4	13.5	3.5	0.0	2.0	4.2	16.7	56.5	49.5	43.3	24.1	8.0
W11	0.0	2.5	7.2	8.9	18.8	18.3	18.6	15.6	15.3	0.0	2.0	5.5	17.4	56.0	52.6	43.5	27.3	9.5
W12	3.1	2.5	5.5	9.8	16.7	13.9	13.9	15.6	14.1	0.0	2.7	5.8	17.6	52.8	49.3	37.9	27.3	13.9
W13	3.1	1.9	3.4	8.2	15.1	14.6	15.3	19.3	5.8	3.2	0.0	2.7	18.9	42.6	39.9	34.2	22.7	8.7

URTI - Sinusitis 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	1.9	1.2	6.3	7.8	13.0	14.8	16.5	12.4	10.3	0.0	3.6	5.4	13.1	36.8	38.6	31.6	19.9	10.5
W2	0.0	2.3	6.7	8.4	16.2	16.9	16.7	17.8	7.4	2.0	2.0	6.8	16.0	42.0	39.7	33.5	25.5	11.0
W3	0.0	1.6	3.3	7.9	13.9	13.2	14.5	12.0	10.1	2.0	1.6	3.7	12.3	34.5	39.1	33.2	21.2	12.1
W4	1.8	0.8	2.6	5.6	10.1	13.1	12.9	12.3	7.3	0.0	0.8	2.4	10.4	25.3	28.4	25.5	19.2	5.2
W5	1.8	1.5	2.9	4.2	12.2	12.8	14.2	10.0	5.4	0.0	0.0	3.2	10.9	29.6	33.6	27.9	23.4	10.2
W6	1.8	2.7	5.6	10.3	15.3	18.0	16.4	16.0	11.7	0.0	2.9	5.4	19.5	45.1	52.0	37.5	23.1	15.9
W7	1.8	2.3	5.1	11.1	18.3	19.9	22.5	20.5	11.7	3.9	2.4	4.4	21.8	49.7	50.9	45.1	24.2	13.6
W8	7.2	3.1	8.4	10.9	20.0	24.4	23.2	17.5	11.7	0.0	4.1	8.3	25.9	69.5	66.4	51.1	34.9	9.6
W9	0.0	5.0	5.4	11.8	26.5	32.1	24.8	21.0	15.3	3.8	1.6	6.1	26.0	73.6	69.4	53.1	30.4	18.7
W10	5.4	3.9	8.9	14.7	22.9	25.8	23.9	21.2	10.8	5.8	2.9	6.6	26.8	72.4	65.3	50.9	35.5	15.2
W11	0.0	2.3	5.5	13.1	23.6	26.1	23.3	22.3	11.7	3.9	2.9	7.9	27.2	68.3	69.7	43.4	38.2	18.0
W12	0.0	2.7	7.6	12.3	22.7	22.7	24.7	20.4	5.4	0.0	3.7	6.9	24.9	60.4	60.2	44.5	34.7	15.2
W13	0.0	4.6	4.7	11.0	19.3	19.6	21.8	17.4	10.8	0.0	2.9	5.3	17.4	46.1	48.8	40.7	34.5	15.2

URTI - Sinusitis 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	1.6	2.9	3.5	6.8	11.5	11.9	14.5	8.1	5.6	1.7	2.7	4.6	14.0	29.5	31.1	25.6	16.0	8.5
W2	0.0	1.6	4.0	7.4	12.4	12.6	11.4	9.9	6.2	0.0	1.0	5.2	14.0	31.9	27.6	23.3	17.0	6.9
W3	0.0	1.0	2.6	6.2	10.2	10.1	10.8	6.8	4.9	1.7	1.0	3.9	10.8	28.1	23.8	19.4	13.5	5.3
W4	0.0	1.0	1.9	3.7	8.0	9.6	10.2	9.4	2.4	0.0	2.0	1.6	8.5	19.3	22.3	21.7	16.6	7.6
W5	0.0	1.0	1.5	4.5	7.8	9.9	10.7	9.4	5.5	0.0	0.0	2.1	10.2	21.2	23.8	18.9	12.7	8.6
W6	0.0	1.9	4.6	9.2	12.7	13.3	14.6	8.6	4.8	0.0	1.3	4.2	17.0	37.2	34.1	29.7	18.2	11.6
W7	0.0	1.9	3.5	6.2	14.3	15.6	19.7	11.6	6.0	0.0	2.3	3.0	16.9	41.7	38.9	27.9	21.2	10.5
W8	0.0	4.1	4.0	9.4	18.0	18.6	18.3	12.2	9.6	0.0	2.3	6.0	20.6	52.1	45.5	32.3	18.3	8.2
W9	1.6	2.2	4.7	10.6	20.4	20.9	16.5	12.4	7.9	0.0	1.3	5.7	21.0	58.3	51.9	35.1	26.8	9.7
W10	0.0	2.9	4.0	9.8	20.6	18.0	21.3	11.8	5.4	0.0	0.3	5.3	20.9	53.1	48.5	34.1	23.4	12.3

URTI - Sinusitis 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W11	1.6	1.0	5.2	11.8	20.7	21.2	23.3	16.0	6.6	4.9	0.7	6.6	20.3	58.3	50.5	41.9	23.2	8.6
W12	1.5	1.9	6.1	8.9	19.7	16.7	19.4	11.5	8.4	0.0	1.7	5.0	19.7	53.2	44.0	37.5	24.7	9.0
W13	0.0	0.3	3.2	6.2	16.2	13.7	17.7	11.3	7.2	1.6	2.0	3.8	12.9	38.7	31.8	32.5	21.0	10.4

URTI - Sinusitis 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.5	3.2	5.2	10.7	9.9	9.0	7.9	2.5	0.0	1.1	2.7	10.3	28.0	26.1	21.7	13.1	5.2
W2	0.0	0.5	2.9	5.5	9.9	10.9	9.4	8.4	4.2	0.0	0.5	2.1	7.6	23.6	24.8	16.9	11.9	7.8
W3	0.0	0.0	2.7	4.8	9.4	7.7	7.9	7.0	8.2	0.0	0.5	2.1	7.1	22.2	22.6	21.6	12.3	6.2
W4	2.5	1.0	1.0	4.8	8.0	9.4	7.9	6.2	3.3	0.0	0.5	1.8	6.8	14.3	17.4	14.9	11.8	5.2
W5	0.0	1.6	2.0	4.7	6.0	8.4	8.6	5.7	6.5	0.0	0.0	2.3	8.5	17.3	19.8	14.3	14.7	6.7
W6	0.0	0.5	3.0	4.5	11.0	12.8	13.0	7.2	4.1	5.4	0.0	2.1	13.0	29.7	29.1	23.8	12.5	9.7
W7	0.0	0.5	2.0	6.9	11.5	12.9	13.2	9.5	6.5	0.0	0.0	2.5	12.7	32.0	30.8	26.8	17.1	6.6
W8	0.0	2.6	4.5	6.4	15.5	15.0	13.0	9.3	10.5	0.0	2.2	3.4	17.7	42.9	40.2	28.6	19.7	8.1
W9	0.0	0.0	4.0	7.2	20.3	17.2	15.9	11.1	8.1	2.7	1.6	5.1	17.7	48.8	46.7	35.5	21.0	10.2
W10	0.0	1.6	4.5	9.5	18.1	16.5	17.0	13.9	9.7	0.0	0.6	4.4	16.9	48.5	44.8	32.0	20.8	8.2
W11	0.0	1.6	3.9	12.7	19.3	16.6	15.3	9.2	7.3	2.7	1.7	4.3	16.9	50.1	46.3	28.4	22.0	12.3
W12	0.0	1.0	3.4	8.9	17.6	14.2	17.0	12.8	4.9	0.0	1.1	4.3	15.1	46.7	39.7	31.8	21.8	6.6
W13	0.0	1.0	1.7	5.7	13.6	14.2	15.6	11.2	5.6	0.0	1.1	2.8	12.2	34.2	33.3	23.6	17.8	9.2

URTI - Tonsillitis/Pharyngitis

URTI - Tonsillitis/Pharyngitis 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	98.7	209.6	94.1	41.3	21.8	5.8	2.3	3.2	0.0	58.4	193.6	110.3	75.8	53.4	13.7	7.4	1.9	0.0
W2	85.0	182.5	83.4	30.2	16.7	5.3	2.3	1.4	1.4	51.3	167.7	110.0	74.8	49.7	13.3	4.0	2.7	1.7
W3	89.1	174.7	89.9	38.3	16.7	4.3	1.6	2.7	1.4	74.1	135.4	87.7	77.8	46.8	12.0	4.9	2.3	1.7
W4	48.7	100.7	33.1	33.8	12.6	4.4	2.3	3.1	2.7	44.0	92.6	44.7	60.5	35.7	9.7	6.5	3.9	0.0
W5	63.5	94.4	41.0	36.4	14.0	4.1	2.0	1.8	1.4	44.2	95.1	49.9	72.8	29.2	7.5	5.8	1.5	0.0
W6	106.9	173.3	61.3	35.8	14.3	4.6	1.0	1.3	4.1	68.9	144.9	72.7	74.3	29.5	9.2	4.3	4.2	0.9
W7	93.8	196.5	56.1	28.5	16.9	5.7	1.6	1.8	5.4	58.6	186.3	66.7	78.1	40.7	10.0	4.3	3.4	2.5
W8	83.9	283.7	80.5	35.6	18.1	5.3	2.0	2.7	0.0	103.2	259.2	116.6	79.8	47.1	13.3	6.1	3.4	1.7
W9	120.6	221.6	59.6	39.5	20.4	7.8	1.6	2.7	2.7	43.7	188.5	69.2	83.9	46.2	17.8	5.5	5.0	0.9
W10	93.4	225.7	81.0	42.3	18.3	6.0	4.6	2.7	1.3	43.9	203.3	100.9	77.4	47.0	13.1	6.4	3.4	3.4
W11	84.0	250.1	82.9	41.2	24.1	6.6	2.0	3.1	1.3	88.9	199.5	95.2	89.9	55.8	15.2	7.6	3.4	2.5
W12	100.3	229.7	76.3	45.3	22.1	7.3	3.6	1.8	1.3	69.9	207.5	100.6	77.7	53.0	16.1	4.3	3.8	0.0
W13	52.2	140.5	42.9	29.3	19.1	5.0	2.9	3.5	0.0	78.5	136.4	52.1	63.3	42.4	12.3	5.2	3.8	0.8

URTI - Tonsillitis/Pharyngitis 4 weekly table (W1 - W13) - London

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	55.8	132.0	66.6	21.7	10.8	5.5	2.3	1.5	1.4	44.4	118.4	71.2	37.3	29.2	10.8	5.9	2.4	0.9
W2	48.4	134.3	70.6	22.1	11.1	5.6	3.4	3.4	2.9	35.3	109.1	78.4	37.4	28.4	12.6	5.9	2.7	1.7
W3	57.6	109.2	65.1	17.1	11.3	5.1	3.9	3.9	8.6	38.8	108.8	66.5	35.1	26.1	10.1	6.1	2.7	3.4
W4	42.1	78.5	26.8	18.7	9.2	3.9	2.6	2.4	1.4	41.2	61.9	29.7	32.0	19.5	7.6	6.1	5.5	2.6
W5	40.8	75.4	35.8	17.3	9.5	4.1	4.6	6.3	2.8	33.7	65.4	37.3	31.6	20.3	8.3	5.3	3.5	0.9
W6	47.2	127.1	55.6	20.4	9.5	6.9	5.6	4.4	4.2	54.2	113.6	49.7	37.5	24.0	11.8	5.8	4.6	1.7
W7	54.7	157.4	50.5	23.8	14.0	7.8	6.6	3.9	1.4	51.7	142.3	51.1	42.2	26.9	15.2	12.8	6.2	3.4
W8	79.5	196.7	75.6	30.1	13.6	8.2	9.3	6.8	5.6	52.0	180.6	76.4	52.4	30.5	17.9	11.6	11.2	3.4
W9	56.8	137.9	58.6	27.2	15.6	9.9	5.8	8.2	7.0	43.9	131.3	55.9	45.8	32.0	18.8	12.0	7.3	6.8
W10	47.3	155.1	80.8	29.9	15.9	10.8	8.5	3.9	2.8	39.8	141.6	81.8	48.4	37.5	19.8	11.0	8.5	5.1
W11	58.0	152.5	66.9	30.3	18.3	10.7	11.3	10.1	11.2	53.9	130.2	75.1	52.0	37.6	21.0	9.6	8.1	1.7
W12	64.6	165.9	64.5	28.5	17.5	11.0	10.2	6.7	5.6	60.9	133.6	76.3	52.0	37.5	18.6	16.2	8.8	5.1
W13	52.2	111.1	40.9	21.9	15.4	8.1	8.7	7.7	7.0	36.8	95.7	44.5	36.7	29.5	17.5	16.2	11.1	5.1

URTI - Tonsillitis/Pharyngitis 4 weekly table (W1 - W13) - Midlands

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	75.0	198.5	95.9	37.2	22.2	6.4	4.1	4.0	2.3	48.3	170.5	111.5	78.2	57.1	15.1	4.9	6.1	2.9
W2	68.3	193.2	96.3	37.8	22.3	6.9	3.9	1.9	3.1	62.6	167.2	112.5	74.7	54.9	16.7	5.8	3.2	5.3
W3	70.6	175.7	83.6	31.8	17.3	5.9	3.6	3.3	3.8	68.6	160.0	94.7	66.1	47.4	13.5	5.7	3.0	1.4
W4	65.9	111.7	35.5	27.8	14.8	5.0	2.1	2.1	3.1	49.6	112.3	45.6	58.2	38.2	11.0	5.8	4.0	0.0
W5	61.3	122.7	42.6	27.6	13.8	4.1	2.9	3.0	1.5	60.8	111.3	57.5	59.6	30.6	9.9	5.5	2.4	3.3
W6	122.4	188.8	65.7	34.8	16.1	6.3	4.4	2.1	2.3	77.1	179.3	84.5	74.7	42.5	13.5	6.6	3.0	3.3
W7	121.8	244.8	71.3	34.4	20.1	6.8	5.4	4.9	1.5	114.7	221.1	85.9	80.8	44.3	13.9	8.0	3.6	4.8
W8	136.5	296.6	111.2	44.4	21.2	8.0	4.4	4.2	3.0	80.1	277.7	128.7	90.7	49.3	16.6	8.6	4.0	0.9
W9	103.8	213.2	71.7	41.9	23.1	10.4	6.4	5.6	2.3	74.3	202.6	87.0	79.3	58.1	20.8	9.1	4.0	4.8
W10	106.5	231.7	101.2	47.0	24.3	8.1	4.9	2.3	2.3	86.4	203.6	120.8	83.3	51.3	17.7	8.2	4.0	3.8
W11	94.4	230.5	84.7	44.8	24.3	7.8	7.6	5.1	2.3	92.3	220.1	110.6	90.5	63.3	18.9	7.2	6.6	3.3
W12	74.0	270.0	94.8	41.0	25.3	8.3	4.1	4.2	3.0	80.1	225.7	115.4	87.2	59.7	18.5	8.6	3.8	0.9
W13	92.2	175.2	59.0	32.0	21.1	5.1	5.4	3.9	3.0	77.5	167.7	66.3	64.7	47.3	16.6	7.2	3.6	0.9

URTI - Tonsillitis/Pharyngitis 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	63.9	198.0	84.3	29.4	20.2	6.5	3.8	2.5	0.0	54.5	177.6	108.9	87.1	49.8	14.1	5.4	6.1	3.0
W2	82.6	183.5	73.4	37.1	21.3	5.5	2.4	2.5	3.6	57.9	170.6	110.0	73.2	49.4	14.1	5.0	4.0	5.9
W3	74.4	165.2	67.1	28.5	17.5	5.1	2.1	2.8	1.2	64.8	138.0	91.9	75.5	46.8	12.9	4.3	2.4	0.7
W4	54.7	96.3	34.9	25.5	15.8	3.2	2.1	2.1	0.0	38.4	88.3	48.8	62.6	34.5	9.3	5.0	1.5	0.7
W5	49.5	102.7	40.2	26.5	13.4	4.4	1.9	1.0	3.5	48.3	95.1	51.1	69.9	30.0	8.7	2.0	3.3	0.0
W6	103.5	165.4	62.6	38.9	14.5	3.6	2.6	2.8	3.5	76.0	146.3	85.5	81.4	42.1	12.6	4.3	2.1	1.5
W7	101.1	234.0	64.1	43.5	18.5	5.0	3.7	1.4	2.4	102.7	180.3	86.6	93.6	48.0	12.1	5.2	2.4	2.2

URTI - Tonsillitis/Pharyngitis 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W8	114.3	263.2	99.6	41.0	20.6	7.4	4.2	3.5	0.0	74.5	253.8	120.3	97.3	55.2	13.5	5.4	3.9	2.9
W9	94.9	192.0	66.6	42.7	23.2	8.7	5.4	3.8	3.5	45.0	186.4	87.1	82.2	58.5	21.0	7.2	5.1	5.1
W10	77.1	224.5	104.0	50.4	22.6	7.0	2.8	3.1	0.0	88.0	211.9	119.1	102.1	59.9	15.8	5.6	4.8	2.9
W11	118.3	242.5	91.5	48.1	30.3	7.4	4.4	2.8	5.9	68.7	224.7	121.4	110.0	73.1	19.5	9.0	3.9	5.1
W12	120.2	245.3	98.3	49.3	27.1	6.1	3.3	3.5	0.0	61.0	230.1	119.5	103.6	66.1	18.5	7.4	5.7	2.2
W13	83.7	161.5	58.0	38.1	21.9	5.5	4.6	3.5	1.2	42.2	148.3	76.6	80.3	51.4	14.4	6.7	5.1	4.4

URTI - Tonsillitis/Pharyngitis 4 weekly table (W1 - W13) - North West

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	117.2	230.1	89.1	36.7	19.4	7.6	2.7	3.3	0.0	90.0	194.8	113.6	77.2	54.7	13.7	6.3	3.3	2.3
W2	109.7	199.4	91.7	32.0	19.7	6.8	3.2	1.9	3.7	93.8	177.8	109.8	79.8	57.2	13.4	7.0	4.0	2.9
W3	117.6	211.5	85.0	30.4	18.8	5.8	2.3	2.2	2.8	78.7	188.7	106.4	62.9	46.1	12.3	5.0	4.0	3.4
W4	73.1	139.5	41.0	26.7	15.8	4.7	2.0	2.2	1.8	66.8	140.3	52.6	55.5	38.8	11.2	5.0	3.8	2.3
W5	91.9	142.0	47.5	31.9	15.2	5.4	2.8	1.6	0.0	47.3	128.4	63.9	59.7	33.5	10.0	3.8	3.0	2.3
W6	132.7	248.6	79.1	36.6	16.1	5.2	2.8	3.0	3.6	98.4	219.5	96.9	84.9	42.9	12.8	8.5	4.9	2.8
W7	125.7	273.0	72.7	38.2	18.7	6.0	5.1	2.7	0.9	131.3	250.4	89.5	84.7	48.3	13.9	6.0	5.1	1.7
W8	140.5	315.3	113.1	48.1	21.6	7.3	6.4	5.9	5.4	100.5	323.9	134.5	99.5	55.1	15.4	8.5	4.6	1.7
W9	114.0	268.7	84.6	37.9	23.2	8.5	4.8	3.8	5.4	84.0	246.9	98.0	89.1	62.8	19.6	9.3	7.4	1.7
W10	150.8	309.7	119.2	50.7	24.8	8.5	4.2	3.8	1.8	117.4	276.2	139.5	101.4	56.9	17.7	4.6	4.6	1.7
W11	150.4	301.1	101.8	47.0	28.6	9.2	3.0	1.6	3.6	121.7	259.2	120.5	100.0	66.7	20.8	7.6	5.6	4.5
W12	157.9	288.9	105.5	45.5	24.8	8.4	4.1	1.6	1.8	130.7	274.4	125.3	94.2	61.8	17.6	6.9	3.2	1.1
W13	132.4	203.7	58.9	34.0	19.6	7.6	3.5	2.7	4.5	95.6	201.9	73.1	73.9	50.3	13.5	7.0	2.8	1.1

URTI - Tonsillitis/Pharyngitis 4 weekly table (W1 - W13) - South East

	M									F							
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	81.5	174.9	80.9	29.4	18.3	5.5	2.0	2.3	1.9	54.5	150.6	87.6	66.2	44.9	10.8	5.1	3.1	0.8
W2	87.6	139.3	72.2	34.6	17.6	5.1	2.5	1.0	1.2	48.2	138.7	88.8	64.0	43.9	10.8	4.4	2.3	1.1
W3	53.6	141.8	69.4	29.0	13.9	4.3	1.5	2.1	1.2	43.5	135.1	73.0	58.7	38.9	9.5	3.2	1.6	2.3
W4	67.0	95.9	32.5	27.7	12.7	4.2	1.7	2.5	1.2	45.8	94.7	36.6	55.5	29.8	6.8	4.6	1.9	0.8
W5	53.5	98.8	37.3	30.0	11.8	3.6	2.0	0.4	1.2	47.8	81.4	43.6	57.6	26.7	6.9	2.8	3.6	0.8
W6	80.3	159.6	55.9	31.6	13.1	3.8	2.2	1.6	1.8	63.0	157.3	69.4	70.6	32.8	8.1	4.0	3.1	0.7
W7	91.6	203.8	51.8	33.0	14.7	4.2	3.2	2.0	1.2	74.7	176.8	62.5	74.7	37.8	9.6	3.9	1.9	2.6
W8	84.4	243.3	71.0	33.9	16.3	5.8	3.0	1.8	2.4	83.3	214.8	91.0	72.4	42.0	12.1	5.1	1.7	2.2
W9	79.1	191.7	59.4	36.4	18.8	7.4	5.3	2.4	1.8	64.7	177.6	67.5	71.1	45.4	14.0	6.6	3.6	2.6
W10	78.3	222.8	78.9	36.2	18.1	5.6	2.7	3.0	2.4	60.3	184.2	87.7	70.4	43.9	13.3	5.2	2.4	3.0
W11	96.2	208.4	73.0	37.5	20.6	5.5	3.5	3.2	3.6	62.0	184.4	81.1	79.7	53.4	13.5	6.9	3.1	2.6
W12	105.2	218.5	75.1	33.8	20.5	5.5	3.6	2.4	1.2	83.3	206.5	94.8	75.8	48.8	12.7	5.8	4.1	2.2
W13	76.3	162.2	42.7	32.3	16.3	6.4	3.9	2.0	0.6	53.8	130.3	52.6	64.8	39.7	10.7	4.7	2.7	3.7

URTI - Tonsillitis/Pharyngitis 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	50.9	118.8	57.5	28.1	15.8	3.2	2.5	1.0	0.0	37.8	94.4	72.7	69.6	38.9	9.6	3.1	2.3	1.0
W2	35.9	100.0	59.5	25.9	15.3	3.5	2.1	2.9	1.7	19.0	89.0	71.8	64.5	38.1	8.6	4.9	2.0	0.0
W3	36.2	103.5	46.3	25.1	13.7	3.2	1.5	0.8	1.6	33.2	93.4	63.3	66.7	36.9	7.9	4.2	0.7	0.5
W4	15.3	63.9	27.3	29.4	12.3	2.2	2.1	0.5	1.6	30.0	60.7	32.8	52.4	28.8	7.2	2.2	2.5	1.5
W5	33.3	49.2	24.2	24.4	9.4	3.4	1.3	1.6	1.6	30.2	57.0	37.4	60.8	21.7	6.1	2.4	2.4	1.5
W6	47.7	90.7	35.8	24.5	12.2	2.5	1.5	2.1	2.4	24.1	84.5	48.1	64.6	32.3	7.5	2.5	2.0	0.0
W7	55.9	117.2	41.5	31.8	13.0	4.7	2.7	2.6	1.6	37.8	92.9	51.3	74.4	34.6	8.0	4.5	3.1	1.0
W8	46.1	146.8	56.8	33.6	14.9	3.8	2.3	1.0	1.6	54.4	142.9	77.5	68.6	37.1	9.6	4.9	3.5	0.5
W9	50.6	121.9	47.1	32.8	17.4	5.8	4.2	2.3	5.7	43.1	102.8	61.1	73.5	39.7	12.6	4.7	4.0	1.5
W10	41.0	114.9	54.9	36.2	16.2	5.1	2.5	3.3	0.8	38.2	111.8	76.1	68.1	42.3	10.5	4.9	3.5	1.5
W11	64.8	123.3	54.6	36.5	19.1	5.7	3.2	1.8	0.0	35.5	141.2	69.7	80.4	45.1	13.1	6.5	2.9	1.5
W12	45.9	140.2	71.5	42.8	20.6	6.2	2.1	1.5	2.4	48.2	139.3	82.1	76.1	48.6	11.8	6.0	3.5	3.6
W13	51.4	97.5	39.2	35.2	18.8	6.2	1.9	1.5	0.0	40.4	90.2	46.1	65.9	39.5	11.2	4.1	2.6	3.1

Viral Hepatitis

Viral Hepatitis 4 weekly table (W1 - W13) - East of England

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.0	0.3	0.4	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.0	0.4	0.0
W2	0.0	0.0	0.0	0.3	0.2	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.2	0.6	0.0	0.0
W3	0.0	0.0	0.0	0.5	0.3	0.5	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.5	0.1	0.9	0.0	0.9
W4	0.0	0.7	0.0	0.5	0.1	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.1	0.4	0.6	0.0	0.0
W5	0.0	0.0	0.0	0.3	0.8	0.6	0.7	0.0	0.0	0.0	0.0	0.3	0.3	1.1	0.5	0.0	0.0	0.0
W6	0.0	0.0	0.0	0.5	0.6	0.8	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.0	0.0	0.0	0.0
W7	0.0	0.0	0.0	0.0	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.3	0.0	0.0
W8	0.0	0.0	0.0	0.5	0.7	0.6	0.3	0.4	0.0	0.0	0.0	0.3	0.0	0.9	0.4	0.0	1.1	0.0
W9	0.0	0.0	0.0	0.0	0.2	1.4	0.3	0.4	0.0	0.0	0.8	0.0	0.0	0.8	0.7	0.3	0.0	0.0
W10	0.0	0.0	0.0	0.3	0.4	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.1	0.0	0.0	0.0
W11	0.0	0.0	0.0	0.0	0.3	0.3	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.1	0.0	0.0	0.0
W12	0.0	0.0	0.0	0.0	1.0	1.0	0.0	0.4	0.0	0.0	0.0	0.0	0.3	0.5	0.5	0.0	0.0	0.0
W13	0.0	0.0	0.0	0.0	1.2	0.3	0.6	0.0	0.0	0.0	0.8	0.0	0.0	0.8	0.1	0.0	0.0	0.0

Viral Hepatitis 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.3	0.0	0.2	0.9	2.3	1.3	1.0	4.3	0.0	0.0	0.0	0.2	0.9	1.7	2.0	0.8	0.0
W2	0.0	0.0	0.1	0.0	1.0	1.4	2.1	1.0	0.0	0.0	0.0	0.0	0.1	0.9	1.5	0.7	1.6	0.0
W3	0.0	0.0	0.0	0.0	1.2	1.9	2.8	1.0	0.0	0.0	0.0	0.0	0.1	0.7	1.1	0.5	1.2	0.0
W4	0.0	0.0	0.1	0.3	1.2	1.7	1.0	1.5	1.4	0.0	0.3	0.0	0.1	1.2	1.9	1.2	0.8	0.0

Viral Hepatitis 4 weekly table (W1 - W13) - London

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W5	0.0	0.3	0.1	0.6	0.8	2.4	2.8	1.0	1.4	0.0	0.0	0.1	0.3	0.7	1.6	1.5	0.4	0.0
W6	0.0	0.0	0.5	0.7	1.2	2.7	1.5	0.5	4.2	0.0	0.7	0.3	0.1	1.0	1.8	0.7	1.5	0.0
W7	0.0	0.0	0.0	0.7	1.3	1.4	0.5	0.0	0.0	0.0	0.0	0.0	0.1	1.1	1.3	1.9	1.2	0.0
W8	0.0	0.0	0.1	0.6	1.2	2.2	2.0	0.5	0.0	0.0	0.3	0.0	0.0	1.0	0.9	1.9	1.9	0.0
W9	0.0	0.3	0.0	0.3	1.1	0.9	0.8	1.4	0.0	0.0	0.0	0.0	0.1	0.6	1.4	0.5	0.8	0.8
W10	1.4	0.0	0.0	0.3	0.9	2.6	1.0	1.0	1.4	0.0	0.0	0.0	0.2	1.1	0.7	0.5	1.2	0.0
W11	0.0	0.0	0.0	0.3	1.3	2.2	2.3	2.4	1.4	0.0	0.0	0.1	0.0	0.7	1.3	1.4	0.8	0.0
W12	0.0	0.0	0.1	0.4	0.7	2.2	2.5	1.9	1.4	0.0	0.7	0.1	0.2	1.0	2.2	0.7	1.2	3.4
W13	0.0	0.0	0.0	0.5	0.8	2.6	1.2	1.0	0.0	0.0	0.0	0.0	0.2	0.7	1.8	1.9	0.4	1.7

Viral Hepatitis 4 weekly table (W1 - W13) - Midlands

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.0	0.1	0.4	0.7	0.0	0.2	0.8	0.0	0.0	0.0	0.0	0.4	0.4	0.2	0.0	0.0
W2	0.0	0.0	0.0	0.2	0.5	0.5	0.0	0.2	0.0	0.0	0.0	0.0	0.1	0.8	0.3	0.2	0.4	0.5
W3	0.0	0.0	0.0	0.4	0.8	0.5	0.2	0.0	0.0	0.0	0.0	0.1	0.2	0.6	0.4	0.3	0.0	0.0
W4	0.0	0.0	0.1	0.2	0.3	0.2	0.2	0.5	0.0	0.0	0.4	0.0	0.1	0.1	0.6	0.2	0.0	0.0
W5	0.0	0.0	0.0	0.0	0.8	0.6	0.3	0.0	0.8	0.0	0.0	0.0	0.6	0.2	0.4	0.2	0.2	0.5
W6	0.0	0.4	0.2	0.0	0.5	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.3	0.6	0.0
W7	0.0	0.0	0.0	0.3	0.5	0.9	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.6	0.4	0.0	0.2	0.0
W8	0.0	0.0	0.1	0.1	0.4	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.5	0.2	0.5	0.2	0.0
W9	0.0	0.0	0.0	0.3	0.3	0.6	0.3	0.7	0.0	0.0	0.0	0.1	0.0	0.3	0.2	0.6	0.0	0.5
W10	0.0	0.0	0.0	0.3	0.6	0.7	0.3	0.2	0.0	0.0	0.0	0.1	0.5	0.5	0.3	0.3	0.0	0.0
W11	0.0	0.0	0.4	0.6	0.7	1.2	0.5	0.0	0.8	0.0	0.0	0.0	0.4	0.5	0.2	0.3	0.0	0.0
W12	0.0	0.0	0.1	0.2	0.3	0.4	0.3	0.0	0.8	0.0	0.0	0.0	0.0	0.4	0.2	0.0	0.4	0.5
W13	0.0	0.0	0.1	0.0	0.7	0.8	0.5	0.2	0.7	0.0	0.0	0.0	0.2	0.3	0.2	0.3	0.2	0.0

Viral Hepatitis 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.0	0.2	0.5	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.0	0.2	0.2	0.3	0.0
W2	0.0	0.0	0.2	0.7	0.9	1.0	0.5	0.4	0.0	0.0	0.0	0.4	0.0	0.5	0.4	0.2	0.0	0.0
W3	0.0	0.0	0.0	0.2	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.1	0.0	0.0	0.0	0.7
W4	0.0	0.0	0.0	0.0	0.9	0.6	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.9	0.3	0.0
W5	0.0	0.0	0.0	0.0	0.9	1.2	0.2	0.3	0.0	0.0	0.0	0.2	0.2	0.4	0.1	0.2	0.3	0.0
W6	0.0	0.0	0.2	0.2	1.0	0.9	0.7	0.3	0.0	0.0	0.0	0.0	0.0	0.6	0.5	0.2	0.3	0.0
W7	0.0	0.0	0.0	0.5	0.5	0.9	0.0	0.3	2.4	0.0	0.0	0.2	0.0	0.8	0.4	0.2	0.0	0.0
W8	0.0	0.0	0.0	0.0	1.0	0.6	0.5	0.3	1.2	0.0	0.0	0.0	0.0	0.7	0.3	0.0	0.6	0.7
W9	0.0	0.0	0.0	0.2	0.9	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.3	0.4	0.0	0.7
W10	0.0	0.0	0.0	0.2	0.4	1.0	0.0	0.3	0.0	0.0	0.0	0.0	0.2	0.4	0.2	0.2	0.0	0.0
W11	0.0	0.0	0.0	0.0	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.2	0.0	0.0
W12	0.0	0.0	0.0	0.7	0.4	0.8	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.5	0.1	0.2	0.0	0.0

Viral Hepatitis 4 weekly table (W1 - W13) - North East and Yorkshire

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W13	0.0	0.0	0.0	0.0	1.3	0.5	0.2	1.0	0.0	0.0	0.0	0.0	0.2	0.5	0.3	0.2	0.6	0.7

Viral Hepatitis 4 weekly table (W1 - W13) - North West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.1	0.1	0.9	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.6	0.2	0.5	0.0
W2	0.0	0.4	0.0	0.3	0.7	1.0	0.2	0.5	0.0	0.0	0.4	0.0	0.0	0.5	0.9	1.2	0.5	0.0
W3	0.0	0.0	0.0	0.0	1.1	1.4	0.7	0.8	0.0	0.0	0.0	0.1	0.3	0.5	0.7	0.2	0.0	0.0
W4	0.0	0.0	0.0	0.0	0.8	1.1	0.7	1.6	0.0	0.0	0.0	0.0	0.3	0.5	0.4	0.3	0.0	0.0
W5	0.0	0.0	0.3	0.6	0.8	0.9	0.4	0.8	0.0	0.0	0.0	0.3	0.1	0.7	0.9	0.3	0.2	0.0
W6	0.0	0.4	0.0	0.1	0.8	1.1	0.5	0.3	0.9	0.0	0.4	0.1	0.4	0.7	0.7	0.7	0.0	0.0
W7	0.0	1.2	0.0	0.1	0.8	1.7	0.7	0.0	0.0	0.0	0.0	0.1	0.0	0.3	0.6	0.7	0.7	0.0
W8	0.0	0.0	0.0	0.1	0.8	1.4	0.7	0.3	0.0	0.0	0.0	0.0	0.1	0.7	0.5	0.5	0.0	0.0
W9	0.0	0.0	0.0	0.1	0.8	1.3	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.6	0.5	0.0	1.1
W10	0.0	0.0	0.0	0.6	1.1	1.5	1.2	0.5	1.8	0.0	0.0	0.0	0.3	0.3	0.7	0.3	0.7	0.0
W11	1.8	0.4	0.0	0.2	0.9	1.1	0.2	0.5	0.0	0.0	0.0	0.0	0.2	0.7	0.7	0.3	0.2	0.0
W12	0.0	0.0	0.1	0.1	0.8	0.8	0.7	0.5	0.0	0.0	0.0	0.0	0.5	0.7	0.7	0.3	0.7	1.1
W13	0.0	0.0	0.1	0.2	0.4	2.0	0.4	0.8	0.0	0.0	0.0	0.0	0.5	0.7	0.7	0.2	0.2	0.0

Viral Hepatitis 4 weekly table (W1 - W13) - South East

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.1	0.0	0.5	1.0	0.3	0.6	0.6	0.0	0.0	0.0	0.1	0.6	0.3	0.4	0.3	0.0
W2	0.0	0.0	0.0	0.1	0.5	0.7	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.5	0.2	0.4	0.0	0.0
W3	0.0	0.0	0.0	0.4	0.5	0.9	0.7	0.4	0.0	0.0	0.0	0.0	0.3	0.6	0.5	0.7	0.2	0.0
W4	0.0	0.0	0.2	0.2	0.4	0.8	0.3	0.0	0.6	0.0	0.0	0.3	0.0	0.5	0.4	0.3	0.2	0.0
W5	0.0	0.0	0.0	0.3	0.6	0.6	1.2	0.0	0.0	0.0	0.0	0.2	0.2	0.6	0.2	0.1	0.2	0.8
W6	0.0	0.0	0.1	0.1	0.7	0.9	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.3	0.3	0.2	0.4
W7	0.0	0.0	0.0	0.1	0.6	0.6	0.3	0.2	0.0	0.0	0.3	0.0	0.4	0.5	0.4	0.7	0.2	0.0
W8	0.0	0.0	0.2	0.2	0.6	1.1	0.7	0.2	0.0	0.0	0.0	0.0	0.1	0.8	0.3	0.6	0.0	0.0
W9	0.0	0.6	0.0	0.2	0.6	0.4	0.0	0.0	0.6	0.0	0.0	0.0	0.1	0.4	0.4	0.3	0.2	0.0
W10	0.0	0.0	0.1	0.1	0.4	0.9	0.7	0.0	0.0	0.0	0.3	0.2	0.6	0.5	0.5	0.3	0.2	0.4
W11	0.0	0.0	0.2	0.1	0.7	0.4	0.3	0.4	0.0	0.0	0.3	0.0	0.1	0.2	0.5	0.7	0.2	0.4
W12	0.0	0.0	0.0	0.4	0.8	1.0	1.0	0.4	0.6	0.0	0.0	0.0	0.0	0.4	0.6	0.4	0.3	0.0
W13	0.0	0.0	0.0	0.1	0.4	0.5	0.6	0.0	0.0	0.0	0.0	0.1	0.2	0.4	0.5	1.1	0.3	0.0

Viral Hepatitis 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W1	0.0	0.0	0.0	0.9	0.7	1.2	0.8	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.4	0.4	0.2	0.0

Viral Hepatitis 4 weekly table (W1 - W13) - South West

	M									F								
Period	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+	<1	1-4	5-14	15-24	25-44	45-64	65-74	75-84	85+
W2	0.0	0.0	0.2	0.5	0.7	0.8	0.8	0.0	0.0	0.0	0.0	0.2	0.4	0.5	0.4	0.2	0.2	0.0
W3	0.0	0.0	0.0	0.2	1.0	1.2	0.4	0.3	0.0	0.0	0.0	0.0	0.7	0.9	0.2	0.0	0.0	0.0
W4	0.0	0.0	0.0	0.7	0.9	0.7	0.8	0.3	0.0	0.0	0.0	0.0	0.2	0.4	0.4	0.4	0.0	0.0
W5	0.0	0.0	0.0	0.2	0.8	0.8	0.8	0.5	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.2	0.2	0.0
W6	0.0	0.0	0.0	0.3	0.4	0.6	0.4	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.3	0.4	0.4	0.5
W7	0.0	0.0	0.0	0.2	0.6	0.5	1.0	0.5	0.0	0.0	0.0	0.0	0.4	0.5	0.8	0.7	0.2	0.5
W8	0.0	0.0	0.0	0.2	0.7	0.4	0.6	0.5	0.0	0.0	0.0	0.0	0.5	0.5	0.3	0.4	0.0	0.0
W9	0.0	0.0	0.2	0.2	0.6	0.5	1.1	0.3	0.0	0.0	0.0	0.0	0.0	0.5	0.2	0.4	0.2	0.0
W10	0.0	0.0	0.0	0.3	0.5	0.6	0.8	0.5	0.0	0.0	0.0	0.4	0.2	0.1	0.2	0.7	0.0	0.0
W11	0.0	0.0	0.0	0.0	0.7	0.5	0.4	0.3	0.0	0.0	0.0	0.0	0.5	0.5	0.4	0.4	0.4	0.0
W12	0.0	0.0	0.2	0.0	1.0	0.7	0.6	1.0	0.0	0.0	0.6	0.0	0.4	0.5	0.3	0.2	0.2	0.0
W13	0.0	0.0	0.2	0.0	0.5	0.8	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.2	0.0	0.0