

# RSC Communicable and Respiratory Disease Report for England

Week Number / Year

29 / 2025

Population

18,989,883

Dates

14/07/2025 - 20/07/2025

No. Practices

1,801

#### **Notes**

All rates in this report are given per 100,000 population presenting in the week of the report. A rolling 5-year average rate is also provided as a historical comparison. Rates are provided for four regions (North, South, Midlands and East, and London). For acute respiratory infections, a breakdown by age group is also provided.

Rates are presented on a weekly basis, using ISO week numbers.

Please see page 20 for further explanatory notes on the data.

#### **Comments**

Overall rates of influenza-like illness (ILI) are stable in all regions and are around the seasonal average for this time of year (pages 3 to 5). ILI rates are now below the threshold across all age bands: see Table (E), page 5.

Rates of acute respiratory infections (ARI) remain stable at or below the seasonal average, page 7.

Overall rates of COVID-19 are stable from last week, page 6.

This report includes a respiratory virology update: see Graph (C), page 4.

Other comments:

- Rate of measles (page 15) have decreased but continue to remain above the 5 year average, especially in London and the North region.
- Rates of scabies (page 16) remain above the seasonal average.
- Rates of infected insect bites (page 14) remain above the seasonal average.
- Rates of viral hepatitis (page 13) have increased and are above the seasonal average.

## **Seasonal Focus**

In the "Change since last week" column, a change in rate of 5% to 10% is marked with a single arrow ( $^{\diamond}$  or  $^{\diamond}$ ), while a change of more than 10% is marked with a double arrow ( $^{\diamond}$  or  $^{\diamond}$ ). A flat line ( $^{\leftarrow}$ ) indicates the rate was stable, changing less than 5%.

#### **Region Breakdown**

Region Breakdo	wn										
	Acute	respirato (ARI	ry infections )	Influe	nza-like	illness (ILI)	Exacerbations of chronic lung disease (ECLD)				
	This week	Last week	Change since last week	This week	Last week	Change since last week	This week	Last week	Change since last week		
London	115.6	114.9🛚	<b>-</b> 0.7	1.3🛚	1.6	<b>&gt;</b> −0.3	6.5⊠	6.6	<del></del> -0.1		
Midlands And East	148.0⊠	146.0🛚	<del>-</del> 2.0	1.0⊠	0.8	<b>☆</b> 0.2	10.8	11.2🛭	<del></del> -0.4		
North	187.4⊠	186.6	<del>-</del> 0.8	1.0⊠	1.4🛭	<b>&gt;</b> −0.4	16.4⊠	15.3🛭	<b>^</b> 1.0		
South	124.3🛭	126.3	<del></del> -1.9	8.0	1.1🛭	<b>&gt;</b> −0.3	8.8	8.9🛚	<del></del> -0.1		
National	144.6	144.2	<b>-</b> 0.4	1.0	1.2	<b>⇒</b> -0.2	10.8	10.7	<del>-</del> 0.1		
		er respira	itory tract (LRTI)		er respira	ntory tract (URTI)	COVID-19				
	This week	Last week	Change since last week	This week	Last week	Change since last week	This week	Last week	Change since last week		
London	25.1🛭	24.1🛭	<del>-</del> 1.0	86.7🛚	86.2🛚	<del>-</del> 0.5	1.2🛚	1.2🛭	<del>-</del> 0.0		
Midlands And East	42.6	41.5⊠	<del>-</del> 1.1	99.7🛚	96.9⊠	<del>-</del> 2.8	0.8	1.2🛭	<b>&gt;</b> −0.4		
North	59.6	59.7⅓	<del></del> -0.1	118.9🛭	119.6	<del></del> -0.7	1.4🛚	1.18	<b>☆</b> 0.3		
South	36.7⊠	38.0⊠	<del></del> -1.3	83.2🛭	84.3🛚	<del>-</del> -1.2	1.4🛭	1.2🛭	<b>☆</b> 0.2		
National	41.8	41.8	- 0.0	97.0	96.7	- 0.3	1.2	1.2	- 0.0		

#### Age Group Breakdown

41.8

All ages

41.8

-0.0

	Acute res	spiratory i	nfections (ARI)	Influ	enza-like	illness (ILI)	Exacerbations of chronic lung disease (ECLD)			
	This week	Last week	Change since last week	This week	Last week	Change since last week	This week	Last week	Change since last week	
<1yr	622.3🛭	623.0🛚	<del>-</del> -0.7	0.6	3.3🛭	<b>&gt;</b> −2.6	0.0	0.0	<b>-</b> 0.0	
1-4yrs	515.1⊠	513.5⅓	<del></del> 1.7	0.5🛚	1.3🛭	<b>&gt;</b> −0.8	1.2🛭	0.4🛭	<b>♦</b> 0.8	
5-14yrs	168.8	170.8	<del></del> -2.0	0.9🛚	0.7🛚	<b>☆</b> 0.2	2.4🛭	2.2🛭	<b>^</b> 0.2	
15-64yrs	106.5⊠	105.3🛭	<del>-</del> 1.2	1.1🛭	1.3🛭	<b>&gt;</b> −0.2	7.8	8.0🛚	<del>-</del> -0.3	
65+yrs	164.3🛭	166.1🛭	<del></del> -1.9	0.7🛚	0.9🛭	<b>&gt;</b> −0.2	29.9⊠	28.4🛚	<b>^</b> 1.5	
All ages	144.6	144.2	<b>-</b> 0.4	1.0	1.2	<b>⇒</b> -0.2	10.8	10.7	<del>-</del> 0.1	
	Lower re	spiratory t (LRT	ract infections	Upper re	spiratory t (URT	tract infections I)	COVID-19			
	This week	Last week	Change since last week	This week	Last week	Change since last week	This week	Last week	Change since last week	
<1yr	106.5🛚	95.6	<b>↑</b> 10.8	560.2🛚	554.9🛚	<del>-</del> 5.3	7.0🛚	7.2🛚	<del>-</del> -0.2	
1-4yrs	58.9⅓	60.9🛚	<del>-</del> -2.0	484.8	479.2⊠	<del></del> 5.6	0.1🛭	0.1🛭	<del>-</del> 0.0	
5-14yrs	14.2🛚	14.8	<del>-</del> -0.6	156.1⊠	157.8	<del>-</del> -1.7	0.2🛚	0.3🛭	<b>&gt;</b> −0.1	
15-64yrs	29.5🛚	28.7🛚	<del>-</del> 0.9	71.8	71.6	<del>-</del> 0.2	1.2🛭	1.0🛚	<b>☆</b> 0.2	
65+yrs	97.7⊠	100.3🛭	<del>-</del> -2.6	44.1🛚	44.0⊠	<del>-</del> 0.1	2.0🛚	2.3🛚	<b>&gt;</b> −0.3	

96.7

**-** 0.3

1.2

1.2


-0.0

97.0


## 2024/25 Focus

#### (A) Influenza-like Illness: national incidence rate by region


The horizontal lines in the following graph are thresholds derived from the Moving Epidemic Method (MEM) model. See p20 for more information.




#### (B) RCGP/UKHSA influenza virology swab surveillance



#### (C) RCGP/UKHSA RSV, influenza and SARS-CoV-2 virology swab surveilance (by strain)



#### (D) Influenza-like Illness: national incidence rate by age band



#### (E) Influenza-like Illness: national incidence rate by age band

This table shows the level of intensity of ILI by age band. MEM thresholds have been calculated separately for each age band - thresholds are shown in the second table. Refer to page 19 for more information.

	46	47	48	49	9 5	50	51	52	1	2	3	4	5	6	7	8	9	10	11
1-4yrs	5.5	7.1	12.1	14.	2 25	5.3	39.4	31.9	33.8	26.2	28.0	26.4	26.6	20.7	15.7	12.9	7.9	11.1	8.4
5-14yrs	3.2	3.9	4.9	7.	3 10	0.2	16.0	9.2	7.0	9.2	11.8	14.0	14.9	12.1	10.4	7.0	5.2	5.2	5.1
15-64yrs	4.1	5.1	6.6	9.	9 14	4.1	19.4	14.8	21.5	25.9	18.8	16.5	15.1	13.8	12.6	12.0	11.1	9.3	7.9
65+yrs	2.9	3.0	6.5	6.	4 10	0.6	17.3	21.0	32.3	29.4	18.1	15.4	11.1	9.6	9.3	7.7	6.5	5.8	4.9
All ages	3.8	4.6	6.6	9.:	2 13	3.5	19.6	16.2	22.4	24.7	18.3	16.5	14.8	13.2	11.9	10.8	9.5	8.3	7.1
	1:	2 1	13 ′	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
1-4yrs	6.	7 6	5.8	5.6	4.8	1.9	1.9	2.1	1.0	2.0	1.5	1.6	1.6	0.5	1.2	0.6	0.5	1.3	0.5
5-14yrs	5.	4 4	4.7	3.2	2.0	0.8	0.8	0.8	0.6	0.9	1.3	0.3	0.7	1.2	1.0	0.8	0.5	0.7	0.9
15-64yrs	7.	3 6	5.5	5.5	4.4	3.0	2.7	2.2	1.8	2.0	1.7	1.6	2.2	2.1	1.4	1.4	1.3	1.3	
65+yrs	4.	5 4	4.5	5.4	5.1	2.5	1.8	1.9	1.4	1.0	1.3	1.2	2.0	1.5	0.8	0.8	0.6	0.9	0.7
All ages	6.	6 5	5.9	5.2	4.3	2.7	2.3	2.0	1.5	1.7	1.6	1.4	2.0	1.8	1.2	1.2	1.0	1.2	1.0

	Below Threshold	Threshold to Medium	Medium to High	High to Very High	Above Very High
1-4yrs	<7.9	7.9 to 12.6	12.6 to 26.2	26.2 to 36.1	36.1+
5-14yrs	<5.4	5.4 to 10.7	10.7 to 26.6	26.6 to 39.9	39.9+
15-64yrs	<9.8	9.8 to 17.9	17.9 to 43.0	43.0 to 63.4	63.4+
65+yrs	<9.3	9.3 to 15.0	15.0 to 38.8	38.8 to 59.0	59.0+
All Ages	<8.54	8.54 to 16.27	16.27 to 38.66	38.66 to 56.68	56.68+

#### (F) Acute Bronchitis and Bronchiolitis: national incidence rate by age band

Children under 1 year old are omitted from the following graph.




#### Weekly incidence rates of influenza-like illness, and acute bronchitis and bronchiolitis (per 100,000)


	Influenza-like illness (ILI)	ARI-Bronchitis and Bronchiolitis
<1yr	0.6	54.5🛚
1-4yrs	0.5🛚	4.5🛚
5-14yrs	0.9🛚	0.2
15-24yrs	1.0🛚	0.7🛚
25-44yrs	1.2🛚	0.8
45-64yrs	1.1🛭	1.1🛭
65-74yrs	0.7🛚	1.5🛚
75-84yrs	0.6	1.5🛚
85+yrs	0.8	2.5🛚
All ages	1.0🛚	1.5🛚

	Influenza-like illness (ILI)	ARI-Bronchitis and Bronchiolitis
London	1.3🛭	1.2
Midlands And East	1.0🛚	1.5
North	1.0🛚	1.8
South	0.8	1.5
National	1.0🛚	1.5

#### (G) COVID-19: national incidence rate by region




#### (H) COVID-19: national incidence rate by age band



## 1. Respiratory Infections

#### (I) Acute Respiratory Infections (ARI): national incidence rate by region




#### (J) Acute Respiratory Infections (ARI): national incidence rate by age band




#### Respiratory Infections - by region




## Influenza-like illness (ILI) Weekly incidence (per 100,000 all ages) by region for 2024/25 compared with 5 year average



Exacerbations of Chronic Lung Disease (ECLD)
Weekly incidence (per 100,000 all ages) by region for 2024/25
compared with 5 year average




Lower Respiratory Tract Infections (LRTI)
Weekly incidence (per 100,000 all ages) by region for 2024/25
compared with 5 year average




#### Respiratory Infections - by age band




Influenza-like illness (ILI)
Weekly incidence (per 100,000 all ages) by age band for
2024/25 compared with 5 year average



Exacerbations of Chronic Lung Disease (ECLD)
Weekly incidence (per 100,000 all ages) by age band for
2024/25 compared with 5 year average




Lower Respiratory Tract Infections (LRTI)
Weekly incidence (per 100,000 all ages) by age band for
2024/25 compared with 5 year average




#### Respiratory Infections - by region




## Upper Respiratory Tract Infections (URTI) Weekly incidence (per 100,000 all ages) by region for 2024/25 compared with 5 year average



ECLD - Asthma Exacerbations Weekly incidence (per 100,000 all ages) by region for 2024/25 compared with 5 year average




ECLD - COPD Exacerbations Weekly incidence (per 100,000 all ages) by region for 2024/25 compared with 5 year average




#### Respiratory Infections - by age band




Upper Respiratory Tract Infections (URTI)
Weekly incidence (per 100,000 all ages) by age band for
2024/25 compared with 5 year average



ECLD - Asthma Exacerbations Weekly incidence (per 100,000 all ages) by age band for 2024/25 compared with 5 year average



ECLD - COPD Exacerbations Weekly incidence (per 100,000 all ages) by age band for 2024/25 compared with 5 year average



### Respiratory Infections - by region Respiratory Infections - by age band National London South All ages 5-14yrs 65+yrs 5 Year Avg North Midlands And East 5 Year Avg 1-4yrs 15-64yrs LRTI - Pneumonia LRTI - Pneumonia Weekly incidence (per 100,000 all ages) by region for 2024/25 Weekly incidence (per 100,000 all ages) by age band for compared with 5 year average 2024/25 compared with 5 year average 25 20 15 10 2 25 29 45 **LRTI - Acute Bronchitis LRTI - Acute Bronchitis** Weekly incidence (per 100,000 all ages) by region for 2024/25 Weekly incidence (per 100,000 all ages) by age band for 2024/25 compared with 5 year average compared with 5 year average 25 33 37 **LRTI - Bronchiolitis LRTI - Bronchiolitis** Weekly incidence (per 100,000 all ages) by region for 2024/25 Weekly incidence (per 100,000 all ages) by age band for 2024/25 compared with 5 year average compared with 5 year average 300 200 100

17 21 25 29 33 37

13

25


29 33

21


#### Respiratory Infections - by region

## National London South 5 Year Avg North Midlands And East


#### URTI - Croup Weekly incidence (per 100,000 all ages) by region for 2024/25 compared with 5 year average



URTI - Tonsillitis/Pharyngitis
Weekly incidence (per 100,000 all ages) by region for 2024/25
compared with 5 year average




URTI - Otitis Media Weekly incidence (per 100,000 all ages) by region for 2024/25 compared with 5 year average




#### Respiratory Infections - by age band




URTI - Croup Weekly incidence (per 100,000 all ages) by age band for 2024/25 compared with 5 year average



URTI - Tonsillitis/Pharyngitis
Weekly incidence (per 100,000 all ages) by age band for
2024/25 compared with 5 year average




URTI - Otitis Media Weekly incidence (per 100,000 all ages) by age band for 2024/25 compared with 5 year average




#### Respiratory Infections - by region

## National London South 5 Year Avg North Midlands And East

#### URTI - Sinusitis Weekly incidence (per 100,000 all ages) by region for 2024/25 compared with 5 year average




URTI - Laryngitis Weekly incidence (per 100,000 all ages) by region for 2024/25 compared with 5 year average




#### Respiratory Infections - by age band




URTI - Sinusitis Weekly incidence (per 100,000 all ages) by age band for 2024/25 compared with 5 year average




URTI - Laryngitis
Weekly incidence (per 100,000 all ages) by age band for 2024/25 compared with 5 year average




## 2. Water and Food Borne Disorders




## 3. Environmentally Sensitive Disorders




## **4. Vaccine Sensitive Disorders**



## 5. Skin Contagions







## 6. Disorders Affecting the Nervous System

Disorders of Peripheral Nervous System (ICD10: G50-G64,G70-G72), Weekly incidence (per 100,000 all ages) by region for 2024/25 compared with 5 year average

Meningitis/Encephalitis (ICD10: A170-A171,A390,A38-A85,A87,G00-G05), Weekly incidence (per 100,000 all ages) by region for 2024/25 compared with 5 year average




Symptoms of Nervous & Musculoskeletal Systems (ICD10: R25-R29), Weekly incidence (per 100,000 all ages) by region for 2024/25 compared with 5 year average



## 7. Genitourinary System Disorders




Urinary Tract Infection/Cystitis (ICD10: N30,N390)
Weekly incidence (per 100,000 all ages) by region for 2024/25
compared with 5 year average




## 8. Other Disorders

Strep Sore Throat, Scarlatina and Peritonsillar Abscess (ICD10: A38,J020,J36), Weekly incidence (per 100,000 all ages) by region for 2024/25 compared with 5 year average



Infectious Mononucleosis (ICD10: B27)
Weekly incidence (per 100,000 all ages) by region for 2024/25
compared with 5 year average



## 9. Tabular Summary by Disease

	Week 26	Week 27	Week 28	Week 29
Dates	23/06/2025 - 29/06/2025	30/06/2025 - 06/07/2025	07/07/2025 - 13/07/2025	14/07/2025 - 20/07/2025
Population	18,275,193	18,634,752	18,822,322	18,989,883
Practice Count	1,757	1,782	1,795	1,801

	Wee	ek 26	Wee	ek 27	Wee	ek 28	Wee	ek 29
Disease	Rate	Count	Rate	Count	Rate	Count	Rate	Count
Acute Bronchitis	1.1	200	0.8	146	0.7	140	0.9	174
Acute Respiratory Infections (ARI)	158.8	29,013	140.9	26,257	144.2	27,142	144.6	27,454
Allergic Rhinitis	25.9	4,731	19.0	3,546	14.3	2,699	11.6	2,209
Asthma	10.0	1,832	9.7	1,812	9.5	1,785	9.2	1,755
Bronchiolitis	0.8	144	0.7	125	0.6	112	0.6	114
Bullous Dermatoses	0.2	40	0.3	62	0.3	58	0.3	49
COVID-19	1.3	229	1.3	246	1.2	223	1.2	233
Chickenpox	4.7	862	3.2	597	3.1	590	3.4	639
Conjunctival Disorders	15.4	2,814	14.3	2,662	13.6	2,560	14.2	2,697
Croup	1.1	193	1.1	202	1.0	193	1.0	184
ECLD - COPD exacerbations	6.0	1,091	4.8	892	4.8	895	5.1	969
ECLD - asthma exacerbations	7.3	1,342	6.0	1,118	6.0	1,126	5.7	1,090
Exacerbations of chronic lung disease (ECLD)	13.3	2,429	10.8	2,010	10.7	2,006	10.8	2,050
Herpes Simplex	3.1	573	3.2	604	3.3	623	3.1	585
Herpes Zoster	5.6	1,026	5.2	969	5.4	1,021	6.1	1,166
Impetigo	3.3	594	3.3	614	3.4	637	3.3	630
Infected Insect Bites	12.7	2,313	19.1	3,561	15.5	2,923	18.2	3,450
Infectious Intestinal Diseases	7.4	1,344	7.3	1,364	6.9	1,305	7.6	1,440
Infectious Mononucleosis	0.3	62	0.3	47	0.3	52	0.2	45
Influenza-like Illness (ILI)	1.2	213	1.0	190	1.2	224	1.0	186
Laryngitis	0.5	98	0.5	97	0.5	94	0.5	98
Lower respiratory tract infections (LRTI)	49.2	8,987	41.7	7,766	41.8	7,860	41.8	7,937
Measles	0.1	10	0.1	20	0.1	20	0.1	18
Meningitis and Encephalitis	0.1	21	0.2	31	0.1	22	0.1	23
Mumps	0.0	7	0.1	13	0.0	8	0.1	16
Non-infective Enteritis and Colitis	3.1	558	2.6	487	2.5	476	2.8	532
Peripheral Nervous Disease	19.6	3,574	19.4	3,611	18.3	3,446	19.5	3,708
Pneumonia	2.6	479	2.7	499	2.5	470	2.4	456
Rubella	0.0	1	0.0	0	0.0	1	0.0	0
Scabies	2.5	457	2.4	441	2.5	466	2.8	536
Sinusitis	11.9	2,173	9.8	1,825	11.1	2,084	10.8	2,053
Skin and Subcutaneous Tissue Infections	99.8	18,247	106.0	19,758	99.9	18,801	103.3	19,612
Strep Throat and Peritonsillar Abscess	1.2	211	1.0	184	1.0	186	1.0	186
Symptoms involving Skin and Integument Tissues	142.7	26,071	141.5	26,374	132.6	24,959	134.8	25,591
Symptoms involving musculoskeletal	16.5	3,008	15.9	2,971	16.7	3,137	16.2	3,076
Tonsillitis and Pharyngitis	27.3	4,994	26.4	4,920	26.8	5,052	26.6	5,052
Upper respiratory tract infections (URTI)	101.7	18,588	93.4	17,406	96.7	18,194	97.0	18,418
Urinary Tract Infections	27.4	5,000	27.5	5,118	28.6	5,392	29.0	5,515
Viral Hepatitis	0.3	52	0.3	61	0.3	59	0.3	59
Whooping Cough	0.0	8	0.0	5	0.0	6	0.0	2

#### **Further Information**

#### Focus on winter respiratory infections and infections with epidemic or pandemic infection

A key role of the RSC is to monitor conditions that cause winter pressures on the NHS, as well as provide early warnings of outbreaks, epidemics, and pandemics. The RSC has been collecting data on infections since 1957, conducting sentinel surveillance since 1967 (with virology added in 1993), and serosurveillance from 2000.

Pages 2-6 of this report focus on influenza-like illness (ILI), virology data, and acute respiratory infections (ARI). ILI is the name given to clinically identified flu cases, around half of which will be due to the influenza virus (the other half will be due to other viruses).

#### Measuring the level of circulating influenza

The level of influenza-like illness (ILI) is reported using intensity thresholds (Graph A, page 2 and Table E, page 4). These are calculated using the Moving Epidemic Method (MEM). MEM works by identifying seasonal epidemic peaks and then calculating a baseline threshold and intensity levels based on pre- and post-epidemic rates. This provides a better measure of severity of ILI than simply comparing it to the five-year average rate.

The MEM intensity levels for ILI are defined as follows:

Threshold to Medium Below 40% percentile

Medium to High From 40% to below 90% percentile
High to Very High From 90% to below 97.5% percentile

Above Very High At or above 97.5% percentile

The MEM methodology is used by the UK Health Security Agency (UKHSA) and by the European Centre for Disease Prevention and Control (ECDC) to standardise reporting of influenza activity.

More information about MEM can be found at:

https://www.ecdc.europa.eu/en/news-events/acute-respiratory-infections-eueea-epidemiological-update-and-current-public-health

#### Rate of monitored conditions

Our monitored conditions are reported as the number of new cases each week per 100,000 population. We refer to this as the 'weekly incidence'. All conditions are shown with males and females combined.

The report's population, also called the denominator, is the registered population of RSC practices who share anonymised data for this report. The denominator varies weekly as patients register and deregister; additionally, a practice's data may not be included if there is an issue with data extraction.

#### Five-year averages

In addition to weekly incidence rates, we plot a five-year average for most conditions. Previously a ten-year average was used, but this window was shortened to reflect faster changes in seasonal variations and therefore enable a more meaningful comparison to relevant historic trends. COVID-19 pandemic years are excluded from this calculation for some conditions.

#### Regional rates of monitored conditions

In addition to a national rate, we present regional rates for all monitored conditions for four regions of England. The four RSC regions are aggregated NHS regions:

North NHS North East and Yorkshire, and North West regions

Midlands and East NHS East of England and Midlands regions

South NHS South East and South West regions

**London** NHS London region

#### Reporting of acute respiratory infections (ARI) by age band

In addition to regional rates, we report rates by age band for ARI. We display five age bands: those aged under 1 year, 1-4 years, 5-14 years, 15-64 years, and those aged 65 years and over. We subdivide ARI into four categories:

- influenza-like illness (ILI);
- exacerbations of chronic lung disease (ECLD), mainly asthma and chronic obstructive pulmonary disease (COPD);
- lower respiratory tract infections (LRTI), including bronchitis and pneumonia;
- upper respiratory tract infections (URTI), including tonsilitis and sinusitis.

More information about our classification of ARI can be found at:

https://www.eurosurveillance.org/content/10.2807/1560-7917.ES.2024.29.35.2300682

#### **About the RCGP Research and Surveillance Centre (RSC)**

#### What we do

Established in 1957, the Oxford-Royal College of General Practitioners (RCGP) Research and Surveillance Centre (RSC) is an internationally renowned source of information, analysis and interpretation concerning the onset, patterns, prevalence and trends over time of morbidity in primary care. The RSC provides weekly reports about health and disease: the Weekly Returns Service (WRS). The WRS has been produced since 1967, in collaboration with the UK Health Security Agency (UKHSA) and its predecessor bodies. The University of Oxford currently provides the WRS on behalf of RCGP and UKHSA.

The RSC is active in research and surveillance. In addition to the WRS, the RSC contributes data to UKHSA's Syndromic Surveillance system, and supports vaccine effectiveness studies. The role of general practice members of the RSC is set out in an annual commissioning letter.

Further information about the RSC can be found on our website:

www.rcgp.org.uk/representing-you/research-at-rcgp/research-surveillance-centre

#### Our data extraction process and governance

Data are extracted on behalf of the RSC from practice computerised medical record systems, twice a week by Magentus Data Management, or daily by EMIS-X Analytics (EXA).

Data are pseudonymised as close to source as possible. Data are held on secure servers at the Nuffield Department of Primary Care Health Sciences (NDPCHS) at the University of Oxford. Our systems meet the requirements of the General Data Protection Regulation (GDPR). Further information about the NHS England approval of the RSC's data security can be found at:

https://www.dsptoolkit.nhs.uk/OrganisationSearch/EE133863-MSD-NDPCHS

#### What the data is used for

The WRS monitors the number of patients consulting with new episodes of illness classified by diagnosis in England and provides weekly incidence rates per 100,000 population for these new episodes of illness. It is the key primary care element of the national disease monitoring systems run by the UK Health Security Agency.

In addition to the WRS, the data are used for other research studies. Any other uses of the data for research follow ethical approval or agreement from NIHR proportionate review, and where relevant Health Research Authority Confidential Advisory Group advice that further approval is not needed.

#### Get in touch

For further information about the work of the RSC, or if you would like to be included on our email notification list, please contact:

Director: Professor Simon de Lusignan (Simon.DeLusignanPA@phc.ox.ac.uk)

RCGP Research and Surveillance Centre Policy, Research and Campaigns Royal College of General Practitioners 30 Euston Square London, NW1 2FB Tel: 020 3188 7400 Nuffield Department of Primary Care Health Sciences Gibson Building Radcliffe Observatory Quarter Woodstock Road Oxford, OX2 6GG Tel: 01865 617855



