

REGISTERED
CHARITY

NUMBER 223106

RC
GP

Royal College of General Practitioners

Annual Report 2022-2023

Research & Surveillance Centre

Weekly Returns Service Annual Report 2022-2023

Report contents

Executive summary	1
1. Introduction	2
2. What we do	2
RSC's aim.....	2
Monitoring disease incidence.....	3
Collecting virology and serology samples.....	5
Measuring vaccine effectiveness.....	5
Identifying disparities in the clinical presentation of diseases.....	5
Helping to change clinical practice	6
3. What was new this year.....	6
4. The RSC dataset	6
Our data extraction process and information governance	6
The dataset used for the RSC annual report 22/23.....	7
Representativeness of the RSC sample population.....	7
5. COVID-19 and Influenza	9
Virology sampling programme	9
Serology sampling programme.....	10
Vaccine uptake	11
Vaccine effectiveness	11
6. Disease incidence	12
7. Research Projects.....	13
8. RSC Publications.....	15
9. Contributors	18
10. References	18
11. Appendices.....	19

List of tables

Table 1.	The 38 conditions / groups of conditions monitored by the RCGP RSC network and their mappings to the World Health Organisation’s International Classification of Disease version 10.....	4
Table 2.	Number of serology samples collected in the 2022/23 season.....	10
Table 3.	Influenza vaccine uptake in the RSC practices 2022/23 season	11

List of figures

Figure 1.	The age-sex profile of the RSC sample population compared with the England national population.....	8
Figure 2.	Distribution of RSC member practices among NHS regions in England in the 2022/23 season	9
Figure 3.	RSC’s RSV, Influenza and SARS-CoV-2 Virology Swab Surveillance 2022/23 by viral strain	10

Glossary of abbreviations

AEI	Adverse Events of Interest
ARI	Acute Respiratory Illness
CMMS	Cambridge Multimorbidity Score
CMR	Computerised Medical Record
DSA	Data Sharing Agreement
DSP	Data Security and Protection
EMIS	Egton Medical Information Systems (a CMR provider)
EU	European Union
GDPR	General Data Protection Regulation
GP	General Practice
ICD	International Classification of Diseases
ILI	Influenza-like illness
IMD	Index of Multiple Deprivation
ISO	International Standards Organisation (week)
NHS	National Health Service
ORCHID	Oxford Royal College of General Practitioners Clinical Informatics Digital Hub
PCSC	Primary Care Sentinel Cohort
PHE	Public Health England (superseded by UKHSA on 1 st October 2021)
PRINCIPLE	Platform Randomised trial of treatments in the Community for epidemic and Pandemic illnesses
RCGP	Royal College of General Practitioners
RSC	Research and Surveillance Centre
RSV	Respiratory Syncytial Virus
SOP	Standard Operating Procedures
SQUIRE	Surveillance, quality improvement, research and education
TPP	The Phoenix Partnership, providers of the SystemOne CMR system
UKHSA	UK Health Security Agency
WHO	World Health Organisation

Executive summary

The Oxford-Royal College of General Practitioners (RCGP) Research & Surveillance Centre (RSC) has been collaborating with the UK Health Security Agency (UKHSA) on infectious disease surveillance in primary care for over 50 years. The RSC has produced a Weekly Return of respiratory diseases and other disease surveillance, along with an Annual Report summarising network changes and surveillance highlights of the year. This annual report covers the activities of the RCGP RSC during the 2022/23 season, spanning from the 9th of May 2022 to the 7th of May 2023 (International Standards Organisation (ISO) Week 19 of 2022 to ISO Week 18 of 2023).

The impact of COVID-19 began to diminish during the 2022/23 season, but the RSC continued to expand in both the number of participating practices and its surveillance activities. Most of the 38 conditions monitored by the RSC returned to levels consistent with their five-year historical average in the 2022/23 season.

For virological surveillance, the RSC continued with its sampling programme that covered a range of respiratory infectious viruses. We also continued asymptomatic COVID-19 testing through serology sampling through the 2022/23 season.

The RSC continued to support the vaccine effectiveness studies conducted by the UKHSA, particularly focusing on the safety and effectiveness of COVID-19 vaccines during this season. The RSC continued its assessment of disparities in the clinical presentation of diseases, vaccine uptake and episode typing during this season.

The RSC's general practice network continued to expand during the 2022/23 season, reaching 8,448,735 registrants from 927 practices in week 18 of 2023, compared to 4,860,601 registered patients across 489 practices by week 19 of 2022. Member practices were provided with the opportunity to participate in research studies, including trials, particularly those related to COVID-19 during this season.

During the 2022/23 season, the RSC implemented a range of activities, including research on COVID-19 vaccine safety. We remain committed to continuing our surveillance work and contributing to public health efforts in England.

1. Introduction

Welcome to the Oxford-Royal College of General Practitioners (RCGP) Research and Surveillance Centre's (RSC) Annual Report for 2022-2023. This is our 56th year of infectious disease surveillance in primary care in England ¹. For over half a century, the RSC has produced a Weekly Return of respiratory diseases and other disease surveillance, along with an Annual Report summarising network changes and surveillance highlights of the year. The network's primary area of interest was the surveillance of influenza,² which was extended to include COVID-19 ³ after the outbreak of the pandemic in March 2020. The principal elements of RSC's work are infectious disease surveillance ⁴, virology and serology sampling and vaccine effectiveness studies.

Oxford-RCGP RSC reports the incidence rate of 38 monitored communicable and respiratory conditions in the member practices every week. This surveillance is facilitated by the routinely collected computerised medical records (CMRs) from participating general practices. We detect any abnormal trends in disease incidence, alerting participating practices and the UK Health Security Agency (UKHSA) to the potential risk of a disease outbreak. In addition to disease surveillance supported by CMR, RSC actively collects virology and serology samples ³ from member practices to enhance its respiratory disease surveillance. RSC also shared CMR data to support the vaccine effectiveness analyses carried out by UKHSA and some other research projects.

The number of RSC's participating general practices continued to increase this year. RSC maintains a close relationship with member practices and provides a number of benefits to practices for membership in the network. At the beginning of each surveillance season, a commissioning letter signed off by RCGP and UKHSA, detailing the activities within RSC, is shared with all participating practices. Every week, RSC communicates network updates to member practices through a newsletter. RSC also provides publicly available virology and serology dashboards ⁵ to inform member practices of circulating viruses.

We would like to thank all the member practices and their patients within our network. Without the support of our member practices and the use of their pseudonymised patients' data, we would not be able to carry out our crucial work of monitoring disease rates, assuring the effectiveness of national vaccination programmes, and participating in other research projects.

This report is based on the clinical data and testing results of the samples collected from 489 member practices and brings together the principal elements of our work. It covers the period from the 9th of May 2022 to the 7th of May 2023 (International Standards Organisation (ISO) Week 19 of 2022 to ISO Week 18 of 2023), which includes the entire 2022-2023 winter flu season. We summarise the key surveillance findings of the year and highlight the changes in the RSC surveillance network.

2. What we do

RSC's aim

RSC is dedicated to ensuring the health and safety of communities by implementing comprehensive disease surveillance and conducting advanced research. The scope of RSC's use of data is for Surveillance, Quality Improvement, Research and Education (SQUIRE) purposes ⁶.

RSC builds a nationally representative Primary Care Sentinel Cohort (PCSC) by recruiting member practices across England and Wales, ensuring a wide and balanced geographical distribution. The representativeness of the population was evaluated based on region, age, sex, ethnicity, socioeconomic status (measured by the Index of Multiple Deprivation, IMD), smoking status, obesity status, comorbidities (measured by the Cambridge Multimorbidity Score, CMMS), and frailty (Appendix A).⁷

RSC's pseudonymised patient-level primary care database captures clinical information of patients registered with RSC member practices through the CMR system. We are particularly interested in capturing clinical information on (1) the presentation of symptoms suggestive of respiratory infections such as influenza-like illness (ILI) or acute respiratory illness (ARI); (2) the diagnoses of respiratory infectious diseases, including influenza, COVID-19, and other pathogens; (3) the diagnoses of diseases caused by environmental factors, such as hay fever; and (4) detailed vaccination and some other treatment records of the patients. A subset of the PCSC collects virology swabs and/or blood samples for virological and/or serological analysis.

RSC's disease surveillance was conducted across the PCSC but reported separately for both the entire population and carefully curated risk groups, such as geographical areas and age groups. The purpose was to identify high-risk groups for the monitored conditions.

Monitoring disease incidence

The Oxford-RCGP RSC works in close collaboration with the UKHSA. The principal funding of the RSC is from the UKHSA, this collaboration with UKHSA and its predecessors has been running successfully for over 50 years ¹. The RSC is UKHSA's principal primary care surveillance system, working in collaboration with other sources of health service data. The RSC is recruited to be nationally representative (Appendix A).

Our data feeds into UKHSA's surveillance system, providing an early warning of epidemics or unusual patterns of disease. Our monitoring alerts health services to seasonal events that place pressure on resources, such as the start of seasonal influenza epidemics and allows services to be planned accordingly.

In the 2022/23 season, we monitored on a weekly basis the incidence rate of 38 communicable and respiratory diseases specified by UKHSA (Table 1). The incidence rate was based on the diagnoses recorded by general practitioners in our member practices during the week.

The legal basis of our work with UKHSA is The Health Service (Control of Patient Information) Regulations 2002 which allows data to be disclosed for public health purposes without patient consent in England and Wales. Our surveillance work with UKHSA is under Regulation 3. The specific projects, including the extension to conduct COVID-19 surveillance, were individually approved by the UKHSA Caldicott Guardian, and is renewed on an annual basis. All other studies obtain their own ethical approval.

Table 1. The 38 conditions / groups of conditions monitored by the RCGP RSC network and their mappings to the World Health Organisation's International Classification of Disease version 10

Condition Name	ICD-10
1. Water and Food Borne Disorders	
Intestinal Infections	A00-A0
Viral Hepatitis	B15-B19
Non-infective Enteritis / Colitis	K50-K52
2. Environmentally Sensitive Disorders	
Asthma	J45-J46
Conjunctivitis	H10-H13
Respiratory / Chest symptoms	R05-R07; R09
Hay fever / Allergic Rhinitis	J30
3. Respiratory Infections	
Acute Bronchitis	J20-J21; J4
Laryngitis / Tracheitis	J04
Respiratory disorders	J00-J99
Tonsillitis / Pharyngitis	J02-J03
Infectious Mononucleosis	B27
Common Cold	R05 - R07; R09
Pleurisy	R091
Acute Sinusitis	J01
Upper Respiratory Tract Infection	J00-J06
Lower Respiratory Tract Infection	J20-J22
Influenza-like illness	J09-J11
Pneumonia / Pneumonitis	J12-J18
Strep throat / peritonsillar abscess	A38; J020; J36
Pertussis	A37
Acute Otitis Media	H650-H651; H660; H669
COVID-19 infection	U07
4. Vaccine Sensitive Disorders	
Measles	B05
Mumps	B26
Rubella	B06
5. Skin Contagions	
Bullous Dermatoses	L10-L14
Herpes Zoster	B02
Skin symptoms	R20-R23
Chickenpox	B01
Skin / subcutaneous infection	L00-L08
Impetigo	L01
Herpes Simplex	B00
Scabies	B86
6. Disorders Affecting the Nervous System	
Peripheral Neuropathy	G50-G64; G70-G72
Meningitis and Encephalitis	A170-A171; A390; A83-A85; A87; G00-G05
Musculoskeletal symptoms	R25-R29
7. Genitourinary System Disorders	
Urinary Tract Infection	N30; N390

Collecting virology and serology samples

A subset of the PCSC (n=180) collects virology swabs and/or blood samples for virological and/or serological analysis ⁸. Only virological results are reported back to PCSC practices and the patient, although it must be stressed that this is not a diagnostic service. Practices are reimbursed for each virology and serology sample they submit for laboratory testing and code accurately in the CMR. Both virology and serology samples are transported to UKHSA reference laboratories where they are analysed and stored in dedicated biobanks for onward research.

Virology samples were collected randomly from throat swabs taken from patients presenting with ILI, ARI (including upper respiratory tract infections (URTI) and lower respiratory tract infections (LRTI)) and suspected COVID-19 in RSC participating practices. This is to identify organisms with epidemic or pandemic potential and analyse the details (i.e. sequencing) of the circulating viruses, especially in winter seasons. Virological samples collected in RSC participating practices were analysed in UKHSA's respiratory virus reference laboratory in Colindale, London. The analysis of viruses in the 2022/23 season includes COVID-19, influenza, respiratory syncytial virus (RSV), human metapneumovirus (hMPV), adenoviruses, rhinovirus, enterovirus and other coronaviruses.

Serology samples were obtained opportunistically from volunteer patients attending routine blood tests at sampling practices within the PCSC ⁸. These patients may be having blood tests as part of an acute illness or chronic disease management or prevention, leading to an overrepresentation of risk groups. These samples are primarily used to estimate population exposure to COVID-19 ⁹; however, serological surveillance has also been successfully applied to monitoring levels of population exposure to influenza and diphtheria ⁸. From time to time, samples may also be used for testing antibody levels for other communicable diseases which may be circulating in the community for the effectiveness of associated vaccines. Serology samples are managed by UKHSA's Vaccine Evaluation Unit in Manchester.

Measuring vaccine effectiveness

RSC contributes crucial clinical data for vaccine effectiveness studies carried out by the UKHSA. UKHSA regularly evaluates the effectiveness of influenza vaccines before the COVID-19 pandemic to inform its vaccination policy ¹⁰. During 2022/23, the vaccines that were evaluated using RSC data were the influenza vaccine and the COVID-19 vaccine ⁹. RSC provided patient clinical data and vaccination records to support vaccine uptake studies in both general and target populations and vaccine effectiveness studies on circulating viruses, especially influenza.

Identifying disparities in the clinical presentation of diseases

The richness of RSC's clinical data allows us to identify demographic factors around clinical presentations (Appendix C). The aim of this is to understand any disparities in clinical presentation ⁹, concerning key demographic characteristics. This should guide clinical practice in identifying at-risk groups, and provide a strong basis for public health interventions.

Helping to change clinical practice

The RSC relies on practices agreeing to share their pseudonymised patient data with us – and, in return, their aggregated data provides evidence for research that is used to improve clinical practice and patient outcomes.

We want to provide benefits for our practices beyond their altruism in supporting public health. We pay practices for the time involved in taking specimens and our practice liaison team provide a range of feedback to practices to improve engagement with our work ¹¹, and the quality of data collected. This includes the weekly newsletter and access to real-time dashboards for practices to see the number of microbiological samples they have provided in comparison to the whole RSC network. We continue to encourage high-quality clinical records, such as primary care CMR and vaccine exposure data, to support vaccine effectiveness studies for COVID-19 and influenza vaccines. Member practices also have the opportunity to participate in research studies including trials.

3. What was new this year

In the previous 2021/22 season, the RSC progressively reintroduced virology testing for viruses other than COVID-19. The Moderna COVID-19 vaccine was introduced in the UK as part of Phase 2 of the COVID-19 vaccination program on 13 April 2021.

In this 2022/23 season, we focused on studying vaccine coverage ⁹ and COVID-19 vaccine benefit and risk ¹². We expanded our virology sampling from patients presenting with ILI only to include those presenting with ILI, ARI (including URTI and LRTI) and suspected COVID-19. We developed and validated a new phenotype to improve ARI recording, which was implemented in subsequent seasons ¹¹. A new episode typing algorithm has been applied, removing reliance on clinician-entered data in the computerised medical records. The algorithm uses disease specific interval between relevant observations to distinguish new and ongoing episodes ¹³.

4. The RSC dataset

Our data extraction process and information governance

We have data sharing agreement (DSA) with our RSC member practices. They agree to provide pseudonymised data for “SQuIRE” purposes ⁶, namely surveillance, quality improvement, research and education. Patients who have withheld consent for data sharing, for any reason, are excluded from our analyses. These patients are identified through an ‘opt-out’ code, which the automatic extraction process uses to exclude them.

CMR data from member practices is extracted using a pseudonymised NHS number as the unique key linking identifier, either daily or twice weekly. Data are pseudonymised (this is a process that scrambles any strong identifiers such as name, NHS number, and date of birth) as close to the source as possible, this varies between brands of computer systems, for example, Egton Medical Information Systems (EMIS) and The Phoenix Partnership (TPP) SystmOne. All data transfers are encrypted.

The pseudonymised NHS numbers and pseudonymisation algorithm for data linkage enable us to link data to other data sources at an individual level, without knowing the identity of these individuals. This includes linkage to results held by UKHSA, hospital and death data, and other disease registries.

Additionally, we can link to other data collected from individually consented patients. All of the data were handled following the OXFORD-RCGP RSC Data Management Standard Operating Procedures (SOPs). This met NHS Digital's Data Security and Protection (DSP) Toolkit requirements.

The Oxford Royal College of General Practitioners Clinical Informatics Digital Hub (ORCHID) is compliant with Data Protection Legislation, which relates to the protection of individuals with regard to the Processing of Personal Data to which a Party is subject, including the Data Protection Act 1998 and EU Directive 95/46/EC, and the subsequent General Data Protection Regulation ((EU) 2016/679) ("GDPR"). It is also compliant with the NHS DSP and subject to DSA with all relevant parties.

The dataset used for the RSC annual report 22/23

The dataset used in this report was extracted from the ORCHID database in April 2025. This report covers the period from 9 May 2022 to 7 May 2023 (ISO Week 19 of 2022 to ISO Week 18 of 2023). It includes 4,860,601 registrants from 489 practices in week 19 of 2022 and 8,448,735 registrants from 927 practices in week 18 of 2023. This includes all patients who were registered with one of the RSC member practices for at least one week during the reporting period. The datasets for swabbing results and vaccine effectiveness were defined differently for the specific purposes of the end-of-influenza season report.

For the week-by-week disease incidence graphs, we include episodes of disease in the numerator if the patient was validly registered with a practice within the RSC network at the time of the episode. The denominator includes all registered patients for that particular week.

Representativeness of the RSC sample population

Our goal is to ensure that the RSC database is as representative as the national population, thereby minimising sampling bias in studies conducted using our data. This section presents the demographic (age and gender) breakdown of our sample population for the 2022/23 season and compares it with that of England as a whole. The geographical distribution of the RSC practices is also presented in this section. The sample population includes all patients who were registered with an RSC member practice for at least one week during the reporting period.

The RSC sample population has increased after more practices joined our network this season, but it remains generally representative of the national population in terms of age and sex distribution. However, individuals under 18 years old are slightly under-represented (Figure 1). A detailed age-sex breakdown of the RSC network across NHS regions is presented in Appendix A.

Age Sex Profile




Figure 1. The age-sex profile of the RSC sample population compared with the England national population

Note: the bars show the number of patients within our dataset, by gender and age band, and the lines show the distribution of the corresponding population of England as a whole.

We aim to maintain a balanced geographical distribution of the RSC member practices by varying our priorities for recruitment. The distribution of the RSC member practices in the 2022/23 season is presented in Figure 2.




Figure 2. Distribution of RSC member practices among NHS regions in England in the 2022/23 season

5. COVID-19 and Influenza

Work on COVID-19 and influenza is the central part of the RSC's activity in the 2022/23 season. In addition to surveillance of the weekly incidence of influenza-like illness, we conducted a programme of virological swabbing throughout the flu season and analysed vaccine uptake and effectiveness.

Virology sampling programme

In the 2021/22 season, virology testing for viruses other than SARS-CoV-2 was progressively reintroduced. By the 2022/23 season, the RSC's virology sampling programme had returned to its normal operating mode. A total of 11,115 virology samples were collected in RSC in the 2022/23 season (Figure 3), more than double the number (11,115) collected in the previous season.




Figure 3. RSC's RSV, Influenza and SARS-CoV-2 Virology Swab Surveillance 2022/23 by viral strain

Serology sampling programme

In the 2022/23 season, a total of 27,880 serology samples were collected, of which 24,714 were linkable to the RSC's primary care data (Table 2). Most of the samples (99.3%) were taken from the adult population.

Table 2. Number of serology samples collected in the 2022/23 season

Age band	Number of Samples Collected	Number of Samples Matched
Missing*	847	0
<1yr	13	10
1-4yrs	3	3
5-14yrs	55	50
15-24yrs	606	480
25-44yrs	4039	2659
45-64yrs	8835	7718
65-74yrs	6677	5907
75-84yrs	5461	4824
85+yrs	1344	1184
Total	27880	22835

*Age was missing in the serology sample data

Vaccine uptake

At RSC, we monitor the uptake of the influenza vaccine in the population groups outlined in the flu vaccination program rolled out by UKHSA¹⁴. The extended flu vaccination programme was still running this season, which covered risk groups and adults aged 50-64 years.

In the 2022/23 season, the influenza vaccine uptake in the over 65 years group was satisfactory (77%), while the uptake was comparatively low in pregnant women (22%) and children aged 4-17 (36%) (Table 3).

GP records are of high quality for vaccinations carried out in primary care. However, where vaccinations are carried out outside primary care, data about these may not reach the primary care CMR¹⁵.

Table 3. Influenza vaccine uptake in the RSC practices 2022/23 season

Eligible group	Total eligible population	Vaccine coverage
Adults aged 65+	3,976,031	77%
Adults aged 55-64	4,112,635	47%
Children aged 4-17	3,172,784	33%
Children aged 2-3	443,933	43%
Pregnant women	341,952	22%
Risk group patients*	2,241,008	30%
Other**	8,400,783	4%
All patients	22,689,126	32%

* Risk groups are outlined in the flu vaccination program rolled out by UKHSA

** The "other" group tend to be carers and health workers

Vaccine effectiveness

RSC data was one of the primary data sources for UKHSA's evaluation of COVID-19 and influenza vaccine effectiveness and safety during the 2022/23 season. The text below is taken from the published evaluations.

We used a self-controlled case series design to estimate relative incidence (RI) of AEs reported to the national sentinel network, the Oxford-Royal College of General Practitioners Clinical Informatics Digital Hub. We compared AEs (overall and by clinical category) 7 days pre- and post-vaccination to background levels between 1 October 2020 and 12 September 2021.

Overall, medically attended adverse events of interest (AEIs) decreased post-vaccination against background levels. There was a 3-7% decrease in incidence within 7 days after both doses of Comirnaty (RI: 0.93; 95% CI: 0.91-0.94 and RI: 0.96; 95% confidence interval (CI): 0.94-0.98, respectively) and Vaxzevria (RI: 0.97; 95% CI: 0.95-0.98). A 20% increase was observed after one dose of Spikevax (RI: 1.20; 95% CI: 1.00-1.44). Fewer AEIs were reported as age increased. Types of AEIs, e.g. increased neurological and psychiatric conditions, varied between brands following two doses of Comirnaty (RI: 1.41; 95% CI: 1.28-1.56) and Vaxzevria (RI: 1.07; 95% CI: 0.97-1.78)¹⁶.

While it is recognised that COVID-19 vaccines are associated with a small increase in incidence of rare but serious adverse events, there has been less reporting of other milder and more common

AEIs. Against a list of prespecified medically attended AEIs, we found there was no increase in incidence following vaccination with either dose of Comirnaty or Vaxzevria, or the second dose of Spikevax. Standardised reporting of AEIs, possibly via sentinel systems, could provide safety data complementary to other mechanisms for monitoring vaccine safety.

6. Disease incidence

At RSC, we monitor and report the incidence of 38 conditions in our weekly disease surveillance reports. The incidence was presented by regions and age bands, and it was also compared with our 5-year average (Appendix B).

Graphs showing the weekly incidence of all monitored conditions in the 2022/23 season are included in Appendix B. These graphs follow the same format as those in the RSC weekly surveillance report but are presented as an annual amalgamation. The five-year average presented in the graphs was calculated using data from the 5-year period prior to the start of the season.

Disparities in the presentation of monitored conditions (Appendix C) indicate that health inequalities linked to deprivation, ethnicity, and rurality strongly influence the distribution of monitored conditions in England. Respiratory and infectious diseases are more frequently recorded among patients registered with practices in more deprived areas, highlighting a persistent association between deprivation and overall disease burden. Ethnic variation is also evident, with infections such as viral hepatitis and intestinal infections occurring more often among Asian and Black populations, while some respiratory conditions, including asthma and acute bronchitis, are more common among White groups.

There is no uniform urban–rural gradient across all monitored conditions. Many chronic and respiratory disorders show elevated rates in rural practices, possibly reflecting demographic structure (older populations), occupational exposures, and patterns of healthcare utilisation. In contrast, several communicable diseases and environmentally driven infections remain more frequent in urban and conurbation areas, consistent with higher population density and transmission opportunities. Age-related patterns are also apparent, with children and older adults contributing most to respiratory and infectious disease presentations.

The data are presented in this report by disease chapter. The key points for each chapter are as follows:

Water and food-borne disorders: Presentations of intestinal infections were slightly below the 5-year average during this season, although the London area recorded higher rates between January and March 2023. The incidence of non-infective enteritis/colitis and viral hepatitis mostly aligned with the 5-year average.

Environmentally-sensitive disorders: Asthma incidence remained slightly below the 5-year average in 2022 before rising modestly above average in early 2023. The North West region experienced a peak in asthma presentations in week 26 of 2022. The incidence of conjunctivitis was below the 5-year average in 2022 and returned to average levels in 2023 within the same season. The incidences of hay fever/allergic rhinitis and respiratory/chest symptoms were largely consistent with the 5-year average; however, respiratory/chest symptoms showed a notable peak in weeks 50 and 51 of 2022.

Respiratory infections: The incidence rates of acute bronchitis, pleurisy, and pertussis were slightly lower than the 5-year average throughout the 2022/23 season. Common cold, pneumonia/pneumonitis, lower respiratory tract infections, and acute otitis media were slightly below or aligned with the 5-year average overall, but each showed a modest peak during the winter season. Influenza-like illness, respiratory disorders, strep throat/peritonsillar abscess, tonsillitis/pharyngitis and upper respiratory tract infections were generally in line with the 5-year average, except for a significantly higher peak during the winter season. The incidences of laryngitis/tracheitis, acute sinusitis and infectious mononucleosis were in line with the 5-year average. COVID-19 incidence peaked in June and July 2022, with two subsequent, smaller peaks observed in October and December.

Vaccine-sensitive disorders: The incidence rates of measles, mumps and rubella were slightly below the 5-year average in the 2022/23 season.

Skin contagions: During the 2022/23 season, the incidence rates of bullous dermatoses, chickenpox, scabies, and impetigo largely aligned with the 5-year average. Herpes simplex, herpes zoster, skin/subcutaneous infection and skin symptoms were slightly below the 5-year average.

Disorders affecting the nervous system: Peripheral neuropathy, musculoskeletal symptoms and meningitis and encephalitis rates were mostly at the 5-year average in the 2022/23 season.

Genitourinary system disorders: The national incidence rate of urinary tract infections was considerably lower than the 5-year average in the 2022/23 season.

7. Research Projects

Project name	Funder	Documents
I-MOVE-COVID Multidisciplinary European network for research, prevention and control of the COVID-19 Pandemic	European Commission H2020	Publication
Health PROS - The impact of automated international comparisons using routine large-scale databases to improve diabetes care	European Commission H2020	
Development of Robust and Innovative Vaccine Effectiveness (DRIVE)	Innovative Medicines Initiative 2 (IMI 2)	Webpage Publication 1 Publication 2
EHDEN European Health Data & Evidence Network (Data Partner)	IMI2	Webpage
Data and Connectivity: COVID-19 Vaccine Uptake, Safety and Effectiveness (DaCVaP-2)	Health Data Research UK (HDR UK)	Webpage
Remote-by-Default Care in the COVID-19 Pandemic: addressing the micro-, meso-, and macro-level challenges of a radical new service model	ESRC Economic & Social Research Council	
Measuring the use and impact of social prescribing through a common outcomes framework		

The dynamics of frailty in older people: modelling impact on health care demand and outcomes to inform service planning and commissioning	National Institute for Health and Care Research (NIHR) Health and Social Care Delivery Research (HSDR)	
Long Covid Multidisciplinary Consortium: Optimising Treatments and services across the NHS	NIHR	
Long Covid Multidisciplinary Consortium: Optimising Treatments and services across the NHS	NIHR	
CASNET2: Evaluation of an e-safety netting cancer template in primary care: a pragmatic stepped-wedge RCT	Cancer Research UK	Publication
Audit-based education to implement NICE Do-Not-Do recommendations in people with cardiometabolic multimorbidity (MONITORY): a cluster randomised trial	NIHR Applied Research Collaborations (ARC)	Protocol
Integrated Network for Surveillance, Trials and Investigations into COVID-19 Transmission (INSTINCT)		
Oxford-RCGP RSC quinquagenarian (QQG) practice network. Creating a longitudinal linked sentinel database of 50 years clinical and virology data and prospective research	Wellcome Trust	
IID3 - The third study of Infectious Intestinal Disease in the UK	Food Standards Agency	Webpage Publication
The impact of the COVID-19 pandemic on childhood vaccination uptake and vaccine preventable disease in England	University of Oxford COVID-19 Research Response Fund Call 4	Publication
RAPid community Testing fOR COVID-19 (RAPTOR-C19)	University of Oxford MSD: COVID-19 Research Response Fund (SPCR grant)	Publication
Oxford's IREF pilot - Engaging patients		
Effectiveness of the Adjuvanted Trivalent Inactivated Influenza Vaccine in Preventing Influenza-like Illness During the 2018-2019 and 2019-2020 Influenza Season in Adults ≥ 65 Years in the United Kingdom	Seqirus	Publication
Variation in renal function in people with non-valvular atrial fibrillation (NVAf)	B-MSUK Bristol-Myers Squibb Pharmaceuticals Ltd	
Epidemiology of thrombotic thrombocytopenia syndrome in integrated health-care database in England -Secondary data analysis using a cohort design	AstraZeneca	

Epidemiology of thrombotic thrombocytopenia syndrome in integrated health-care database in England -Secondary data analysis using a cohort design	AstraZeneca	
Real-world effectiveness of the Oxford/AstraZeneca COVID-19 vaccine in England (RAVEN)	AstraZeneca	Publication
RSV ComNet: Disease burden of RSV in young children in primary care: Italy, United Kingdom and the Netherlands, winter of 2020/21	NIVEL/Sanofi Pasteur SA	Protocol Publication 1 Publication 2
RSV ComNet: Disease burden of RSV in young children in primary care: Italy, United Kingdom and the Netherlands, winter of 2021/22 (RSV ComNet III)	NIVEL/Sanofi Pasteur SA	
HEALD	GSK	
PIAMS study - effect of Point of care testing for Influenza on AntiMicrobial Stewardship in primary care in the UK		Protocol Publication 1 Publication 2
COMBI-KID	MSD	

8. RSC Publications

1. de Lusignan S, Alexander H, Broderick C, Dennis J, McGovern A, Feeney C, Flohr C. Atopic dermatitis and risk of autoimmune conditions: Population-based cohort study. *J Allergy Clin Immunol*. 2022 Sep;150(3):709-713. doi: 10.1016/j.jaci.2022.03.030. Epub 2022 Apr 22. PMID: 35469843.
2. Geretti AM, Austin H, Villa G, Smith C, Sabin C, Tsang R, Sherlock J, Ferreira F, Byford R, Meza-Torres B, Whyte M, de Lusignan S. Hepatitis B virus infection in general practice across England: An analysis of the Royal College of General Practitioners Research and Surveillance Centre real-world database. *J Infect*. 2023 May;86(5):476-485. doi: 10.1016/j.jinf.2023.03.001. Epub 2023 Mar 9. PMID: 36906152.
3. Leston M, Elson WH, Watson C, Lakhani A, Aspden C, Bankhead CR, Borrow R, Button E, Byford R, Elliot AJ, Fan X, Hoang U, Linley E, Macartney J, Nicholson BD, Okusi C, Ramsay M, Smith G, Smith S, Thomas M, Todkill D, Tsang RS, Victor W, Williams AJ, Williams J, Zambon M, Howsam G, Amirthalingam G, Lopez-Bernal J, Hobbs FDR, de Lusignan S. Representativeness, Vaccination Uptake, and COVID-19 Clinical Outcomes 2020-2021 in the UK Oxford-Royal College of General Practitioners Research and Surveillance Network: Cohort Profile Summary. *JMIR Public Health Surveill*. 2022 Dec 19;8(12):e39141. doi: 10.2196/39141. PMID: 36534462; PMCID: PMC9770023.
4. Holmes S, Harries M, Macbeth AE, Chiu WS, de Lusignan S, Messenger AG, Tziotzios C. Alopecia areata and risk of atopic and autoimmune conditions: population-based cohort study. *Clin Exp Dermatol*. 2023 Mar 22;48(4):325-331. doi: 10.1093/ced/llac104. PMID: 36689337.
5. Dambha-Miller H, Hinton W, Wilcox CR, Joy M, Feher M, de Lusignan S. Mortality in COVID-19 among women on hormone replacement therapy: a retrospective cohort study. *Fam Pract*. 2022 Nov 22;39(6):1049-1055. doi: 10.1093/fampra/cmab041. PMID: 35577349; PMCID: PMC9129218.

6. Messenger AG, Harries M, Macbeth AE, Chiu WS, Holmes S, Tziotzios C, de Lusignan S. Alopecia areata and risk of common infections: a population-based cohort study. *Clin Exp Dermatol*. 2023 Mar 22;48(4):332-338. doi: 10.1093/ced/llac106. PMID: 36702574.
7. Nicholson BD, Turner PJ, Fanshawe TR, Williams AJ, Amirthalingam G, Tonner S, Zambon M, Body R, Davies K, Perera R, de Lusignan S, Hayward GN, Hobbs FDR; RAPTOR-C19 Study Group and the CONDOR Steering Committee. Evaluation of the diagnostic accuracy of two point-of-care tests for COVID-19 when used in symptomatic patients in community settings in the UK primary care COVID diagnostic accuracy platform trial (RAPTOR-C19). *PLoS One*. 2023 Jul 21;18(7):e0288612. doi: 10.1371/journal.pone.0288612. PMID: 37478103; PMCID: PMC10361479.
8. Joy M, Williams J, Emanuel S, Kar D, Fan X, Delanerolle G, Field BC, Heiss C, Pollock KG, Sandler B, Arora J, Sheppard JP, Feher M, Hobbs FR, de Lusignan S. Trends in direct oral anticoagulant (DOAC) prescribing in English primary care (2014-2019). *Heart*. 2023 Jan 11;109(3):195-201. doi: 10.1136/heartjnl-2022-321377. PMID: 36371664.
9. Whitaker H, Tsang RSM, Button E, Andrews N, Byford R, Borrow R, Hobbs FDR, Brooks T, Howsam G, Brown K, Macartney J, Gower C, Okusi C, Hewson J, Sherlock J, Linley E, Tripathy M, Otter AD, Williams J, Tonge S, de Lusignan S, Amirthalingam G. Sociodemographic disparities in COVID-19 seroprevalence across England in the Oxford RCGP primary care sentinel network. *J Infect*. 2022 Jun;84(6):814-824. doi: 10.1016/j.jinf.2022.04.016. Epub 2022 Apr 9. PMID: 35405169; PMCID: PMC8993757.
10. Bauwens J, de Lusignan S, Weldesselassie YG, Sherlock J, Künzli N, Bonhoeffer J. Safety of routine childhood vaccine coadministration versus separate vaccination. *BMJ Glob Health*. 2022 Sep;7(9):e008215. doi: 10.1136/bmjgh-2021-008215. PMID: 36162867; PMCID: PMC9516064.
11. Hoang U, Button E, Armstrong M, Okusi C, Ellis J, Zambon M, Anand S, Delanerolle G, Hobbs FDR, van Summeren J, Paget J, de Lusignan S. Assessing the Clinical and Socioeconomic Burden of Respiratory Syncytial Virus in Children Aged Under 5 Years in Primary Care: Protocol for a Prospective Cohort Study in England and Report on the Adaptations of the Study to the COVID-19 Pandemic. *JMIR Res Protoc*. 2022 Aug 25;11(8):e38026. doi: 10.2196/38026. PMID: 35960819; PMCID: PMC9415952.
12. Hoang U, de Lusignan S, Joy M, Sherlock J, Williams J, Bankhead C, Howsam G, Thomas M, Snape MD, Hobbs FDR, Pollard AJ. National rates and disparities in childhood vaccination and vaccine-preventable disease during the COVID-19 pandemic: English sentinel network retrospective database study. *Arch Dis Child*. 2022 Aug;107(8):733-739. doi: 10.1136/archdischild-2021-323630. Epub 2022 Mar 31. PMID: 35361613; PMCID: PMC8983403.
13. Bagaria J, Jansen T, Marques DF, Hooiveld M, McMennamin J, de Lusignan S, Vilcu AM, Meijer A, Rodrigues AP, Brytting M, Mazagatos C, Cogdale J, van der Werf S, Dijkstra F, Guiomar R, Enkirch T, Valenciano M; I-MOVE-COVID-19 study team. Rapidly adapting primary care sentinel surveillance across seven countries in Europe for COVID-19 in the first half of 2020: strengths, challenges, and lessons learned. *Euro Surveill*. 2022 Jun;27(26):2100864. doi: 10.2807/1560-7917.ES.2022.27.26.2100864. PMID: 35775429; PMCID: PMC9248262.
14. Aspden C, Anand S, Ferreira F, Jamie G, Byford R, Joy M, De Lusignan S. Interdisciplinary Informatics to Support Primary Care Sentinel Surveillance of Respiratory Infectious Disease Including COVID-19: Donabedian Evaluation. *Stud Health Technol Inform*. 2022 Aug 31;298:137-141. doi: 10.3233/SHTI220923. PMID: 36073472.

15. Sinnathamby MA, Warburton F, Reynolds AJ, Cottrell S, O'Doherty M, Domegan L, O'Donnell J, Johnston J, Yonova I, Elgohari S, Boddington NL, Andrews N, Ellis J, de Lusignan S, McMenamin J, Pebody RG. An intercountry comparison of the impact of the paediatric live attenuated influenza vaccine (LAIV) programme across the UK and the Republic of Ireland (ROI), 2010 to 2017. *Influenza Other Respir Viruses*. 2023 Feb 13;17(2):e13099. doi: 10.1111/irv.13099. PMID: 36824392; PMCID: PMC9942272.
16. de Lusignan S, Hobbs FDR, Liyanage H, Sherlock J, Ferreira F, Tripathy M, Heiss C, Feher M, Joy MP. Long term follow up of direct oral anticoagulants and warfarin therapy on stroke, with all-cause mortality as a competing risk, in people with atrial fibrillation: Sentinel network database study. *PLoS One*. 2022 Sep 1;17(9):e0265998. doi: 10.1371/journal.pone.0265998. PMID: 36048754; PMCID: PMC9436094.
17. de Lusignan S, McGovern A, Hinton W, Whyte M, Munro N, Williams ED, Marcu A, Williams J, Ferreira F, Mount J, Tripathy M, Konstantara E, Field BCT, Feher M. Barriers and Facilitators to the Initiation of Injectable Therapies for Type 2 Diabetes Mellitus: A Mixed Methods Study. *Diabetes Ther*. 2022 Oct;13(10):1789-1809. doi: 10.1007/s13300-022-01306-z. Epub 2022 Sep 2. PMID: 36050586; PMCID: PMC9500132.
18. Espinosa-Gonzalez A, Prociuk D, Fiorentino F, Ramtale C, Mi E, Mi E, Glampson B, Neves AL, Okusi C, Husain L, Macartney J, Brown M, Browne B, Warren C, Chowla R, Heaversedge J, Greenhalgh T, de Lusignan S, Mayer E, Delaney BC. Remote COVID-19 Assessment in Primary Care (RECAP) risk prediction tool: derivation and real-world validation studies. *Lancet Digit Health*. 2022 Sep;4(9):e646-e656. doi: 10.1016/S2589-7500(22)00123-6. Epub 2022 Jul 28. PMID: 35909058; PMCID: PMC9333950.
19. Mayor N, Meza-Torres B, Okusi C, Delanerolle G, Chapman M, Wang W, Anand S, Feher M, Macartney J, Byford R, Joy M, Gatenby P, Curcin V, Greenhalgh T, Delaney B, de Lusignan S. Developing a Long COVID Phenotype for Postacute COVID-19 in a National Primary Care Sentinel Cohort: Observational Retrospective Database Analysis. *JMIR Public Health Surveill*. 2022 Aug 11;8(8):e36989. doi: 10.2196/36989. PMID: 35861678; PMCID: PMC9374163.
20. Whyte MB, Joy M, Hinton W, McGovern A, Hoang U, van Vlymen J, Ferreira F, Mount J, Munro N, de Lusignan S. Early and ongoing stable glycaemic control is associated with a reduction in major adverse cardiovascular events in people with type 2 diabetes: A primary care cohort study. *Diabetes Obes Metab*. 2022 Jul;24(7):1310-1318. doi: 10.1111/dom.14705. Epub 2022 Apr 18. PMID: 35373891; PMCID: PMC9320871.
21. Feher M, Hinton W, Forbes A, Munro N, Joy M, Wheeler D, de Lusignan S. Sodium-Glucose Cotransporter-2 Inhibitor and Glucagon-Like Peptide-1 Receptor Agonist Combination Therapy in Type 2 Diabetes: Protocol for a Kidney End Points Real-world Study (COMBi-KID Study). *JMIR Res Protoc*. 2022 Jul 19;11(7):e34206. doi: 10.2196/34206. PMID: 35852840; PMCID: PMC9346560.
22. Dambha-Miller H, Hinton W, Wilcox CR, Lemanska A, Joy M, Feher M, Stuart B, de Lusignan S, Hippisley-Cox J, Griffin S. Mortality from angiotensin-converting enzyme-inhibitors and angiotensin receptor blockers in people infected with COVID-19: a cohort study of 3.7 million people. *Fam Pract*. 2023 Mar 28;40(2):330-337. doi: 10.1093/fampra/cmz094. PMID: 36003039; PMCID: PMC9452130.
23. Meza-Torres B, Delanerolle G, Okusi C, Mayor N, Anand S, Macartney J, Gatenby P, Glampson B, Chapman M, Curcin V, Mayer E, Joy M, Greenhalgh T, Delaney B, de Lusignan S. Differences in Clinical Presentation With Long COVID After Community and Hospital Infection and Associations

With All-Cause Mortality: English Sentinel Network Database Study. *JMIR Public Health Surveill.* 2022 Aug 16;8(8):e37668. doi: 10.2196/37668. PMID: 35605170; PMCID: PMC9384859.

24. Tsang RS, Joy M, Byford R, Robertson C, Anand SN, Hinton W, Mayor N, Kar D, Williams J, Victor W, Akbari A, Bradley DT, Murphy S, O'Reilly D, Owen RK, Chuter A, Beggs J, Howsam G, Sheikh A, Hobbs FR, de Lusignan S. Adverse events following first and second dose COVID-19 vaccination in England, October 2020 to September 2021: a national vaccine surveillance platform self-controlled case series study. *Euro Surveill.* 2023 Jan;28(3):2200195. doi: 10.2807/1560-7917.ES.2023.28.3.2200195. PMID: 36695484; PMCID: PMC9853944.

9. Contributors

University of Oxford

Xinchun Gu, Neil Deo, Martin Waugh, Uy Hoang, Elizabeth Button, Karina O'Neill, Filipa Ferreira, Simon de Lusignan

UK Health Security Agency

Conall Watson, Nick Andrews, Maria Zambo, Jamie Lopez-Bernal

Royal College of General Practitioner

Dr Rosa Lau, Dr Nicholas Thomas

XG wrote this report. ND and MW completed the data extraction and visualisation. SdeL, UH, EB, KO, and FF contributed to the report. JLB, MZ, NA, and CW managed the surveillance services during the season. SdeL, RL and NT managed the Oxford-RCGP RSC work.

10. References

1. de Lusignan S, Correa A, Smith GE, et al. RCGP Research and Surveillance Centre: 50 years' surveillance of influenza, infections, and respiratory conditions. *Br J Gen Pract* 2017;67(663):440-41. doi: 10.3399/bjgp17X692645
2. de Lusignan S, Lopez Bernal J, Zambon M, et al. Emergence of a Novel Coronavirus (COVID-19): Protocol for Extending Surveillance Used by the Royal College of General Practitioners Research and Surveillance Centre and Public Health England. *JMIR Public Health Surveill* 2020;6(2):e18606. doi: 10.2196/18606 [published Online First: 20200402]
3. de Lusignan S, Hobbs FDR, Sheikh A. Lessons from the English primary care sentinel network's response to the COVID-19 pandemic. *The Lancet Infectious Diseases* 2024;24(1):14-16. doi: 10.1016/S1473-3099(23)00736-3
4. Ziegler T, Moen A, Zhang W, et al. Global Influenza Surveillance and Response System: 70 years of responding to the expected and preparing for the unexpected. *The Lancet* 2022;400(10357):981-82. doi: [https://doi.org/10.1016/S0140-6736\(22\)01741-X](https://doi.org/10.1016/S0140-6736(22)01741-X)
5. ORCHID. Practice Dashboards and Observatories 2025 [cited 2025 8 Aug]. Available from: <https://orchid.phc.ox.ac.uk/surveillance/dashboards-and-observatories-portal>.

6. de Lusignan S, Jones N, Dorward J, et al. The Oxford Royal College of General Practitioners Clinical Informatics Digital Hub: Protocol to Develop Extended COVID-19 Surveillance and Trial Platforms. *JMIR Public Health Surveill* 2020;6(3):e19773. doi: 10.2196/19773 [published Online First: 20200702]
7. Leston M, Elson WH, Watson C, et al. Representativeness, Vaccination Uptake, and COVID-19 Clinical Outcomes 2020-2021 in the UK Oxford-Royal College of General Practitioners Research and Surveillance Network: Cohort Profile Summary. *JMIR Public Health Surveill* 2022;8(12):e39141. doi: 10.2196/39141 [published Online First: 20221219]
8. de Lusignan S, Borrow R, Tripathy M, et al. Serological surveillance of influenza in an English sentinel network: pilot study protocol. *BMJ Open* 2019;9(3):e024285. doi: 10.1136/bmjopen-2018-024285 [published Online First: 20190308]
9. Whitaker H, Tsang RSM, Button E, et al. Sociodemographic disparities in COVID-19 seroprevalence across England in the Oxford RCGP primary care sentinel network. *J Infect* 2022;84(6):814-24. doi: 10.1016/j.jinf.2022.04.016 [published Online First: 20220409]
10. de Lusignan S, Lopez Bernal J, Byford R, et al. Influenza and Respiratory Virus Surveillance, Vaccine Uptake, and Effectiveness at a Time of Cocirculating COVID-19: Protocol for the English Primary Care Sentinel System for 2020-2021. *JMIR Public Health Surveill* 2021;7(2):e24341. doi: 10.2196/24341 [published Online First: 20210219]
11. Elson WH, Jamie G, Wimalaratna R, et al. Validation of an acute respiratory infection phenotyping algorithm to support robust computerised medical record-based respiratory sentinel surveillance, England, 2023. *Euro Surveill* 2024;29(35) doi: 10.2807/1560-7917.Es.2024.29.35.2300682
12. Meeraus W, Joy M, Ouwers M, et al. AZD1222 effectiveness against severe COVID-19 in individuals with comorbidity or frailty: The RAVEN cohort study. *J Infect* 2024;88(4):106129. doi: 10.1016/j.jinf.2024.106129 [published Online First: 20240229]
13. Jamie G, Elson W, Kar D, et al. Phenotype execution and modeling architecture to support disease surveillance and real-world evidence studies: English sentinel network evaluation. *JAMIA Open* 2024;7(2):ooae034. doi: 10.1093/jamiaopen/ooae034 [published Online First: 20240510]
14. Annual flu programme 2013 [cited 2024 27 June]. Available from: <https://www.gov.uk/government/collections/annual-flu-programme> accessed 27 June 2024.
15. de Lusignan S, Hoghton M, Rafi I. Flu vaccination by pharmacists leads to suboptimal medical records. *BMJ* 2017;359:j5084. doi: 10.1136/bmj.j5084
16. Tsang RS, Joy M, Byford R, et al. Adverse events following first and second dose COVID-19 vaccination in England, October 2020 to September 2021: a national vaccine surveillance platform self-controlled case series study. *Euro Surveill* 2023;28(3) doi: 10.2807/1560-7917.Es.2023.28.3.2200195

11. Appendices

Appendix A

Representativeness of the Oxford-RCGP RSC


This section shows the demographic (age and gender) breakdown of our sample population, and how it compares with that of England as a whole. This report covers the period 9th May 2022 to the 7th of May 2023 (ISO Week 19 of 2022 to ISO Week 18 of 2023). This includes all patients who were registered for at least one week during the reporting period, within a practice from the RCGP RSC network for which we received data.

Age Sex Breakdown by NHS Region

NHS Region	Gender	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	F	3,375	18,438	53,904	50,014	125,433	124,757	52,123	38,364	18,864
	M	3,722	19,237	56,453	51,467	125,891	126,467	50,333	32,993	11,675
North West	F	7,598	39,236	109,425	110,032	253,552	217,792	84,532	63,474	30,530
	M	8,053	41,060	115,054	111,545	270,997	236,185	83,433	54,899	19,070
East of England	F	3,068	17,196	48,824	43,490	113,834	102,802	38,149	30,505	16,544
	M	3,249	18,113	50,797	44,402	109,631	106,152	35,888	25,841	10,270
London	F	13,178	67,175	171,230	194,921	558,850	305,067	85,177	55,578	29,048
	M	14,131	70,658	178,985	187,123	598,596	351,104	81,527	44,498	17,820
Midlands	F	8,199	41,675	117,129	118,809	260,985	247,963	100,773	79,429	38,834
	M	8,584	44,054	122,820	122,972	270,213	258,369	97,562	69,131	24,453
South East	F	9,170	48,619	139,022	136,667	319,574	293,295	109,566	87,117	46,067
	M	9,805	51,413	146,952	140,505	324,118	303,818	104,078	74,244	28,342
South West	F	3,425	17,578	50,708	57,468	130,404	114,006	47,740	37,649	19,056
	M	3,507	19,195	53,284	57,896	136,255	117,057	45,536	32,778	12,137
National	F	48,013	249,917	690,242	711,401	1,762,632	1,405,682	518,060	392,116	198,943
	M	51,051	263,730	724,345	715,910	1,835,701	1,499,152	498,357	334,384	123,767

We work very hard to ensure that the demographics of our sample population closely resemble the country as a whole. This correspondence can be seen in the age-sex profile below; the bars show the number of patients within our dataset, broken down by gender and age-band, and the lines show the distribution of the corresponding population of England as a whole.


Age Sex Profile



The trends of sum of MalePop, sum of MaleONS, sum of FemalePop and sum of FemaleONS for Age in 5-year age bands. Color shows details about Gender.

As can be seen from the map below, practices within the Network are spread across England in order to reflect the distribution of the population as a whole. We vary our priorities for recruiting to try to ensure an even spread of practices.

Distribution of RSC practices among NHS regions in England



NHS Regions

- | | |
|----------------------------|--------------|
| ■ East of England | ■ North West |
| ■ London | ■ South East |
| ■ Midlands | ■ South West |
| ■ North East and Yorkshire | |

Appendix B


Weekly incidence of the conditions monitored
by the Oxford-RCGP RSC

1. Water and Food Borne Disorders:


■ National
 ■ London
 ■ North East and Yorkshire
 ■ South East
 ■ 5yr Avg

■ East of England
 ■ Midlands
 ■ North West
 ■ South West


Intestinal Infections (All ages) (ICD10 : A00-A09)



Intestinal Infections (0-4 years) (ICD10 : A00-A09)




Non-infective Enteritis / Colitis (ICD10 : K50-K52)






Viral Hepatitis (ICD10 : B15-B19)




2. Environmentally Sensitive Disorders:

■ National
 ■ East of England
 ■ North East and Yorkshire
 ■ South East
 ■ 5yr Avg
■ London
 ■ Midlands
 ■ North West
 ■ South West


Asthma (ICD10 : J45 - J46)




Conjunctivitis (ICD10 : H10 - H13)



Hayfever/Allergic Rhinitis (ICD10: J30)







3. Respiratory Infections:




Acute Bronchitis (ICD10: J20-J21,J4)



Common Cold (ICD10 : R05 - R07; R09)




Influenza-like illness (ICD10 : J09 - J11)







Laryngitis / Tracheitis (ICD10 : J04)



Pleurisy (ICD10 : R091)




Pneumonia / Pneumonitis (ICD10 : J12 - J18)







Respiratory disorders (ICD10 : J00-J99)



Acute Sinusitis (ICD10 : J01)




Strep throat / peritonsillar abscess (ICD10 : A38; J020; J36)




■ National
 ■ East of England
 ■ North East and Yorkshire
 ■ South East
 ■ 5yr Avg
■ London
 ■ Midlands
 ■ North West
 ■ South West


Tonsillitis / Pharyngitis (ICD10 : J02 - J03)



Upper Respiratory Tract Infections (ICD10 : J00 - J06)




Pertussis (ICD10 : A37)




■ National
 ■ East of England
 ■ North East and Yorkshire
 ■ South East
 ■ 5yr Avg
■ London
 ■ Midlands
 ■ North West
 ■ South West


Infectious Mononucleosis (ICD10 : B27)



Lower Respiratory Tract Infections (ICD10 : J20-J22)




Acute Otitis Media (ICD10 : H650 - H651; H660; H669)




4. Vaccine Sensitive Disorders:




Measles (ICD10 : B05)



Mumps (ICD10 : B26)




Rubella (ICD10 : B06)




5. Skin Contagions:

■ National ■ East of England ■ North East and Yorkshire ■ South East ■ 5yr Avg
■ London ■ Midlands ■ North West ■ South West


Bullous Dermatoses (ICD10 : L10 - L14)



Chickenpox (ICD10 : B01)




Herpes Simplex (ICD10 : B00)




■ National
 ■ East of England
 ■ North East and Yorkshire
 ■ South East
 ■ 5yr Avg
■ London
 ■ Midlands
 ■ North West
 ■ South West


Herpes Zoster (ICD10 : B02)



Skin / subcutaneous infections (ICD10 : L00 - L08)




Scabies (ICD10 : B86)






Skin symptoms (ICD10 : R20 - R23)




Impetigo (ICD10 - L01)




6. Disorders Affecting the Nervous System:

■ National ■ East of England ■ North East and Yorkshire ■ South East ■ 5yr Avg
■ London ■ Midlands ■ North West ■ South West


Peripheral Neuropathy (ICD10 : G50 - G64; G70 - G72)



Meningitis and Encephalitis (ICD10 : A170 - A171; A 390; A83 - A85; A87; G00 - G05)




Musculoskeletal symptoms (ICD10 : R25 - R29)






7. Genitourinary System Disorders:




Urinary Tract Infections (ICD10 : N30; N390)



Weekly disease incidence by age group






Appendix C


Disparities in the presentation of monitored conditions
by age and gender, ethnicity, socioeconomic status
(measured using IMD) and rurality

Intestinal Infections (ICD10 : A00-A09)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Viral Hepatitis (ICD10 : B15-B19)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Non-infective Enteritis / Colitis (ICD10 : K50-K52)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




2. Environmentally Sensitive Disorders:

Asthma (ICD10 : J45 - J46)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Respiratory / chest symptoms (ICD10 : R05 - R07; R09)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living






Hayfever/Allergic Rhinitis (ICD10: J30)

Age-sex profile




Age Band	Condition Female Rate	Condition Male Rate	Condition Female Population	Condition Male Population
<1yr	0.45	0.47	131	120
1-4yrs	2.92	5.66	847	1,456
5-14yrs	16.03	27.97	4,655	7,197
15-24yrs	14.11	14.88	4,096	3,830
25-44yrs	35.78	25.99	10,388	6,687
45-64yrs	20.59	16.52	5,979	4,252
65-74yrs	5.72	5.04	1,662	1,296
75-84yrs	3.38	2.68	982	689
85+yrs	1.01	0.80	294	207




Conjunctivitis (ICD10 : H10 - H13)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




3. Respiratory Infections:

Acute Bronchitis (ICD10: J20-J21,J4)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Common Cold (ICD10 : R05 - R07; R09)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Influenza-like illness (ICD10 : J09 - J11)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Laryngitis / Tracheitis (ICD10 : J04)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Pleurisy (ICD10 : R091)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Pneumonia / Pneumonitis (ICD10 : J12 - J18)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Respiratory disorders (ICD10 : J00-J99)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Acute Sinusitis (ICD10 : J01)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Strep throat / peritonsillar abscess (ICD10 : A38; J020; J36)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Tonsillitis / Pharyngitis (ICD10 : J02 - J03)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Upper Respiratory Tract Infections (ICD10 : J00 - J06)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Pertussis (ICD10 : A37)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Infectious Mononucleosis (ICD10 : B27)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living



Lower Respiratory Tract Infections (ICD10 : J20-J22)


Age-sex profile




Age Band	Condition Female Rate	Condition Male Rate	Condition Female Population	Condition Male Population
<1yr	3.42	6.62	7,994	12,549
1-4yrs	8.27	13.18	19,344	24,975
5-14yrs	4.22	6.70	9,868	12,690
15-24yrs	4.12	3.52	9,647	6,667
25-44yrs	17.62	11.99	41,235	22,719
45-64yrs	25.69	21.52	60,110	40,787
65-74yrs	14.38	14.77	33,644	27,984
75-84yrs	13.50	14.40	31,592	27,282
85+yrs	8.78	7.32	20,532	13,865

■ Condition Female Rate
 ■ Condition Male Rate
 ■ RSC Female Rate
 ■ RSC Male Rate


Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Acute Otitis Media (ICD10 : H650 - H651; H660; H669)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group







Conurbation, Urban and Rural Living



4. Vaccine Sensitive Disorders:


Measles (ICD10 : B05)

Age-sex profile




Mumps (ICD10 : B26)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Rubella (ICD10 : B06)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group







Conurbation, Urban and Rural Living



5. Skin Contagions:


Bullous Dermatoses (ICD10 : L10 - L14)

Age-sex profile




Chickenpox (ICD10 : B01)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Herpes Simplex (ICD10 : B00)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Herpes Zoster (ICD10 : B02)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Skin / subcutaneous infections (ICD10 : L00 - L08)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Scabies (ICD10 : B86)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Skin symptoms (ICD10 : R20 - R23)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Impetigo (ICD10 - L01)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




6. Disorders Affective the Nervous System:

Peripheral Neuropathy (ICD10 : G50 - G64; G70 - G72)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Meningitis and Encephalitis (ICD10 : A170 - A171; A 390; A83 - A85; A87; G00 - G05)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




Musculoskeletal symptoms (ICD10 : R25 - R29)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group




Conurbation, Urban and Rural Living




7. Genitourinary System Disorders

Urinary Tract Infections (ICD10 : N30; N390)


Age-sex profile




Index of Multiple Deprivation (IMD)



Ethnic group



Conurbation, Urban and Rural Living



Appendix D

Numeric data tables matching Appendix B

These data tables show the incidence of monitored diseases by age, gender and region, by 4-week period, quarter and year. We are also including disparities for each individual condition.

1. Water and Food Borne Disorders:

Mean weekly incidence rate per 100,000 Persons.

Intestinal Infectious Diseases (ICD10: A00-A09)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	59	53	18	5	5	5	5	7	6	56	55	17	7	6	6	6	6	7
	2	67	52	16	6	5	5	7	7	4	54	42	15	8	8	6	7	7	6
	3	66	40	13	4	5	4	5	5	6	64	38	12	7	7	7	6	7	7
	4	49	27	8	4	5	5	4	5	7	39	26	6	6	7	6	7	8	5
	5	49	25	10	5	4	5	4	5	4	39	24	8	6	6	6	6	6	7
	6	54	37	11	5	4	4	5	7	6	33	31	9	6	7	6	6	7	7
	7	55	36	13	4	4	4	5	5	4	52	32	10	6	6	6	6	6	5
	8	57	43	16	5	5	4	5	6	5	53	42	13	6	6	5	5	5	7
	9	39	30	10	4	3	4	3	5	7	44	24	8	6	5	4	5	6	9
	10	56	46	13	4	4	4	4	5	5	54	38	12	6	6	4	5	6	6
	11	63	58	15	4	4	4	5	6	7	62	47	14	6	6	5	6	6	9
	12	69	55	15	4	4	4	6	4	6	51	46	13	6	7	5	6	7	7
	13	55	40	12	4	4	4	5	5	6	50	37	11	5	6	5	4	5	7
Quarter	1	64	48	16	5	5	5	6	6	5	58	45	15	7	7	6	6	7	6
	2	51	30	10	5	4	5	5	6	6	39	28	8	6	6	6	6	7	6
	3	51	39	13	4	4	4	4	5	5	51	34	11	5	6	5	5	6	7
	4	63	51	14	4	4	4	5	5	6	54	43	13	6	6	5	6	6	8
Year	22/23	57	42	13	5	4	4	5	6	6	50	37	12	6	6	6	6	6	7
Episodes	F/N	1,490	5,209	4,633	1,533	3,858	3,213	1,186	881	281	1,242	4,404	3,909	1,976	5,138	3,828	1,477	1,156	557

Mean weekly incidence rate per 100,000 Persons.

Intestinal Infectious Diseases (ICD10: A00-A09)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	61	54	16	4	5	5	6	9	5	56	56	14	7	8	6	6	6	9
		2	46	29	11	4	4	6	7	7	7	25	27	8	6	6	5	4	8	6
		3	70	46	12	5	5	4	3	6	6	64	37	11	7	6	5	4	5	9
		4	62	42	13	4	5	5	5	7	6	71	36	12	5	7	5	7	7	15
	Year	22/23	60	42	13	4	5	5	5	7	6	54	39	11	6	7	5	5	7	10
	Episodes	F/N	116	394	364	107	284	315	135	108	28	95	348	299	153	395	344	140	120	76
North West	Quarter	1	72	52	16	5	7	5	6	7	10	52	48	13	7	7	7	7	8	6
		2	64	37	10	5	6	6	5	6	6	48	29	9	7	7	7	7	6	10
		3	52	39	14	5	5	4	6	7	6	58	38	11	6	7	6	6	7	11
		4	70	49	13	5	5	5	6	5	8	59	46	11	6	7	6	5	7	10
	Year	22/23	64	44	13	5	6	5	6	6	7	54	40	11	6	7	7	6	7	9
	Episodes	F/N	266	864	728	269	730	585	231	159	56	213	752	602	323	831	715	264	211	116
East of England	Quarter	1	62	45	13	4	5	4	4	7	3	51	41	15	6	6	5	6	9	7
		2	46	24	7	4	3	2	4	5	5	34	27	8	6	7	5	4	4	5
		3	70	36	11	4	3	3	4	6	5	29	33	6	5	5	4	5	4	5
		4	71	47	13	3	3	2	4	4	7	64	42	10	5	5	4	4	5	2
	Year	22/23	62	38	11	4	3	3	4	5	5	44	36	9	5	6	4	5	5	5
	Episodes	F/N	108	332	271	80	178	161	70	66	21	73	295	230	112	309	222	89	80	33
Midlands	Quarter	1	47	46	12	5	5	5	6	6	5	55	39	14	6	6	5	7	6	6
		2	52	25	8	5	4	4	4	5	5	43	27	5	5	6	5	6	6	6
		3	47	36	11	4	4	3	4	4	6	43	29	8	5	5	4	4	6	8
		4	40	43	11	4	4	4	5	5	5	41	37	9	5	6	4	5	6	5
	Year	22/23	46	37	10	4	4	4	5	5	5	45	33	9	5	6	4	6	6	6
	Episodes	F/N	202	783	621	253	540	507	217	166	52	189	654	503	289	686	546	276	226	95
London	Quarter	1	74	56	21	6	5	5	4	7	5	60	51	19	8	7	7	6	7	7
		2	55	37	14	5	4	4	6	5	4	40	33	12	7	6	6	7	7	2
		3	45	45	18	6	4	4	4	5	3	49	38	16	6	6	5	5	5	7
		4	75	65	22	5	5	4	5	7	7	53	55	21	8	7	7	8	5	9
	Year	22/23	62	50	19	5	4	4	5	6	5	50	44	17	7	7	6	7	6	6
	Episodes	F/N	443	1,627	1,634	462	1,183	722	184	120	35	339	1,359	1,392	628	1,622	945	275	156	76
South East	Quarter	1	59	40	14	4	5	5	6	5	5	60	38	13	7	7	7	6	6	6
		2	36	26	7	4	4	5	4	6	7	31	22	6	7	6	6	6	8	6
		3	45	34	10	3	5	4	5	6	5	59	31	10	5	5	4	5	6	5
		4	62	50	11	4	3	4	5	5	6	57	40	10	4	6	4	5	6	8
	Year	22/23	50	37	11	4	4	4	5	6	6	51	32	10	5	6	5	6	6	6
	Episodes	F/N	254	917	765	255	667	669	251	191	66	246	752	661	342	949	773	318	268	118
South West	Quarter	1	67	40	14	4	5	5	6	6	3	75	40	12	7	6	6	5	6	4
		2	50	23	7	5	5	4	4	4	5	39	22	6	5	6	5	6	4	5
		3	56	29	10	3	3	4	4	4	4	48	25	8	3	5	5	4	5	7
		4	44	35	7	3	4	4	4	4	6	41	29	10	5	5	4	4	6	6
	Year	22/23	54	32	9	4	4	4	4	5	5	50	29	9	5	6	5	5	5	5
	Episodes	F/N	101	292	250	107	276	254	98	71	23	87	244	222	129	346	283	115	95	43

Mean weekly incidence rate per 100,000 Persons.

Viral Hepatitis (ICD10: B15-B19)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	0	0	0	1	1	0	0	1	0	0	0	0	1	0	0	0	0
	2	0	0	0	0	1	1	0	0	0	0	0	0	0	1	1	0	0	0
	3	0	0	0	0	1	1	0	0	1	0	0	0	0	1	1	0	0	0
	4	0	0	0	0	1	1	1	0	0	1	0	0	0	1	0	0	0	0
	5	0	0	0	0	1	1	0	0	0	1	0	0	0	1	0	0	0	0
	6	1	0	0	0	1	1	0	0	0	0	0	0	0	1	0	0	0	0
	7	0	0	0	0	1	1	0	0	0	0	0	0	0	1	1	0	0	0
	8	0	0	0	0	1	1	1	0	1	0	0	0	0	1	1	0	0	0
	9	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	1	1	1	0	0	0	0	0	0	1	0	0	0	0
	11	0	0	0	0	1	1	0	0	0	0	0	0	0	1	1	0	0	0
	12	0	0	0	0	1	1	0	0	1	0	0	0	0	0	0	0	0	0
	13	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
Quarter	1	0	0	0	0	1	1	0	0	0	0	0	0	0	1	1	0	0	0
	2	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	0	0	0
	3	0	0	0	0	1	1	1	0	0	0	0	0	0	1	0	0	0	0
	4	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
Year	22/23	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	0	0	0
Episodes	F/N	3	12	19	66	621	717	120	38	14	2	6	13	46	437	341	73	29	9

Mean weekly incidence rate per 100,000 Persons.

Viral Hepatitis (ICD10: B15-B19)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	0	0	0	1	1	1	0	1	0	0	0	1	1	1	0	0	0
		2	0	0	0	0	1	1	0	0	1	0	0	0	0	1	0	0	0	0
		3	0	0	0	0	1	1	0	0	1	0	0	0	0	1	0	0	0	0
		4	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	0	0	0
	Year	22/23	0	0	0	0	1	1	0	0	1	0	0	0	0	1	0	0	0	0
	Episodes	F/N	0	2	3	6	72	46	7	1	3	0	0	0	7	43	23	5	0	0
North West	Quarter	1	0	0	0	0	1	1	1	0	1	0	0	0	0	1	1	0	0	0
		2	1	0	0	0	1	1	0	0	0	0	0	0	0	1	1	0	0	0
		3	0	0	0	0	1	1	1	0	0	0	0	0	0	1	1	0	0	0
		4	0	0	0	0	1	2	0	0	1	0	0	0	0	1	1	0	0	0
	Year	22/23	0	0	0	0	1	1	1	0	0	0	0	0	0	1	1	0	0	0
	Episodes	F/N	1	1	0	3	120	171	22	6	3	0	1	1	3	68	67	9	8	2
East of England	Quarter	1	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0
		2	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	1
		3	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	1
		4	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	Year	22/23	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	0	0	6	24	27	4	4	1	0	0	2	7	25	6	1	2	2
Midlands	Quarter	1	1	0	0	0	1	1	0	0	0	0	0	0	0	0	1	0	0	0
		2	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0
		3	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
	Year	22/23	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	1	2	3	11	74	84	14	2	1	1	2	4	5	48	37	12	3	0
London	Quarter	1	0	0	0	0	1	2	1	0	1	0	0	0	0	1	1	0	0	1
		2	1	0	0	0	1	1	1	1	1	0	0	0	0	1	1	1	0	0
		3	0	0	0	0	1	2	2	1	1	0	0	0	0	1	1	1	0	0
		4	0	0	0	0	1	1	1	1	1	0	0	0	0	1	1	1	0	0
	Year	22/23	0	0	0	0	1	1	1	1	1	0	0	0	0	1	1	1	0	0
	Episodes	F/N	1	3	7	28	185	225	37	15	4	0	1	3	17	144	134	22	11	4
South East	Quarter	1	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	0	0	0
		2	0	0	0	0	1	1	1	0	0	1	0	0	0	1	0	0	0	0
		3	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0
	Year	22/23	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	2	4	6	82	102	24	6	2	1	1	1	4	71	51	16	4	1
South West	Quarter	1	0	1	0	0	1	1	1	0	0	0	1	0	0	1	0	0	0	0
		2	0	0	0	0	1	1	1	0	0	0	0	0	0	1	1	0	0	0
		3	0	0	0	0	1	1	1	0	0	0	0	0	0	1	0	0	0	0
		4	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	Year	22/23	0	0	0	0	1	1	1	0	0	0	0	0	0	1	0	0	0	0
	Episodes	F/N	0	2	2	6	64	62	12	4	0	0	1	2	3	38	23	8	1	0

Mean weekly incidence rate per 100,000 Persons.

Non-infective Enteritis and Colitis (ICD10: K50-K52)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	43	5	1	2	3	5	6	7	5	38	5	1	2	3	5	5	6	5
	2	63	6	1	2	4	4	6	9	5	57	5	1	3	4	6	7	6	6
	3	48	5	1	2	4	5	6	8	6	52	5	1	2	3	5	7	8	7
	4	47	6	1	2	3	4	6	8	4	41	5	1	2	4	6	6	6	6
	5	45	4	1	2	3	4	7	6	4	37	4	1	2	3	5	7	7	4
	6	43	6	1	3	4	5	7	7	6	43	4	1	2	4	6	7	7	6
	7	54	7	1	3	3	5	6	6	6	45	4	1	2	4	5	6	7	5
	8	47	5	1	2	3	5	6	6	4	47	5	1	3	4	5	6	7	5
	9	43	4	1	2	2	4	4	5	3	33	2	1	2	3	4	6	6	4
	10	64	5	1	3	4	4	6	6	5	52	5	1	2	4	6	7	7	3
	11	62	5	1	3	3	4	7	7	7	45	4	1	2	4	5	7	6	3
	12	48	5	1	2	3	4	5	6	6	48	6	1	2	4	4	6	7	6
	13	66	5	1	2	4	4	6	8	4	47	4	1	2	4	4	6	7	6
Quarter	1	52	6	1	2	3	5	6	8	5	49	5	1	2	4	5	6	7	6
	2	45	5	1	2	3	4	6	7	5	41	5	1	2	4	5	6	7	5
	3	50	5	1	2	3	4	6	6	4	43	4	1	2	4	5	6	6	4
	4	61	5	1	2	3	4	6	7	6	47	5	1	2	4	5	6	7	5
Year	22/23	52	5	1	2	3	4	6	7	5	45	5	1	2	4	5	6	7	5
Episodes	F/N	1,363	656	390	788	2,870	3,169	1,442	1,089	252	1,116	539	282	712	3,030	3,446	1,625	1,237	411

Mean weekly incidence rate per 100,000 Persons.

Non-infective Enteritis and Colitis (ICD10: K50-K52)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	81	5	1	2	3	5	8	8	6	56	3	0	3	4	5	8	5	10
		2	48	4	1	2	2	5	5	6	6	51	3	1	2	4	6	7	8	4
		3	48	6	1	3	4	3	5	4	1	69	4	0	3	5	5	8	7	5
		4	74	4	1	3	2	4	6	6	3	59	4	1	3	5	4	9	8	7
	Year	22/23	62	5	1	2	3	4	6	6	4	59	4	1	3	4	5	8	7	6
	Episodes	F/N	121	44	29	59	184	271	151	92	18	104	34	24	64	261	314	209	128	50
North West	Quarter	1	65	5	1	3	4	6	6	9	2	46	4	1	2	4	6	7	7	9
		2	54	5	1	2	4	5	6	8	2	39	6	0	2	4	6	6	7	5
		3	51	4	1	3	3	5	6	6	5	48	4	1	2	4	5	7	7	4
		4	78	6	1	2	4	4	5	7	3	52	6	0	2	4	5	7	6	5
	Year	22/23	62	5	1	3	4	5	6	7	3	46	5	1	2	4	6	7	7	6
	Episodes	F/N	255	97	52	136	466	558	239	186	23	181	96	37	103	474	609	279	203	72
East of England	Quarter	1	62	7	0	3	4	4	7	8	6	74	8	1	3	3	5	5	6	3
		2	76	9	1	2	4	4	6	8	3	73	6	1	2	3	4	5	7	4
		3	86	7	1	2	2	4	3	6	4	61	7	1	2	3	5	4	5	5
		4	71	9	3	3	3	3	6	6	5	81	6	1	2	4	4	5	5	3
	Year	22/23	74	8	1	3	4	4	5	7	4	72	7	1	2	3	5	5	6	3
	Episodes	F/N	129	71	33	54	186	190	97	86	19	119	55	20	48	173	236	97	89	24
Midlands	Quarter	1	41	5	1	2	3	5	5	8	4	50	4	1	2	4	5	6	7	6
		2	40	5	1	2	3	4	5	7	5	39	5	1	3	4	4	7	6	3
		3	60	5	1	2	3	4	5	5	6	50	2	1	2	3	5	6	6	6
		4	69	4	1	2	4	4	6	6	7	55	5	0	2	4	5	5	7	5
	Year	22/23	53	5	1	2	3	4	5	7	5	48	4	1	2	4	5	6	7	5
	Episodes	F/N	230	99	57	116	438	533	253	216	53	202	85	35	109	445	603	317	251	76
London	Quarter	1	37	4	1	2	3	4	5	9	9	33	5	1	2	3	5	5	5	5
		2	36	5	1	2	3	3	7	7	5	32	3	1	2	3	4	5	7	2
		3	36	4	1	3	3	4	6	7	6	33	4	1	2	3	4	4	5	4
		4	36	3	1	3	3	4	5	7	6	34	4	1	2	3	4	5	7	3
	Year	22/23	36	4	1	2	3	4	6	7	6	33	4	1	2	3	4	5	6	4
	Episodes	F/N	260	132	104	200	754	597	225	155	45	225	121	88	187	727	589	196	165	43
South East	Quarter	1	60	7	2	2	4	5	7	8	5	68	6	1	2	5	5	7	8	5
		2	49	6	1	2	4	5	8	7	7	44	5	1	2	5	7	7	7	8
		3	55	5	1	3	4	5	6	6	3	36	4	1	3	5	6	6	7	4
		4	73	7	1	2	4	4	6	8	7	43	5	0	2	5	5	7	7	6
	Year	22/23	59	6	1	2	4	5	7	7	6	47	5	1	2	5	6	7	7	6
	Episodes	F/N	300	151	97	158	614	721	339	256	67	226	111	62	150	696	817	366	290	109
South West	Quarter	1	40	9	1	2	4	5	5	8	7	32	4	0	2	4	5	6	6	4
		2	30	6	0	4	4	6	7	6	5	35	5	1	2	4	4	8	7	7
		3	39	6	1	2	3	6	6	3	4	32	4	1	3	5	5	8	6	3
		4	37	5	1	2	4	4	6	8	6	37	4	1	2	4	5	5	6	5
	Year	22/23	36	7	1	2	4	5	6	6	5	34	4	1	2	4	5	7	6	5
	Episodes	F/N	68	62	18	65	228	299	138	98	27	59	37	16	51	254	278	161	111	37

2. Environmentally Sensitive Disorders:

Mean weekly incidence rate per 100,000 Persons.

Asthma (ICD10: J45-J46)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	24	16	6	7	7	7	5	6	2	14	13	10	11	10	9	7	5
	2	1	20	17	10	10	9	8	7	6	1	15	15	12	13	11	11	10	5
	3	0	16	14	8	8	7	8	7	7	0	14	13	9	11	10	9	7	6
	4	1	11	11	6	8	7	8	8	6	0	9	10	9	10	10	9	8	4
	5	3	17	16	7	7	7	6	6	4	2	12	11	11	9	9	8	7	6
	6	1	20	18	8	8	9	9	8	7	1	16	14	14	14	12	10	9	5
	7	0	22	21	8	10	9	9	8	6	1	14	15	13	14	12	10	9	8
	8	0	19	23	9	11	11	11	10	9	1	16	18	14	16	14	12	11	8
	9	1	15	16	9	10	9	9	7	7	0	11	13	12	15	13	10	7	9
	10	0	19	23	12	14	14	12	10	12	2	13	20	16	19	18	13	13	12
	11	0	17	21	11	14	13	10	12	9	0	13	18	15	19	18	13	12	12
	12	2	15	19	11	12	12	11	9	5	1	16	16	14	17	15	14	12	8
	13	1	15	14	7	7	7	7	6	4	0	13	14	10	10	9	9	7	4
Quarter	1	0	20	16	8	8	8	7	7	6	1	14	14	10	12	10	10	8	5
	2	1	17	15	7	8	8	8	7	6	1	13	12	12	11	11	9	8	6
	3	0	18	21	10	12	11	10	9	9	1	13	17	14	16	14	11	10	10
	4	1	16	18	10	11	11	9	9	6	0	14	16	13	16	14	12	11	8
Year	22/23	1	18	18	9	10	9	9	8	7	1	13	15	12	14	12	11	9	7
Episodes	F/N	21	2,194	6,288	2,947	8,384	6,952	2,110	1,240	337	15	1,597	4,959	3,990	11,022	8,640	2,705	1,724	597

Mean weekly incidence rate per 100,000 Persons.

Asthma (ICD10: J45 - J46)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	2	23	14	8	9	8	8	3	6	0	16	15	8	11	9	10	7	6
		2	0	17	14	7	8	8	6	6	7	0	13	13	9	12	10	6	7	5
		3	0	17	24	8	12	11	9	8	8	0	16	18	14	16	14	11	6	8
		4	0	13	18	9	10	10	9	8	4	2	15	15	11	13	13	12	9	3
	Year	22/23	1	17	18	8	10	9	8	6	6	1	15	15	11	13	11	10	8	5
	Episodes	F/N	1	163	495	208	590	600	204	100	29	1	134	407	258	799	716	248	137	42
North West	Quarter	1	1	21	15	8	10	9	9	8	9	2	18	12	10	12	12	11	9	5
		2	0	17	14	6	9	8	9	7	5	1	14	11	11	13	11	10	7	4
		3	0	20	22	11	12	11	12	10	9	2	17	19	15	19	14	10	11	8
		4	0	14	18	11	12	11	8	8	5	0	13	16	15	17	14	12	11	9
	Year	22/23	0	18	17	9	11	10	9	8	7	1	15	15	13	15	13	11	10	6
	Episodes	F/N	1	356	973	477	1,386	1,140	385	205	55	5	288	786	660	1,809	1,381	461	287	80
East of England	Quarter	1	0	22	15	8	9	8	6	6	4	0	15	13	12	14	10	7	5	3
		2	2	19	13	9	6	8	9	6	2	0	16	9	11	11	11	11	7	6
		3	0	17	17	10	14	10	8	9	5	0	12	16	14	16	16	10	6	11
		4	2	19	20	10	12	11	10	9	6	0	16	16	17	16	14	13	9	7
	Year	22/23	1	19	16	9	10	9	8	8	4	0	15	13	14	14	13	10	7	7
	Episodes	F/N	2	169	409	196	538	497	143	92	17	0	122	323	277	755	642	198	101	50
Midlands	Quarter	1	0	20	16	8	10	8	6	8	6	2	13	17	11	12	10	8	8	5
		2	1	15	18	7	9	8	7	7	6	1	12	14	12	13	11	9	7	4
		3	2	18	19	9	13	11	8	8	9	2	13	17	14	18	14	11	9	9
		4	4	18	19	11	14	12	10	10	8	0	17	16	14	19	17	13	13	9
	Year	22/23	2	18	18	9	11	10	8	8	7	1	14	16	13	16	13	10	9	7
	Episodes	F/N	7	374	1,106	506	1,467	1,267	374	263	72	5	275	906	699	1,915	1,626	511	342	107
London	Quarter	1	0	17	16	7	7	7	8	7	8	0	9	12	9	10	10	10	9	9
		2	3	16	15	7	6	7	8	8	10	1	12	11	10	9	9	11	12	8
		3	0	14	19	9	9	9	12	11	4	0	10	15	11	12	13	12	12	14
		4	0	12	17	9	8	9	9	9	6	0	11	16	10	13	13	10	10	9
	Year	22/23	1	15	17	8	8	8	9	9	7	0	11	13	10	11	11	11	11	10
	Episodes	F/N	5	478	1,464	705	2,088	1,335	354	182	51	1	333	1,106	902	2,678	1,648	441	283	120
South East	Quarter	1	1	21	17	8	8	8	7	6	5	0	15	14	10	12	10	10	7	4
		2	2	17	15	8	8	8	7	7	5	1	12	12	14	11	11	8	9	8
		3	0	20	23	10	12	12	11	8	12	2	14	17	14	17	16	14	12	10
		4	1	19	20	10	12	12	10	10	6	0	14	17	13	17	15	12	10	9
	Year	22/23	1	19	19	9	10	10	9	8	7	1	14	15	13	14	13	11	10	8
	Episodes	F/N	5	474	1,345	588	1,549	1,497	443	275	78	3	315	1,028	817	2,144	1,872	587	403	151
South West	Quarter	1	0	17	13	10	10	8	8	7	7	0	17	14	13	12	12	11	7	4
		2	0	19	17	8	10	9	8	9	4	0	11	12	12	14	12	9	8	5
		3	0	20	25	13	14	13	10	8	11	0	18	19	16	19	15	10	13	7
		4	0	21	19	8	14	12	11	8	6	0	15	19	16	16	15	14	9	9
	Year	22/23	0	20	19	10	12	11	9	8	7	0	15	16	14	15	13	11	10	6
	Episodes	F/N	0	180	496	267	766	616	207	123	35	0	130	403	377	922	755	259	171	47

Mean weekly incidence rate per 100,000 Persons.

		Symptoms involving Respiratory & Chest (ICD10: R05-R07,R09)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	673	583	183	94	99	191	361	498	560	553	494	180	154	173	259	383	474	479
	2	701	530	205	105	115	208	401	529	605	569	493	191	170	194	272	419	499	517
	3	663	519	174	97	101	189	371	503	558	564	472	172	151	178	257	391	472	475
	4	488	314	96	91	93	185	363	510	544	387	296	97	141	148	239	384	458	467
	5	514	376	137	105	92	175	331	452	525	439	305	127	158	150	231	350	436	432
	6	890	699	221	124	121	229	431	574	663	719	627	209	212	224	315	457	544	598
	7	1,043	818	243	130	132	239	441	590	672	859	754	234	218	237	340	468	554	568
	8	1,337	1,218	651	198	173	283	491	636	709	1,162	1,197	650	305	356	414	535	622	652
	9	980	670	319	167	182	314	522	685	807	835	636	327	260	350	463	573	685	750
	10	925	698	306	139	151	280	521	665	747	758	649	308	231	274	388	548	640	655
	11	882	631	248	132	147	262	483	674	788	738	585	247	209	256	358	519	622	660
	12	854	586	227	112	128	234	440	587	664	686	549	229	190	226	322	468	558	618
	13	625	391	156	100	115	209	392	536	597	538	367	159	157	190	286	424	500	516
Quarter	1	679	544	187	99	105	196	377	510	574	562	486	181	158	181	263	398	482	490
	2	683	502	158	109	106	201	383	521	591	563	450	152	176	182	272	405	490	507
	3	1,088	880	412	166	166	286	502	654	745	919	836	412	262	318	414	541	635	672
	4	804	548	218	117	132	238	444	604	685	668	516	221	188	228	326	477	566	602
Year	22/23	813	618	244	123	127	231	427	573	650	677	571	241	197	228	319	455	544	568
Episodes	F/N	21,360	77,331	86,746	41,601	109,559	169,916	104,121	89,624	32,618	16,789	67,823	81,751	64,360	184,309	221,477	116,724	101,165	46,666

Mean weekly incidence rate per 100,000 Persons.

Symptoms involving Respiratory and Chest (ICD10: R05 - R07; R09)

			M									F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
North East and Yorkshire	Quarter	1	712	523	181	107	116	219	411	564	714	522	477	180	177	197	287	443	548	576	
		2	707	468	147	111	117	233	418	580	689	526	370	138	197	195	299	457	568	583	
		3	1,104	778	356	174	178	315	536	710	810	849	752	360	290	328	421	569	692	710	
		4	757	460	193	118	135	256	482	656	813	584	433	192	198	227	333	515	627	665	
	Year	22/23	819	556	219	127	137	256	462	629	756	619	506	216	216	237	335	496	609	634	
	Episodes	F/N	1,595	5,216	6,167	3,199	8,292	16,248	11,475	9,713	3,590	1,098	4,557	5,817	5,146	14,308	21,087	12,909	11,110	4,969	
North West	Quarter	1	957	678	222	122	134	253	457	603	680	818	630	220	197	236	346	514	617	593	
		2	846	559	193	131	138	254	468	618	683	723	519	186	210	240	352	521	613	611	
		3	1,381	1,043	466	196	216	364	607	766	907	1,224	1,035	467	320	415	543	685	812	824	
		4	1,000	627	253	143	164	298	541	695	808	800	598	265	233	286	422	610	706	746	
	Year	22/23	1,044	725	283	149	163	292	518	671	770	889	694	284	241	295	416	583	687	694	
	Episodes	F/N	4,305	14,278	16,094	7,940	20,966	34,173	21,220	17,128	5,917	3,494	13,050	15,374	12,290	34,956	45,055	24,426	20,587	8,666	
East of England	Quarter	1	586	472	153	88	93	155	316	435	491	433	411	156	139	142	211	313	388	390	
		2	589	464	132	102	92	160	323	443	500	473	407	128	154	156	219	342	424	422	
		3	879	743	348	144	149	225	408	540	609	670	710	342	223	260	329	430	512	547	
		4	661	486	176	96	113	194	379	560	578	540	434	176	146	186	246	387	448	491	
	Year	22/23	677	541	202	108	112	184	357	495	545	529	491	200	166	186	252	369	444	463	
	Episodes	F/N	1,179	4,760	5,087	2,299	5,875	9,666	6,328	6,059	2,318	872	4,071	4,850	3,398	10,065	12,864	7,025	6,491	3,225	
Midlands	Quarter	1	644	537	185	94	111	200	384	511	567	566	484	178	159	197	266	395	466	440	
		2	669	478	151	106	117	210	384	508	589	549	434	149	176	197	274	385	464	469	
		3	1,129	895	416	169	192	315	518	665	745	918	844	427	276	361	426	537	610	633	
		4	827	549	215	116	143	248	437	601	683	685	529	225	191	245	331	451	542	572	
	Year	22/23	818	614	241	122	141	243	431	572	647	679	572	245	201	250	324	442	521	530	
	Episodes	F/N	3,571	12,926	14,640	7,098	18,071	31,196	20,712	18,526	6,373	2,828	11,401	14,101	11,016	30,689	40,021	22,146	19,634	8,398	
London	Quarter	1	543	468	179	83	84	168	354	479	510	473	412	164	123	146	241	382	467	486	
		2	578	455	152	88	81	166	360	510	548	494	401	136	131	142	246	392	481	501	
		3	863	753	381	141	121	225	457	594	700	757	708	364	200	243	367	508	591	652	
		4	652	487	214	103	106	196	419	563	623	587	455	209	150	190	300	445	539	591	
	Year	22/23	659	541	231	104	98	189	398	537	596	577	493	218	152	180	289	432	520	558	
	Episodes	F/N	4,711	17,506	20,013	9,031	26,756	31,785	15,391	11,107	4,308	3,897	15,280	18,034	13,275	44,184	42,406	17,733	13,631	6,761	
South East	Quarter	1	726	583	194	106	113	182	348	467	521	584	515	189	177	192	238	351	433	475	
		2	774	583	165	123	114	194	353	486	568	630	532	163	206	194	256	367	444	486	
		3	1,229	1,014	461	176	184	280	471	621	710	1,060	951	468	292	352	395	508	607	669	
		4	947	642	233	123	147	236	410	569	632	765	610	232	216	256	314	449	530	572	
	Year	22/23	919	706	263	132	140	223	396	537	609	760	653	263	224	249	301	419	504	551	
	Episodes	F/N	4,664	17,374	19,007	8,764	21,540	33,457	20,229	18,631	6,995	3,637	15,138	18,003	14,048	37,018	43,694	22,768	20,816	10,411	
South West	Quarter	1	594	520	168	96	102	194	338	498	581	425	454	164	153	178	234	351	432	473	
		2	580	458	141	103	109	200	341	480	552	437	413	141	189	179	238	349	436	481	
		3	1,001	824	375	163	161	286	465	631	694	783	735	386	260	301	378	492	569	623	
		4	689	489	187	115	130	243	411	578	684	572	433	197	184	208	300	443	538	557	
	Year	22/23	714	572	217	119	126	231	389	547	627	555	508	222	198	217	288	409	494	534	
	Episodes	F/N	1,335	5,271	5,738	3,270	8,059	13,391	8,766	8,460	3,117	963	4,326	5,572	5,187	13,089	16,350	9,717	8,896	4,236	

Mean weekly incidence rate per 100,000 Persons.

		Hayfever/Allergic Rhinitis (ICD10: J30)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	14	22	32	15	9	8	7	7	8	11	14	21	18	19	12	10	8	5
	2	19	61	103	59	38	20	15	11	11	31	34	65	59	63	30	17	13	11
	3	12	18	22	13	9	7	8	7	8	11	13	17	15	15	11	9	8	6
	4	5	9	9	5	5	4	4	5	4	2	5	7	7	7	6	5	5	4
	5	1	3	9	6	3	3	4	3	3	1	2	6	6	5	4	5	4	3
	6	1	4	8	7	3	3	3	4	2	1	3	5	6	5	5	4	4	2
	7	0	3	8	5	3	3	3	3	2	0	2	5	6	5	4	4	3	2
	8	0	4	8	4	3	3	4	3	2	0	1	6	4	4	4	4	3	1
	9	0	2	5	3	2	2	2	2	1	1	2	4	3	3	3	2	3	1
	10	0	2	8	4	4	3	3	3	2	1	2	6	6	5	4	4	3	2
	11	0	4	10	6	5	4	3	2	2	2	2	8	6	7	6	5	3	2
	12	0	4	13	8	6	5	4	4	4	2	4	9	9	9	8	6	5	3
	13	7	14	27	14	11	10	8	5	5	6	8	19	18	19	15	11	8	5
Quarter	1	15	34	52	29	19	12	10	8	9	18	20	34	31	32	18	12	10	7
	2	2	5	9	6	4	3	4	4	3	1	3	6	6	6	5	5	4	3
	3	0	3	7	4	3	3	3	3	2	0	2	5	5	5	4	3	3	1
	4	2	7	16	9	7	6	5	4	4	3	4	12	11	11	9	7	5	3
Year	22/23	5	12	20	11	8	6	5	4	4	5	7	14	13	13	9	6	5	4
Episodes	F/N	120	1,456	7,197	3,830	6,687	4,252	1,296	689	207	131	847	4,655	4,096	10,388	5,979	1,662	982	294

Mean weekly incidence rate per 100,000 Persons.

Hayfever/Allergic Rhinitis (ICD10: J30)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	26	42	62	37	23	9	8	7	9	35	25	35	37	35	15	9	9	7
		2	2	6	8	3	4	3	4	2	2	0	3	5	6	4	5	4	4	3
		3	0	2	5	3	3	1	1	2	2	0	1	4	3	4	3	2	2	1
		4	6	7	9	6	4	3	3	2	3	2	4	7	7	7	6	5	3	4
	Year	22/23	8	13	20	12	8	4	4	3	4	9	8	12	13	12	7	5	4	3
	Episodes	F/N	16	126	559	290	485	257	103	48	18	16	70	324	301	725	435	126	79	27
North West	Quarter	1	26	35	53	27	18	11	11	10	8	28	24	34	29	35	18	14	8	8
		2	3	9	9	6	5	5	3	3	4	4	4	7	7	9	6	4	4	4
		3	0	4	8	5	4	4	4	4	2	0	2	6	5	6	6	6	5	2
		4	5	10	17	9	8	7	5	3	2	2	6	11	12	11	10	7	6	4
	Year	22/23	8	14	21	11	8	6	6	5	4	8	9	14	13	15	10	8	6	4
	Episodes	F/N	33	272	1,185	593	1,071	750	231	127	31	32	161	763	655	1,747	1,048	323	171	55
East of England	Quarter	1	12	28	44	26	14	10	7	6	4	3	15	27	28	23	11	8	6	6
		2	6	4	7	4	2	2	3	2	4	2	4	4	4	5	3	4	3	2
		3	0	2	5	3	2	2	2	3	1	0	3	4	3	4	2	2	1	1
		4	0	7	13	9	6	4	4	3	7	5	2	10	9	8	7	5	3	2
	Year	22/23	5	10	17	10	6	5	4	3	4	2	6	11	11	10	6	5	3	3
	Episodes	F/N	8	84	417	213	317	237	69	39	17	4	51	260	218	517	292	89	47	19
Midlands	Quarter	1	22	38	54	29	20	12	9	8	8	26	21	35	34	33	17	9	9	10
		2	1	5	7	8	4	3	4	5	3	1	3	6	8	6	4	5	4	3
		3	0	2	6	3	3	3	4	3	2	1	2	4	5	4	3	3	3	1
		4	0	5	12	6	6	6	5	5	3	0	2	8	9	10	8	7	5	2
	Year	22/23	5	12	19	11	8	6	5	5	4	6	7	13	13	13	8	6	5	4
	Episodes	F/N	23	245	1,147	653	992	737	257	164	39	27	132	728	735	1,537	980	303	182	56
London	Quarter	1	6	34	59	29	18	16	18	13	19	11	20	43	31	34	27	20	18	9
		2	2	5	12	5	4	3	5	5	2	1	4	7	5	6	6	6	5	2
		3	0	4	10	5	3	3	3	3	1	0	2	7	5	5	4	3	3	3
		4	2	8	26	12	8	9	7	6	4	5	5	18	13	14	15	11	7	7
	Year	22/23	2	12	26	12	8	7	8	6	6	4	7	18	13	14	13	10	8	5
	Episodes	F/N	16	388	2,230	1,065	2,135	1,261	304	130	45	27	228	1,497	1,131	3,462	1,844	403	214	62
South East	Quarter	1	13	31	48	32	21	10	8	7	8	10	20	31	31	32	15	10	10	6
		2	2	3	8	6	3	3	4	4	2	0	3	5	7	4	4	4	4	2
		3	0	2	6	4	3	3	3	1	2	1	2	4	6	4	3	2	3	1
		4	1	9	15	9	8	6	5	4	2	3	6	12	11	11	8	7	5	3
	Year	22/23	4	11	18	12	8	5	5	4	4	3	7	12	13	12	7	6	5	3
	Episodes	F/N	19	265	1,316	809	1,279	773	250	136	43	15	173	853	833	1,858	1,069	301	224	54
South West	Quarter	1	7	30	34	18	16	9	6	6	4	20	15	23	22	24	10	9	6	4
		2	2	2	6	5	3	2	3	3	1	0	0	5	5	3	3	4	3	4
		3	0	1	4	2	3	2	2	2	2	0	0	3	3	4	4	3	3	1
		4	2	2	10	6	5	4	4	2	6	5	1	7	6	6	5	5	3	2
	Year	22/23	3	8	13	8	6	4	4	3	3	6	4	9	8	9	5	5	4	3
	Episodes	F/N	5	76	343	207	408	237	82	45	14	10	32	230	223	542	311	117	65	21

Mean weekly incidence rate per 100,000 Persons.

		Conjunctivitis (ICD10: H10-H13)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	198	82	16	7	7	10	15	17	29	186	76	14	8	11	14	20	21	36
	2	208	96	30	9	9	11	14	20	31	175	78	21	13	15	16	20	24	37
	3	212	95	20	6	9	9	15	21	34	186	78	16	10	14	15	20	23	42
	4	161	64	14	6	9	10	15	21	31	158	48	11	9	12	15	19	22	40
	5	109	42	12	6	7	10	12	19	28	117	34	10	8	11	13	18	23	34
	6	180	72	13	6	7	10	12	18	32	155	63	14	10	11	14	20	22	30
	7	197	93	15	6	8	11	14	20	31	179	84	16	11	12	15	20	23	33
	8	286	158	19	6	8	10	14	18	28	263	148	21	10	14	15	19	23	34
	9	352	144	18	6	9	10	16	19	27	348	135	21	10	14	16	21	24	41
	10	367	225	30	8	10	12	18	22	36	344	223	34	12	19	20	26	28	44
	11	385	218	33	9	12	13	20	23	33	361	211	37	15	24	22	27	31	47
	12	374	203	40	9	12	13	19	23	39	310	203	47	14	24	22	29	29	38
	13	256	125	29	8	11	13	17	22	30	271	115	32	15	21	22	28	28	43
Quarter	1	206	91	22	7	8	10	15	19	31	182	77	17	10	13	15	20	23	38
	2	156	63	13	6	7	10	13	19	31	148	52	12	9	12	14	19	22	34
	3	307	156	20	7	9	11	15	20	30	293	150	22	10	15	17	21	24	38
	4	347	190	34	9	11	13	19	23	34	319	182	39	15	23	22	28	30	43
Year	22/23	253	125	22	7	9	11	16	20	31	235	115	23	11	16	17	22	25	38
Episodes	F/N	6,640	15,582	7,934	2,438	7,769	8,030	3,783	3,189	1,579	5,815	13,664	7,682	3,627	12,681	11,644	5,654	4,612	3,142

Mean weekly incidence rate per 100,000 Persons.

Conjunctivitis (ICD10: H10-H13)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	210	88	22	7	9	11	18	21	30	204	74	15	9	13	14	19	22	36
		2	191	64	12	7	9	11	15	20	27	175	58	12	8	13	15	17	23	26
		3	364	171	19	7	10	11	17	16	29	345	151	24	12	16	17	25	19	35
		4	410	207	39	9	14	14	20	20	27	333	204	40	18	24	23	27	23	50
	Year	22/23	293	132	23	7	10	12	17	19	28	263	121	23	12	16	17	22	22	36
	Episodes	F/N	570	1,240	644	185	634	739	431	295	134	466	1,093	618	282	990	1,093	571	403	286
North West	Quarter	1	288	118	21	8	10	10	18	25	43	266	107	20	12	16	17	22	25	45
		2	234	89	15	7	9	12	16	20	33	233	72	14	10	16	16	22	27	41
		3	405	193	23	8	10	12	19	24	31	397	196	24	12	17	20	27	28	49
		4	446	207	36	10	12	15	21	23	31	408	215	39	15	26	23	30	34	53
	Year	22/23	342	151	23	8	10	12	18	23	34	325	147	24	12	19	19	25	29	47
	Episodes	F/N	1,412	2,980	1,326	444	1,297	1,455	750	585	264	1,277	2,765	1,302	632	2,201	2,070	1,062	863	586
East of England	Quarter	1	195	82	18	6	9	8	15	15	25	164	62	14	11	14	14	18	20	33
		2	137	52	9	5	6	7	10	15	27	125	47	10	8	9	10	17	19	25
		3	330	153	15	4	7	7	12	18	26	283	146	19	7	14	15	18	19	34
		4	335	202	30	9	11	10	17	24	33	371	174	33	14	23	19	25	26	33
	Year	22/23	247	122	18	6	8	8	14	18	28	234	107	19	10	15	14	19	21	31
	Episodes	F/N	429	1,070	446	128	418	424	241	224	118	386	888	463	206	795	723	371	303	216
Midlands	Quarter	1	200	87	20	8	9	12	14	19	33	186	67	15	12	14	15	20	23	33
		2	165	63	13	6	9	10	14	22	32	159	58	11	10	13	15	21	21	34
		3	318	177	22	7	11	12	15	20	30	320	169	24	12	17	18	20	23	37
		4	372	206	38	10	13	15	20	25	33	307	202	48	16	26	24	30	30	44
	Year	22/23	264	133	23	8	10	12	16	22	32	243	124	25	13	17	18	23	24	37
	Episodes	F/N	1,150	2,806	1,402	446	1,314	1,535	752	706	312	1,011	2,475	1,418	686	2,142	2,230	1,142	913	584
London	Quarter	1	174	90	31	8	8	10	15	21	25	137	76	23	10	12	16	21	25	42
		2	106	57	16	7	7	9	13	21	23	98	45	13	9	10	14	19	23	37
		3	212	124	21	7	8	10	15	21	25	202	116	22	10	13	15	19	26	31
		4	241	165	35	8	10	13	19	24	29	241	146	37	14	18	20	27	31	33
	Year	22/23	182	108	26	7	8	11	15	22	26	168	95	24	11	13	16	22	26	36
	Episodes	F/N	1,300	3,504	2,222	643	2,155	1,778	593	452	186	1,136	2,947	1,968	933	3,296	2,406	884	689	431
South East	Quarter	1	196	87	18	8	8	9	13	17	30	182	77	13	8	14	13	21	23	40
		2	157	58	11	5	7	9	11	18	36	140	45	11	8	10	13	19	22	36
		3	321	151	19	5	8	10	12	19	34	309	148	21	9	15	15	19	27	38
		4	373	197	33	8	13	12	18	24	42	375	191	38	14	26	21	29	31	48
	Year	22/23	260	123	20	7	9	10	14	20	36	250	115	21	10	16	15	22	26	41
	Episodes	F/N	1,322	3,018	1,440	431	1,390	1,511	692	678	409	1,198	2,662	1,432	630	2,424	2,232	1,189	1,057	767
South West	Quarter	1	203	70	16	6	8	9	12	17	28	154	59	14	8	11	12	15	17	35
		2	125	52	12	5	8	9	12	13	29	141	43	9	10	9	14	16	21	31
		3	306	140	15	6	9	11	19	18	30	259	137	20	9	13	16	20	20	41
		4	355	157	26	7	11	12	15	17	38	231	153	34	12	22	20	22	27	31
	Year	22/23	244	105	17	6	9	10	14	16	31	197	98	19	10	14	16	18	21	34
	Episodes	F/N	457	964	454	161	561	588	324	249	156	341	834	481	258	833	890	435	384	272

3. Respiratory Infections:

Mean weekly incidence rate per 100,000 Persons.

Acute Bronchitis (ICD10: J20-J21,J40)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	206	21	1	1	1	5	21	30	32	131	14	1	1	2	9	23	25	20
	2	211	16	1	0	1	6	19	32	29	133	10	1	1	2	10	24	27	21
	3	233	19	1	1	1	5	18	25	24	149	13	0	1	1	9	20	23	21
	4	136	14	0	1	1	4	16	25	24	88	8	0	0	1	8	20	25	14
	5	154	16	0	1	1	5	16	23	28	90	9	0	1	1	8	22	25	16
	6	358	27	1	1	1	8	24	33	41	231	24	1	2	3	13	31	34	26
	7	592	42	1	1	2	8	25	37	35	394	33	1	1	3	13	29	37	25
	8	771	53	3	2	3	12	32	48	44	530	44	3	3	6	18	42	45	32
	9	487	24	2	2	3	13	41	61	59	349	21	1	2	6	22	54	65	49
	10	362	27	2	1	1	7	25	34	30	202	19	1	1	3	12	31	36	27
	11	293	22	1	1	1	8	25	36	45	189	16	1	1	3	12	29	37	28
	12	268	20	1	0	1	7	23	35	34	179	14	1	1	2	11	30	34	24
	13	193	12	0	0	1	6	23	33	31	108	9	0	1	2	11	25	31	23
Quarter	1	216	19	1	1	1	5	19	29	28	138	12	1	1	2	9	22	25	21
	2	267	22	1	1	1	6	20	28	31	168	16	1	1	2	10	25	29	20
	3	567	37	2	1	2	11	32	47	43	379	30	2	2	5	17	41	48	35
	4	259	18	1	1	1	7	24	34	37	167	14	1	1	2	11	28	34	25
Year	22/23	328	24	1	1	1	7	24	35	35	213	18	1	1	3	12	29	34	25
Episodes	F/N	8,606	3,016	403	275	1,141	5,469	5,774	5,447	1,758	5,281	2,148	290	409	2,273	8,298	7,471	6,345	2,073

Mean weekly incidence rate per 100,000 Persons.

Acute Bronchitis (ICD10: J20-J21,J40)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	331	24	1	1	1	7	24	34	34	197	13	2	1	2	14	31	34	24
		2	334	25	1	2	1	8	23	38	47	192	17	1	1	2	13	34	40	26
		3	726	52	3	1	3	11	37	51	52	499	39	2	3	6	22	54	64	28
		4	325	20	1	1	2	9	26	40	39	233	14	1	1	2	15	36	49	32
	Year	22/23	428	30	2	1	2	9	28	41	43	278	21	1	1	3	16	39	47	28
	Episodes	F/N	834	286	46	26	121	545	690	631	206	494	186	39	32	176	998	1,006	860	217
North West	Quarter	1	282	23	1	0	1	10	26	40	42	213	16	1	1	3	15	36	42	30
		2	261	22	1	1	1	10	27	37	35	193	16	1	1	3	18	38	45	26
		3	755	42	2	1	3	16	42	65	48	451	36	2	2	6	28	60	68	52
		4	349	22	1	0	2	10	30	42	41	215	16	1	1	3	16	41	50	35
	Year	22/23	411	27	1	1	2	12	31	46	41	267	21	1	2	4	19	44	52	36
	Episodes	F/N	1,696	539	70	37	230	1,348	1,277	1,168	318	1,050	399	51	83	417	2,104	1,829	1,546	445
East of England	Quarter	1	180	20	0	0	0	3	12	22	11	100	18	0	0	1	5	10	15	13
		2	355	30	1	1	0	4	10	18	13	146	25	0	1	2	6	12	18	11
		3	537	40	1	1	2	8	20	26	25	346	36	2	2	4	10	24	26	21
		4	245	20	1	0	1	4	16	27	22	155	13	0	2	3	6	17	22	14
	Year	22/23	332	28	1	1	1	5	14	23	18	187	23	1	1	3	7	16	20	15
	Episodes	F/N	577	245	21	15	48	258	256	282	77	308	192	16	27	135	352	300	296	102
Midlands	Quarter	1	200	19	2	1	1	6	25	36	35	145	13	1	1	2	11	25	27	28
		2	253	19	0	1	1	8	26	40	45	181	14	0	1	2	12	28	34	27
		3	585	37	2	2	3	13	39	58	60	394	28	1	2	6	20	47	52	40
		4	234	17	1	1	1	9	30	40	50	159	15	1	1	3	14	35	36	31
	Year	22/23	319	23	1	1	2	9	30	44	48	220	18	1	1	4	14	34	37	31
	Episodes	F/N	1,392	486	66	52	200	1,144	1,448	1,410	469	916	350	45	77	432	1,764	1,689	1,411	498
London	Quarter	1	144	15	1	0	0	3	16	25	24	90	8	0	0	1	6	14	18	16
		2	209	19	0	1	1	4	15	18	25	123	13	1	1	1	6	17	19	19
		3	367	29	2	1	1	7	24	34	35	266	22	2	1	3	10	26	37	25
		4	179	15	1	0	1	5	20	32	25	107	12	1	1	1	7	19	26	19
	Year	22/23	226	19	1	1	1	5	19	27	27	147	14	1	1	2	7	19	25	20
	Episodes	F/N	1,613	627	84	53	198	793	718	563	197	991	433	70	56	413	1,095	784	652	238
South East	Quarter	1	210	17	1	1	1	4	15	19	21	130	12	0	1	2	6	18	17	16
		2	268	22	1	1	1	5	16	20	25	185	19	0	1	3	8	21	23	16
		3	582	36	2	2	3	9	26	40	38	407	29	1	3	5	14	32	40	32
		4	274	16	1	1	1	6	19	27	34	182	12	0	1	3	9	24	27	24
	Year	22/23	334	23	1	1	2	6	19	26	30	227	18	1	1	3	9	24	27	22
	Episodes	F/N	1,695	559	81	72	235	890	976	917	342	1,085	420	45	94	459	1,363	1,291	1,102	416
South West	Quarter	1	316	18	1	0	1	5	12	24	24	134	13	0	2	2	8	17	20	14
		2	370	26	1	1	2	7	13	23	23	202	19	1	1	3	8	17	20	11
		3	699	47	3	1	3	12	25	44	37	454	32	1	2	7	16	39	39	37
		4	326	27	0	1	1	10	21	33	36	211	15	1	1	3	11	23	27	17
	Year	22/23	427	30	1	1	2	8	18	31	30	252	20	1	2	4	11	24	27	20
	Episodes	F/N	799	274	35	20	109	491	409	476	149	437	168	24	40	241	622	572	478	157

Mean weekly incidence rate per 100,000 Persons.

		Common Cold (ICD10: J00,J06)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	41	11	2	1	1	0	1	1	1	29	12	1	1	1	1	1	1	0
	2	25	8	2	1	1	1	1	1	1	30	8	2	1	1	1	1	1	1
	3	22	7	1	1	1	0	0	1	1	20	6	1	1	1	1	1	1	1
	4	17	4	1	0	1	0	0	1	0	16	5	1	1	1	1	1	1	0
	5	31	8	2	1	1	0	0	1	0	42	8	2	1	1	1	1	1	1
	6	63	22	4	2	1	1	1	1	1	58	20	4	3	3	2	1	2	4
	7	59	18	4	1	1	1	2	2	1	51	19	3	3	2	2	2	1	2
	8	81	34	11	4	2	2	2	2	3	82	32	10	5	5	3	3	3	4
	9	53	17	5	2	2	2	2	3	4	50	17	4	3	4	3	3	3	5
	10	54	21	6	2	1	1	2	1	4	55	18	4	2	2	2	2	2	3
	11	53	17	4	2	2	1	2	1	3	41	14	3	3	3	2	2	2	2
	12	49	15	4	2	1	1	1	2	2	48	16	3	3	3	2	2	3	3
	13	34	9	2	1	1	1	1	2	2	35	8	2	2	2	1	1	1	2
Quarter	1	30	9	2	1	1	1	1	1	1	26	9	1	1	1	1	1	1	1
	2	39	12	2	1	1	1	1	1	1	41	12	2	2	2	1	1	1	2
	3	63	23	7	3	2	2	2	2	3	60	22	6	4	4	3	2	2	4
	4	47	14	3	2	1	1	1	2	2	43	13	3	2	2	2	2	2	3
Year	22/23	45	15	4	2	1	1	1	1	2	43	14	3	2	2	2	2	2	2
Episodes	F/N	1,178	1,830	1,267	529	992	737	292	219	89	1,061	1,672	1,060	737	1,813	1,164	386	292	184

Mean weekly incidence rate per 100,000 Persons.

Common Cold (ICD10: J00,J06)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	33	10	1	1	1	0	1	1	2	33	6	1	1	1	1	2	0	1
		2	38	9	1	1	0	0	0	1	0	40	10	2	2	1	1	1	0	5
		3	76	33	6	3	2	2	1	2	4	55	24	5	4	4	4	3	2	5
		4	60	16	2	1	1	1	2	2	3	39	12	3	2	2	2	2	3	4
	Year	22/23	52	17	3	1	1	1	1	1	2	42	13	3	2	2	2	2	1	4
	Episodes	F/N	101	160	78	36	63	57	27	20	10	74	118	72	51	129	118	51	25	28
North West	Quarter	1	30	11	1	1	1	1	1	1	1	24	11	2	2	2	1	1	1	0
		2	32	13	3	1	1	1	1	1	1	51	11	2	2	1	1	1	1	1
		3	57	21	5	1	2	2	1	2	4	69	22	5	4	3	2	1	3	4
		4	48	10	2	1	1	1	2	2	2	36	12	2	1	2	2	1	2	4
	Year	22/23	42	14	3	1	1	1	1	1	2	45	14	2	2	2	2	1	2	2
	Episodes	F/N	173	272	157	66	137	137	50	36	14	178	263	130	112	243	173	48	50	29
East of England	Quarter	1	17	6	2	1	0	0	1	1	2	13	5	1	1	1	0	1	0	2
		2	36	7	2	1	1	0	1	1	0	11	10	2	2	1	1	1	1	2
		3	44	14	4	2	1	1	2	2	1	46	12	4	3	2	1	0	1	2
		4	29	10	2	2	1	1	2	0	0	29	9	1	2	2	1	1	1	2
	Year	22/23	32	9	2	1	1	1	1	1	1	25	9	2	2	2	1	1	1	2
	Episodes	F/N	55	82	62	29	41	32	24	11	3	41	75	53	37	87	55	12	10	14
Midlands	Quarter	1	30	10	2	0	1	1	0	0	0	25	10	1	1	1	1	1	1	0
		2	29	13	2	1	1	1	1	1	1	37	11	2	2	2	1	1	1	2
		3	66	24	8	3	2	1	3	1	2	39	24	7	3	4	2	2	2	4
		4	35	14	3	1	1	1	1	2	3	54	14	3	2	2	2	2	1	2
	Year	22/23	40	15	4	1	1	1	1	1	2	39	15	3	2	2	2	1	1	2
	Episodes	F/N	174	318	226	68	139	108	55	36	15	162	296	187	114	263	188	71	52	29
London	Quarter	1	36	8	3	1	1	1	1	1	0	31	8	1	1	1	1	1	1	2
		2	45	15	3	1	1	1	1	3	0	46	15	2	2	2	1	1	2	2
		3	70	25	8	3	2	2	2	3	4	64	25	7	4	5	4	3	5	5
		4	56	17	5	2	2	2	1	4	4	47	16	4	3	3	2	3	3	4
	Year	22/23	52	16	5	2	1	1	1	3	2	47	16	4	3	3	2	2	3	3
	Episodes	F/N	370	530	404	147	360	222	44	52	16	318	501	319	220	636	302	84	72	40
South East	Quarter	1	25	8	2	1	1	0	1	1	1	28	10	2	1	1	1	1	1	0
		2	49	12	3	2	1	1	1	1	2	45	14	2	3	2	1	2	1	2
		3	65	25	8	4	2	1	2	2	4	79	22	7	4	4	3	2	2	3
		4	52	19	4	2	1	1	2	2	3	45	15	4	4	3	2	1	2	2
	Year	22/23	48	16	4	2	1	1	1	1	2	49	15	4	3	2	2	2	1	2
	Episodes	F/N	244	402	283	155	184	132	65	45	28	236	356	243	177	365	258	88	59	36
South West	Quarter	1	24	6	1	0	0	0	1	1	1	17	3	1	1	1	1	1	0	0
		2	32	5	2	2	1	1	1	0	1	26	6	2	1	1	1	1	1	0
		3	48	11	5	1	2	1	1	3	0	46	17	4	1	3	2	2	2	2
		4	26	7	1	1	1	1	2	1	1	30	4	2	1	1	1	1	2	2
	Year	22/23	33	7	2	1	1	1	1	1	1	30	7	2	1	1	1	1	1	1
	Episodes	F/N	61	66	57	28	68	49	27	19	3	52	63	56	26	90	70	32	24	8

Mean weekly incidence rate per 100,000 Persons.

		Influenza-like illness (ICD10 : J09 - J11)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	2	2	1	1	1	1	1	1	1	3	1	1	2	2	2	2	2	2
	2	3	1	1	1	2	2	2	2	2	3	2	1	2	3	3	2	1	3
	3	2	1	1	1	1	2	2	2	3	2	1	1	2	2	3	2	3	2
	4	1	1	0	1	1	1	1	1	2	1	1	0	1	1	1	2	1	1
	5	3	2	1	1	1	1	1	2	1	2	1	1	2	2	2	2	1	2
	6	5	3	3	4	3	3	3	3	4	3	4	2	5	5	5	4	4	5
	7	15	8	4	4	5	4	3	4	5	10	8	3	7	8	7	4	4	5
	8	20	23	21	14	12	11	8	12	20	19	21	19	22	25	17	12	13	21
	9	57	28	14	16	18	19	22	38	63	37	28	14	24	32	32	32	44	61
	10	10	6	5	5	6	5	5	6	10	8	6	4	7	9	8	7	7	11
	11	6	4	3	4	5	4	3	4	5	8	4	3	6	8	6	5	5	3
	12	5	4	2	4	4	3	3	2	4	6	4	2	5	6	5	3	3	4
	13	2	1	1	2	2	2	2	1	2	3	2	1	3	3	3	3	2	2
Quarter	1	2	2	1	1	1	1	2	2	2	3	1	1	2	2	2	2	2	2
	2	5	3	1	2	2	2	2	2	3	3	3	1	3	3	3	3	2	3
	3	29	18	13	11	12	11	11	18	29	21	18	12	17	21	18	16	20	29
	4	5	4	2	4	4	3	3	3	4	6	3	2	5	6	5	4	3	3
Year	22/23	10	7	4	5	5	4	4	6	9	8	6	4	7	8	7	6	7	10
Episodes	F/N	267	828	1,543	1,539	4,076	3,236	1,046	959	467	198	760	1,315	2,213	6,681	4,956	1,593	1,280	783

Mean weekly incidence rate per 100,000 Persons.

Influenza-like illness (ICD10: J09 - J11)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	0	0	1	1	2	2	1	1	2	0	0	1	2	1	2	2	1
		2	8	2	1	2	2	3	2	2	6	2	1	1	3	3	4	3	2	4
		3	48	24	12	16	14	16	17	32	46	28	24	15	27	27	25	23	39	57
		4	6	2	2	5	4	2	3	3	1	11	3	2	6	5	5	3	5	4
	Year	22/23	15	7	4	6	5	6	6	10	13	11	7	4	10	10	9	8	12	16
	Episodes	F/N	30	65	114	148	325	356	146	152	64	19	65	119	227	586	554	205	218	129
North West	Quarter	1	4	1	1	1	2	2	2	2	2	2	1	1	2	3	3	3	2	3
		2	5	2	1	2	3	2	2	3	3	5	4	1	3	4	4	3	2	4
		3	30	21	15	13	15	14	15	21	34	36	21	11	17	24	23	20	27	37
		4	4	3	2	2	4	3	3	2	8	2	2	1	4	6	5	6	4	5
	Year	22/23	11	7	5	5	6	5	6	7	12	11	7	4	7	9	9	8	9	12
	Episodes	F/N	44	136	262	252	755	610	226	178	91	44	136	196	338	1,102	921	323	267	152
East of England	Quarter	1	0	0	0	0	1	1	1	1	1	3	0	1	1	1	2	1	1	1
		2	0	1	1	2	1	1	1	2	1	0	0	1	1	2	2	2	2	2
		3	16	13	9	6	7	6	6	10	20	10	10	6	11	13	9	8	11	11
		4	7	1	2	1	2	2	2	5	6	5	1	1	2	4	2	2	2	5
	Year	22/23	6	4	3	2	3	3	3	4	7	4	3	2	4	5	4	3	4	5
	Episodes	F/N	10	34	80	51	158	136	46	53	29	7	24	51	82	269	185	63	59	32
Midlands	Quarter	1	2	1	0	1	1	1	1	1	1	1	1	0	1	2	1	2	2	2
		2	3	2	1	1	2	2	2	2	3	3	2	1	2	3	3	3	3	3
		3	19	11	8	8	10	10	10	15	27	9	9	7	14	18	15	14	15	26
		4	7	2	2	3	3	3	2	2	1	4	2	2	4	5	4	3	3	3
	Year	22/23	8	4	3	3	4	4	4	5	8	4	4	2	5	7	6	5	6	9
	Episodes	F/N	34	81	168	191	534	509	187	167	78	17	73	143	278	857	700	271	213	137
London	Quarter	1	4	3	1	1	1	3	2	4	5	4	2	1	2	3	4	4	4	6
		2	7	6	2	3	2	2	3	4	2	2	4	1	3	3	4	5	3	4
		3	28	19	14	12	9	10	9	13	22	14	21	13	16	18	19	14	19	24
		4	4	7	4	5	4	4	4	3	5	9	7	4	5	7	7	5	4	3
	Year	22/23	10	9	5	5	4	5	5	6	8	7	9	5	7	8	8	7	7	9
	Episodes	F/N	75	287	470	466	1,177	799	179	122	59	50	267	417	594	1,930	1,221	284	194	113
South East	Quarter	1	3	1	0	1	1	1	1	1	2	3	1	0	2	3	2	2	2	1
		2	4	2	1	3	2	2	1	2	3	5	2	1	4	4	3	3	2	2
		3	37	20	16	12	13	10	9	16	31	27	17	13	20	25	17	15	17	27
		4	4	2	2	4	3	3	1	2	3	4	3	2	5	7	5	3	3	2
	Year	22/23	12	6	5	5	5	4	3	5	9	10	6	4	8	9	7	6	6	8
	Episodes	F/N	61	153	353	329	779	586	176	188	108	47	134	278	480	1,409	994	309	242	152
South West	Quarter	1	0	4	1	1	1	1	1	2	2	0	3	1	3	2	2	2	1	2
		2	4	2	1	2	2	2	1	1	1	4	3	1	5	3	3	2	1	1
		3	22	21	11	10	15	12	11	19	23	25	22	15	18	23	18	16	15	30
		4	2	5	2	3	4	2	2	3	4	2	0	1	6	7	4	3	2	2
	Year	22/23	7	8	4	4	5	4	4	6	8	8	7	4	8	9	7	6	5	9
	Episodes	F/N	13	72	96	102	348	240	86	99	38	14	61	111	214	528	381	138	87	68

Mean weekly incidence rate per 100,000 Persons.

		Acute Laryngitis/Tracheitis (ICD10: J04)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	65	72	11	0	0	0	0	1	1	36	39	6	1	2	3	1	1	1
	2	80	72	10	0	1	1	1	1	1	53	43	6	2	2	3	2	1	1
	3	90	88	11	0	1	0	1	1	1	56	50	5	1	3	2	2	1	1
	4	49	46	2	0	0	0	1	1	0	32	26	1	1	2	1	1	1	1
	5	45	55	5	0	0	0	0	0	1	19	35	2	1	1	1	1	1	1
	6	79	108	10	1	1	1	1	0	1	48	64	6	2	3	3	1	1	1
	7	72	90	9	1	1	1	1	1	1	60	62	5	2	3	3	2	2	2
	8	81	93	18	1	1	1	1	1	1	45	56	11	3	5	4	3	2	2
	9	54	47	8	1	1	1	1	1	0	36	31	4	2	4	4	4	2	1
	10	65	67	9	1	1	1	1	1	1	28	36	4	1	3	3	2	2	1
	11	56	47	6	0	1	0	1	1	1	36	29	2	1	3	3	2	2	1
	12	55	49	6	0	1	1	1	0	1	28	28	3	1	3	3	2	2	1
	13	38	33	4	0	1	1	1	0	1	20	19	2	1	2	2	2	1	1
Quarter	1	78	77	11	0	0	1	1	1	1	48	44	6	2	2	3	2	1	1
	2	60	72	6	0	0	0	1	1	0	38	45	3	1	2	2	1	1	1
	3	67	75	12	1	1	1	1	1	1	39	45	7	2	4	4	3	2	1
	4	51	44	5	0	1	1	1	1	1	28	26	2	1	3	3	2	2	1
Year	22/23	64	67	8	0	1	1	1	1	1	38	40	4	2	3	3	2	1	1
Episodes	F/N	1,677	8,356	2,995	164	493	457	193	98	36	951	4,722	1,497	526	2,311	1,973	480	265	96

Mean weekly incidence rate per 100,000 Persons.

Acute Laryngitis/Tracheitis (ICD10: J04)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	121	122	15	1	0	1	1	1	1	80	66	8	2	3	2	2	1	1
		2	97	90	7	0	0	0	1	0	1	44	58	4	2	2	2	1	1	1
		3	85	106	15	1	1	1	1	0	1	41	62	10	3	6	4	4	3	2
		4	66	60	7	1	0	1	1	1	2	37	36	3	1	4	3	3	2	1
	Year	22/23	92	94	11	1	1	1	1	1	1	50	55	6	2	4	3	2	2	1
	Episodes	F/N	179	879	305	18	34	43	20	11	5	89	498	167	54	219	169	61	34	9
North West	Quarter	1	114	110	14	0	0	1	1	0	1	63	65	8	1	3	3	1	1	2
		2	61	71	8	0	0	1	1	0	0	40	46	4	1	3	2	1	1	1
		3	102	89	17	1	1	1	1	1	1	41	58	10	3	4	4	3	2	2
		4	68	56	8	0	1	1	1	0	2	37	36	3	1	3	3	3	3	2
	Year	22/23	85	81	12	0	1	1	1	1	1	45	51	6	2	3	3	2	2	2
	Episodes	F/N	351	1,594	659	20	73	73	34	13	6	176	953	327	78	384	318	84	48	24
East of England	Quarter	1	77	57	8	0	1	1	1	1	0	49	41	4	1	2	3	1	1	1
		2	68	79	5	1	1	1	1	1	0	27	55	4	2	2	2	1	1	2
		3	77	60	12	1	0	1	1	0	1	39	42	5	2	2	3	1	0	2
		4	36	43	6	0	1	0	0	1	0	34	19	2	1	2	2	1	2	2
	Year	22/23	64	60	8	1	1	1	1	1	0	37	39	4	2	2	2	1	1	1
	Episodes	F/N	112	530	200	14	28	34	12	9	1	61	326	86	32	115	121	26	14	10
Midlands	Quarter	1	74	74	11	0	1	1	1	1	1	56	43	6	2	3	3	2	1	2
		2	50	73	5	1	1	1	1	1	1	40	45	3	1	3	2	1	1	2
		3	66	80	11	1	1	1	1	1	0	38	44	6	2	5	5	2	2	1
		4	45	41	5	1	1	1	1	1	0	31	24	2	2	4	3	2	2	1
	Year	22/23	58	67	8	1	1	1	1	1	1	41	39	4	2	4	3	2	2	1
	Episodes	F/N	254	1,408	492	30	95	94	48	21	8	170	781	251	94	431	414	86	62	19
London	Quarter	1	54	53	7	0	0	0	0	1	1	32	26	4	1	2	2	2	0	0
		2	33	42	3	0	0	0	1	0	1	21	23	1	1	2	2	1	1	0
		3	33	43	6	0	0	1	1	1	1	30	24	3	2	3	3	2	1	0
		4	39	27	3	0	0	0	0	1	1	19	16	2	1	2	2	2	2	1
	Year	22/23	40	41	5	0	0	0	1	1	1	26	22	3	1	2	2	2	1	0
	Episodes	F/N	283	1,330	406	22	119	73	26	11	5	173	686	213	110	514	322	75	27	5
South East	Quarter	1	66	77	12	0	1	1	1	1	2	44	45	6	2	3	3	1	0	1
		2	83	92	7	1	1	0	1	1	0	57	60	4	1	3	2	1	1	2
		3	78	86	13	1	1	1	1	1	1	44	52	7	3	5	5	3	2	1
		4	61	51	6	1	1	1	1	1	1	27	31	3	2	3	3	2	2	1
	Year	22/23	72	77	9	1	1	1	1	1	1	43	47	5	2	3	3	2	1	1
	Episodes	F/N	368	1,891	680	40	111	104	42	27	10	208	1,099	347	121	504	468	102	56	23
South West	Quarter	1	91	75	10	1	0	1	0	0	0	37	40	5	1	2	2	2	0	0
		2	68	95	8	0	1	0	0	1	0	52	55	3	2	1	2	2	1	0
		3	67	97	14	1	1	1	1	1	0	50	55	7	2	3	4	2	3	3
		4	53	45	6	0	1	1	1	0	1	30	27	2	1	3	3	2	1	0
	Year	22/23	70	79	10	1	1	1	0	0	0	43	45	4	1	2	3	2	1	1
	Episodes	F/N	130	724	253	20	33	36	11	6	1	74	379	106	37	144	161	46	24	6

Mean weekly incidence rate per 100,000 Persons.

		Pleurisy (ICD10: R091)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0
	3	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0
	8	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0
	9	0	0	0	0	0	1	1	0	0	0	0	0	1	1	1	1	0	0
	10	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	1	1	0
	11	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
	12	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0
	13	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1	0	0
Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0
Year	22/23	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
Episodes	F/N	0	0	16	68	192	190	85	64	12	0	1	15	87	450	467	119	71	21

Mean weekly incidence rate per 100,000 Persons.

Pleurisy (ICD10: R.09)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0	1	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
		3	0	0	0	0	1	1	1	1	0	0	0	0	1	2	1	1	1	0
		4	0	0	0	1	0	0	0	1	0	0	0	0	0	1	1	0	0	0
	Year	22/23	0	0	0	0	0	0	0	1	0	0	0	0	1	1	1	1	1	0
	Episodes	F/N	0	0	0	8	20	21	11	9	0	0	0	0	12	54	50	15	11	0
North West	Quarter	1	0	0	0	0	0	1	1	0	1	0	0	0	1	1	1	1	1	0
		2	0	0	0	0	0	0	1	1	0	0	0	0	0	1	1	1	1	0
		3	0	0	0	0	1	1	1	1	0	0	0	0	1	2	2	1	1	0
		4	0	0	0	0	1	0	1	0	1	0	0	0	0	1	1	1	0	0
	Year	22/23	0	0	0	0	1	0	1	1	0	0	0	0	0	1	1	1	1	0
	Episodes	F/N	0	0	4	19	69	54	29	17	3	0	0	4	20	138	137	37	19	4
East of England	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	1	0
		3	0	0	0	1	0	0	0	0	0	0	0	0	0	1	1	0	0	1
		4	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	1
	Year	22/23	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0
	Episodes	F/N	0	0	3	5	13	6	5	7	0	0	0	3	3	25	27	5	4	2
Midlands	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
		2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	1
		3	0	0	0	0	0	1	1	0	0	0	0	0	1	1	1	1	1	1
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0
	Year	22/23	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1
	Episodes	F/N	0	0	1	12	35	39	15	13	2	0	0	4	23	76	87	23	15	9
London	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
		4	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
	Year	22/23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	0	3	11	19	12	1	5	2	0	1	1	8	43	33	14	2	0
South East	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0	0	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
	Year	22/23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Episodes	F/N	0	0	2	10	19	30	13	6	5	0	0	3	16	72	88	16	14	5
South West	Quarter	1	0	0	0	0	0	1	0	1	0	0	0	0	0	1	1	1	0	0
		2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	1	1	0	0	0	0	1	1	1	1	0	0
		4	0	0	0	0	0	1	0	0	0	0	0	0	0	1	1	0	1	1
	Year	22/23	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
	Episodes	F/N	0	0	3	3	17	28	11	7	0	0	0	0	5	42	45	9	6	1

Mean weekly incidence rate per 100,000 Persons.

		Pneumonia and Pneumonitis (ICD10: J12 - J18)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	1	2	0	0	1	3	8	20	40	1	1	0	0	1	2	6	14	32
	2	1	1	0	0	1	3	8	21	43	4	1	0	0	1	3	8	14	32
	3	2	1	0	0	1	3	9	19	44	1	1	0	0	1	3	7	13	30
	4	2	1	0	0	1	3	7	13	40	1	1	0	0	1	2	6	14	28
	5	0	1	0	0	1	3	8	14	36	1	1	0	1	1	2	6	11	27
	6	2	1	0	1	1	3	10	21	47	1	1	0	1	1	3	7	17	32
	7	1	3	0	0	1	3	9	19	47	3	1	0	1	1	4	9	14	37
	8	4	3	0	1	1	4	12	21	52	2	4	0	1	2	4	8	19	44
	9	2	2	0	1	2	5	15	37	82	1	1	0	1	2	6	17	35	65
	10	0	1	0	0	1	3	10	23	60	1	2	0	0	1	4	8	19	49
	11	2	2	0	1	1	3	11	22	58	0	2	0	0	1	3	8	19	40
	12	2	1	0	1	1	3	10	24	53	1	1	0	1	1	3	9	18	43
	13	3	1	0	0	1	3	9	22	45	0	1	0	0	1	3	8	17	39
Quarter	1	1	2	0	0	1	3	8	20	42	2	1	0	0	1	3	7	13	31
	2	1	1	0	0	1	3	9	17	42	1	1	0	0	1	3	6	14	30
	3	2	2	0	1	1	4	12	27	62	1	2	0	1	1	5	11	24	52
	4	2	1	0	0	1	3	10	23	53	0	1	0	1	1	3	8	18	41
Year	22/23	2	2	0	0	1	3	10	21	50	1	1	0	0	1	3	8	17	38
Episodes	F/N	46	193	115	153	775	2,304	2,361	3,339	2,502	28	167	104	163	881	2,271	2,089	3,209	3,144

Mean weekly incidence rate per 100,000 Persons.

Pneumonia and Pneumonitis (ICD10: J12-J18)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	2	0	0	1	3	11	22	54	0	1	0	1	1	3	8	18	35
		2	0	2	0	0	1	3	8	19	39	0	1	1	0	1	3	8	19	40
		3	4	2	0	1	2	4	14	23	63	0	4	1	0	2	5	11	27	52
		4	0	2	0	0	1	4	13	25	47	0	1	0	0	1	3	10	18	46
	Year	22/23	1	2	0	0	1	4	11	22	50	0	2	1	1	1	3	9	20	43
	Episodes	F/N	2	19	4	8	79	223	281	341	239	0	16	14	12	75	214	244	373	339
North West	Quarter	1	0	0	0	1	1	5	10	26	49	2	2	0	0	1	4	11	20	43
		2	1	1	0	0	1	4	10	21	60	2	1	0	0	1	4	10	21	36
		3	1	2	1	1	2	6	16	29	78	3	2	0	1	2	7	17	35	78
		4	1	2	0	1	1	4	12	29	62	1	1	0	0	1	5	12	25	52
	Year	22/23	1	1	0	1	1	5	12	26	62	2	1	0	0	2	5	13	25	52
	Episodes	F/N	3	23	17	34	157	571	494	670	480	8	27	14	22	193	537	526	754	651
East of England	Quarter	1	0	2	0	1	0	2	4	15	24	3	1	0	0	1	2	3	8	16
		2	0	1	0	0	0	2	8	13	23	0	1	0	0	1	2	4	9	18
		3	2	0	0	1	1	2	4	17	34	2	1	0	0	1	3	6	13	34
		4	0	1	0	0	1	1	8	15	29	0	1	0	1	1	3	6	13	31
	Year	22/23	1	1	0	0	1	2	6	15	27	1	1	0	0	1	3	5	11	25
	Episodes	F/N	1	11	9	8	28	96	104	184	117	2	10	2	9	55	134	93	157	174
Midlands	Quarter	1	4	1	0	0	1	3	9	21	50	1	0	0	0	1	3	8	13	31
		2	1	1	0	0	1	3	9	17	45	2	1	0	1	1	3	7	14	31
		3	2	2	0	1	2	5	15	32	71	0	0	0	1	2	5	12	27	56
		4	2	1	0	0	1	4	10	24	62	0	1	0	1	1	4	8	19	43
	Year	22/23	2	1	0	0	1	4	11	24	57	1	1	0	0	1	4	9	19	40
	Episodes	F/N	9	24	11	25	154	480	506	768	560	3	11	12	26	167	444	436	698	641
London	Quarter	1	2	1	0	0	0	1	6	18	36	3	1	0	0	0	1	4	9	26
		2	1	2	0	0	1	2	7	12	32	1	1	0	1	0	2	4	10	24
		3	1	2	0	0	1	2	7	20	49	1	2	1	0	1	3	8	16	38
		4	2	1	1	1	0	2	8	18	42	1	1	0	0	1	2	5	11	32
	Year	22/23	2	1	0	0	1	2	7	17	40	1	1	0	0	1	2	5	12	30
	Episodes	F/N	12	48	31	30	143	302	275	350	289	8	42	24	35	136	325	216	305	361
South East	Quarter	1	1	2	0	0	1	2	9	17	40	1	1	0	0	1	3	6	13	33
		2	4	1	0	0	1	2	9	16	39	1	1	0	0	1	2	5	11	30
		3	3	2	1	1	1	4	12	27	61	2	3	1	1	2	4	11	22	51
		4	6	1	0	0	1	3	9	21	55	0	2	0	1	1	3	7	18	41
	Year	22/23	3	2	0	0	1	3	10	20	49	1	2	0	1	1	3	7	16	39
	Episodes	F/N	17	38	28	31	140	423	493	709	561	4	40	26	36	179	428	407	658	732
South West	Quarter	1	0	4	0	0	1	3	8	16	37	0	3	0	0	1	2	7	10	26
		2	0	1	0	1	1	3	9	16	49	4	0	1	1	1	3	5	11	22
		3	4	4	1	1	2	5	12	28	64	2	5	1	1	2	5	9	19	40
		4	0	4	0	1	1	4	8	22	55	0	2	0	1	1	3	8	19	36
	Year	22/23	1	3	1	1	1	4	9	20	52	2	2	0	1	1	3	7	15	31
	Episodes	F/N	2	30	15	17	74	209	208	317	256	3	21	12	23	76	189	167	264	246

Mean weekly incidence rate per 100,000 Persons.

		Respiratory System Diseases (ICD10: J00-J99)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	1,033	908	322	156	137	197	335	425	494	851	782	300	245	261	302	391	416	412
	2	1,051	928	423	221	184	230	364	465	519	929	799	371	306	328	337	414	458	452
	3	1,073	886	323	163	146	202	349	437	518	885	804	323	243	269	298	390	425	419
	4	688	539	203	156	132	195	327	432	491	540	463	206	221	216	273	366	415	391
	5	874	601	242	171	128	192	320	404	474	687	504	230	248	219	272	355	396	381
	6	1,620	1,244	385	202	166	248	408	525	630	1,326	1,130	372	323	329	381	461	529	534
	7	1,845	1,333	416	204	175	255	416	533	631	1,530	1,265	406	319	347	401	481	531	523
	8	2,383	2,004	955	288	236	310	475	605	690	2,048	1,956	947	435	497	502	564	613	644
	9	1,651	1,085	488	254	250	350	535	700	814	1,383	1,048	492	399	500	556	643	730	823
	10	1,355	1,105	477	227	199	289	463	566	667	1,128	1,005	468	341	379	438	533	570	583
	11	1,376	1,054	434	230	216	285	458	574	686	1,209	976	429	341	391	431	537	577	602
	12	1,291	1,019	426	218	199	263	415	522	635	1,126	926	415	315	359	399	486	531	553
	13	1,003	658	277	164	157	221	367	471	556	844	597	273	254	286	338	432	465	481
Quarter	1	1,052	907	356	180	156	210	350	442	510	888	795	331	265	286	312	398	433	428
	2	1,169	859	289	179	146	217	359	463	543	943	766	280	271	266	321	406	456	449
	3	1,831	1,420	624	251	222	310	484	616	717	1,544	1,357	620	384	447	489	568	629	666
	4	1,246	929	389	207	192	259	417	526	628	1,080	856	382	307	350	394	489	528	547
Year	22/23	1,326	1,028	414	204	179	249	403	513	601	1,114	943	403	307	337	379	466	513	523
Episodes	F/N	34,823	128,684	147,265	69,226	154,222	183,614	98,200	80,215	30,161	27,609	111,967	136,678	100,454	273,279	263,395	119,351	95,349	42,955

Mean weekly incidence rate per 100,000 Persons.

Respiratory System Diseases (ICD10: J00-J99)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	1,233	1,040	389	211	192	244	386	465	595	1,044	912	365	314	341	354	460	484	451
		2	1,353	909	304	200	176	255	399	523	623	1,015	794	301	325	320	368	472	500	515
		3	2,069	1,557	615	289	273	356	537	681	785	1,753	1,485	636	491	536	547	636	703	703
		4	1,406	959	372	222	208	281	457	556	660	1,223	866	386	346	387	411	524	590	585
	Year	22/23	1,516	1,114	418	230	212	284	445	558	666	1,254	1,012	421	369	396	420	523	570	565
	Episodes	F/N	2,952	10,447	11,792	5,785	12,871	18,017	11,052	8,618	3,162	2,226	9,116	11,309	8,786	23,909	26,425	13,606	10,394	4,430
North West	Quarter	1	1,315	1,081	398	204	188	266	441	542	591	1,168	956	376	316	368	399	517	554	541
		2	1,296	930	338	210	186	277	436	563	641	1,109	862	333	330	356	415	520	577	567
		3	2,201	1,625	709	296	293	402	609	750	867	1,905	1,583	699	468	590	640	729	801	879
		4	1,413	1,014	432	240	231	314	507	634	718	1,247	940	423	360	424	487	615	654	689
	Year	22/23	1,556	1,160	468	238	224	315	498	623	706	1,354	1,084	457	369	435	485	595	648	670
	Episodes	F/N	6,417	22,853	26,611	12,703	28,799	36,847	20,387	15,903	5,426	5,325	20,393	24,743	18,865	51,598	52,578	24,952	19,391	8,361
East of England	Quarter	1	1,023	894	340	178	154	176	279	368	424	765	823	327	270	269	262	316	330	320
		2	1,234	892	282	196	149	201	322	401	482	912	812	284	287	267	291	357	391	371
		3	1,863	1,360	607	259	231	276	409	516	607	1,395	1,319	603	401	429	432	487	512	542
		4	1,174	949	365	216	195	231	372	473	563	1,097	865	366	306	333	344	430	444	462
	Year	22/23	1,324	1,024	398	213	182	221	346	441	520	1,043	955	394	317	325	333	398	421	425
	Episodes	F/N	2,305	9,006	10,012	4,539	9,601	11,663	6,141	5,392	2,214	1,719	7,923	9,572	6,488	17,528	17,009	7,590	6,157	2,961
Midlands	Quarter	1	1,068	908	366	182	175	219	361	439	525	912	801	346	291	320	325	396	426	427
		2	1,149	893	292	188	164	229	372	449	550	986	793	291	303	299	330	400	446	428
		3	1,884	1,488	654	271	257	347	511	629	732	1,533	1,436	672	426	532	524	585	638	659
		4	1,232	936	397	221	223	280	424	518	626	1,123	878	401	342	403	421	485	519	530
	Year	22/23	1,335	1,056	426	216	205	269	417	510	609	1,139	977	427	341	389	400	466	508	511
	Episodes	F/N	5,826	22,238	25,839	12,600	26,277	34,444	20,053	16,507	6,000	4,746	19,467	24,628	18,692	47,682	49,388	23,380	19,159	8,111
London	Quarter	1	891	804	344	147	116	166	300	400	458	767	689	306	200	217	266	349	398	384
		2	992	780	266	134	103	159	293	404	468	822	690	240	189	186	250	348	410	392
		3	1,509	1,246	584	201	149	222	381	490	592	1,307	1,155	545	274	309	379	467	526	555
		4	1,130	852	400	180	149	207	367	470	534	957	790	363	244	275	343	437	479	472
	Year	22/23	1,131	920	397	166	129	189	335	442	513	963	831	363	227	247	309	400	454	451
	Episodes	F/N	8,083	29,791	34,381	14,363	35,327	31,738	12,973	9,126	3,709	6,501	25,736	30,005	19,902	60,406	45,421	16,437	11,894	5,467
South East	Quarter	1	989	893	340	189	164	201	319	421	475	828	785	315	271	293	287	359	398	418
		2	1,229	883	277	186	152	209	335	433	526	954	777	273	281	273	304	367	423	436
		3	1,848	1,447	615	256	237	298	455	593	711	1,578	1,393	630	386	468	462	520	588	644
		4	1,290	980	375	201	203	253	381	509	621	1,081	906	378	317	367	369	453	494	540
	Year	22/23	1,342	1,051	401	208	189	240	373	490	585	1,111	966	398	315	350	356	425	477	510
	Episodes	F/N	6,812	25,867	28,997	13,787	29,071	36,018	19,075	16,994	6,714	5,319	22,402	27,282	19,756	52,128	51,598	23,091	19,688	9,640
South West	Quarter	1	1,071	816	309	183	168	218	327	425	507	795	695	297	256	282	303	368	407	415
		2	1,198	767	270	189	168	229	344	459	500	855	656	271	273	275	326	375	429	423
		3	1,792	1,284	554	230	233	308	441	606	681	1,524	1,206	550	391	432	463	529	588	642
		4	1,136	817	329	192	197	270	398	491	674	906	700	337	291	335	382	459	498	527
	Year	22/23	1,298	920	365	199	191	257	378	496	591	1,022	814	363	303	332	369	433	482	502
	Episodes	F/N	2,428	8,482	9,633	5,449	12,276	14,887	8,519	7,675	2,936	1,773	6,930	9,139	7,965	20,028	20,976	10,295	8,666	3,985

Mean weekly incidence rate per 100,000 Persons.

		Acute Sinusitis (ICD10: J01)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	1	2	2	5	10	11	12	9	6	0	2	2	10	26	28	24	16	6
	2	1	2	4	6	12	13	13	9	5	1	1	4	13	28	27	22	18	7
	3	0	2	2	6	9	11	13	8	5	0	1	2	11	24	25	22	14	6
	4	0	2	1	5	8	10	11	9	6	0	1	1	8	18	21	20	14	7
	5	0	1	2	6	8	10	13	9	5	0	0	2	12	19	24	21	15	6
	6	1	2	3	8	13	15	14	12	4	0	1	3	15	35	37	27	21	10
	7	1	2	5	8	13	16	15	12	6	1	2	4	16	36	38	29	19	8
	8	1	2	8	11	17	16	17	12	8	2	3	7	21	54	48	35	22	11
	9	1	2	5	12	21	22	21	18	8	1	2	5	24	64	56	42	25	11
	10	1	2	5	9	15	19	20	15	6	1	2	6	19	45	47	35	25	9
	11	2	2	5	10	18	18	21	16	6	1	3	5	19	47	47	39	26	10
	12	1	3	4	10	16	17	21	14	8	0	2	5	18	41	41	34	24	12
	13	1	2	3	7	13	16	17	12	6	0	1	3	13	34	35	31	19	10
Quarter	1	1	2	2	6	10	11	12	9	5	0	2	3	11	26	27	23	16	6
	2	0	2	3	7	10	13	13	10	5	0	1	2	12	26	29	24	17	8
	3	1	2	6	10	17	19	19	15	7	1	2	6	21	52	49	36	23	10
	4	1	2	4	9	16	17	20	14	7	0	2	5	17	42	42	35	23	11
Year	22/23	1	2	4	8	13	15	16	12	6	0	2	4	15	36	37	29	20	9
Episodes	F/N	25	243	1,346	2,713	11,551	11,024	3,893	1,884	303	11	208	1,330	5,010	29,490	25,412	7,500	3,668	715

Mean weekly incidence rate per 100,000 Persons.

Acute Sinusitis (ICD10: J01)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	1	2	5	11	12	14	9	7	0	1	2	10	28	28	27	19	8
		2	2	1	2	6	11	13	15	11	3	0	2	2	14	27	32	26	20	10
		3	0	2	4	12	17	19	20	14	5	0	4	6	24	56	49	39	21	10
		4	0	2	2	10	18	18	21	10	7	0	3	5	18	47	45	39	23	13
	Year	22/23	1	1	3	8	14	16	18	11	5	0	2	4	17	39	38	33	21	10
	Episodes	F/N	1	14	76	206	851	991	441	171	26	0	22	101	395	2,382	2,407	853	384	81
North West	Quarter	1	1	2	4	6	14	16	17	14	6	0	3	3	17	37	36	28	24	10
		2	1	3	3	7	14	17	15	14	10	0	2	2	15	38	39	33	24	11
		3	2	2	8	14	24	26	26	21	13	3	3	9	26	75	68	50	35	16
		4	3	5	6	10	21	23	25	17	13	0	4	6	24	55	56	47	30	15
	Year	22/23	2	3	5	9	18	20	21	16	10	1	3	5	21	51	50	40	28	13
	Episodes	F/N	7	62	293	506	2,342	2,388	856	419	80	3	55	276	1,055	6,059	5,402	1,665	852	160
East of England	Quarter	1	0	1	1	8	11	12	11	5	2	0	2	2	13	27	26	24	14	2
		2	0	0	3	7	9	11	12	8	8	0	0	2	12	28	27	19	16	7
		3	2	2	4	11	17	19	19	11	3	2	0	4	21	54	48	34	22	6
		4	0	1	5	10	17	17	24	13	3	0	2	5	16	42	40	31	23	13
	Year	22/23	1	1	3	9	14	15	16	9	4	1	1	3	15	38	35	27	19	7
	Episodes	F/N	1	11	81	189	725	773	291	114	17	1	9	77	315	2,057	1,801	512	277	50
Midlands	Quarter	1	1	1	2	4	11	11	12	7	6	0	0	2	11	26	28	24	14	6
		2	0	1	2	7	11	13	12	10	6	0	1	2	11	26	30	24	13	6
		3	0	1	5	9	19	19	20	16	9	0	1	5	21	56	50	36	21	10
		4	0	1	3	8	18	18	19	14	6	0	1	4	17	45	42	33	22	8
	Year	22/23	0	1	3	7	14	15	16	12	6	0	1	3	15	38	38	29	18	7
	Episodes	F/N	1	24	202	432	1,858	1,944	755	380	64	0	17	190	828	4,688	4,637	1,465	664	118
London	Quarter	1	1	1	3	5	7	8	9	7	2	0	1	2	8	17	19	17	11	6
		2	0	1	3	6	7	9	10	9	6	0	1	3	9	17	18	16	14	7
		3	1	2	5	8	11	11	15	9	8	2	2	5	15	32	32	25	19	8
		4	2	3	4	8	11	11	15	12	6	0	3	5	13	28	29	28	20	7
	Year	22/23	1	2	4	7	9	10	12	9	5	1	2	4	11	23	25	21	16	7
	Episodes	F/N	5	61	326	581	2,438	1,651	476	189	39	4	54	318	987	5,745	3,606	874	419	83
South East	Quarter	1	3	3	2	7	11	12	12	9	5	1	2	4	12	31	27	21	14	6
		2	1	2	3	7	12	13	14	10	3	0	1	2	13	30	31	24	17	8
		3	2	3	7	12	22	20	17	15	5	0	3	6	22	62	51	35	20	9
		4	2	1	4	10	18	19	20	16	6	2	2	6	19	50	44	32	22	11
	Year	22/23	2	2	4	9	16	16	16	12	5	1	2	4	17	43	39	28	18	9
	Episodes	F/N	10	56	279	596	2,428	2,429	805	433	56	3	46	303	1,046	6,446	5,585	1,522	760	165
South West	Quarter	1	0	2	1	5	11	11	11	8	6	0	1	2	12	22	25	17	12	3
		2	0	2	1	7	11	12	10	12	4	0	0	2	11	23	29	21	15	6
		3	0	0	7	10	19	19	12	14	3	0	1	4	22	54	45	32	19	11
		4	0	2	4	7	16	17	14	12	4	0	0	3	13	40	40	33	22	9
	Year	22/23	0	2	3	7	14	15	12	12	4	0	1	3	15	35	35	26	17	7
	Episodes	F/N	0	15	89	203	909	848	269	178	21	0	5	65	384	2,113	1,974	609	312	58

Mean weekly incidence rate per 100,000 Persons.

Strep Sore Throat, Scarletina and Peritonsillar Abscess (ICD10: A38,J020,J36)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	3	29	7	1	1	0	0	0	0	2	24	8	2	1	0	0	0	0
	2	2	25	7	2	1	0	0	0	0	3	22	7	1	1	0	0	0	0
	3	4	22	8	1	1	0	0	0	0	3	26	8	1	1	0	0	0	0
	4	2	11	2	1	1	0	0	0	0	1	8	3	1	1	0	0	0	0
	5	0	6	2	1	0	0	0	0	0	3	7	2	2	1	0	0	0	0
	6	4	19	6	1	1	0	0	0	0	2	18	6	2	1	0	0	0	0
	7	4	26	8	1	1	0	0	0	0	6	22	9	2	2	0	0	0	0
	8	25	124	50	3	1	0	0	0	0	28	118	54	4	3	1	0	0	0
	9	15	57	25	3	1	1	0	0	0	18	57	26	3	3	1	0	0	0
	10	9	50	18	2	1	1	0	0	0	8	46	17	3	2	0	0	0	0
	11	10	38	14	2	1	0	0	0	0	6	34	15	3	2	1	0	0	0
	12	7	34	15	2	1	0	0	0	0	2	32	14	2	2	1	1	0	0
	13	5	20	7	1	1	0	0	0	0	3	18	7	2	1	0	0	0	0
Quarter	1	3	26	8	1	1	0	0	0	0	3	24	8	1	1	0	0	0	0
	2	2	13	3	1	1	0	0	0	0	3	12	4	2	1	0	0	0	0
	3	15	72	28	3	1	0	0	0	0	16	69	30	3	2	1	0	0	0
	4	8	32	13	2	1	0	0	0	0	4	29	12	2	2	1	0	0	0
Year	22/23	7	36	13	2	1	0	0	0	0	6	33	14	2	2	0	0	0	0
Episodes	F/N	187	4,444	4,638	598	780	269	37	31	2	159	3,948	4,616	687	1,271	294	46	17	4

Mean weekly incidence rate per 100,000 Persons.

Strep Sore Throat, Scarletina and Peritonsillar Abscess (ICD10: A38,J020,J36)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	4	37	11	3	1	0	0	0	0	12	40	13	2	1	0	1	0	0
		2	2	13	4	2	1	0	0	0	0	0	14	3	2	1	0	0	0	0
		3	31	82	28	3	2	0	0	0	0	30	89	33	6	4	0	0	0	0
		4	10	39	12	2	1	0	0	0	0	11	33	12	3	2	1	1	0	0
	Year	22/23	12	42	14	2	1	0	0	0	0	13	44	15	3	2	1	0	0	0
	Episodes	F/N	23	395	386	58	70	19	6	3	0	23	393	406	75	114	32	8	0	0
North West	Quarter	1	4	29	9	2	1	0	0	0	1	2	36	10	2	1	0	0	0	0
		2	3	17	4	1	1	0	0	0	0	6	17	5	2	1	0	0	0	0
		3	20	96	28	4	2	1	0	0	0	23	92	37	5	3	1	0	0	0
		4	14	42	13	2	1	0	0	0	0	7	39	14	2	2	1	0	1	0
	Year	22/23	10	46	13	2	1	0	0	0	0	9	46	16	3	2	1	0	0	0
	Episodes	F/N	42	902	760	122	134	41	7	6	1	37	865	887	142	219	60	7	5	0
East of England	Quarter	1	17	24	7	1	1	0	0	0	0	5	23	9	2	2	0	0	0	0
		2	2	13	5	2	0	0	0	0	0	9	10	5	2	1	0	0	0	0
		3	19	69	27	3	1	1	0	0	0	20	65	32	3	2	1	0	0	0
		4	14	35	14	2	1	0	0	0	0	5	33	14	3	2	1	0	0	0
	Year	22/23	13	35	13	2	1	0	0	0	0	10	33	15	2	2	1	0	0	0
	Episodes	F/N	22	309	328	44	45	17	3	1	0	16	271	362	49	87	27	3	1	0
Midlands	Quarter	1	2	21	7	1	0	0	0	0	0	0	20	6	1	1	0	0	0	0
		2	3	13	3	1	1	0	0	0	0	1	11	4	1	1	0	0	0	0
		3	17	74	30	3	1	1	0	0	0	19	69	31	3	3	1	0	0	0
		4	4	27	13	2	1	0	0	0	0	1	26	11	3	2	1	0	0	0
	Year	22/23	7	34	13	2	1	0	0	0	0	5	31	13	2	2	0	0	0	0
	Episodes	F/N	29	707	789	97	116	57	8	9	0	22	625	761	115	234	55	7	3	2
London	Quarter	1	0	20	7	1	0	0	0	0	0	1	16	6	0	1	0	0	0	0
		2	2	10	2	1	0	0	0	0	0	2	7	3	1	1	0	0	0	0
		3	10	45	22	1	1	0	0	0	0	7	40	19	1	1	0	0	0	0
		4	5	22	11	1	1	0	0	0	0	3	21	11	1	1	0	0	0	0
	Year	22/23	4	24	10	1	1	0	0	0	0	3	21	9	1	1	0	0	0	0
	Episodes	F/N	29	780	902	86	144	44	4	1	0	22	652	785	100	235	36	8	3	0
South East	Quarter	1	3	23	7	2	1	0	0	0	0	4	19	6	2	1	0	0	0	0
		2	2	13	4	1	1	0	0	0	0	2	14	4	1	1	0	0	0	0
		3	8	72	32	3	1	0	0	0	0	13	72	34	3	3	1	0	0	0
		4	8	37	16	2	1	1	0	0	0	4	32	14	2	2	1	0	0	0
	Year	22/23	5	36	15	2	1	0	0	0	0	6	34	14	2	2	0	0	0	0
	Episodes	F/N	26	893	1,051	129	165	60	8	7	0	27	796	974	133	266	60	6	3	2
South West	Quarter	1	4	42	9	2	2	0	0	0	0	0	27	10	2	1	0	1	0	0
		2	2	22	6	2	1	0	0	0	1	7	16	7	3	1	0	0	0	0
		3	24	102	37	3	2	0	0	0	0	16	90	40	4	3	0	0	0	0
		4	4	33	11	2	2	1	0	1	0	5	31	14	3	2	1	0	0	0
	Year	22/23	9	50	16	2	2	1	0	0	0	7	41	18	3	2	0	0	0	0
	Episodes	F/N	16	458	422	62	106	31	1	4	1	12	346	441	73	116	24	7	2	0

Mean weekly incidence rate per 100,000 Persons.

		Acute Tonsillitis/Pharyngitis (ICD10: J02-J03)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	58	188	72	37	18	4	2	2	1	41	165	90	82	46	12	4	2	1
	2	70	208	90	42	20	6	3	2	1	61	175	104	92	53	14	5	3	1
	3	73	214	93	39	22	6	3	2	1	58	195	110	85	59	14	5	2	1
	4	51	133	44	38	20	5	3	2	2	41	113	56	80	45	12	6	3	2
	5	44	103	49	40	14	4	2	1	1	38	95	60	79	36	9	4	2	1
	6	72	191	82	43	18	5	3	2	2	50	172	103	96	48	12	5	3	2
	7	87	225	95	50	20	6	3	3	2	69	210	107	99	57	14	6	3	1
	8	159	424	228	63	28	8	3	1	2	112	416	270	125	77	20	7	3	3
	9	127	250	121	54	28	9	4	2	2	84	232	141	113	74	23	10	6	3
	10	103	265	126	55	25	7	3	3	2	83	240	155	109	68	18	7	4	2
	11	102	260	117	52	29	8	3	3	2	91	232	133	108	70	19	7	4	2
	12	98	243	116	52	27	7	3	3	2	77	218	134	101	68	19	7	4	3
	13	64	151	74	42	21	6	2	2	2	47	138	87	86	54	14	8	3	2
Quarter	1	67	203	85	40	20	5	3	2	1	53	178	101	86	53	13	4	2	1
	2	62	152	61	42	18	5	3	2	2	46	134	75	87	45	11	5	3	2
	3	124	306	154	56	26	8	4	2	2	89	290	182	114	71	19	7	4	2
	4	90	222	104	49	26	7	3	2	2	74	201	121	99	65	17	7	4	2
Year	22/23	85	220	101	47	22	6	3	2	2	66	200	119	97	58	15	6	3	2
Episodes	F/N	2,240	27,506	35,794	15,853	19,381	4,568	705	330	85	1,625	23,755	40,523	31,597	46,995	10,667	1,583	611	152

Mean weekly incidence rate per 100,000 Persons.

Acute Tonsillitis/Pharyngitis (ICD10: J02-J03)

			M										F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs		
North East and Yorkshire	Quarter	1	68	225	97	48	23	6	3	2	2	54	212	121	105	63	13	6	3	2		
		2	52	170	71	53	22	5	3	1	1	42	153	93	111	52	12	5	1	1		
		3	151	343	159	71	32	8	3	3	3	106	313	199	150	86	20	6	3	2		
		4	112	217	112	64	31	8	2	1	2	82	183	134	127	79	18	5	3	3		
	Year	22/23	95	238	109	59	27	7	3	2	2	70	214	136	124	70	16	5	3	2		
	Episodes	F/N	185	2,230	3,077	1,483	1,637	426	71	27	9	125	1,928	3,664	2,940	4,213	983	142	46	14		
North West	Quarter	1	91	257	101	49	25	6	3	1	2	85	235	128	109	69	16	5	3	1		
		2	85	202	77	49	22	6	2	2	1	78	190	99	107	59	14	6	4	3		
		3	184	403	186	68	32	10	5	3	2	139	378	224	140	92	22	8	4	1		
		4	121	284	124	60	32	7	3	2	2	114	266	150	124	80	20	8	5	4		
	Year	22/23	120	286	121	57	28	7	3	2	2	104	267	150	120	75	18	7	4	2		
	Episodes	F/N	495	5,625	6,904	3,025	3,563	810	131	50	13	408	5,015	8,108	6,139	8,902	1,923	295	124	28		
East of England	Quarter	1	62	209	85	47	26	5	2	1	1	49	201	104	98	57	14	4	2	1		
		2	51	146	55	46	19	4	3	3	1	25	115	72	100	42	10	5	2	1		
		3	135	293	151	61	29	7	2	1	3	85	268	184	132	71	22	8	3	2		
		4	81	243	104	52	30	6	2	4	2	61	222	120	101	65	17	6	3	1		
	Year	22/23	82	222	98	51	26	5	2	2	2	55	200	119	108	59	16	6	3	1		
	Episodes	F/N	142	1,949	2,478	1,095	1,358	284	39	29	7	90	1,656	2,898	2,211	3,165	795	113	37	8		
Midlands	Quarter	1	68	220	98	45	26	6	4	1	0	52	188	120	105	66	16	5	3	2		
		2	76	171	70	46	23	6	3	3	2	53	154	87	106	58	14	6	3	2		
		3	129	354	188	70	36	9	5	3	2	99	354	223	141	95	24	9	6	4		
		4	116	244	116	58	34	9	4	3	2	82	220	143	128	82	22	10	4	2		
	Year	22/23	97	246	117	55	30	8	4	3	2	72	228	143	120	75	19	8	4	2		
	Episodes	F/N	425	5,183	7,120	3,195	3,807	974	182	81	19	299	4,552	8,227	6,590	9,231	2,340	383	150	38		
London	Quarter	1	50	165	71	22	13	5	3	3	2	40	135	77	50	35	13	5	3	1		
		2	50	116	49	25	12	5	3	2	3	37	98	52	48	29	10	7	3	2		
		3	88	229	120	34	16	7	3	3	2	61	215	126	62	44	16	8	5	3		
		4	61	181	91	30	17	6	4	3	3	53	160	94	58	44	16	8	5	3		
	Year	22/23	62	172	82	28	15	6	3	3	2	48	152	87	55	38	13	7	4	2		
	Episodes	F/N	442	5,561	7,133	2,424	4,007	940	118	59	18	322	4,695	7,165	4,796	9,295	1,976	291	108	29		
South East	Quarter	1	80	210	80	44	22	5	2	2	1	53	182	94	92	52	12	4	2	0		
		2	62	158	57	47	18	4	2	2	1	42	134	72	91	46	10	4	2	1		
		3	124	315	153	60	29	7	3	2	1	86	307	188	120	74	17	5	3	2		
		4	95	232	105	53	27	6	2	2	2	79	219	120	104	72	15	6	4	3		
	Year	22/23	90	228	99	51	24	6	2	2	1	65	210	118	102	61	13	5	3	1		
	Episodes	F/N	456	5,612	7,138	3,385	3,676	848	109	66	14	310	4,863	8,108	6,400	9,085	1,948	252	117	28		
South West	Quarter	1	45	145	67	39	20	4	2	1	1	37	118	80	80	49	9	2	1	1		
		2	46	97	46	46	18	5	2	1	1	30	89	65	95	42	11	4	2	0		
		3	74	204	114	50	23	5	3	2	0	64	173	138	115	60	16	6	2	1		
		4	39	143	68	46	22	6	3	1	2	32	114	93	92	55	13	6	2	2		
	Year	22/23	51	146	74	45	21	5	2	1	1	41	123	94	96	51	12	5	2	1		
	Episodes	F/N	95	1,346	1,944	1,246	1,333	286	55	18	5	71	1,046	2,353	2,521	3,104	702	107	29	7		

Mean weekly incidence rate per 100,000 Persons.

		Upper Respiratory Tract Infections (ICD10: J00-J06)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	820	762	179	66	48	32	36	32	28	686	665	185	130	115	73	56	42	27
	2	828	751	200	74	53	38	39	33	29	736	658	206	149	126	79	59	48	36
	3	832	768	201	68	50	34	34	30	33	702	693	212	134	124	72	58	41	30
	4	511	454	89	63	43	29	30	29	25	418	390	102	117	91	57	48	36	27
	5	691	458	118	77	38	30	32	27	24	572	407	127	132	89	62	48	39	28
	6	1,244	1,024	238	97	60	50	51	49	54	1,031	930	248	188	151	106	80	70	60
	7	1,316	1,118	270	103	67	53	52	51	52	1,164	1,061	274	191	167	114	84	62	52
	8	1,857	1,878	769	176	108	80	77	77	75	1,656	1,837	787	300	286	173	123	97	94
	9	1,368	1,047	371	152	128	114	116	135	149	1,177	1,001	389	274	301	225	183	169	158
	10	1,234	1,108	350	117	81	66	69	61	69	1,070	1,014	369	211	203	137	104	84	66
	11	1,177	981	285	111	88	62	69	67	68	1,084	903	300	204	204	138	113	87	65
	12	1,120	935	279	104	78	56	64	56	49	1,003	855	294	183	185	121	97	77	62
	13	842	573	162	79	60	49	53	50	48	733	527	177	148	143	101	87	60	50
Quarter	1	827	760	193	69	50	35	36	32	30	708	672	201	138	122	75	58	44	31
	2	880	701	158	81	49	39	40	38	37	740	629	168	151	117	80	62	50	41
	3	1,474	1,336	479	144	101	83	84	87	92	1,293	1,279	495	255	253	172	131	111	101
	4	1,076	855	252	100	76	56	62	58	56	962	790	268	182	181	121	100	76	59
Year	22/23	1,064	912	270	99	69	53	56	54	54	925	842	283	182	168	112	88	70	58
Episodes	F/N	27,946	114,169	96,248	33,552	59,800	39,264	13,575	8,430	2,716	22,934	99,942	95,913	59,553	136,343	77,968	22,487	13,071	4,763

Mean weekly incidence rate per 100,000 Persons.

Upper Respiratory Tract Infections (ICD10: J00-J06)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	953	879	211	77	55	36	39	32	27	788	766	226	160	139	76	63	46	32
		2	1,022	740	170	97	57	41	43	38	44	821	669	187	188	136	89	68	53	50
		3	1,623	1,497	470	174	117	92	93	101	113	1,498	1,391	516	328	293	181	152	132	131
		4	1,146	899	251	116	85	57	63	51	48	1,084	798	281	224	202	124	103	78	62
	Year	22/23	1,186	1,001	275	117	79	57	59	56	58	1,044	904	302	226	193	117	96	78	69
	Episodes	F/N	2,309	9,392	7,750	2,927	4,785	3,589	1,475	862	276	1,853	8,143	8,122	5,376	11,662	7,389	2,505	1,419	542
North West	Quarter	1	1,038	931	222	82	62	44	47	40	35	917	828	239	173	160	95	71	62	37
		2	995	780	186	94	63	49	46	46	48	883	723	206	183	153	101	80	64	50
		3	1,738	1,531	536	165	129	102	105	101	109	1,607	1,497	557	304	319	212	158	139	125
		4	1,252	949	275	115	90	64	72	66	70	1,130	889	304	217	217	146	121	89	79
	Year	22/23	1,255	1,045	304	114	86	65	68	63	66	1,131	982	326	220	213	138	108	89	73
	Episodes	F/N	5,176	20,591	17,284	6,111	11,063	7,570	2,770	1,619	505	4,449	18,485	17,659	11,227	25,216	15,003	4,523	2,652	914
Midlands	Quarter	1	829	767	205	73	59	35	35	27	33	740	674	219	159	142	80	58	43	30
		2	863	740	167	85	57	42	42	40	34	767	655	179	174	137	84	63	47	38
		3	1,507	1,404	511	160	119	89	90	88	93	1,279	1,352	545	289	302	184	133	106	89
		4	1,079	880	264	108	90	62	62	58	47	1,012	817	281	214	208	129	99	75	50
	Year	22/23	1,071	948	286	107	81	57	58	54	52	949	875	306	210	198	119	88	68	52
	Episodes	F/N	4,672	19,956	17,351	6,256	10,434	7,347	2,769	1,743	511	3,956	17,424	17,633	11,490	24,226	14,737	4,436	2,566	821
London	Quarter	1	742	673	185	51	38	32	38	38	36	636	590	180	94	91	69	62	47	35
		2	767	634	150	61	37	35	41	41	32	658	569	145	101	87	68	62	54	41
		3	1,275	1,183	461	119	73	73	80	80	87	1,144	1,121	441	180	185	153	126	117	103
		4	999	783	260	83	60	53	63	69	69	870	738	254	134	143	113	105	82	62
	Year	22/23	945	817	263	79	52	48	56	57	56	826	754	255	128	127	101	89	76	60
	Episodes	F/N	6,754	26,469	22,802	6,871	14,337	8,086	2,153	1,180	404	5,577	23,348	21,072	11,228	31,011	14,816	3,656	1,982	733
South East	Quarter	1	771	735	179	74	51	32	33	31	27	659	649	183	141	124	68	50	35	28
		2	905	718	148	88	51	37	36	33	38	734	626	156	157	122	76	55	45	39
		3	1,518	1,349	473	146	110	79	73	83	91	1,264	1,301	497	260	270	166	119	97	93
		4	1,080	883	244	101	81	56	62	59	60	943	815	261	189	195	119	91	74	56
	Year	22/23	1,070	921	261	102	73	51	51	52	55	900	848	274	187	178	107	79	63	54
	Episodes	F/N	5,430	22,671	18,845	6,787	11,295	7,636	2,614	1,800	627	4,308	19,665	18,761	11,772	26,511	15,559	4,287	2,601	1,024
South West	Quarter	1	728	633	152	66	47	28	24	27	22	569	535	165	127	104	59	43	32	22
		2	848	581	122	77	47	30	28	30	29	624	517	143	151	100	69	46	38	29
		3	1,225	1,139	383	114	93	69	60	77	69	1,145	1,060	411	241	219	143	102	88	95
		4	900	707	179	81	64	43	46	42	33	748	608	210	157	152	98	80	55	41
	Year	22/23	925	764	209	85	63	43	40	44	38	774	680	232	170	144	93	68	54	47
	Episodes	F/N	1,729	7,041	5,508	2,329	4,037	2,477	892	679	191	1,342	5,786	5,832	4,460	8,690	5,264	1,613	965	372
East of England	Quarter	1	802	762	197	79	58	33	32	24	29	622	721	208	154	125	69	54	34	29
		2	911	714	157	88	51	36	39	31	27	712	658	173	169	118	72	54	45	38
		3	1,551	1,305	467	150	103	76	69	70	79	1,221	1,246	486	277	246	159	112	97	72
		4	1,055	883	246	108	82	49	62	53	55	962	799	261	179	180	107	89	64	65
	Year	22/23	1,078	915	266	107	73	49	51	45	47	879	854	282	195	167	102	77	61	51
	Episodes	F/N	1,876	8,049	6,708	2,271	3,849	2,559	902	547	202	1,449	7,091	6,834	4,000	9,027	5,200	1,467	886	357

Mean weekly incidence rate per 100,000 Persons.

		Pertussis (ICD10: A37)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.1	0.0	0.0	0.2	0.0	0.0	0.0	0.0
	2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0
	3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2
	4	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.3	0.0	0.0	0.0	0.0
	5	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.0	0.1	0.0	0.0
	6	0.5	0.5	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.3	0.0	0.0	0.0	0.0
	7	0.0	0.3	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0.0	0.1	0.0	0.0
	8	1.0	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.2	0.0	0.0	0.1	0.0	0.0	0.1	0.0
	9	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.5	0.0	0.1	0.2	0.0	0.0	0.0	0.0
	10	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.0	0.0	0.0	0.0
	11	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.3	0.0	0.0	0.0	0.0
	12	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.0
	13	1.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0
Quarter	1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.1
	2	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0.0	0.0	0.0	0.0
	3	0.5	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.2	0.0	0.0	0.0	0.0
	4	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.1	0.0	0.1	0.2	0.0	0.0	0.0	0.0
Year	22/23	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.1	0.2	0.0	0.0	0.0	0.0
Episodes	F/N	7.0	28.0	11.0	2.0	10.0	3.0	1.0	2.0	0.0	7.0	16.0	10.0	20.0	180.0	5.0	2.0	1.0	1.0

Mean weekly incidence rate per 100,000 Persons.

			M										F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs		
North East and Yorkshire	Quarter	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
		2	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	0.0	0.0	0.0	0.0		
		3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
		4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.4	0.0	0.0	0.1	0.0	0.0	0.0		
	Year	22/23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0		
	Episodes	F/N	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	2.0	0.0	3.0	0.0	0.0	0.0	0.0		
North West	Quarter	1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0		
		2	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.2	0.0	0.1	0.0	0.0		
		3	2.9	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.0	0.0	0.0	0.0		
		4	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0		
	Year	22/23	1.0	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0		
	Episodes	F/N	4.0	7.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	2.0	3.0	15.0	0.0	1.0	0.0	0.0		
East of England	Quarter	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0		
		2	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.0	0.1	0.0	0.0	0.0	0.0		
		3	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.3	0.0		
		4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0		
	Year	22/23	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.0		
	Episodes	F/N	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2.0	0.0	2.0	0.0	0.0	1.0	0.0		
Midlands	Quarter	1	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0		
		2	0.0	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.3	0.0	0.0	0.0	0.0		
		3	0.0	0.4	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.4	0.0	0.1	0.1	0.0	0.0	0.0	0.0		
		4	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0		
	Year	22/23	0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.2	0.0	0.0	0.0	0.0		
	Episodes	F/N	0.0	6.0	4.0	0.0	2.0	1.0	0.0	1.0	0.0	0.0	3.0	0.0	6.0	21.0	1.0	0.0	0.0	0.0		
London	Quarter	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.4	0.0	0.0	0.0	0.4		
		2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.1	0.0	0.0		
		3	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	1.2	0.4	0.0	0.0	0.5	0.0	0.0	0.0	0.0		
		4	1.1	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.6	0.0	0.0	0.1	0.5	0.0	0.0	0.0	0.0		
	Year	22/23	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.1	0.0	0.1	0.4	0.0	0.0	0.0	0.1		
	Episodes	F/N	2.0	5.0	1.0	0.0	4.0	1.0	1.0	1.0	0.0	3.0	4.0	2.0	7.0	110.0	1.0	1.0	0.0	1.0		
South East	Quarter	1	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0		
		2	0.0	0.6	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0		
		3	0.0	0.5	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.5	0.1	0.0	0.2	0.0	0.0	0.0	0.0		
		4	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.2	0.0	0.1	0.2	0.0	0.0	0.0	0.0		
	Year	22/23	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0		
	Episodes	F/N	0.0	9.0	2.0	1.0	4.0	1.0	0.0	0.0	0.0	2.0	5.0	2.0	4.0	18.0	2.0	0.0	0.0	0.0		
South West	Quarter	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0		
		2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0		
		3	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0		
		4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0		
	Year	22/23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0		
	Episodes	F/N	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.0	1.0	0.0	0.0	0.0		

Mean weekly incidence rate per 100,000 Persons.

		Infectious Mononucleosis (ICD10: B27)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	2	0	0	0	2	0	0	0	0	0	0	0	1	3	0	0	0	0	0
	3	0	0	0	1	0	0	0	0	0	1	0	0	2	0	0	0	0	0
	4	0	0	0	1	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	5	0	0	0	1	0	0	0	0	0	0	0	0	3	0	0	0	0	0
	6	0	0	0	2	0	0	0	0	0	1	0	1	2	0	0	0	0	0
	7	0	0	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0
	8	0	0	0	1	0	0	0	0	0	0	1	0	3	0	0	0	0	0
	9	0	0	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0
	10	0	0	1	2	0	0	0	0	0	0	0	1	2	0	0	0	0	0
	11	0	0	0	2	0	0	0	0	0	0	0	1	2	0	0	0	0	0
	12	0	0	1	2	0	0	0	0	0	0	0	1	3	0	0	0	0	0
	13	0	0	0	1	0	0	0	0	0	0	0	0	2	0	0	0	0	0
Quarter	1	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	2	0	0	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0
	3	0	0	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0
	4	0	0	1	2	0	0	0	0	0	0	0	1	3	0	0	0	0	0
Year	22/23	0	0	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0
Episodes	F/N	0	30	126	618	177	29	2	2	1	2	26	130	834	238	39	2	2	1

Mean weekly incidence rate per 100,000 Persons.

Infectious Mononucleosis (ICD10: B27)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	1	0	2	0	0	0	0	0	2	0	0	3	0	0	0	0	0
		2	0	1	0	2	0	0	0	0	0	0	0	1	4	0	0	0	0	0
		3	0	0	1	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0
		4	0	0	1	3	0	0	0	0	0	0	0	1	3	0	0	0	0	0
	Year	22/23	0	0	0	2	0	0	0	0	0	1	0	1	3	0	0	0	0	0
	Episodes	F/N	0	4	13	54	9	2	1	0	0	1	2	14	72	12	5	0	0	0
North West	Quarter	1	0	0	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0
		2	0	0	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0
		3	0	0	0	2	0	0	0	0	0	0	0	1	3	0	0	0	0	0
		4	0	0	1	2	0	0	0	0	0	0	0	1	3	0	0	0	0	0
	Year	22/23	0	0	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0
	Episodes	F/N	0	5	18	92	29	5	1	1	0	0	2	24	156	29	9	0	0	0
East of England	Quarter	1	0	0	0	2	0	0	0	0	0	0	1	0	3	0	0	0	0	0
		2	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
		3	0	0	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0
		4	0	0	0	3	0	0	0	0	0	0	0	0	2	1	0	0	0	0
	Year	22/23	0	0	0	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0
	Episodes	F/N	0	1	8	42	15	1	0	0	0	0	3	7	55	16	0	0	1	0
Midlands	Quarter	1	0	0	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0
		2	0	0	0	2	0	0	0	0	0	1	1	0	2	0	0	0	0	0
		3	0	0	0	2	0	0	0	0	0	0	1	0	3	0	0	0	0	0
		4	0	1	0	3	0	0	0	0	0	0	0	1	3	0	0	0	0	0
	Year	22/23	0	0	0	2	0	0	0	0	0	0	1	0	3	0	0	0	0	0
	Episodes	F/N	0	6	13	123	39	9	0	0	0	1	10	16	147	47	8	1	0	0
London	Quarter	1	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
		2	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
		3	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
		4	0	0	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	Year	22/23	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	Episodes	F/N	0	6	28	82	39	5	0	1	0	0	3	13	98	55	7	1	0	1
South East	Quarter	1	0	0	0	3	0	0	0	0	0	0	0	1	4	0	0	0	0	0
		2	0	0	0	3	0	0	0	0	0	0	0	1	3	0	0	0	0	0
		3	0	0	0	2	0	0	0	0	0	0	0	1	4	0	0	0	0	0
		4	0	0	0	3	0	0	0	0	0	0	0	1	3	1	0	0	0	0
	Year	22/23	0	0	0	3	0	0	0	0	0	0	0	1	4	0	0	0	0	0
	Episodes	F/N	0	8	29	180	34	4	0	0	1	0	3	44	221	62	8	0	1	0
South West	Quarter	1	0	0	0	2	0	0	0	0	0	0	1	0	2	0	0	0	0	0
		2	0	0	1	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0
		3	0	0	1	1	0	0	0	0	0	0	0	1	4	0	0	0	0	0
		4	0	0	1	2	0	0	0	0	0	0	0	1	3	0	0	0	0	0
	Year	22/23	0	0	1	2	0	0	0	0	0	0	0	0	3	0	0	0	0	0
	Episodes	F/N	0	0	17	45	12	3	0	0	0	0	3	12	85	17	2	0	0	0

Mean weekly incidence rate per 100,000 Persons.

		Lower Respiratory Tract Infections (ICD10: J20-J22)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	330	178	28	11	14	35	83	132	199	216	136	21	19	31	56	89	113	185
	2	355	162	24	13	17	38	84	137	216	239	136	19	21	33	59	96	123	187
	3	381	188	25	12	15	33	79	120	203	261	140	18	18	28	53	87	110	170
	4	236	107	8	12	12	28	66	106	186	150	76	7	14	20	43	74	97	150
	5	236	121	17	17	14	32	70	106	183	150	86	14	23	26	47	78	101	156
	6	512	261	36	25	26	55	111	167	286	346	208	29	37	56	86	127	164	240
	7	781	301	41	22	27	57	114	171	281	551	259	36	33	56	93	132	167	247
	8	1,003	401	105	40	52	92	159	232	347	718	343	88	57	105	149	193	238	329
	9	675	208	54	38	59	123	236	343	490	487	186	46	57	112	192	279	374	526
	10	518	208	40	19	29	63	132	192	300	301	164	30	28	55	96	145	184	269
	11	455	176	32	18	30	60	131	198	335	306	157	27	29	53	92	148	190	285
	12	427	177	33	16	26	54	119	185	300	279	140	27	26	48	83	135	175	269
	13	306	106	20	14	21	47	108	172	261	190	88	15	20	38	75	123	164	236
Quarter	1	355	176	25	12	16	36	82	130	206	239	137	19	19	31	56	91	116	181
	2	390	180	22	18	19	41	87	133	226	261	140	19	26	37	64	98	127	192
	3	759	286	66	32	45	90	169	248	371	525	242	55	47	88	141	199	257	363
	4	406	156	29	16	26	55	120	185	299	266	132	24	25	47	84	136	177	263
Year	22/23	478	200	36	20	26	55	115	174	276	322	163	29	30	51	87	131	170	250
Episodes	F/N	12,549	24,975	12,690	6,667	22,719	40,787	27,984	27,282	13,865	7,994	19,344	9,868	9,647	41,235	60,110	33,644	31,592	20,532

Mean weekly incidence rate per 100,000 Persons.

Lower Respiratory Tract Infections (ICD10: J20-J22)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	515	248	34	16	25	47	102	153	250	358	183	22	25	44	73	121	144	200
		2	510	211	23	22	25	53	109	167	299	314	154	21	34	49	81	130	161	231
		3	1,013	351	70	38	61	106	201	280	390	709	318	57	71	111	172	238	297	391
		4	505	188	34	19	33	68	144	206	314	370	155	27	34	59	101	161	212	297
	Year	22/23	635	249	40	24	36	69	139	202	314	435	202	32	41	66	107	163	205	281
	Episodes	F/N	1,236	2,333	1,130	594	2,189	4,356	3,459	3,123	1,492	772	1,820	852	981	3,978	6,724	4,234	3,729	2,201
North West	Quarter	1	497	246	33	19	24	60	118	185	271	339	197	27	31	52	93	147	181	259
		2	424	204	31	26	30	65	123	189	295	308	161	24	38	65	102	149	192	276
		3	1,049	382	89	46	71	139	232	337	491	685	343	74	69	146	225	288	378	529
		4	552	217	40	23	40	80	159	242	374	355	180	31	33	70	124	190	247	359
	Year	22/23	629	262	49	29	41	86	158	239	359	420	220	39	43	84	136	194	250	356
	Episodes	F/N	2,595	5,152	2,758	1,534	5,317	10,047	6,478	6,092	2,759	1,651	4,136	2,121	2,179	9,920	14,744	8,116	7,493	4,447
East of England	Quarter	1	322	150	24	12	15	29	59	118	134	220	132	19	21	30	47	65	85	135
		2	486	212	27	23	21	37	72	110	166	239	172	21	33	38	55	76	95	148
		3	719	270	74	37	51	82	150	210	312	466	259	60	56	92	126	176	204	302
		4	347	164	33	17	29	48	106	163	252	258	129	26	32	50	74	121	149	204
	Year	22/23	471	200	40	23	29	49	97	150	217	296	174	32	36	52	76	110	134	198
	Episodes	F/N	819	1,761	1,000	482	1,525	2,593	1,721	1,840	922	487	1,444	770	735	2,833	3,861	2,093	1,957	1,376
Midlands	Quarter	1	354	184	27	14	18	39	92	135	220	262	145	21	21	39	63	95	122	192
		2	384	193	22	20	24	47	97	141	246	291	152	19	29	46	72	102	138	198
		3	787	315	70	36	59	111	199	275	421	547	258	61	54	113	164	220	281	379
		4	418	163	32	18	31	64	130	205	318	270	145	26	30	60	101	155	187	273
	Year	22/23	486	214	38	23	33	65	130	190	302	343	175	32	34	65	100	143	183	261
	Episodes	F/N	2,123	4,505	2,275	1,315	4,259	8,391	6,231	6,148	2,975	1,428	3,494	1,826	1,844	7,952	12,368	7,182	6,893	4,136
London	Quarter	1	230	120	18	7	9	21	57	104	168	157	90	15	11	16	34	60	85	129
		2	270	128	15	12	10	24	59	96	166	178	95	15	14	18	37	66	87	142
		3	479	190	49	19	21	50	102	165	252	351	157	40	27	45	84	127	174	238
		4	280	106	21	11	15	33	88	148	226	160	91	18	16	28	55	93	128	196
	Year	22/23	315	136	26	12	14	32	77	128	203	212	108	22	17	27	53	87	119	177
	Episodes	F/N	2,253	4,405	2,231	1,075	3,775	5,395	2,970	2,653	1,469	1,429	3,359	1,810	1,478	6,574	7,745	3,564	3,111	2,140
South East	Quarter	1	334	172	24	11	16	29	66	102	182	218	132	18	17	28	43	70	88	167
		2	420	193	23	17	18	33	71	107	200	294	158	18	26	33	54	81	103	177
		3	780	295	64	29	44	76	144	215	351	551	236	53	41	83	118	166	216	342
		4	425	155	28	15	27	47	104	154	288	294	138	22	24	46	71	113	148	251
	Year	22/23	491	204	35	18	26	46	96	145	256	340	167	28	27	47	72	108	140	234
	Episodes	F/N	2,491	5,026	2,518	1,219	4,024	6,922	4,928	5,026	2,939	1,629	3,870	1,900	1,717	7,068	10,423	5,863	5,764	4,432
South West	Quarter	1	445	170	22	8	15	34	67	109	207	224	130	14	17	28	50	73	96	168
		2	487	182	18	15	18	37	74	115	210	280	135	16	23	37	54	79	102	155
		3	845	276	55	29	42	85	142	230	338	583	203	43	42	83	120	169	227	343
		4	433	148	24	12	26	56	106	165	298	286	105	19	26	43	75	115	161	242
	Year	22/23	552	195	29	16	25	53	97	155	263	345	143	23	27	48	75	109	147	227
	Episodes	F/N	1,032	1,793	778	448	1,630	3,083	2,197	2,400	1,309	598	1,221	589	713	2,910	4,245	2,592	2,645	1,800

Mean weekly incidence rate per 100,000 Persons.

		Acute Otitis Media (ICD10: H650-H651,H660,H669)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	106	151	25	5	4	4	4	4	3	78	130	26	8	9	6	6	4	2
	2	82	149	27	6	5	4	4	4	2	77	122	29	9	8	7	6	5	4
	3	97	151	36	6	4	4	4	4	4	84	137	36	10	10	7	6	4	4
	4	63	93	22	8	5	5	5	5	4	44	74	22	8	9	7	5	4	4
	5	74	83	18	6	5	5	4	3	2	58	73	20	9	8	7	4	4	4
	6	127	202	37	7	5	5	5	5	4	88	182	37	13	11	9	7	5	4
	7	124	228	42	8	6	5	6	5	4	100	192	44	14	13	10	8	4	5
	8	167	346	91	11	7	5	6	5	3	144	323	92	17	17	10	6	4	5
	9	152	228	54	13	10	8	6	6	4	128	200	58	23	23	14	10	6	4
	10	141	262	63	9	7	7	6	5	6	120	233	65	17	17	12	8	6	4
	11	132	230	50	10	7	6	6	6	4	117	210	55	16	16	12	9	6	4
	12	156	238	53	8	6	6	6	5	5	128	197	53	11	15	10	7	5	4
	13	98	142	30	7	5	5	5	5	5	82	127	33	11	13	10	8	5	5
Quarter	1	95	150	29	5	5	4	4	4	3	80	130	30	9	9	7	6	4	3
	2	92	138	27	7	5	5	5	5	4	68	119	28	11	10	8	6	4	4
	3	147	274	66	11	8	6	6	5	5	123	244	68	19	18	12	8	5	4
	4	134	209	47	8	6	6	6	5	4	114	185	49	13	15	11	8	5	4
Year	22/23	117	193	42	8	6	5	5	5	4	96	169	44	13	13	9	7	5	4
Episodes	F/N	3,067	24,095	15,061	2,689	5,098	3,831	1,267	751	200	2,381	20,084	14,898	4,223	10,573	6,400	1,771	906	327

Mean weekly incidence rate per 100,000 Persons.

Acute Otitis Media (ICD10: H650-H651,H660,H669)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	112	181	29	6	5	4	5	4	1	80	142	32	8	10	7	6	4	3
		2	120	146	29	8	6	5	5	4	3	57	134	28	11	12	7	5	3	4
		3	151	323	65	13	9	6	6	6	4	166	293	74	26	21	13	9	6	5
		4	120	237	50	9	7	6	4	4	3	141	190	50	15	17	11	9	4	3
	Year	22/23	126	221	43	9	7	6	5	5	3	110	190	46	15	15	10	7	4	4
	Episodes	F/N	245	2,074	1,224	228	402	349	125	72	14	195	1,708	1,240	359	918	598	189	77	28
North West	Quarter	1	130	189	32	6	6	5	5	4	2	111	164	33	10	14	10	8	7	5
		2	115	156	31	11	7	7	7	7	7	100	137	32	16	14	12	8	5	4
		3	163	324	75	15	11	8	8	5	7	174	297	78	27	26	16	12	7	7
		4	173	228	47	12	8	7	8	10	6	150	210	55	17	21	14	11	7	6
	Year	22/23	145	224	46	11	8	7	7	7	6	133	202	49	18	19	13	10	6	6
	Episodes	F/N	599	4,409	2,634	582	1,042	791	299	167	43	524	3,796	2,680	906	2,198	1,429	414	191	72
East of England	Quarter	1	91	172	33	7	5	4	4	3	4	82	151	34	9	8	5	5	3	5
		2	104	153	30	7	5	6	6	3	2	86	149	34	11	10	6	5	5	4
		3	167	278	66	12	7	6	4	2	1	141	245	65	21	16	10	8	5	3
		4	133	216	51	8	7	5	3	3	5	106	193	48	12	15	10	8	4	2
	Year	22/23	124	204	45	8	6	5	4	3	3	104	184	45	13	12	7	6	4	3
	Episodes	F/N	215	1,797	1,130	180	314	264	73	35	12	171	1,531	1,100	270	661	377	120	62	24
Midlands	Quarter	1	85	157	34	7	6	5	4	5	7	82	141	36	13	12	8	6	5	4
		2	91	156	32	9	7	6	7	6	5	93	131	34	13	13	9	7	5	5
		3	173	296	71	14	10	8	7	7	5	130	273	78	23	25	15	9	6	4
		4	136	234	53	11	8	7	6	6	5	134	212	54	17	21	13	9	6	3
	Year	22/23	121	211	47	10	8	7	6	6	5	110	189	50	17	18	11	8	5	4
	Episodes	F/N	530	4,442	2,872	589	997	869	277	194	53	458	3,772	2,906	912	2,161	1,391	389	207	66
London	Quarter	1	60	99	22	4	3	4	4	4	1	55	86	22	6	6	6	5	5	2
		2	61	101	19	4	3	3	4	3	3	41	83	19	5	7	6	7	4	4
		3	102	190	50	7	4	5	3	4	3	74	164	47	10	10	8	5	4	4
		4	91	145	37	6	4	4	4	5	1	63	130	35	8	10	8	6	7	5
	Year	22/23	78	134	32	5	4	4	4	4	2	58	116	31	8	8	7	6	5	4
	Episodes	F/N	559	4,338	2,749	444	1,009	674	150	89	14	393	3,579	2,534	664	1,970	991	241	130	46
South East	Quarter	1	115	158	30	5	4	3	4	3	3	88	132	31	9	9	6	4	3	2
		2	93	145	28	7	5	4	4	4	3	59	126	29	11	10	7	4	4	4
		3	164	303	73	10	8	5	6	4	6	133	264	75	18	19	11	7	5	3
		4	161	240	52	7	7	5	7	4	6	132	209	55	13	15	10	7	6	5
	Year	22/23	133	211	46	8	6	4	5	4	4	102	183	48	13	13	9	5	5	3
	Episodes	F/N	673	5,201	3,322	499	976	669	262	131	50	490	4,242	3,266	810	1,984	1,243	292	186	65
South West	Quarter	1	107	157	32	5	5	3	2	5	2	72	143	34	9	7	4	5	3	4
		2	115	143	25	5	4	3	2	2	2	65	114	28	9	8	7	4	3	2
		3	159	276	69	8	7	4	4	5	3	94	242	70	17	15	8	6	3	4
		4	147	221	45	6	6	4	5	5	4	114	187	55	10	14	8	7	3	3
	Year	22/23	132	199	43	6	6	4	4	4	3	86	171	47	12	11	7	5	3	3
	Episodes	F/N	246	1,834	1,130	167	358	215	81	63	14	150	1,456	1,172	302	681	371	126	53	26

4. Vaccine Sensitive Disorders:

Mean weekly incidence rate per 100,000 Persons.

Measles (ICD10: B05)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	13	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Year	22/23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Episodes	F/N	7	32	19	2	3	1	0	0	0	5	30	14	3	6	2	0	0	0

Mean weekly incidence rate per 100,000 Persons.

Measles (ICD10: B05)

			M										F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs		
North East and Yorkshire	Quarter	1	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0		
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	Year	22/23	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0			
	Episodes	F/N	0	3	0	1	1	0	0	0	0	1	0	1	0	0	0	0	0	0		
North West	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
		3	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0			
		4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	Year	22/23	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0			
	Episodes	F/N	1	4	3	0	0	0	0	0	0	0	10	1	0	1	1	0	0	0		
East of England	Quarter	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
		3	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	Year	22/23	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	Episodes	F/N	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Midlands	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
		2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0			
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
		4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	Year	22/23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	Episodes	F/N	1	7	2	0	1	0	0	0	0	1	2	1	2	0	1	0	0	0		
London	Quarter	1	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0			
		2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0			
		3	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0			
		4	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0			
	Year	22/23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	Episodes	F/N	3	8	6	0	1	0	0	0	0	2	15	6	0	5	0	0	0	0		
South East	Quarter	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0			
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
		3	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	Year	22/23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	Episodes	F/N	0	7	5	0	0	1	0	0	0	1	3	5	0	0	0	0	0	0		
South West	Quarter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	Year	22/23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	Episodes	F/N	0	2	2	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0		

Mean weekly incidence rate per 100,000 Persons.

		Mumps (ICD10: B26)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	11	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	12	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	13	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Quarter	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Year	22/23	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Episodes	F/N	3	67	116	32	44	29	6	3	2	2	36	67	33	54	27	5	4	3

Mean weekly incidence rate per 100,000 Persons.

Mumps (ICD10: B26)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	22/23	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	4	18	6	1	5	0	0	0	0	0	8	9	8	4	2	1	0
North West	Quarter	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
		2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
		4	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	22/23	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	17	17	2	10	5	1	1	2	0	7	7	7	12	5	0	2	1
East of England	Quarter	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	1	1	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
	Year	22/23	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	Episodes	F/N	0	5	4	4	2	3	0	0	0	1	2	4	1	3	2	0	0	0
Midlands	Quarter	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	Year	22/23	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	1	12	16	5	8	2	1	0	0	0	5	9	4	10	6	1	0	0
London	Quarter	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	Year	22/23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	1	13	28	7	10	5	1	0	0	0	9	18	4	14	4	1	0	1
South East	Quarter	1	1	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		4	0	1	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	Year	22/23	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	Episodes	F/N	1	12	24	6	6	5	3	2	0	1	12	14	7	6	4	1	1	0
South West	Quarter	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
		4	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Year	22/23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Episodes	F/N	0	4	9	2	7	4	0	0	0	0	1	7	1	1	2	0	0	1

Mean weekly incidence rate per 100,000 Persons.

		Rubella (ICD10: B06)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00
	4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.00	0.00	0.02	0.00	0.00	0.00
	5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.00	0.00	0.02	0.00	0.00	0.00
	6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.00	0.00	0.02	0.00	0.00	0.00	0.00
	7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	8	0.00	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	9	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	10	0.00	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	11	0.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.00	0.00	0.00	0.02	0.00	0.00	0.00
	12	0.00	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	13	0.00	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.53	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Quarter	1	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00
	2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.02	0.00	0.00	0.01	0.00	0.00	0.00
	3	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	4	0.15	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.16	0.03	0.00	0.00	0.00	0.01	0.00	0.00	0.00
Year	22/23	0.04	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00
Episodes	F/N	1.00	4.00	0.00	0.00	1.00	1.00	0.00	0.00	0.00	1.00	4.00	2.00	1.00	1.00	3.00	0.00	0.00	0.00

Mean weekly incidence rate per 100,000 Persons.

Rubella (ICD10: B06)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Year	22/23	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Episodes	F/N	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
North West	Quarter	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.00	0.03	0.00	0.00	0.00
		3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Year	22/23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.01	0.00	0.00	0.00
	Episodes	F/N	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00	0.00	0.00
East of England	Quarter	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		4	0.00	0.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Year	22/23	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Episodes	F/N	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Midlands	Quarter	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		3	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Year	22/23	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Episodes	F/N	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
London	Quarter	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.00	0.00	0.00	0.00
		2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		3	0.00	0.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		4	0.56	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.60	0.13	0.00	0.00	0.00	0.03	0.00	0.00	0.00
	Year	22/23	0.14	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.13	0.00	0.01	0.00	0.01	0.00	0.00	0.00
	Episodes	F/N	1.00	3.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	4.00	0.00	1.00	0.00	1.00	0.00	0.00	0.00
South East	Quarter	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.03	0.00	0.00	0.00
		3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Year	22/23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00
	Episodes	F/N	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	1.00	0.00	0.00	0.00
South West	Quarter	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.00	0.00	0.00	0.00	0.00	0.00
		3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Year	22/23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.00
	Episodes	F/N	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00

5. Skin Contagions:

Mean weekly incidence rate per 100,000 Persons.

Bullous Dermatoses (ICD10: L10-L14)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	1	2
	2	0	0	0	0	0	0	0	1	4	0	0	0	0	0	0	0	1	1
	3	0	0	0	0	0	0	1	1	4	1	0	0	0	0	0	1	1	2
	4	0	0	0	0	0	0	1	2	3	0	0	0	0	0	0	1	1	3
	5	0	0	0	0	0	0	1	2	3	0	0	0	0	0	0	0	1	3
	6	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	1	3
	7	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	1	2
	8	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	1	2
	9	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1	1	2
	10	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	1	1	2
	11	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	1	2
	12	0	0	0	0	0	0	0	1	4	0	0	0	0	0	0	0	1	2
	13	0	0	0	0	0	0	0	2	3	1	0	0	0	0	0	0	1	3
Quarter	1	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	1	2
	2	0	0	0	0	0	0	1	1	3	0	0	0	0	0	0	0	1	3
	3	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	1	2
	4	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	1	2
Year	22/23	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	1	2
Episodes	F/N	4	11	24	12	32	105	94	201	142	2	6	24	21	68	124	96	176	179

Mean weekly incidence rate per 100,000 Persons.

Bullous Dermatoses (ICD10: L10-L14)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	0	0	0	0	0	0	0	6	0	0	0	0	0	0	0	1	2
		2	0	0	0	0	0	0	1	0	2	0	1	0	0	0	0	0	1	2
		3	2	0	0	0	0	0	0	1	4	0	0	0	0	0	0	0	1	2
		4	2	0	0	0	0	0	0	1	3	2	0	0	0	0	0	0	0	1
	Year	22/23	1	0	0	0	0	0	0	1	4	1	0	0	0	0	0	0	1	2
	Episodes	F/N	2	0	5	2	2	8	9	12	18	1	2	3	1	5	16	4	17	12
North West	Quarter	1	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	1	0	1
		2	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	1	3
		3	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	1	1
		4	0	0	0	0	0	0	0	1	4	0	0	0	0	0	0	0	1	4
	Year	22/23	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	1	2
	Episodes	F/N	0	2	4	1	7	16	11	25	23	0	1	2	2	17	21	16	27	25
East of England	Quarter	1	0	0	0	0	0	0	1	1	3	0	0	0	0	0	0	0	2	1
		2	0	0	0	0	0	0	0	2	4	0	0	0	0	0	0	0	1	3
		3	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	1	0	2
		4	0	1	0	0	0	0	0	1	4	0	0	0	0	0	0	0	1	6
	Year	22/23	0	0	0	0	0	0	1	2	3	0	0	0	0	0	0	0	1	3
	Episodes	F/N	0	4	0	1	4	12	9	19	13	0	1	2	1	4	7	9	15	20
Midlands	Quarter	1	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	0	1	1
		2	0	0	0	0	0	0	0	2	3	0	0	0	0	0	0	0	1	4
		3	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	1	1	1
		4	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	0	1	2
	Year	22/23	0	0	0	0	0	0	1	1	3	0	0	0	0	0	0	0	1	2
	Episodes	F/N	0	3	5	0	5	18	25	42	26	0	1	10	4	16	19	19	38	36
London	Quarter	1	1	0	0	0	0	0	1	1	4	0	0	0	0	0	0	1	1	3
		2	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	1	1	2
		3	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	1	1	2
		4	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	1	2
	Year	22/23	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	1	2
	Episodes	F/N	1	0	4	2	11	19	16	31	15	0	1	7	3	13	28	19	18	24
South East	Quarter	1	0	0	0	0	0	0	0	1	3	1	0	0	0	0	0	0	2	3
		2	0	0	0	0	0	0	1	1	3	0	0	0	0	0	0	0	1	2
		3	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	1	3
		4	1	0	0	0	0	0	0	1	2	0	0	0	0	0	0	1	1	1
	Year	22/23	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	1	2
	Episodes	F/N	1	1	2	5	3	17	16	45	31	1	0	0	6	9	25	19	49	44
South West	Quarter	1	0	0	0	0	0	0	0	2	4	0	0	0	0	0	0	0	0	3
		2	0	0	0	0	0	0	0	3	1	0	0	0	0	0	0	0	1	4
		3	0	0	0	0	0	0	1	1	3	0	0	0	0	0	0	1	1	2
		4	0	0	0	0	0	0	0	2	4	0	0	0	0	0	0	0	0	1
	Year	22/23	0	0	0	0	0	0	0	2	3	0	0	0	0	0	0	0	1	2
	Episodes	F/N	0	1	4	1	0	15	8	27	16	0	0	0	4	4	8	10	12	18

Mean weekly incidence rate per 100,000 Persons.

		Chickenpox (ICD10: B01)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	69	81	24	1	1	0	0	0	0	61	84	23	2	2	0	0	0	0
	2	85	86	29	2	1	0	0	0	0	81	91	27	3	2	0	0	0	0
	3	51	65	21	1	1	0	0	0	0	52	69	21	2	2	0	0	0	0
	4	40	38	9	1	1	0	0	0	0	40	38	9	2	1	0	0	0	0
	5	19	19	3	1	0	0	0	0	0	11	19	4	1	1	0	0	0	0
	6	21	25	5	1	0	0	0	0	0	16	23	6	1	1	0	0	0	0
	7	33	31	7	1	0	0	0	0	0	27	29	7	1	1	0	0	0	0
	8	23	37	11	1	0	0	0	0	0	25	33	10	1	1	0	0	0	0
	9	27	33	10	1	1	0	0	0	0	29	28	10	1	1	0	0	0	0
	10	37	38	9	1	1	0	0	0	1	33	35	10	1	1	0	0	0	0
	11	43	50	15	1	1	0	0	0	0	35	49	15	1	1	0	0	0	0
	12	43	54	16	1	1	0	0	0	0	42	54	16	2	1	0	0	0	0
	13	47	47	14	1	1	0	0	0	0	52	48	15	2	2	0	0	0	0
Quarter	1	69	77	25	1	1	0	0	0	0	65	81	24	2	2	0	0	0	0
	2	26	28	6	1	1	0	0	0	0	23	27	6	1	1	0	0	0	0
	3	30	34	9	1	1	0	0	0	0	27	31	9	1	1	0	0	0	0
	4	44	50	15	1	1	0	0	0	0	44	50	15	2	1	0	0	0	0
Year	22/23	41	46	13	1	1	0	0	0	0	39	46	13	1	1	0	0	0	0
Episodes	F/N	1,090	5,804	4,757	334	721	149	22	10	7	964	5,475	4,537	463	1,084	158	28	17	8

Mean weekly incidence rate per 100,000 Persons.

Chickenpox (ICD10: B01)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	85	66	21	1	1	0	0	0	0	75	71	20	2	2	0	0	0	0
		2	17	26	5	1	0	0	0	0	0	38	23	5	1	1	0	0	0	0
		3	33	33	6	0	0	0	0	0	0	32	24	5	0	1	0	0	0	1
		4	62	43	10	0	1	0	0	0	0	39	40	10	1	1	0	0	0	0
	Year	22/23	48	41	10	1	1	0	0	0	0	46	39	10	1	1	0	0	0	0
	Episodes	F/N	94	387	290	13	32	13	0	1	0	81	349	258	25	56	14	2	0	1
North West	Quarter	1	77	80	21	1	1	0	0	0	0	74	85	20	2	2	0	0	0	0
		2	29	27	6	0	0	0	0	0	0	29	29	6	1	0	0	0	0	0
		3	28	30	7	1	0	0	0	0	0	32	30	6	1	1	0	0	0	0
		4	30	44	11	1	1	0	0	0	0	43	43	12	1	1	0	0	0	0
	Year	22/23	40	44	11	1	1	0	0	0	0	44	46	11	1	1	0	0	0	0
	Episodes	F/N	166	873	626	39	88	30	3	2	0	172	858	582	69	138	21	5	2	2
East of England	Quarter	1	67	68	23	1	2	0	0	0	0	61	91	22	1	2	1	0	0	0
		2	49	22	5	1	1	0	0	0	0	16	19	6	1	1	0	0	0	0
		3	37	31	7	1	1	0	0	0	0	39	30	6	1	0	0	0	0	0
		4	29	42	11	1	1	0	0	0	0	44	50	14	1	1	0	0	0	0
	Year	22/23	45	40	11	1	1	0	0	0	0	39	46	12	1	1	0	0	0	0
	Episodes	F/N	79	354	281	21	49	3	2	1	0	65	384	280	16	59	15	2	1	0
Midlands	Quarter	1	71	87	25	1	1	0	0	0	0	75	80	22	2	3	0	0	0	0
		2	25	30	6	0	0	0	0	0	0	18	30	6	1	1	0	0	0	0
		3	26	31	9	0	1	0	0	0	0	28	29	9	0	1	0	0	0	0
		4	55	56	13	1	1	0	0	0	0	57	54	14	2	2	0	0	0	0
	Year	22/23	43	50	13	1	1	0	0	0	0	44	47	12	1	1	0	0	0	0
	Episodes	F/N	189	1,047	768	51	99	23	6	1	2	182	942	719	70	171	21	8	3	0
London	Quarter	1	59	79	36	3	1	0	0	0	0	50	84	36	3	2	0	0	0	0
		2	22	32	10	1	1	0	0	0	1	24	31	9	2	1	0	0	0	0
		3	26	40	15	1	1	0	0	0	1	18	35	16	1	1	0	0	0	0
		4	39	55	22	2	1	0	0	0	1	32	54	23	2	2	0	0	0	0
	Year	22/23	36	51	20	2	1	0	0	0	0	31	50	20	2	1	0	0	0	0
	Episodes	F/N	256	1,636	1,763	146	262	46	3	0	3	207	1,554	1,685	181	359	40	1	2	1
South East	Quarter	1	65	74	19	1	1	0	0	0	0	67	73	19	2	2	0	0	0	0
		2	24	23	4	0	0	0	0	0	0	23	24	5	1	1	0	0	0	0
		3	36	32	8	0	1	0	0	0	0	29	31	9	1	1	0	0	0	0
		4	53	54	15	1	1	0	0	0	0	56	56	14	1	1	0	0	0	0
	Year	22/23	44	45	11	1	1	0	0	0	0	43	45	11	1	1	0	0	0	0
	Episodes	F/N	222	1,102	792	41	142	24	6	4	1	205	1,044	777	69	178	33	7	6	3
South West	Quarter	1	73	72	17	1	1	0	0	0	0	65	86	16	2	2	0	0	0	0
		2	36	30	3	1	1	0	0	0	0	9	19	4	1	2	0	0	0	0
		3	30	39	8	1	0	0	0	0	1	21	25	7	1	2	0	0	0	1
		4	42	38	9	1	1	0	0	0	0	30	37	12	1	3	0	0	0	0
	Year	22/23	45	44	9	1	1	0	0	0	0	30	40	9	1	2	0	0	0	0
	Episodes	F/N	84	405	237	23	49	10	2	1	1	52	344	236	33	123	14	3	3	1

Mean weekly incidence rate per 100,000 Persons.

Herpes Simplex (ICD10: B00)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	2	3	1	1	2	1	1	1	2	1	3	1	7	7	4	3	2	2
	2	1	3	1	2	2	1	2	1	2	2	2	2	6	9	5	3	2	1
	3	2	2	2	2	2	1	1	2	2	4	2	1	7	8	5	3	2	1
	4	1	2	1	1	2	1	2	2	1	1	2	1	6	7	5	3	2	1
	5	0	2	1	1	2	1	1	2	1	2	2	2	7	7	4	3	1	1
	6	3	3	2	1	2	1	1	1	1	2	4	2	7	8	5	4	2	1
	7	3	3	2	1	2	1	1	2	1	2	4	2	6	6	5	3	2	1
	8	4	4	2	2	2	2	1	1	2	4	5	2	6	8	4	3	1	2
	9	3	2	1	1	2	1	1	1	1	1	2	2	5	7	4	3	2	2
	10	4	3	2	1	2	2	1	1	1	1	3	2	6	8	4	2	2	2
	11	3	4	2	1	2	2	2	1	1	3	3	2	6	8	5	3	2	1
	12	1	3	1	1	2	1	1	2	0	1	3	1	5	7	4	3	1	2
	13	2	3	1	1	2	1	1	1	1	1	2	2	6	7	4	3	2	1
Quarter	1	2	3	1	2	2	1	1	1	2	2	3	1	7	8	5	3	2	1
	2	2	2	1	1	2	1	2	1	1	1	3	2	6	7	5	3	2	1
	3	3	3	2	1	2	2	1	1	1	2	4	2	5	7	4	3	2	2
	4	2	3	1	1	2	2	1	1	1	1	3	2	6	7	4	3	2	2
Year	22/23	2	3	2	1	2	1	1	1	1	2	3	2	6	7	4	3	2	1
Episodes	F/N	58	349	561	460	1,693	1,058	335	211	54	44	338	571	2,006	6,060	3,119	766	343	122

Mean weekly incidence rate per 100,000 Persons.

Herpes Simplex (ICD10: B00)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	2	1	2	2	2	2	2	1	5	0	5	2	10	10	7	3	2	2
		2	6	4	3	1	3	1	2	0	2	2	4	2	9	9	6	2	1	0
		3	4	5	2	2	3	2	0	1	2	0	3	3	8	9	5	2	0	1
		4	2	2	3	1	3	1	2	1	1	2	1	3	8	9	5	3	2	2
	Year	22/23	4	3	2	2	3	2	1	1	2	1	3	2	9	9	6	2	1	1
	Episodes	F/N	7	27	68	41	164	101	35	16	11	2	29	66	210	549	367	62	23	11
North West	Quarter	1	3	3	2	2	2	2	2	1	2	3	4	1	10	10	5	4	2	1
		2	1	3	3	2	2	1	1	1	2	4	4	2	8	9	5	4	2	1
		3	5	4	4	2	2	1	1	2	1	7	4	3	7	9	5	3	2	3
		4	3	4	2	1	2	2	1	2	1	1	2	2	7	9	5	3	2	2
	Year	22/23	3	3	3	2	2	2	1	1	1	4	3	2	8	9	5	4	2	1
	Episodes	F/N	12	68	143	89	259	183	56	37	11	15	65	113	411	1,078	558	147	55	18
East of England	Quarter	1	2	3	1	2	2	1	2	0	1	3	2	1	4	7	4	2	2	0
		2	0	1	1	2	1	1	1	2	0	2	1	1	4	6	4	3	2	0
		3	2	1	1	2	2	2	1	0	1	2	2	2	4	5	3	3	2	1
		4	0	2	1	1	1	1	2	1	0	2	3	2	6	6	2	2	2	1
	Year	22/23	1	2	1	2	1	1	1	1	0	2	2	1	4	6	3	3	2	1
	Episodes	F/N	2	14	28	38	73	68	21	9	2	4	16	33	91	314	169	51	28	4
Midlands	Quarter	1	0	4	1	2	2	1	1	2	2	2	2	2	6	7	4	3	2	1
		2	1	2	1	1	2	1	1	1	1	1	2	2	6	6	3	2	2	1
		3	4	3	2	1	1	1	1	2	2	0	3	1	5	7	4	2	2	1
		4	2	3	1	1	2	1	1	2	0	1	3	1	5	7	4	2	2	1
	Year	22/23	2	3	1	1	2	1	1	2	1	1	2	1	5	7	4	2	2	1
	Episodes	F/N	7	68	72	72	213	141	57	51	11	4	49	84	301	812	454	119	71	18
London	Quarter	1	2	3	1	1	2	1	1	1	1	3	2	2	5	7	4	3	3	1
		2	3	3	1	1	2	1	1	2	1	1	3	2	5	7	4	3	2	3
		3	3	3	1	1	2	2	1	1	1	1	4	2	3	6	4	3	2	1
		4	2	3	1	1	2	2	1	2	1	2	4	1	4	6	4	3	3	3
	Year	22/23	2	3	1	1	2	1	1	1	1	2	3	2	4	7	4	3	2	2
	Episodes	F/N	17	102	113	93	526	247	48	30	7	11	102	136	379	1,638	588	119	63	26
South East	Quarter	1	0	2	1	1	2	1	1	1	1	3	1	1	8	7	6	3	2	2
		2	1	2	1	1	2	1	2	2	1	1	3	1	6	7	5	4	2	1
		3	3	1	2	1	2	2	1	1	0	2	3	2	6	7	4	3	1	2
		4	2	2	1	1	2	1	1	1	1	0	1	1	5	8	5	3	2	2
	Year	22/23	2	2	1	1	2	1	2	1	1	1	2	1	6	7	5	3	2	2
	Episodes	F/N	8	43	89	82	267	217	79	41	8	6	49	89	377	1,100	705	177	73	34
South West	Quarter	1	4	2	2	2	3	2	1	1	1	0	4	2	9	10	5	3	2	1
		2	2	2	1	2	4	2	2	2	1	0	3	1	9	9	4	5	2	1
		3	2	3	2	1	3	2	2	2	1	2	4	2	9	9	6	2	2	2
		4	2	4	2	2	3	2	1	2	1	2	2	2	9	9	5	5	1	2
	Year	22/23	3	3	2	2	3	2	2	2	1	1	3	2	9	9	5	4	2	1
	Episodes	F/N	5	27	48	45	191	101	39	27	4	2	28	50	237	569	278	91	30	11

Mean weekly incidence rate per 100,000 Persons.

		Herpes Zoster (ICD10: B02)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	0	1	2	2	2	4	9	9	11	0	1	3	2	4	8	13	9	16
	2	0	1	2	2	3	5	11	8	12	0	1	2	2	4	10	14	13	16
	3	0	0	2	2	2	5	9	10	12	1	1	2	2	4	10	14	13	17
	4	1	1	2	2	2	6	10	12	13	0	1	2	3	3	9	13	14	18
	5	0	1	2	2	2	5	9	10	14	1	0	3	2	4	9	11	12	19
	6	1	1	2	2	2	5	10	11	12	1	0	2	3	4	9	13	12	18
	7	0	1	2	2	2	5	10	9	15	0	1	2	3	4	9	13	11	15
	8	0	1	2	2	2	4	10	9	13	1	1	1	2	4	9	12	12	15
	9	1	1	2	2	2	4	8	7	14	1	1	2	2	3	8	12	10	14
	10	0	1	2	1	2	5	9	9	13	0	0	2	2	4	9	13	13	20
	11	0	0	2	2	2	5	9	9	12	0	1	2	2	4	9	13	13	16
	12	0	1	2	2	2	5	10	8	14	0	1	2	2	4	9	13	12	13
	13	1	1	2	1	2	5	9	8	12	1	1	2	2	4	10	13	13	20
Quarter	1	0	1	2	2	2	5	9	9	12	0	1	2	2	4	9	13	12	16
	2	1	1	2	2	2	5	9	11	14	0	1	2	3	4	9	13	13	18
	3	0	1	2	2	2	4	9	9	12	1	0	2	2	4	9	12	11	15
	4	0	1	2	2	2	5	9	8	13	0	1	2	2	4	9	13	13	17
Year	22/23	0	1	2	2	2	5	9	9	13	0	1	2	2	4	9	13	12	17
Episodes	F/N	8	84	659	659	1,918	3,518	2,266	1,446	645	10	72	732	760	3,124	6,296	3,294	2,263	1,362

Mean weekly incidence rate per 100,000 Persons.

Herpes Zoster (ICD10: B02)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	1	2	2	3	6	9	11	18	0	2	3	2	5	10	13	10	21
		2	0	1	1	3	3	6	12	11	16	0	0	4	4	4	12	11	17	23
		3	0	0	1	2	3	5	9	6	10	0	0	3	2	4	10	11	10	20
		4	0	1	2	3	2	6	10	9	3	0	1	3	3	4	11	11	13	15
	Year	22/23	0	1	1	3	3	6	10	10	12	0	1	3	3	4	11	11	13	20
	Episodes	F/N	0	7	39	67	174	362	246	147	56	0	8	87	67	270	669	299	232	154
North West	Quarter	1	0	1	2	3	3	5	11	10	13	0	2	2	3	6	12	16	15	17
		2	2	1	3	2	3	6	11	12	17	1	1	3	3	5	11	12	16	23
		3	0	0	2	2	2	5	9	9	16	0	1	2	4	4	11	12	14	17
		4	0	1	2	2	2	6	10	7	14	0	1	2	3	6	10	15	14	21
	Year	22/23	0	1	2	2	2	5	10	10	15	0	1	3	3	5	11	14	15	20
	Episodes	F/N	2	16	130	127	316	635	416	245	114	1	21	137	156	629	1,150	578	436	245
East of England	Quarter	1	2	0	1	1	3	6	9	6	12	0	1	3	1	3	10	12	13	17
		2	4	0	2	2	3	5	9	11	8	0	1	2	3	3	8	16	11	14
		3	0	1	2	2	2	3	11	8	8	0	1	2	3	3	8	14	13	13
		4	0	1	1	1	2	6	10	11	19	0	1	1	2	3	9	15	11	13
	Year	22/23	2	1	2	2	2	5	10	9	12	0	1	2	2	3	9	14	12	14
	Episodes	F/N	3	7	42	35	125	262	171	108	49	0	8	50	48	170	452	270	176	97
Midlands	Quarter	1	0	0	2	2	2	5	12	8	10	0	1	3	4	4	10	16	14	15
		2	0	1	2	2	3	5	9	11	14	1	0	3	3	4	9	13	14	18
		3	0	1	2	2	2	5	10	9	16	2	0	2	3	5	9	13	11	16
		4	0	1	2	1	3	5	11	9	18	1	0	2	2	4	10	12	14	15
	Year	22/23	0	1	2	2	2	5	10	9	15	1	0	3	3	4	10	14	13	16
	Episodes	F/N	0	15	133	110	306	631	485	296	145	4	4	150	152	527	1,212	683	492	254
London	Quarter	1	0	0	1	1	2	3	8	8	8	0	0	1	2	3	6	10	10	11
		2	0	1	1	1	2	4	8	8	10	1	0	1	1	3	6	11	11	13
		3	1	1	1	1	1	4	6	9	9	1	0	1	1	2	6	10	8	13
		4	0	0	1	1	2	4	8	7	10	0	0	1	2	3	6	10	12	17
	Year	22/23	0	0	1	1	2	4	8	8	9	0	0	1	2	3	6	10	10	13
	Episodes	F/N	1	12	102	116	448	604	297	165	68	2	10	93	132	679	914	420	270	163
South East	Quarter	1	0	1	2	3	3	5	9	10	11	0	1	2	2	4	9	12	9	18
		2	0	1	2	2	2	6	8	11	14	0	1	2	3	4	9	14	11	15
		3	0	1	2	1	3	4	9	9	13	1	0	2	2	4	9	13	11	14
		4	2	1	2	2	3	4	8	8	13	0	1	3	3	4	10	14	11	18
	Year	22/23	0	1	2	2	3	5	8	9	13	0	1	2	2	4	9	13	11	16
	Episodes	F/N	2	23	158	132	404	722	426	327	150	1	12	153	153	604	1,336	715	439	308
South West	Quarter	1	0	1	2	3	2	4	8	12	11	2	1	2	2	4	10	14	10	19
		2	0	0	2	2	3	6	11	9	18	0	1	3	3	4	10	11	13	20
		3	0	0	2	3	2	6	11	10	10	0	2	2	2	4	9	14	14	17
		4	0	0	2	2	2	5	10	10	11	2	0	3	1	5	11	16	11	16
	Year	22/23	0	0	2	3	2	5	10	10	13	1	1	2	2	4	10	14	12	18
	Episodes	F/N	0	4	55	72	145	302	225	158	63	2	9	62	52	245	563	329	218	141

Mean weekly incidence rate per 100,000 Persons.

		Skin / Subcutaneous Infection (ICD10: L00-L08)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	179	174	83	60	57	63	83	112	162	149	146	81	75	73	72	83	115	191
	2	175	181	95	68	65	71	98	119	176	145	158	98	86	84	84	95	132	215
	3	135	181	95	67	66	76	102	124	175	136	155	95	83	88	93	102	136	199
	4	145	130	78	69	67	77	99	129	175	134	116	84	85	85	94	105	139	206
	5	151	125	80	65	57	66	85	100	155	138	122	88	74	75	75	87	116	181
	6	208	214	90	62	57	65	83	106	149	194	198	93	76	71	71	78	108	179
	7	284	276	96	61	55	63	84	101	154	275	243	95	72	70	70	78	105	183
	8	294	398	145	58	51	59	77	100	138	279	353	138	66	68	64	72	96	171
	9	183	190	88	51	45	53	72	90	144	170	169	86	57	54	55	65	97	169
	10	240	238	104	66	56	62	86	106	177	222	219	102	73	72	69	78	110	192
	11	234	242	99	63	57	64	85	115	168	199	205	97	74	71	69	83	116	191
	12	236	211	98	63	55	64	85	110	173	221	186	96	73	69	69	83	108	192
	13	196	160	88	63	55	62	89	111	157	177	137	86	71	69	71	81	121	197
Quarter	1	163	179	91	65	63	70	94	118	171	143	153	91	81	82	83	94	128	202
	2	180	169	83	64	59	68	88	110	159	172	156	88	77	76	79	88	119	188
	3	248	284	111	59	51	59	79	98	151	231	250	108	66	65	63	72	101	177
	4	226	206	96	63	56	63	87	112	167	203	180	94	73	70	70	82	114	194
Year	22/23	205	209	95	63	57	65	87	109	162	188	185	95	74	73	74	84	115	190
Episodes	F/N	5,375	26,184	33,944	21,238	49,247	47,859	21,192	17,117	8,116	4,652	21,985	32,367	24,229	59,215	51,043	21,495	21,443	15,583

Mean weekly incidence rate per 100,000 Persons.

Skin / Subcutaneous Infection (ICD10: L00-L08)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	173	193	105	73	71	77	99	117	169	166	174	106	89	91	91	94	123	186
		2	203	169	87	78	67	76	90	104	155	202	168	95	83	89	81	90	111	156
		3	285	326	118	64	57	58	78	100	124	313	310	113	82	72	67	75	102	172
		4	246	270	106	70	64	68	84	109	148	233	217	102	86	80	75	82	123	187
	Year	22/23	227	239	104	71	65	70	88	107	149	228	217	104	85	83	78	85	114	175
	Episodes	F/N	442	2,243	2,927	1,790	3,925	4,414	2,174	1,658	705	405	1,954	2,785	2,020	5,000	4,922	2,219	2,087	1,370
North West	Quarter	1	217	198	103	81	85	90	116	151	207	171	190	106	104	111	105	114	156	252
		2	241	217	101	77	80	86	105	137	194	241	204	111	99	104	101	107	147	233
		3	277	339	124	73	67	73	95	120	188	269	299	129	87	86	80	91	122	229
		4	267	257	111	85	74	83	108	134	207	263	219	111	97	97	92	105	149	240
	Year	22/23	251	253	110	79	76	83	106	135	199	237	228	114	97	99	94	104	143	238
	Episodes	F/N	1,035	4,991	6,233	4,217	9,810	9,709	4,341	3,451	1,528	931	4,291	6,191	4,941	11,775	10,214	4,359	4,291	2,977
East of England	Quarter	1	147	177	82	55	52	55	80	100	132	131	151	81	67	72	73	79	96	161
		2	161	142	73	54	51	61	75	100	139	193	153	81	71	65	71	80	96	165
		3	265	272	95	49	46	47	63	73	119	224	252	93	58	54	50	58	85	141
		4	221	175	72	59	46	50	66	92	156	191	168	78	59	57	56	59	90	144
	Year	22/23	198	191	81	54	49	54	71	91	137	186	181	83	64	61	63	69	92	153
	Episodes	F/N	344	1,680	2,029	1,157	2,566	2,818	1,260	1,116	582	306	1,505	2,018	1,306	3,319	3,198	1,317	1,343	1,063
Midlands	Quarter	1	153	177	88	67	70	76	95	121	183	125	149	87	82	90	86	99	122	212
		2	171	165	80	64	62	70	93	109	157	166	137	87	76	80	82	89	124	192
		3	238	281	112	59	53	61	82	99	152	211	237	110	67	67	65	75	100	169
		4	206	197	99	58	59	62	92	116	167	204	177	96	72	71	71	87	117	201
	Year	22/23	192	205	95	62	61	67	91	111	164	177	175	95	74	77	76	87	116	193
	Episodes	F/N	840	4,313	5,739	3,607	7,808	8,624	4,360	3,594	1,617	738	3,482	5,479	4,051	9,399	9,341	4,371	4,372	3,062
London	Quarter	1	151	162	90	60	50	58	89	111	148	135	131	88	68	65	72	88	122	147
		2	167	144	80	63	49	59	79	105	130	142	136	79	66	61	68	80	112	154
		3	201	215	96	53	43	52	73	99	123	204	194	88	52	53	58	66	91	134
		4	196	175	89	55	45	53	82	101	129	171	154	80	60	58	63	74	99	159
	Year	22/23	179	174	89	58	47	55	80	104	132	163	154	84	61	59	65	77	106	149
	Episodes	F/N	1,279	5,621	7,672	5,008	12,780	9,282	3,108	2,147	954	1,101	4,760	6,923	5,370	14,522	9,595	3,160	2,773	1,802
South East	Quarter	1	150	174	86	59	59	65	92	112	178	146	151	88	80	82	80	89	136	227
		2	160	171	82	56	58	64	84	107	175	152	158	84	73	74	75	85	118	202
		3	275	314	121	57	51	57	75	95	169	228	265	115	64	68	60	70	102	198
		4	254	204	96	60	55	64	85	114	184	194	189	96	70	71	65	80	110	214
	Year	22/23	210	215	96	58	56	63	84	107	177	180	191	96	72	74	70	81	116	210
	Episodes	F/N	1,064	5,305	6,957	3,832	8,588	9,403	4,282	3,709	2,030	861	4,428	6,549	4,520	10,971	10,110	4,413	4,787	3,962
South West	Quarter	1	158	200	87	60	64	68	73	98	143	139	147	83	83	77	71	76	112	177
		2	173	182	76	62	61	65	77	97	133	154	160	87	81	74	71	75	102	175
		3	263	305	113	54	56	57	76	84	141	227	278	119	69	64	57	57	91	165
		4	201	197	86	62	55	58	70	95	148	192	149	96	74	67	59	71	95	162
	Year	22/23	198	220	90	59	59	62	74	93	141	179	184	96	77	70	64	70	99	170
	Episodes	F/N	371	2,031	2,387	1,627	3,770	3,609	1,667	1,442	700	310	1,565	2,422	2,021	4,229	3,663	1,656	1,790	1,347

Mean weekly incidence rate per 100,000 Persons.

		Scabies (ICD10: B86)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	2	2	1	2	1	0	1	1	1	0	1	1	2	1	1	0	1	2
	2	0	1	1	2	1	1	1	1	1	2	1	1	2	1	1	1	1	3
	3	0	0	1	1	1	1	1	0	2	0	1	1	1	1	1	0	1	2
	4	1	1	1	2	1	1	0	1	3	2	1	1	1	1	1	1	1	2
	5	1	1	1	2	1	1	1	1	3	1	1	1	1	1	1	0	2	4
	6	1	2	2	3	1	1	0	1	1	3	2	2	2	1	1	1	1	3
	7	1	2	2	4	1	1	1	1	4	1	1	2	2	1	1	1	1	4
	8	2	2	3	4	1	1	1	1	2	1	2	2	2	1	1	1	0	1
	9	3	2	2	3	1	1	1	2	1	2	2	2	2	1	1	1	1	3
	10	2	3	3	5	1	1	2	1	3	1	2	2	3	2	1	1	2	5
	11	4	2	3	4	1	1	1	1	2	1	3	2	3	1	1	1	1	1
	12	1	3	2	4	1	1	1	1	3	3	2	2	4	1	1	1	1	1
	13	2	2	2	4	1	1	1	1	1	3	2	2	3	1	1	1	2	2
Quarter	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	2
	2	1	2	2	3	1	1	1	1	2	2	1	2	1	1	1	1	1	2
	3	2	3	2	4	1	1	1	1	3	1	2	2	2	1	1	1	1	4
	4	2	2	2	4	1	1	1	1	2	2	2	2	3	1	1	1	1	2
Year	22/23	2	2	2	3	1	1	1	1	2	1	2	2	2	1	1	1	1	2
Episodes	F/N	42	230	659	1,084	828	486	190	167	104	34	188	561	675	902	583	173	205	203

Mean weekly incidence rate per 100,000 Persons.

Scabies (ICD10: B86)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	0	1	2	0	1	1	0	3	5	0	1	2	1	1	0	0	1
		2	2	3	2	3	1	1	1	1	0	0	2	2	2	1	1	1	1	2
		3	6	3	4	3	1	1	1	3	3	0	1	2	4	2	1	2	2	8
		4	2	3	2	6	1	1	0	1	1	5	2	3	4	2	1	1	1	1
	Year	22/23	3	2	2	3	1	1	1	2	2	2	1	2	3	1	1	1	1	3
	Episodes	F/N	5	23	65	84	53	46	18	24	8	4	12	53	70	76	60	24	24	23
North West	Quarter	1	2	2	2	2	1	1	1	1	2	0	1	2	2	2	1	1	1	1
		2	2	3	3	3	1	1	1	1	8	3	2	3	2	2	1	1	2	7
		3	1	5	4	6	2	1	2	2	5	1	3	3	4	3	1	1	2	6
		4	3	5	3	6	2	1	1	2	3	2	3	3	5	2	2	1	2	4
	Year	22/23	2	4	3	4	2	1	1	2	4	2	2	3	3	2	1	1	2	4
	Episodes	F/N	8	73	183	235	205	106	57	42	34	6	43	147	162	249	150	50	56	56
East of England	Quarter	1	0	0	0	1	0	0	0	1	1	0	1	0	0	1	0	0	0	3
		2	0	0	1	1	0	0	0	1	2	5	0	0	0	1	0	1	1	1
		3	2	0	1	3	1	0	1	0	2	2	0	1	1	1	1	0	1	0
		4	2	0	1	3	1	0	0	0	1	7	1	1	1	0	1	0	0	1
	Year	22/23	1	0	1	2	1	0	0	1	1	4	1	1	1	1	0	0	0	1
	Episodes	F/N	2	2	18	46	44	16	7	8	6	6	5	18	12	36	20	8	6	6
Midlands	Quarter	1	1	1	1	2	0	1	1	1	4	1	0	1	1	1	1	1	2	8
		2	3	2	1	2	1	1	1	1	2	2	1	1	2	1	1	1	1	2
		3	1	2	2	3	1	1	1	1	3	0	2	2	2	1	1	1	1	6
		4	2	1	2	3	1	1	1	1	2	0	3	2	2	1	1	1	1	2
	Year	22/23	2	1	1	2	1	1	1	1	3	1	2	1	2	1	1	1	1	4
	Episodes	F/N	7	31	78	141	90	99	31	41	28	3	30	83	101	121	95	41	54	71
London	Quarter	1	0	1	1	2	1	1	1	0	0	0	1	1	1	1	0	1	1	
		2	1	2	2	3	1	1	1	1	1	2	2	2	1	1	0	1	1	
		3	2	2	3	3	1	1	1	1	2	3	3	2	1	1	1	1	1	
		4	2	2	3	4	1	1	2	1	2	2	2	2	2	1	1	1	1	
	Year	22/23	1	2	2	3	1	1	1	1	1	2	2	2	2	1	1	1	1	
	Episodes	F/N	8	63	195	241	249	122	37	21	9	11	63	153	140	255	135	26	19	12
South East	Quarter	1	1	1	1	2	1	0	0	1	1	0	1	0	1	0	1	0	0	0
		2	0	0	1	2	1	0	1	1	1	0	1	1	1	1	0	1	2	
		3	1	1	1	6	1	1	1	1	1	0	1	1	2	1	1	0	1	2
		4	2	1	2	4	1	0	0	0	1	2	1	1	3	1	1	0	1	1
	Year	22/23	1	1	1	3	1	0	1	1	1	0	1	1	2	1	1	0	1	1
	Episodes	F/N	4	22	83	224	130	63	27	21	11	2	26	64	111	104	83	15	31	24
South West	Quarter	1	2	0	1	2	1	0	1	1	0	0	1	1	2	1	0	1	1	2
		2	0	1	0	5	1	1	0	1	1	4	1	2	2	1	1	0	1	2
		3	7	3	2	4	1	1	1	0	2	0	2	3	3	2	1	0	1	1
		4	9	3	3	6	1	1	0	0	2	0	1	2	5	1	1	1	0	1
	Year	22/23	4	2	1	4	1	1	1	1	2	1	1	2	3	1	1	0	1	1
	Episodes	F/N	8	16	37	113	57	34	13	10	8	2	9	43	79	61	40	9	15	11

Mean weekly incidence rate per 100,000 Persons.

		Skin symptoms (ICD10: R20-R23)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	239	127	61	46	58	100	190	290	401	261	120	66	77	101	138	202	289	336
	2	250	124	65	53	64	110	218	338	449	272	129	75	86	114	154	230	315	383
	3	218	115	62	48	61	106	217	321	407	239	117	61	75	108	153	223	303	357
	4	230	96	54	49	63	113	224	339	423	220	100	62	76	106	154	228	311	358
	5	200	86	51	46	55	100	196	296	398	277	103	59	66	91	134	192	269	304
	6	270	128	55	43	57	104	196	308	384	321	144	64	66	96	135	200	265	299
	7	283	155	57	40	55	99	193	291	389	346	152	63	65	93	131	188	256	296
	8	322	250	95	38	49	90	176	277	363	385	257	99	58	83	118	168	226	268
	9	232	132	58	34	41	73	140	220	299	258	136	62	47	70	92	131	186	224
	10	345	186	73	49	60	104	199	314	417	392	186	77	74	103	144	205	265	326
	11	396	204	76	54	62	106	203	319	429	427	210	82	78	109	143	204	287	353
	12	399	202	78	49	61	106	200	312	402	453	199	83	78	103	141	212	289	342
	13	353	162	74	52	60	104	200	309	422	390	161	77	79	104	145	206	287	337
Quarter	1	236	122	63	49	61	105	208	316	419	257	122	68	79	108	148	218	302	359
	2	239	109	53	45	58	104	202	309	401	285	119	61	68	97	139	203	276	316
	3	291	184	73	40	50	89	175	270	357	335	187	78	60	86	118	168	228	271
	4	385	191	77	51	61	105	201	316	420	426	192	81	78	105	144	209	287	344
Year	22/23	287	151	66	46	57	101	196	302	399	326	155	72	71	99	137	199	273	322
Episodes	F/N	7,549	18,942	23,558	15,688	49,463	74,463	47,884	47,321	20,025	8,085	18,423	24,277	23,247	79,868	95,189	51,089	50,731	26,408

Mean weekly incidence rate per 100,000 Persons.

Skin symptoms (ICD10: R20-R23)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	285	148	70	53	71	114	215	320	459	316	151	78	82	117	153	211	293	342
		2	291	114	50	51	62	112	203	290	390	263	131	60	71	103	140	199	252	296
		3	351	208	74	41	56	93	173	261	355	414	227	82	66	94	117	162	208	244
		4	407	201	72	44	67	115	198	299	417	443	196	82	92	110	136	210	268	323
	Year	22/23	333	167	66	47	64	108	197	292	404	357	176	75	78	105	136	195	254	300
	Episodes	F/N	649	1,571	1,863	1,182	3,871	6,877	4,900	4,508	1,917	634	1,584	2,025	1,846	6,371	8,560	5,072	4,638	2,356
North West	Quarter	1	298	138	72	58	77	126	241	361	491	356	151	76	100	133	172	250	351	426
		2	313	127	61	57	74	125	244	359	454	383	147	70	85	122	168	247	332	376
		3	327	222	77	50	62	109	209	318	404	383	224	90	76	107	145	198	259	343
		4	447	229	88	70	76	131	238	382	487	554	227	91	103	134	180	254	347	420
	Year	22/23	347	179	74	59	72	123	233	355	458	419	187	82	91	124	166	237	322	390
	Episodes	F/N	1,430	3,523	4,231	3,130	9,289	14,347	9,540	9,064	3,523	1,649	3,521	4,416	4,639	14,680	17,991	9,942	9,636	4,875
East of England	Quarter	1	243	110	53	40	52	90	176	259	345	264	103	63	70	87	119	183	241	294
		2	218	93	49	37	50	90	171	267	346	286	93	53	52	80	125	169	219	237
		3	335	171	62	29	44	75	147	207	293	315	179	69	45	67	94	146	182	218
		4	387	145	62	40	52	83	163	252	352	422	172	67	57	84	115	167	213	259
	Year	22/23	294	130	56	37	49	85	164	246	334	322	136	63	55	79	113	166	213	251
	Episodes	F/N	511	1,141	1,420	779	2,593	4,455	2,908	3,012	1,422	530	1,132	1,521	1,137	4,287	5,798	3,159	3,117	1,747
Midlands	Quarter	1	192	113	57	47	62	106	203	305	407	251	120	61	79	105	142	208	276	320
		2	219	106	49	39	57	104	193	281	371	269	110	60	62	97	133	190	254	276
		3	292	180	72	40	51	93	164	259	334	316	181	79	58	87	116	161	212	233
		4	366	177	75	48	63	105	195	294	380	370	183	78	73	104	139	193	264	309
	Year	22/23	268	144	63	43	58	102	189	284	372	302	148	69	68	98	132	188	251	283
	Episodes	F/N	1,170	3,029	3,837	2,532	7,470	13,032	9,075	9,207	3,665	1,257	2,958	3,999	3,709	12,027	16,323	9,400	9,459	4,494
London	Quarter	1	225	105	63	46	50	80	173	246	311	233	107	67	65	91	131	190	266	314
		2	212	94	53	43	47	78	153	240	304	275	106	58	62	83	120	174	240	266
		3	253	143	65	34	40	65	136	209	265	301	144	65	51	71	100	137	186	222
		4	348	165	75	47	48	79	162	244	335	379	172	77	64	89	124	174	247	305
	Year	22/23	259	126	64	43	46	76	156	234	303	297	132	67	61	83	119	169	234	276
	Episodes	F/N	1,851	4,094	5,527	3,688	12,606	12,719	6,023	4,845	2,192	2,005	4,091	5,512	5,301	20,394	17,402	6,920	6,125	3,341
South East	Quarter	1	217	133	64	51	65	115	221	354	457	224	117	66	85	118	162	234	338	406
		2	228	121	55	44	62	115	222	357	466	266	130	61	73	104	145	221	307	378
		3	284	201	82	43	55	100	194	310	425	348	203	82	62	96	128	183	265	319
		4	420	220	81	51	69	115	220	357	489	451	212	87	86	116	154	228	319	383
	Year	22/23	287	168	70	47	62	111	215	344	459	322	166	74	76	108	147	216	307	371
	Episodes	F/N	1,457	4,147	5,094	3,125	9,617	16,682	10,972	11,955	5,276	1,543	3,850	5,067	4,793	16,087	21,291	11,751	12,655	7,005
South West	Quarter	1	234	123	51	43	65	113	207	317	425	169	121	64	78	112	149	234	308	360
		2	222	108	50	47	65	115	203	321	426	220	111	59	67	96	145	196	284	325
		3	263	204	73	40	56	94	178	264	364	307	204	81	59	85	112	169	240	264
		4	313	189	67	52	64	116	204	322	419	375	170	74	75	108	145	218	305	359
	Year	22/23	257	156	60	46	63	110	198	306	409	269	151	69	69	100	138	204	283	326
	Episodes	F/N	481	1,437	1,586	1,252	4,017	6,351	4,466	4,730	2,030	467	1,287	1,737	1,822	6,022	7,824	4,845	5,101	2,590

Mean weekly incidence rate per 100,000 Persons.

		Impetigo (ICD10 : L01)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	13	24	10	2	1	1	1	1	1	13	19	7	3	2	1	1	1	1
	2	12	29	12	2	1	1	0	1	1	8	22	11	3	3	2	1	1	2
	3	7	32	13	2	1	1	1	1	2	13	27	13	4	3	2	1	1	1
	4	8	23	10	3	1	1	1	2	1	11	20	10	3	2	1	1	1	1
	5	11	22	11	2	1	1	1	1	2	10	19	10	3	3	2	1	1	1
	6	18	40	14	3	1	1	1	1	0	9	36	13	3	2	1	1	1	1
	7	21	53	16	3	1	1	1	1	1	23	41	12	3	2	1	1	1	1
	8	26	73	25	3	1	1	1	1	1	22	58	20	5	4	2	1	1	1
	9	15	37	14	3	1	1	1	1	2	10	30	14	4	2	2	1	1	1
	10	18	43	17	3	1	1	1	1	2	13	37	17	4	3	1	1	1	2
	11	17	42	15	3	1	1	1	1	2	13	31	16	4	3	2	1	1	1
	12	16	31	15	2	1	1	1	0	2	18	28	13	4	2	2	1	1	2
	13	16	22	12	2	1	1	1	0	1	15	18	11	3	2	2	1	1	1
Quarter	1	11	28	11	2	1	1	1	1	1	11	23	10	4	3	1	1	1	1
	2	13	30	12	3	1	1	1	1	1	12	26	11	3	2	2	1	1	1
	3	21	54	18	3	1	1	1	1	1	16	43	16	4	3	1	1	1	1
	4	17	32	15	3	1	1	1	0	1	15	27	14	4	2	2	1	1	1
Year	22/23	15	36	14	3	1	1	1	1	1	14	30	13	4	3	2	1	1	1
Episodes	F/N	399	4,538	5,057	858	920	579	164	119	57	338	3,532	4,386	1,191	2,104	1,056	255	169	95

Mean weekly incidence rate per 100,000 Persons.

Impetigo (ICD10: L01)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	18	35	13	2	2	0	1	1	0	19	31	14	5	4	2	0	1	2
		2	15	34	16	4	2	1	1	0	0	23	29	15	5	4	2	1	0	0
		3	17	70	22	5	2	1	0	1	1	23	53	17	8	4	2	1	1	3
		4	25	43	19	4	1	1	1	0	1	25	34	17	4	4	2	0	1	1
	Year	22/23	18	46	18	4	2	1	1	1	0	23	37	16	5	4	2	1	1	1
	Episodes	F/N	36	429	500	94	107	60	23	10	2	40	332	430	130	229	125	17	19	11
North West	Quarter	1	11	30	11	3	1	1	1	2	5	13	29	11	5	4	2	2	1	1
		2	14	38	14	4	1	1	1	1	1	17	36	14	5	4	2	1	0	1
		3	26	59	21	3	2	1	1	0	1	16	47	20	5	4	2	2	1	2
		4	20	39	17	3	1	1	1	1	2	16	37	17	5	3	2	1	1	2
	Year	22/23	18	42	16	3	1	1	1	1	2	16	37	15	5	4	2	1	1	2
	Episodes	F/N	75	820	895	171	176	125	30	28	14	62	700	838	264	437	209	58	27	19
East of England	Quarter	1	14	27	12	2	1	0	1	0	0	5	17	10	4	2	2	1	1	1
		2	15	28	14	3	0	0	0	1	1	11	31	11	2	2	2	2	1	1
		3	19	55	15	5	1	1	0	1	2	12	47	12	4	3	2	0	1	1
		4	21	30	12	3	1	0	0	1	1	15	26	11	2	2	1	0	0	2
	Year	22/23	17	35	13	3	1	1	0	1	1	11	31	11	3	2	2	1	1	1
	Episodes	F/N	30	307	333	69	45	27	4	10	4	18	254	266	60	123	81	19	8	7
Midlands	Quarter	1	7	32	12	2	1	1	0	1	1	10	22	10	3	3	1	1	1	2
		2	10	28	12	3	1	1	0	1	0	8	22	10	3	3	2	1	1	0
		3	16	53	21	3	1	1	1	1	2	15	45	17	4	3	1	1	0	1
		4	14	36	14	2	1	1	1	0	2	11	28	14	4	3	2	1	1	1
	Year	22/23	12	37	15	3	1	1	1	1	1	11	30	13	4	3	2	1	1	1
	Episodes	F/N	52	782	897	147	140	97	29	23	13	47	588	746	210	344	190	49	28	14
London	Quarter	1	10	18	7	1	1	0	1	1	1	11	13	6	2	1	1	1	1	2
		2	11	20	7	1	1	1	0	1	0	9	16	7	2	1	1	1	1	1
		3	18	33	9	2	1	1	0	1	1	12	25	8	1	1	1	1	1	2
		4	11	21	9	1	1	1	2	0	1	11	15	7	2	1	1	1	1	1
	Year	22/23	13	23	8	1	1	1	1	1	1	11	17	7	2	1	1	1	1	1
	Episodes	F/N	90	743	712	103	188	87	25	11	5	72	540	583	161	316	134	31	29	16
South East	Quarter	1	12	34	13	2	1	1	1	1	1	10	26	12	4	3	2	1	1	0
		2	12	35	15	2	1	1	1	1	1	13	30	13	3	3	1	1	1	1
		3	29	69	25	3	1	1	0	1	1	20	52	22	4	4	1	1	1	1
		4	18	35	17	3	1	1	1	1	1	19	32	17	4	3	2	1	1	2
	Year	22/23	18	43	17	3	1	1	1	1	1	16	35	16	4	3	1	1	1	1
	Episodes	F/N	89	1,070	1,253	166	171	128	33	25	13	75	813	1,094	230	455	213	53	37	19
South West	Quarter	1	7	32	17	3	1	1	1	1	0	12	30	12	5	3	2	1	1	1
		2	18	41	14	5	2	1	1	2	1	9	36	15	5	3	2	2	1	1
		3	13	62	22	4	1	1	1	1	2	18	53	24	6	3	2	1	1	1
		4	20	33	18	4	2	1	1	0	1	16	24	17	5	3	1	1	2	2
	Year	22/23	14	42	18	4	1	1	1	1	1	14	36	17	5	3	2	1	1	1
	Episodes	F/N	27	387	467	108	93	55	20	12	6	24	305	429	136	200	104	28	21	9

Mean weekly incidence rate per 100,000 Persons.

		Peripheral Neuropathy (ICD10: G50-G64,G70-G72)																		
		M									F									
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	
6.	4 weekly	1	3	2	2	4	11	26	35	42	34	1	1	2	5	22	38	40	49	39
	2	1	1	2	4	13	26	36	46	30	2	1	2	6	24	39	45	49	39	
	3	2	1	1	3	12	27	33	37	36	1	1	1	7	21	37	42	49	38	
	4	4	1	1	4	12	24	34	39	33	4	1	1	6	20	35	41	48	41	
	5	0	1	1	3	12	26	32	35	32	1	1	1	6	21	35	39	45	33	
	6	2	1	2	4	13	28	35	39	31	4	1	2	7	24	40	45	47	35	
	7	3	1	1	4	13	27	35	41	36	3	1	2	6	23	39	39	46	35	
	8	3	2	2	4	12	25	30	37	30	2	1	2	6	22	35	39	41	29	
	9	3	2	1	3	10	22	24	33	29	3	1	1	5	17	29	29	31	28	
	10	4	1	2	4	13	26	36	38	38	2	1	2	6	25	42	43	47	42	
	11	3	1	2	4	13	27	37	41	30	2	0	2	6	24	42	41	48	38	
	12	2	1	1	4	13	27	35	39	34	0	1	1	7	24	40	42	47	34	
	13	2	1	1	4	12	26	31	38	33	2	1	1	6	22	39	41	48	37	
Quarter	1	2	1	2	4	12	26	35	42	33	1	1	1	6	22	38	42	49	39	
	2	2	1	1	3	12	26	34	38	33	3	1	2	6	22	37	41	47	36	
	3	4	2	1	4	12	25	31	37	31	3	1	2	6	22	36	37	40	32	
	4	2	1	1	4	13	27	34	39	33	1	1	1	6	23	40	42	48	37	
Year	22/23	3	1	1	4	12	26	33	39	33	2	1	1	6	22	38	40	46	36	
Episodes	F/N	67	144	506	1,246	10,623	19,143	8,140	6,073	1,649	48	109	498	2,000	17,940	26,123	10,377	8,489	2,950	

Mean weekly incidence rate per 100,000 Persons.

Peripheral Neuropathy (ICD10: G50-G64,G70-G72)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	0	1	1	4	16	28	36	49	31	0	0	1	8	29	39	44	50	38
		2	2	1	1	3	15	28	34	35	24	2	1	2	7	26	35	41	44	40
		3	4	0	1	3	14	27	30	40	26	7	1	2	8	24	36	39	40	23
		4	0	2	2	3	17	31	34	36	30	2	1	2	6	28	44	43	45	38
	Year	22/23	2	1	1	4	15	29	34	40	28	3	1	2	7	26	39	42	45	35
	Episodes	F/N	3	10	39	89	925	1,808	833	615	132	5	7	50	170	1,595	2,425	1,090	816	273
North West	Quarter	1	5	2	2	4	15	29	38	43	39	1	2	2	7	26	42	43	54	41
		2	2	1	2	4	15	30	40	41	35	3	2	1	8	26	41	44	51	37
		3	4	1	2	5	15	25	32	40	31	3	1	1	7	26	39	38	42	34
		4	4	1	1	5	15	31	34	45	37	1	1	1	6	26	45	48	48	44
	Year	22/23	4	1	2	4	15	29	36	42	35	2	1	1	7	26	42	44	49	39
	Episodes	F/N	15	23	88	221	1,935	3,385	1,474	1,075	272	8	22	74	337	3,068	4,519	1,824	1,459	483
East of England	Quarter	1	0	0	1	3	12	22	32	40	35	0	0	1	8	21	35	33	44	39
		2	4	1	1	3	12	24	31	35	28	2	1	1	5	20	31	40	37	30
		3	0	2	1	4	14	23	33	32	28	0	0	2	3	21	32	38	33	36
		4	5	0	1	4	14	27	32	38	29	2	0	1	7	23	36	44	43	34
	Year	22/23	2	1	1	4	13	24	32	36	30	1	1	1	6	21	33	39	39	34
	Episodes	F/N	4	8	29	83	690	1,275	565	442	127	2	5	29	115	1,138	1,703	741	569	240
Midlands	Quarter	1	1	1	2	4	14	29	33	38	29	2	1	2	6	24	37	39	48	35
		2	1	1	1	5	13	28	34	38	35	2	1	2	7	24	37	37	44	32
		3	5	2	2	3	13	25	32	38	34	1	1	2	6	22	36	35	36	28
		4	4	1	1	4	14	29	37	37	29	0	0	2	7	25	39	38	49	29
	Year	22/23	3	1	1	4	14	28	34	38	32	1	1	2	7	24	37	37	44	31
	Episodes	F/N	11	29	68	233	1,765	3,567	1,629	1,219	313	5	18	100	364	2,890	4,623	1,871	1,665	494
London	Quarter	1	2	1	1	3	8	23	33	37	33	0	1	1	4	18	38	42	42	32
		2	1	0	1	3	9	22	30	31	28	3	1	1	5	17	39	43	46	33
		3	2	1	1	3	9	22	30	35	28	4	0	1	4	17	35	33	37	36
		4	1	0	1	4	9	21	31	34	28	1	1	1	6	19	41	41	40	29
	Year	22/23	2	1	1	3	9	22	31	34	29	2	1	1	5	18	38	40	41	33
	Episodes	F/N	11	24	114	276	2,448	3,718	1,186	702	209	13	23	91	412	4,402	5,621	1,627	1,082	394
South East	Quarter	1	3	2	2	4	13	25	34	44	33	4	1	1	7	22	35	46	49	41
		2	4	1	2	3	13	25	33	38	37	2	1	2	6	21	33	41	50	41
		3	3	2	1	4	12	24	29	36	35	2	2	2	7	23	32	36	44	36
		4	2	1	1	3	13	25	33	40	38	2	1	1	8	25	36	39	53	41
	Year	22/23	3	2	2	4	13	25	32	39	36	2	1	2	7	23	34	40	49	40
	Episodes	F/N	16	38	118	239	1,947	3,690	1,644	1,358	414	10	23	117	427	3,377	4,906	2,201	2,014	757
South West	Quarter	1	2	1	3	4	14	31	37	42	37	0	3	1	5	22	39	46	55	45
		2	4	1	1	4	15	28	33	46	38	7	0	1	8	25	39	45	48	36
		3	9	2	2	3	14	30	34	41	30	2	0	1	7	24	43	39	42	31
		4	0	1	1	4	14	29	40	42	41	2	2	2	6	26	43	42	51	44
	Year	22/23	4	1	2	4	14	29	36	43	37	3	1	1	7	24	41	43	49	39
	Episodes	F/N	7	12	50	105	913	1,700	809	662	182	5	11	37	175	1,470	2,326	1,023	884	309

Mean weekly incidence rate per 100,000 Persons.

Meningitis and Encephalitis (ICD10: A170 - A171; A 390; A83 - A85; A87; G00 - G05)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	3	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0
	2	4	0	0	0	0	0	1	0	0	2	1	0	0	0	0	0	0	0
	3	4	0	0	0	0	0	0	1	0	2	0	0	0	0	0	0	0	0
	4	5	1	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	0
	5	1	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0
	6	5	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	0
	7	4	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0
	8	10	0	0	0	0	0	0	0	1	4	0	0	0	0	0	0	0	0
	9	3	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	1	0
	10	2	0	0	0	0	0	0	0	0	8	0	0	0	0	0	0	0	0
	11	4	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0	0
	12	3	0	0	0	0	0	0	0	1	3	1	0	0	0	0	0	0	0
	13	7	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0
Quarter	1	4	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
	2	4	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0
	3	5	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0
	4	5	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0
Year	22/23	4	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0
Episodes	F/N	115	35	64	59	159	174	68	50	19	79	32	51	88	249	178	59	49	12

Mean weekly incidence rate per 100,000 Persons.

Meningitis and Encephalitis (ICD10: A170 - A171; A 390; A83 - A85; A87; G00 - G05)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	7	0	0	1	0	0	0	1	0	2	0	0	0	0	0	0	0	1
		2	6	0	0	0	0	0	0	0	1	4	0	0	0	0	0	0	0	0
		3	2	0	0	0	0	0	0	1	1	5	0	0	1	1	0	0	0	0
		4	8	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
	Year	22/23	6	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	0
	Episodes	F/N	11	1	4	8	13	14	3	5	4	5	1	2	10	18	10	6	4	1
North West	Quarter	1	8	0	0	0	0	0	0	0	0	3	1	0	0	0	0	0	0	0
		2	2	1	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0
		3	4	0	0	0	0	0	1	1	1	2	0	0	0	0	0	0	0	1
		4	4	0	0	0	0	0	0	0	0	3	0	0	0	0	1	0	0	0
	Year	22/23	4	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
	Episodes	F/N	18	7	9	8	27	39	17	9	3	9	7	6	17	35	41	12	6	5
East of England	Quarter	1	7	0	0	1	0	0	0	0	0	3	0	0	1	1	0	0	0	0
		2	4	1	0	0	0	0	0	0	2	0	0	0	0	0	0	0	1	0
		3	2	0	0	0	0	0	0	0	0	7	0	0	0	1	0	0	0	0
		4	2	0	0	0	0	0	1	0	1	2	0	0	0	0	0	1	0	0
	Year	22/23	4	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	0
	Episodes	F/N	7	2	2	6	9	14	7	1	3	5	2	3	5	23	11	9	3	0
Midlands	Quarter	1	2	0	0	0	0	0	0	0	0	3	1	0	0	0	0	0	0	0
		2	3	1	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0
		3	3	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	1	0
		4	4	0	0	0	0	0	0	1	0	4	0	0	1	0	0	0	1	0
	Year	22/23	3	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0
	Episodes	F/N	12	5	15	6	19	24	11	9	2	15	6	12	11	40	32	10	16	2
London	Quarter	1	2	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0
		2	3	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
		3	5	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0
		4	4	1	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
	Year	22/23	3	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
	Episodes	F/N	25	10	16	14	33	32	12	8	2	13	7	7	22	41	36	8	5	1
South East	Quarter	1	3	0	0	0	0	0	0	0	1	4	0	0	0	0	0	0	0	0
		2	7	0	0	0	0	0	0	0	0	6	0	0	0	0	0	0	0	0
		3	6	1	0	0	0	0	0	0	0	6	0	0	0	0	0	0	0	0
		4	8	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0	0
	Year	22/23	6	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0	0
	Episodes	F/N	30	9	14	13	35	33	11	10	4	25	5	13	16	54	38	13	9	2
South West	Quarter	1	4	0	0	0	0	0	0	1	0	0	0	1	0	1	0	0	0	0
		2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		3	20	0	0	0	0	0	0	1	0	5	1	0	0	1	0	0	1	1
		4	0	0	0	0	0	0	1	0	1	11	1	0	0	1	0	0	0	0
	Year	22/23	6	0	0	0	0	0	0	1	0	4	0	0	0	1	0	0	0	0
	Episodes	F/N	12	1	4	4	23	18	7	8	1	7	4	8	7	38	10	1	6	1

Mean weekly incidence rate per 100,000 Persons.

		Musculoskeletal Symptoms (ICD10: R25-R29)																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	28	8	5	4	4	10	30	68	144	31	6	5	5	6	15	34	69	144
	2	25	7	5	3	4	11	36	68	148	37	7	4	5	7	15	38	84	157
	3	30	6	4	3	4	12	35	72	163	25	6	3	6	7	17	37	78	158
	4	26	5	4	4	4	11	32	68	158	33	6	2	6	7	16	37	77	152
	5	25	5	4	3	3	11	28	61	141	29	5	4	6	7	15	33	74	145
	6	29	7	4	3	3	10	33	67	139	25	5	4	6	6	15	34	72	162
	7	25	6	4	3	4	11	31	68	134	26	6	3	6	7	15	34	73	157
	8	25	5	4	3	3	10	29	69	161	30	6	3	4	6	14	32	73	157
	9	24	4	3	2	3	8	26	59	136	26	5	2	4	5	11	25	58	152
	10	28	5	4	3	4	12	32	72	168	33	6	4	6	6	14	33	78	176
	11	28	7	4	3	4	11	31	66	170	31	6	4	6	6	15	34	75	166
	12	21	6	4	3	4	10	29	62	149	29	7	4	4	6	13	30	68	146
	13	23	6	4	3	3	10	29	61	138	25	5	3	5	6	13	33	67	156
Quarter	1	27	7	5	3	4	11	34	69	151	31	6	4	5	7	16	36	77	153
	2	27	6	4	3	4	11	31	65	144	29	6	3	6	7	15	34	74	152
	3	26	5	3	3	3	10	29	66	152	29	6	3	5	6	13	31	69	161
	4	24	6	4	3	4	10	30	64	153	28	6	4	5	6	14	33	71	158
Year	22/23	26	6	4	3	4	10	31	66	150	29	6	3	5	6	14	33	73	156
Episodes	F/N	681	734	1,420	1,039	3,115	7,675	7,537	10,339	7,524	724	705	1,152	1,742	5,135	10,054	8,584	13,526	12,809

Mean weekly incidence rate per 100,000 Persons.

			M										F									
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs		
North East and Yorkshire	Quarter	1	9	7	4	5	4	13	41	93	192	33	9	4	5	9	19	43	100	232		
		2	27	5	3	4	5	14	39	83	215	17	7	3	8	7	20	47	108	206		
		3	33	4	4	3	4	12	37	85	223	35	9	3	5	7	16	42	84	213		
		4	25	7	4	2	4	14	37	86	200	23	5	3	5	8	19	41	104	221		
	Year	22/23	24	6	4	4	4	13	38	87	208	26	7	3	6	8	19	43	99	217		
	Episodes	F/N	46	55	101	88	272	847	952	1,338	988	47	67	94	138	475	1,165	1,125	1,808	1,705		
North West	Quarter	1	32	9	5	4	5	15	44	77	173	26	6	5	7	10	19	46	81	157		
		2	34	6	5	4	4	14	37	75	145	47	5	4	8	9	19	42	82	162		
		3	24	7	4	3	4	13	35	72	154	27	7	5	6	8	16	37	81	169		
		4	30	8	5	3	5	14	36	71	170	31	6	4	6	7	18	40	75	173		
	Year	22/23	30	7	5	4	5	14	38	74	160	33	6	5	7	9	18	41	80	165		
	Episodes	F/N	125	146	278	192	591	1,616	1,557	1,878	1,229	130	114	246	335	1,034	1,945	1,731	2,392	2,064		
East of England	Quarter	1	24	4	5	2	4	9	33	67	136	31	5	4	4	6	13	33	67	143		
		2	15	3	4	4	3	9	31	58	142	16	4	2	5	6	12	29	67	142		
		3	16	4	2	3	4	10	27	63	141	22	6	2	4	7	12	28	71	159		
		4	14	6	3	2	5	9	30	63	172	22	7	4	3	5	12	31	75	171		
	Year	22/23	17	4	4	3	4	9	30	63	148	22	6	3	4	6	12	30	70	154		
	Episodes	F/N	30	38	95	65	208	483	535	765	629	37	46	73	82	319	623	576	1,025	1,071		
Midlands	Quarter	1	34	7	4	3	4	12	31	63	130	41	6	5	6	7	14	34	77	137		
		2	33	5	4	3	4	10	28	62	133	26	5	2	6	6	15	29	68	148		
		3	33	4	3	2	3	10	29	64	132	47	5	3	5	6	13	30	64	147		
		4	32	6	5	3	4	10	27	56	127	43	5	4	5	6	13	29	64	131		
	Year	22/23	33	5	4	3	4	10	29	61	130	39	5	3	5	6	14	31	68	141		
	Episodes	F/N	143	114	242	170	508	1,320	1,374	1,981	1,284	163	101	200	299	757	1,704	1,530	2,557	2,237		
London	Quarter	1	23	5	4	3	3	9	31	68	143	21	6	3	4	5	17	36	74	138		
		2	21	5	3	3	3	9	30	68	134	21	6	3	5	6	15	34	75	136		
		3	16	5	3	2	2	8	29	67	140	15	6	3	4	5	12	31	68	152		
		4	22	6	4	3	3	8	27	64	135	26	4	3	5	5	13	33	67	136		
	Year	22/23	20	5	3	3	3	8	29	67	138	21	6	3	5	5	14	33	71	140		
	Episodes	F/N	145	169	287	246	732	1,412	1,133	1,378	996	139	171	236	395	1,269	2,107	1,373	1,856	1,702		
South East	Quarter	1	31	7	6	3	4	9	29	59	146	36	7	4	6	7	14	30	73	141		
		2	29	7	4	3	4	9	26	55	124	34	7	4	6	7	13	30	61	134		
		3	26	5	3	3	4	8	22	54	142	34	6	2	5	6	11	25	58	146		
		4	19	5	4	3	3	10	26	57	143	26	8	3	6	5	11	27	60	150		
	Year	22/23	26	6	4	3	4	9	25	56	138	33	7	3	6	6	12	28	63	143		
	Episodes	F/N	134	147	310	202	546	1,357	1,304	1,949	1,588	156	161	219	367	918	1,801	1,535	2,599	2,697		
South West	Quarter	1	33	9	5	3	4	10	28	72	160	42	7	3	4	7	14	32	69	161		
		2	22	8	4	3	5	11	32	67	157	35	4	4	5	6	13	30	77	165		
		3	48	4	3	2	3	11	31	69	169	28	5	2	5	5	12	27	66	178		
		4	22	7	4	3	4	12	30	64	166	16	6	4	5	6	11	31	74	167		
	Year	22/23	31	7	4	3	4	11	30	68	163	30	5	3	5	6	12	30	72	168		
	Episodes	F/N	58	65	107	76	258	640	682	1,050	810	52	45	84	126	363	709	714	1,289	1,333		

7. Genitourinary System Disorders:

Mean weekly incidence rate per 100,000 Persons.

Urinary Tract Infections (ICD10: N30,N390)

		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	15	6	2	2	3	8	19	44	80	17	19	15	31	31	29	46	77	109
	2	18	7	2	2	3	7	22	44	93	17	19	15	31	33	31	45	79	109
	3	13	5	2	2	3	8	22	40	78	15	21	12	29	33	29	44	78	105
	4	21	5	2	2	2	7	22	42	83	17	14	11	29	33	34	48	78	110
	5	19	6	3	2	3	8	21	40	78	19	18	13	31	35	33	49	83	110
	6	15	6	2	2	3	8	23	47	83	12	21	15	33	34	34	49	80	107
	7	15	7	3	2	3	8	23	47	82	19	25	14	33	34	34	48	81	111
	8	17	6	3	2	3	8	21	42	82	16	23	16	31	32	31	45	78	116
	9	16	5	2	1	3	8	20	41	86	8	16	13	30	30	29	42	70	104
	10	14	7	3	3	3	8	22	43	85	16	21	16	33	34	32	49	81	114
	11	16	6	3	3	3	7	22	47	101	17	22	15	30	32	32	49	80	116
	12	19	6	3	2	3	9	22	45	92	16	18	15	28	30	30	46	75	113
	13	15	6	3	2	3	8	23	45	92	20	18	14	31	31	30	44	77	110
Quarter	1	15	6	2	2	3	8	21	43	84	16	19	14	30	32	30	45	78	108
	2	18	6	2	2	3	8	22	44	82	16	18	13	31	34	34	49	80	110
	3	15	6	3	2	3	8	21	42	84	14	21	15	32	32	31	45	77	111
	4	17	6	3	2	3	8	22	45	93	18	19	15	30	31	30	47	78	112
Year	22/23	16	6	2	2	3	8	21	44	86	16	20	14	31	32	31	46	78	110
Episodes	F/N	431	768	867	658	2,505	5,830	5,244	6,816	4,310	399	2,327	4,798	10,002	26,234	21,800	11,895	14,536	9,058

Mean weekly incidence rate per 100,000 Persons.


Urinary Tract Infections (ICD10: N30,N390)

			M									F								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
North East and Yorkshire	Quarter	1	13	6	2	2	4	11	27	43	85	30	27	19	40	38	31	54	81	119
		2	15	7	2	2	4	10	25	47	75	42	24	17	42	40	38	55	89	116
		3	25	8	3	2	4	8	24	48	94	16	33	22	42	37	31	50	86	132
		4	19	9	3	2	4	10	22	50	83	34	26	17	42	34	36	53	81	127
	Year	22/23	18	8	2	2	4	10	25	47	84	31	28	19	41	37	34	53	84	123
	Episodes	F/N	35	71	66	54	230	615	612	726	399	55	248	501	980	2,256	2,148	1,383	1,535	966
North West	Quarter	1	17	11	3	3	4	9	27	48	88	20	22	19	37	42	37	53	98	129
		2	23	8	3	2	3	9	28	55	90	15	22	17	39	44	44	57	97	132
		3	18	7	4	2	3	10	23	48	109	17	28	20	38	41	41	55	92	125
		4	24	9	3	3	4	9	25	54	100	22	23	19	34	38	37	57	96	124
	Year	22/23	21	8	3	2	4	9	26	52	97	19	24	19	37	41	40	56	96	128
	Episodes	F/N	85	167	168	125	455	1,073	1,063	1,318	744	73	447	1,012	1,896	4,897	4,331	2,328	2,866	1,596
East of England	Quarter	1	22	4	2	3	3	6	20	38	71	10	18	14	31	31	28	39	73	98
		2	17	6	3	2	2	8	17	38	81	11	18	13	32	34	35	45	74	104
		3	16	4	3	3	3	8	16	35	77	20	20	12	34	31	29	45	62	109
		4	17	10	2	2	3	9	18	39	102	5	17	12	29	32	28	43	80	93
	Year	22/23	18	6	2	2	3	8	18	38	83	12	18	13	31	32	30	43	72	101
	Episodes	F/N	31	51	62	53	147	409	318	459	353	19	153	310	644	1,740	1,533	818	1,057	703
Midlands	Quarter	1	15	5	2	2	3	8	19	40	84	9	18	12	30	31	29	40	73	100
		2	13	6	3	2	3	7	21	37	80	15	17	13	30	36	32	46	69	95
		3	12	7	2	1	3	7	18	38	69	10	18	12	31	32	32	40	75	99
		4	15	5	3	1	3	8	22	40	85	11	14	13	30	34	29	43	72	105
	Year	22/23	14	6	2	1	3	7	20	38	79	12	17	13	31	34	31	42	72	100
	Episodes	F/N	59	121	139	87	356	952	978	1,247	783	48	332	724	1,671	4,110	3,794	2,118	2,727	1,581
London	Quarter	1	16	4	2	2	3	6	18	39	74	13	17	10	22	25	24	38	62	82
		2	15	5	2	2	2	6	20	42	77	10	16	10	22	26	27	40	66	92
		3	7	4	2	2	2	7	20	41	64	13	16	11	21	25	25	35	61	80
		4	12	4	2	2	2	7	18	37	61	19	15	12	20	24	24	36	58	98
	Year	22/23	12	4	2	2	2	6	19	40	69	13	16	11	21	25	25	37	62	89
	Episodes	F/N	88	141	167	148	642	1,057	727	818	499	91	492	890	1,861	6,227	3,682	1,531	1,620	1,073
South East	Quarter	1	13	7	3	2	3	8	19	44	96	18	19	14	33	33	29	47	81	118
		2	20	6	2	2	3	8	23	45	89	19	19	12	32	35	33	52	81	123
		3	17	8	3	2	3	8	23	43	90	13	22	15	36	35	32	48	80	125
		4	19	6	3	2	3	8	23	50	114	18	23	16	33	32	32	50	84	127
	Year	22/23	17	7	3	2	3	8	22	46	97	17	21	14	33	34	32	49	81	123
	Episodes	F/N	88	164	212	141	465	1,207	1,125	1,580	1,115	81	483	966	2,089	5,008	4,608	2,687	3,363	2,334
South West	Quarter	1	18	4	1	2	3	8	17	46	71	30	19	13	27	34	30	44	73	102
		2	36	5	1	1	3	9	16	41	78	13	17	12	34	33	31	42	83	99
		3	22	6	2	2	4	10	21	42	83	14	20	17	37	34	30	44	73	108
		4	20	7	3	3	4	9	21	44	103	18	24	21	33	32	29	43	74	98
	Year	22/23	24	6	2	2	3	9	19	43	84	18	20	16	33	33	30	43	76	101
	Episodes	F/N	45	53	53	50	210	517	421	668	417	32	172	395	861	1,996	1,704	1,030	1,368	805


Appendix E

COVID-19 incidence, disparities in presentation, and
data tables

Weekly disease incidence by region




Weekly disease incidence by age group




COVID-19

Age-sex profile




Age Band	Condition Female Rate	Condition Male Rate	Condition Female Population	Condition Male Population
85+yrs	6.43	6.18	15,020	9,285
75-84yrs	8.20	11.69	19,141	17,575
65-74yrs	11.10	14.80	25,922	22,251
45-64yrs	35.47	31.93	82,829	47,996
25-44yrs	28.54	22.88	66,635	34,383
15-24yrs	6.49	5.89	15,152	8,847
5-14yrs	2.49	4.24	5,810	6,380
1-4yrs	0.66	1.14	1,536	1,707
<1yr	0.63	1.25	1,474	1,883


Index of Multiple Deprivation (IMD)



Ethnic group



Conurbation, Urban and Rural Living



Mean weekly incidence rate per 100,000 Persons.

		COVID-19																	
		M									F								
		<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
4 weekly	1	43	14	19	35	47	62	83	67	83	36	13	18	55	84	105	88	54	66
	2	137	30	62	74	119	172	211	179	218	113	32	59	140	224	298	221	144	168
	3	197	43	68	83	122	189	236	235	316	160	44	64	139	244	338	268	213	289
	4	71	15	9	23	36	57	77	97	155	57	12	9	43	68	99	88	82	133
	5	49	9	14	20	29	47	72	83	116	43	11	15	32	60	86	81	77	110
	6	74	14	15	27	43	89	132	156	265	53	11	14	48	93	165	145	155	265
	7	65	10	12	18	26	42	51	79	120	42	10	10	26	54	78	58	68	137
	8	47	10	12	17	25	42	53	86	175	42	8	11	33	59	81	62	81	173
	9	65	8	5	13	21	41	71	130	265	69	7	5	24	51	80	80	125	305
	10	34	7	6	9	13	21	36	65	149	27	5	6	16	32	44	40	62	165
	11	60	6	6	10	16	34	61	107	225	47	6	5	22	44	71	71	108	252
	12	49	7	4	9	16	34	65	114	207	47	4	5	19	41	71	71	108	216
	13	39	5	3	6	8	19	39	67	109	35	5	3	12	22	37	43	62	99
Episodes	F/N	1,883	1,707	6,380	8,847	34,383	47,996	22,251	17,575	9,285	1,474	1,536	5,810	15,152	66,635	82,829	25,922	19,141	15,020
Quarter	1	125	29	50	64	96	141	177	160	206	102	30	47	111	184	247	192	137	174
	2	64	12	12	22	35	62	89	109	175	51	11	12	39	71	113	99	101	167
	3	52	9	9	14	21	36	52	90	182	44	7	8	25	49	69	59	85	199
	4	49	6	4	9	14	28	55	95	179	43	5	4	18	36	59	61	92	191
Year	22/23	72	14	18	26	40	65	91	112	185	59	13	17	46	82	119	101	103	183

Mean weekly incidence rate per 100,000 Persons.

COVID-19

			F									M								
			<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs	<1yr	1-4yrs	5-14yrs	15-24yrs	25-44yrs	45-64yrs	65-74yrs	75-84yrs	85+yrs
East of England	Episodes	F/N	93	123	487	983	4,504	6,108	2,011	1,387	1,074	120	139	531	610	2,319	3,614	1,692	1,292	654
	Quarter	1	113	39	58	121	186	254	207	126	125	101	33	61	73	108	155	188	150	150
		2	59	11	14	37	71	109	99	90	137	65	12	14	22	37	60	95	93	148
		3	22	6	8	24	51	72	63	90	179	49	13	9	14	23	38	50	96	153
		4	34	5	3	18	36	56	61	77	176	62	6	5	10	15	29	55	89	164
	Year	22/23	56	15	20	48	83	119	106	95	154	69	16	21	29	44	69	95	106	154
London	Episodes	F/N	366	347	1,246	3,283	14,430	12,492	3,602	2,468	1,773	479	431	1,299	1,910	8,177	7,983	2,959	2,033	1,186
	Quarter	1	98	28	44	95	150	192	184	150	172	132	30	45	54	78	112	162	165	231
		2	41	9	8	30	44	72	81	89	140	56	12	8	19	24	41	66	96	142
		3	38	7	7	19	31	49	48	66	141	43	8	7	12	14	25	43	62	145
		4	43	3	5	13	21	39	47	78	134	42	5	4	7	9	19	43	77	146
	Year	22/23	54	11	15	37	59	85	88	94	146	67	13	15	22	30	47	77	98	164
Midlands	Episodes	F/N	217	273	1,031	2,770	11,414	15,661	4,801	3,846	2,908	253	261	1,089	1,552	5,517	8,656	4,361	3,603	1,788
	Quarter	1	75	29	46	111	188	245	165	128	169	86	24	48	60	93	135	160	145	201
		2	53	12	14	47	88	128	97	101	174	59	11	14	25	41	68	93	113	178
		3	44	5	9	28	58	72	58	81	182	49	6	8	14	24	36	54	84	168
		4	37	10	5	22	48	72	68	100	207	39	10	5	11	19	36	61	106	181
	Year	22/23	52	14	18	51	93	127	96	102	183	58	12	18	27	43	68	91	111	182
North East and Yorkshire	Episodes	F/N	128	120	417	1,172	5,473	7,860	2,535	1,901	1,574	144	117	485	610	2,580	4,183	2,085	1,709	943
	Quarter	1	105	28	41	109	197	254	181	131	193	142	27	45	54	100	141	149	145	201
		2	61	12	12	45	86	129	99	107	183	52	9	14	22	38	69	91	104	194
		3	69	8	8	30	50	65	53	77	200	58	10	8	15	21	30	44	92	175
		4	55	6	3	20	40	62	64	105	227	50	6	4	9	16	29	57	106	224
	Year	22/23	72	13	16	49	91	125	97	104	201	74	12	17	24	42	66	84	111	199
North West	Episodes	F/N	253	234	890	2,215	10,348	13,188	4,174	3,347	2,717	338	263	981	1,336	5,233	7,545	3,531	3,025	1,570
	Quarter	1	113	28	45	102	192	250	189	152	226	126	28	48	61	96	137	171	175	228
		2	53	11	12	37	78	115	96	110	199	78	11	11	22	38	62	80	112	210
		3	37	7	8	21	50	69	55	89	218	66	11	8	12	19	35	48	92	191
		4	58	5	4	19	40	63	65	100	229	61	5	5	9	15	30	53	101	189
	Year	22/23	64	12	16	43	87	122	100	112	218	82	13	17	25	41	65	86	119	204
South East	Episodes	F/N	317	324	1,297	3,338	14,571	19,357	6,211	4,372	3,535	420	381	1,516	2,032	7,596	11,598	5,349	4,139	2,208
	Quarter	1	121	32	52	134	212	277	219	138	166	143	34	57	79	118	168	207	167	208
		2	50	13	13	42	88	127	114	107	171	72	15	15	24	42	75	101	120	184
		3	57	8	10	28	59	77	67	94	223	59	9	11	16	28	42	57	101	194
		4	41	5	5	18	43	65	65	88	188	61	6	5	8	16	32	61	95	185
	Year	22/23	66	14	19	53	98	134	114	106	187	83	15	21	31	49	77	105	119	192
South West	Episodes	F/N	100	115	442	1,391	5,895	8,163	2,588	1,820	1,439	129	115	479	797	2,961	4,417	2,274	1,774	936
	Quarter	1	94	32	49	123	217	297	206	130	151	147	24	48	71	111	164	197	172	193
		2	67	11	12	42	80	132	108	90	146	62	14	13	25	39	70	97	103	144
		3	46	10	9	37	70	97	76	102	255	37	9	11	19	29	50	71	110	253
		4	25	3	3	18	37	62	52	85	173	33	3	4	6	13	28	45	81	167
	Year	22/23	58	14	18	53	98	144	109	101	181	69	12	18	29	46	76	101	115	188