



Royal College of  
General Practitioners  
Research and Surveillance Centre

## RSC Communicable and Respiratory Disease Report for England

### Key Statistics:

Week Number/Year.....02/2018  
Week Starting - Ending.....08/01/2018 - 14/01/2018  
No. of Practices.....167  
Population.....1701482

#### National (England)

- **Acute Bronchitis** : decreased from **146.6** in week 1 to **130.1** in week 2.
- **Asthma** : increased from **16.2** in week 1 to **17.7** in week 2.
- **Common Cold** : was unchanged at **142.6** in week 1 compared with **142.3** in week 2.
- **Influenza-Like illness** : increased from **37.3** in week 1 to **53.1** in week 2.
- **Respiratory System Diseases** : was unchanged at **463.2** in week 1 compared with **467.6** in week 2.

#### Regional (London, North, South and Midlands And East)

- **Acute Bronchitis** : was unchanged at **85.0** in week 1 compared with **86.0** in week 2 in the London region, decreased from **170.4** in week 1 to **158.0** in week 2 in the North region, decreased from **140.2** in week 1 to **115.9** in week 2 in the South region, and decreased from **202.5** in week 1 to **167.8** in week 2 in the Midlands And East region.
- **Asthma** : decreased from **15.7** in week 1 to **14.0** in week 2 in the London region, increased from **18.2** in week 1 to **22.0** in week 2 in the North region, was unchanged at **15.3** in week 1 compared with **15.7** in week 2 in the South region, and increased from **14.9** in week 1 to **18.8** in week 2 in the Midlands And East region.
- **Common Cold** : was unchanged at **158.2** in week 1 compared with **162.2** in week 2 in the London region, increased from **140.7** in week 1 to **160.0** in week 2 in the North region, decreased from **130.4** in week 1 to **118.2** in week 2 in the South region, and decreased from **151.2** in week 1 to **131.8** in week 2 in the Midlands And East region.
- **Influenza-Like illness** : increased from **30.3** in week 1 to **42.1** in week 2 in the London region, increased from **34.5** in week 1 to **57.3** in week 2 in the North region, increased from **45.3** in week 1 to **54.3** in week 2 in the South region, and increased from **35.5** in week 1 to **57.9** in week 2 in the Midlands And East region.
- **Respiratory System Diseases** : increased from **389.1** in week 1 to **427.2** in week 2 in the London region, increased from **489.6** in week 1 to **539.6** in week 2 in the North region, decreased from **454.7** in week 1 to **420.2** in week 2 in the South region, and decreased from **537.6** in week 1 to **485.5** in week 2 in the Midlands And East region.


### Comment:

Whilst, total presentations with respiratory conditions have changed little this week Influenza has risen again. Influenza B is the predominant circulating strain (Graph B). Presentations overall of influenza-like-illness in primary care have remained above the medium threshold, though rates overall have increased from 37 to 53 new cases per 100,000 people. For people in the over 65 years old age-band influenza like-illness has increased above the very high threshold (Graph A, Table D).


## Winter Focus 2017/18

Please see page 13 for explanatory notes on the data.


### (A) Influenza-like illness: incidence rate winter 2017/18\*



### (B) RCGP/PHE RSV and Influenza Virology Swab Surveillance 2017/18(all ages, gender & regions combined)\*



\* The thresholds used are the agreed RCGP/ Public Health England levels for 2017/18. The rolling average line (blue) is based on 5 year historic RCGP RSC level.

**(C) Influenza-like illness: national incidence rate 2017/2018 by age group\*****(D) Influenza-like illness: national incidence rate 2017/2018 by age group\***


This table shows the level of intensity of ILI by age band. MEM thresholds have been calculated separately for each age band - the ranges are shown in the table Threshold levels by age band.

	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4
<15yrs	2.87	2.13	3.25	2.17	1.88	3.19	3.55	3.55	3.93	5.47	10.47	11.18	9.48	14.00	19.56		
15-64yrs	7.57	6.50	6.98	7.27	6.08	7.40	7.24	9.04	8.85	10.47	12.66	22.33	25.23	43.32	60.86		
65+yrs	7.71	4.49	4.58	5.70	4.10	5.54	2.77	4.14	6.30	3.86	7.53	13.58	15.99	37.27	56.30		
All ages	6.80	5.42	5.94	6.14	5.01	6.37	5.85	7.27	7.58	8.48	11.41	18.94	20.99	37.33	53.13		
	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
<15yrs																	
15-64yrs																	
65+yrs																	
All ages																	

Table 2	Below Threshold <sup>1</sup>	Threshold to Medium <sup>2</sup>	Medium to High <sup>3</sup>	High to Very High <sup>4</sup>	Above Very High <sup>5</sup>	Threshold levels
0-14	<10.8	10.8 to <16.2	16.2 to <49.0	49.0 to <80.0	80.0+	<sup>1</sup> Below baseline threshold
15-64	<14.6	14.6 to <27.5	27.5 to <62.6	62.6 to <90.0	90.0+	<sup>2</sup> baseline threshold breach to < 40th percentile
65+	<11.0	11.0 to <15.8	15.8 to <34.4	34.4 to <48.5	48.5+	<sup>3</sup> 40th to <90th percentile
All Ages	<13.1	13.1 to <24.2	24.2 to <68.7	68.7 to <108.9	108.9+	<sup>4</sup> 90th to <97.5th percentile
						<sup>5</sup> 97.5th+ percentile

**Weekly influenza-like illness and bronchitis incidence rates per 100,000 persons**

	Influenza-like illness	Acute Bronchitis		Influenza-like illness	Acute Bronchitis
<1yr	6.3	300.8	London	42.1	86.0
1-4yrs	20.9	105.6	North	57.3	158.0
5-14yrs	20.1	24.8	South	54.3	115.9
15-24yrs	42.0	32.2	Midlands And East	57.9	167.8
25-44yrs	57.3	59.9	National	53.1	130.1
45-64yrs	74.4	151.0			
65-74yrs	58.4	263.1			
75-84yrs	61.7	379.9			
85+yrs	35.3	665.4			
All ages	53.1	130.1			


**(E) Acute Bronchitis: national incidence rate 2017/2018 by age group\*****Weekly Influenza-like illness and Acute Bronchitis incidence rates per 100,000 persons**

	Influenza-like illness	Acute Bronchitis
<5yrs	18.3	139.2
5-14yrs	20.1	24.8
15-64yrs	60.9	89.2
65+yrs	56.3	354.9
All ages	53.1	130.1


# 1. Water & Food Borne Disorders:

5yr Avg   National   London   North   South   Midlands And East


**Infectious Intestinal Disease (ICD10: A00-A09)**  
Weekly incidence (per 100,000 **all ages**) by regions  
for 2018 compared with 5 year average




**Infectious Intestinal Disease (ICD10: A00-A09)**  
Weekly incidence (per 100,000 **0-4 years**) by regions  
for 2018 compared with 5 year average



**Non-Infective Enteritis & Colitis (ICD10: K50-K52)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average




**Viral Hepatitis (ICD10: B15-B19)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average




## 2. Environmentally Sensitive Disorders:

5yr Avg   National   London   North   South   Midlands And East


**Asthma (ICD10: J45-J46)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average




**Disorders of Conjunctiva (ICD10: H10-H13)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average



**Hayfever/Allergic Rhinitis (ICD10: J30)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average




**Symptoms involving Respiratory & Chest (ICD10: R05-R07,R09)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average




### 3. Respiratory Infections:

5yr Avg   National   London   North   South   Midlands And East


**Acute Bronchitis (ICD10: J20-J21,J40)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average




**Common Cold (ICD10: J00,J06)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average




**Influenza-Like Illness (ICD10: J09-J11)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average




**Acute Laryngitis/Tracheitis (ICD10: J04)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average



**Pleurisy (ICD10: R091)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average




**Pneumonia/Pneumonitis (ICD10: J12-J18)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average




### 3. Respiratory Infections(Continued):

5yr Avg   National   London   North   South   Midlands And East


**Respiratory System Diseases (ICD10: J00-J99)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average




**Acute Sinusitis (ICD10: J01)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average




**Strep Sore Throat, Scarletina and Peritonsillar Abscess (ICD10: A38,J020,J36)**  
Weekly incidence (per 100,000 all ages) by region for 2017  
for 2018 compared with 5 year average




**Acute Tonsillitis/Pharyngitis (ICD10: J02-J03)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average



**Upper Respiratory Tract Infections (URTI)(ICD10: J00-J06)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average



**Whooping Cough (ICD10: A37)**  
Weekly incidence (per 100,000 all ages) by region for 2017  
for 2018 compared with 5 year average







### 3. Respiratory Infections(Continued):

5yr Avg   National   London   North   South   Midlands And East


**Infectious Mononucleosis (ICD10: B27)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average



**Lower Respiratory Tract Infections (LRTI)(ICD10: J20-J22)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average




**Acute Otitis Media (ICD10: H650-H651,H660,H669)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average




## 4. Vaccine Sensitive Disorders

5yr Avg   National   London   North   South   Midlands And East


**Measles (ICD10: B05)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average



**Mumps (ICD10: B26)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average




**Rubella (ICD10: B06)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average




## 5. Skin Contagions

**Bullous Dermatoses (ICD10: L10-L14)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average




**Chickenpox (ICD10: B01)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average




## 5. Skin Contagions (Continued)

5yr Avg   National   London   North   South   Midlands And East


**Herpes Simplex (ICD10: B00)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average




**Herpes Zoster (ICD10: B02)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average




**Infections of Skin & Subcutaneous Tissue (ICD10: L00-L08)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average




**Scabies (ICD10: B86)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average



**Symptoms involving Skin & Oth Integument Tiss (ICD10: R20-R23)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average




**Impetigo (ICD10: L01)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average




## 6. Disorders Affecting the Nervous System

5yr Avg   National   London   North   South   Midlands And East


**Disorders of The Peripheral Nervous System (ICD10: G50-G64,G70-G72)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average



**Meningitis/Encephalitis (ICD10: A170-A171,A390,A38-A85,A87,G00-G05)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average




**Symptoms Involving Nervous & Musculoskeletal (ICD10: R25-R29)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average



## 7. Genitourinary System Disorders

**Urinary Tract Infection/Cystitis (ICD10: N30,N390)**  
Weekly incidence (per 100,000 all ages) by region  
for 2018 compared with 5 year average



## 8. Tabular Summary by Disease

Disease Name	Week beginning Week ending		08/01/2018 14/01/2018		01/01/2018 07/01/2018		25/12/2017 31/12/2017		18/12/2017 24/12/2017	
	Rate	Numer	Rate	Numer	Rate	Numer	Rate	Numer	Rate	Numer
Acute Bronchitis	130.1	2,213	146.6	2,474	116.9	1,972	127.8	2,173		
Allergic Rhinitis	4.0	68	2.4	40	1.5	25	3.9	67		
Asthma	17.7	301	16.2	274	13.3	224	19.8	336		
Bullous Dermatoses	0.2	3	0.1	1	0.2	3	0.1	1		
Chickenpox	3.7	63	5.3	89	3.3	55	4.8	81		
Common Cold	142.3	2,421	142.6	2,406	116.5	1,965	168.3	2,862		
Conjunctival Disorders	26.4	449	21.9	370	16.4	276	29.5	501		
Herpes Simplex	4.8	82	3.7	63	2.4	40	5.6	96		
Herpes Zoster	5.9	100	5.9	99	5.0	85	6.8	115		
Impetigo	5.3	90	3.7	62	4.2	70	7.1	120		
Infectious Mononucleosis	0.4	6	0.5	8	0.4	7	0.6	10		
Influenza-like illness	53.1	904	37.3	630	21.0	354	18.9	322		
Infectious Intestinal Diseases	9.9	168	7.3	123	6.5	109	8.5	145		
Laryngitis and Tracheitis	4.4	75	5.3	90	5.5	93	7.8	133		
Lower Respiratory Tract Infections	133.4	2,270	151.3	2,553	119.7	2,018	130.9	2,225		
Measles	0.1	1	0.0	0	0.1	2	0.0	0		
Meningitis and Encephalitis	0.1	2	0.1	1	0.0	0	0.1	1		
Mumps	0.1	2	0.2	4	0.1	1	0.1	2		
Non-infective Enteritis and Colitis	7.6	130	7.4	125	4.9	83	8.2	139		
Otitis Media Acute	27.0	460	25.5	431	22.9	387	36.9	627		
Peripheral Nervous Disease	9.9	169	5.9	99	4.4	74	8.4	143		
Pleurisy	1.0	17	1.4	23	0.5	8	1.1	18		
Pneumonia and Pneumonitis	1.8	31	2.5	42	2.0	34	1.8	30		
Respiratory System Diseases	467.6	7,956	463.2	7,818	355.3	5,992	467.1	7,942		
Rubella	0.0	0	0.0	0	0.0	0	0.0	0		
Scabies	1.8	31	1.8	31	0.7	12	1.6	28		
Sinusitis	33.9	576	31.1	525	19.5	329	28.9	491		
Skin and Subcutaneous Tissue Infections	49.0	834	42.6	719	33.1	558	52.8	897		
Strep Throat and Peritonsillar Abscess	2.6	45	1.7	28	1.2	20	3.2	54		
Symptoms involving musculoskeletal	4.3	74	3.9	66	2.1	36	4.2	71		
Symptoms involving Respiratory and Chest	25.9	440	21.8	368	17.4	293	20.8	354		
Symptoms involving Skin and Integument Tissues	38.1	649	29.4	496	19.4	327	33.6	572		
Tonsillitis and acute Pharyngitis	48.8	830	47.2	796	41.6	701	57.1	971		
Upper Respiratory Tract Infections	255.2	4,343	249.7	4,214	204.6	3,450	296.7	5,045		
Urinary Tract Infections	28.0	476	23.2	391	16.3	275	28.8	489		
Viral Hepatitis	0.2	3	0.2	3	0.1	2	0.2	3		
Whooping Cough	0.0	0	0.1	1	0.4	6	0.1	2		
<b>Denom</b>	<b>1,701,482</b>		<b>1,687,693</b>		<b>1,686,402</b>		<b>1,700,175</b>			
<b>Practice Count</b>	<b>167</b>		<b>164</b>		<b>163</b>		<b>164</b>			

## FURTHER INFORMATION:

### **About the report**

#### **Winter focus**

The first two pages of data within this report focus on Influenza-Like Illness, in order to provide information about the on set of seasonal influenza and early warning of any epidemic.

#### **Rate calculation**

Each weekly incidence rate is presented per 100,000 population. All presentations are for males and females, and for all age groups, unless otherwise stated.

The denominator used for this report is taken from our most recent extract of data from GP practice systems, and includes all patients currently registered with eligible practices. The denominator varies week-on-week as patients register and deregister; it may also be the case that all patients from an individual practice are excluded because of problems with the data extraction from that practice in a specific week. As stated above, patients who have withheld consent for data-sharing are excluded.

In addition to the national rate, we present data for the four NHS England regions: North; Midlands and East; South; and London.

#### **Five-year averages**

Weekly rates are set against the five-year average, calculated from data for the calendar years 2012-2016. Previously we reported against a ten-year average. The change to a five-year average was made because longer-term trends in the incidence of disease have led to weekly rates for certain diseases becoming increasingly divergent from their ten-year average. The use of five-year averages lessens this effect and enables more meaningful comparison.

#### **Threshold calculation for Influenza-Like Illness (ILI)**

We are now using the Moving Epidemic Method (MEM) to calculate threshold and intensity levels for Influenza-Like Illness. MEM works by identifying seasonal epidemic peaks and then calculates thresholds and intensity levels based on the pre and post epidemic values. This allows us to report the severity of ILI against multiple thresholds, rather than a simple comparison with the five-year average as the wide variation in ILI year on year, especially during the seasonal peak, makes the average less representative.

In addition to the All Ages thresholds, we have also calculated thresholds for three age bands: those aged under 15, 15-64 year olds and those aged 65 and over. ILI incidence rates vary among different age groups, and the age-specific thresholds allow us to highlight epidemics where ILI disproportionately affects a particular age group.

This methodology is used by the European Centre for Disease Prevention and Control to standardise reporting of influenza activity across Europe, and is also in use by Public Health England. Full details of the methodology can be found in: Vega *et al.* (2012) Influenza surveillance in Europe: establishing epidemic thresholds by the moving epidemic method. Influenza and Other Respiratory Viruses 7(4), 546–558. For ease of graphical representation, the final threshold (Very High) is not included in Graph A, page 2, but it is part of Table 3, page 3.

Both the *all-ages* thresholds and the *age-specific* thresholds are shown in Table 2, page 3. Ten years of data were used for *all-ages* and *age-specific* thresholds calculation (winter seasons 2005/06- 2015/16 excluding 2009/10).

## About the Royal College of General Practitioners (RCGP) Research and Surveillance Centre (RSC)

### What we do

The RCGP RSC was established in 1957, with the current name in use since 2009. The Centre is an internationally renowned source of information, analysis and interpretation concerning the onset, patterns, prevalence and trends over time of morbidity in primary care. The RSC is an active research and surveillance unit that collects and monitors data; its most important research is the surveillance of influenza and the monitoring of vaccine effectiveness.

The RSC data and analytics hub is housed in the Section of Clinical Medicine and Ageing at the University of Surrey.

Further information about the RSC can be found on our website:

<http://www.rcgp.org.uk/clinical-and-research/our-programmes/research-and-surveillance-centre.aspx>

### Our data extraction process and information governance

Data are extracted twice weekly from practice systems by Apollo Medical Software Solutions on the RCGP's behalf. Patients who have withheld consent for data sharing are excluded from the extraction process.

Data are pseudonymised as close to source as possible. Data are held on secure servers at the RCGP data and analytics hub in the Section of Clinical Medicine and Ageing at the University of Surrey. Both Apollo and the University of Surrey are Registered and compliant with the Data Protection Act and fully compliant with all relevant NHS Digital data information governance best practice.

### What the data is used for

The RCGP RSC has been providing reports weekly about health and disease, called the Weekly Returns Service (WRS) since 1964. The WRS monitors the number of patients consulting with new episodes of illness classified by diagnosis in England and provides weekly incidence rates per 100,000 population for these new episodes of illness. It is the key primary care element of the national disease monitoring systems run by Public Health England. The bulletin can be found at the following URL:

<https://www.gov.uk/government/publications/syndromic-surveillance-summary>

In addition to the WRS, the data is used for other research studies. Any other uses of the data for research follow ethical approval or agreement from NIHR proportionate review, and where relevant Health Research Authority Confidential Advisory Group advice that further approval is not needed. Full details can be found on our website:

<http://www.rcgp.org.uk/clinical-and-research/our-programmes/research-and-surveillance-centre.aspx>

### For further information

For further information about the work of the RSC, or if you would like to be included on our email notification list, please contact:

RCGP Research & Surveillance Centre  
CIRC, First floor  
30 Euston Square  
London NW1 2FB  
Tel: +44 (0)203 188 7690

Medical Director: Professor Simon de Lusignan  
[MedicalDirectorRSC@rcgp.org.uk](mailto:MedicalDirectorRSC@rcgp.org.uk)

RCGP Research & Surveillance Centre  
University of Surrey  
Section of Clinical Medicine and Ageing  
GUILDFORD  
GU2 7XH  
Tel: +44 (0)1483 684802

Practice Liaison Officer: Ivelina Yonova  
[i.yonova@surrey.ac.uk](mailto:i.yonova@surrey.ac.uk)  
Tel: +44 (0)1483 682758

